

REFERENCES

Adams, T. (1976):

A diagnostic technique for a calculous cholecystitis

Surg. Gyn. Obstet. 142:168-170.

Anderson, J. R. (1986):

The gall bladder and bile duct. In: *Morris text book of pathology* ed . Anderson, J.R Twelfth edition.

English Language Book Society-Edward Arnold. London.

P.P.2046-2055.

Beaudion, M., Carey, M. and Small, D. M. (1975):

Effect of taurodihydrofusidate bile formation and biliary lipid secretion in the rhesus monkey.

J. Clin. Invest. 56:1431.

Bennion, L. J. (1979):

The effect of birth control pills on bile composition.

N. Engl. Med. 294:189.

Bouchier, I. A. D. (1981):

Physiology of the gall bladder and biliary tree. In:

Surgery of the gallbladder and bileducts . ed .

Lord Smith of Marlow and Sherlock, D.S. Second edition.

Butterworths. London Boston Sydney Wellington. P.67.

Brandon, J.C., Teplick, S.K., Haskin, P.H., Sammon, J.K.,
etal. (1988):

Common bile duct calculi: Update experience with
dissolution with Methyl Tertiary Butyl Ether.
Radiology 166:665-667.

Buess, G., Mentage, B., Melzer, A., Gutt, C., Schafter, D.,
(1990) :

Laparoscopic microsurgical cholecystectomy in gallstone
disease

Surg. Endosc. 4 : 55:32 A .

Burhenne, H. J. (1980):

Percutaneous extraction of retained biliary tract
stones: 66 patients.

A. J. R. 134:888 - 898.

Burhenne, H. J. (1986):

Interventional cholelithotomy as an alternative to
cholecystectomy with or without the surgeon ?

Invest. Radiol. 21:594-595.

Camilleri, M., Murphy, R. and Chadwick, V. S. (1980):

Dose related effect of chenodeoxy cholic acid in the
rabbit colon.

Dig. Dis. Sci. 25:433 - 436.

(Quoted from Pitt et al. 1989)

Cowson, R.A., McCracken, A.W. and Marcus, P.B (1982):

Diseases of the biliary tract. In: pathologic mechanisms
and human disease. eds. Cowson, R.A. et al.

The C.V. Mosby company St. Louis Toronto London P.P 378-386

Cohen, S. (1971):

Liver disease and gall stones in regional enteritis.

Gastro - enterology 60: 237 .

Cowen, A.E., Korman, M.G., Hofmann, A.F. et al. (1975):

Metabolism of lithocholate in healthy man.

Gastro - enterology 69: 67 .

Dawson, J. L. (1981):

Cholecystectomy. In: surgery of the gall bladder and
bile ducts. eds. Lord Smith of Marlow and Sherlock, D.S.
Second edition.

Butterworths. London Boston Sydney Wellington.
P. P. 313 - 327.

Detwiller, R.R. (1980):

Ultrasonography and oral cholecystography.

A comparison of their use in the diagnosis of gall
bladder disease.

Arch. Surg. 115: 1096 - 1098 .

Dowling, R.H., Mack, E. and Small, D.M. (1970):

Effects of controlled interruption of the enterohepatic circulation of bile salts by biliary diversion and by ileal resection on bile salt secretion, synthesis and pool size in the rhesus monkey.

J. Clin. Invest. 49: 232.

Dowling, R.H. (1972):

The enterohepatic circulation.
Gastro-enterology 62:122.

Faulkner, D.J. and Kozarek, R.A. (1989):

Gall stones : fragmentation with a tunable dye laser and dissolution with methyltertbutyl ether in vitro.
Radiology 170: 185 - 189.

Ferrucci, J.T. (1989):

Biliary Lithotripsy .
A. J. R. 153:15-22.

Foerster, E. C., Auth, J. ,Runge, U., Ell, C. etal. (1988):

ERCG :endoscopic retrograde catheterization of the gall bladder.
Endoscopy 20: 30 - 32.

Gallans, L.S. and Gadacz, T.R. (1990):

Fragmentation of human gall stones using ultrasound

and electrohydraulic lithotripsy: Experimental and clinical experience.
Surgery 107: 121 - 127.

Ganong, F.W. (19867):

Liver and gall bladder. In: Review of medical physiology. ed. Ganong, F.W. Thirteenth edition.
Appleton and Lang medical publication. California
Canda Sannateo. P.P.416 - 421.

Grace, W.A. and Ransohoff, D.F. (1962):

The natural history of silent gall stones. The innocent gall stone is not a myth.
N.Engl.J.Med. 307: 798.
(Quoted from Way 1991).

Grace, P., A., Quereshi, A., Coleman, J., Keane, R., Broe, etal (1991) :

Reduced post-operative hospitalization after laparoscopic cholecystectomy.
Br. J. Surg. 78:160-162 .

Gryndy, S.M. and Bennion, L.J. (1975):

Effects of obesity and caloric intake on biliary lipid metabolism in man.
J. Clin. Invest. 56: 996.

Gunn, N, (1973):

A calculous gall bladder disease.
Br. J. Surg. 60(3): 213 - 215.

Guyton, A.C. (1986):

Secretion of bile and functions of the biliary tree.

In: Text book of medical physiology. ed. Guyton, A.C.

Sventh edition.

W.B. Saunders Company. Philadelphia London Toronto

Tokyo . P.P. 781-783.

Hardison, W.G. and Proffitt, J.H. (1977):

Influence of hepatic taurine concentration on bile

acid conjugation with taurine.

Am. J. Physiol. 232: 75.

Heaton, K.W. and Read, A.E. (1969):

Gall stones in patients with disorders of the terminal

ileum and disturbed bile salt metabolism.

Br. Med. J. 3:494.

Hendrix, T.R. (1980):

The secretory function of the alimentary canal. In:

Medical physiology. ed. Mountcastle, V. B. Fourteenth

edition.

The C.V. Mosby Company St. Toronto London . Volume II.

P.P. 1289 - 1316.

Hofmann, A.F., Donald, D.E. and Hofmann, N.E. (1975):

Effect of primary bile acids on bile secretion from

perfused dog liver.

Am. J. Physiol. 229: 714.

Hofmann, A.F. (1989):

Medical dissolution of gall stones by oral bile therapy.
Am. J. Surg. 158: 198 - 204.

Hollinshead, W.H. and Rosse, C. (1985):

The gall bladder and the biliary ducts. In: Text book
of anatomy. ed. Hollinshead, W.H. and Rosse, C. Fourth
edition .

Harper and Rosse Publishers Philadelphia London
New York P.P. 649 - 659.

Howel, J.I., Lucy, J.A., Pirola, R.C. and Bouchier, I.A.D. (1970):

Macromolecular assemblies of lipid in bile.
Biochem. Biophys. Acta. 210:1.

Huber, D.F., Martin, E.W. and Cooperman, M. (1983):

Cholecystectomy in elderly patients.
Am. J. Surg. 146: 719 - 721.

Jackson, D.C., Martin, T., Evans, M.M. and Rubio, P.A. (1990):

Endoscopic laser cholecystectomy. A new approach to
gall bladder removal.
Acad Jorنال 51(6):1546 - 1552.

Jacob, C.O., Modan, M., Itzhak, Y., Scapa, E., et al. (1981):

Prolonged opacification of the gall bladder after oral
cholecystography, a re-evaluation of its clinical
significance.

Gastro-enterology 81: 938 - 943.

Kane,R.A. (1988):

The biliary system.In: clinical in diagnostic
ultrasound, Gastro- intestinal ultrasonography. eds.
Kurtz, A.B. and Goldberg, B.B.

Churchill Livingstone. NewYork London Edinburgh .
volume 23.

Keddie,N. (1976):

A calculous gall bladder disease,a prospective study.
Br. J. Surg. 63:797-798.

Kreel,L. (1981):

Radiology of the biliary system. In: Surgery of the
gall bladder and bile ducts. eds.Lord Smith of Marlow
and Sherlock,D.S. Second edition.

Butterworths London Boston Sydney Wellington.
P.P.153-174.

Kerlan,R.K.,LaBerge,J.M.and Ring,E.J. (1985):

Percutaneous cholecystolithotomy : Preliminary
experience.

Radiology 157: 653 - 656.

Loria,P.,Carulli,N.and Medici,G. (1986):

Effect of ursocholic acid on bile lipid secretion and
composition.

Gastro-enterology 90: 865 - 866.

Lynn, J., Williams, L., O'Brien, J., et al. (1973):

Effects of estrogen upon bile : Implications with
respect to gall stones formation.

Ann. Surg. 178 : 514.

Mack, E. (1989):

Dissolution of bile duct stones.

Ann. J. Surg. 158 : 248 - 250.

Mason, R. and Lees, W.R. (1987):

The biliary tract. In: Text book of Radiology and
Imaging. ed. Sutton, D. Fourth edition.

Churchill Livingstone. Edinburgh London Melbourne
New York . P.P. 958 - 976.

Matolo, N. and LaMorte, W. (1981):

Acute and chronic cholecystitis.

Surg. Clin. Nor. Am. 61(4) : 875 - 883.

Maton, P.N., Murphy, G.M. and Dowling, R.H. (1980):

Lack of response to chenodeoxy cholic acid in obese
and non-obese patients.

Gut 21 : 1082 - 1084.

McMinn, R.M.H. (1990):

Liver and biliary tract. In : Last's anatomy, regional
and applid. ed. McMinn, R. M. H. Eighth edition.

Churchill Livingstone, Edinburgh London Melbourne
NewYork P.P. 342 - 351.

McSherry, C.K. and Ferstenberg, H. (1985):

The natural history of diagnosed gall stone disease in
symptomatic and asymptomatic patients.

Ann. Surg. 202 : 59.

Meguid, M.M. (1984):

Adenomyomatosis of the gall bladder.

Am. J. Surg. 147 : 260 - 263.

Nakayama, F. (1980):

Oral cholelithiasis: cheno-versus-urso.

Dig. Dis. Sci. 25 : 129 - 134.

(Quoted from sherlock ; 1989)

Nathanson, L., K., Shimi, S. and Cuschieri, A. (1991) :

Laparoscopic cholecystectomy : the Dundee technique .

Br. J. Surg. . 78 : 155-159 .

Neschis, M. (1987) :

Cholecystokinin cholecystography in the diagnosis of
achalculous extra-hepatic biliary tract disorders.

Am. J. Gastro-enterology 70 : 593 - 599.

**Neugebauer, E., Troidi, H., Spangenberger, W., Dietrich, A.,
Lefering, R. and The cholecystectomy study group (1991) :**

Conventional versus laparoscopic cholecystectomy and
the randomized controlled trial.

Br. J. Surg. 78 : 150-154 .

Nigel, C. and Keedie, (1976):

Achalculous gall bladder disease, a prospective study.

Br. J. Surg. 63:797-798.

Okuda, K. (1981):

Advances in hepato-biliary ultrasonography.

Hepatology 1:662.

Phillips, E., Daykhovsky, L., Carroll, B., Gershman, A.,
etal. (1990):

Laparoscopic cholecystectomy: Instrumentation and
technique.

Journal of Laparoscopic Surgery 1(1):3-15.

Pitt, H. A., McFadden, D. W. and Gadacz, T. R. (1980):

Agents for gall stone dissolution.

Am. J. Surg. 158:262-274.

Pixley, F. and Mann, J. (1988):

Dietary factors in the aetiology of gall stones :

A case control study.

Gut 29 : 1511 - 1515.

Pontes, J. F. and Pinotti, H. W. (1979):

Anomalies of the gall bladder and biliary system. In :
Gastro- enterology. ed. Bochus, H. L. Third edition.
W.B. Saunders Company. Philadelphia London. Volume
III. P.651.

Rains, A. J. H. and Ritchie, H. D. (1984):

The gall bladder and bile ducts In: Baily and Love's,
short practice of surgery. ed.Rains, A. J. H. and
Ritchie,H. D. Eighteenth edition.
H.K. Lewis & Co Ltd. London. Volume II. P.P.908-937.

Ralls, P. W., Colletti, P. M., Lapin, S. A.,etal. (1985):
Real time sonography in suspected acute cholecystitis.
Radiology 155 : 767 - 770.

Reddick,E.J. and Olsen,D.O. (1990):

Reddick laparoscopic cholecystectomy.
Clinical update 31:1-6.

Reid,M. and Phillips,M. (1981):

The role of computerized tomography and ultrasound
imaging in biliary tract disease.
Surg. Clin. Nor. Am. 61 (4) : 787.

Rosenquist,C,J. (1981):

Radiology of the biliary tree.
Surg. Clin. Nor. Am. 61 (4) : 775 - 785.

Ruppin,D.C.,Murphy,G.M.and Dowling,R.H. (1986):

Gall stone disease without gall stones : Bile acids
and biliary lipid metabolism after complete gall stone
dissolution.

Gut 27 : 559.

Sackmann,M.,Delius,M.,Sauerbruch,T.,Holl,J.etal. (1988):

Shock wave lithotripsy of gall bladder stones.

N. Engl. J. Med. 318 : 393 - 397.

Sarr,M.G.and Cameron,J.L. (1987):

The biliary system. In:Essentials of Surgery.
ed.Sabiston.D.C.

W.B.Saunders Company. London Sydney Tokyo
Philadelphia . Volume I. P.P.551 - 586.

Sauerbruch,T.,Delius,M.and Baumgartner,G. (1986):

Fragmentation of gall stones by extracorporeal shock
waves.

N. Engl. J. Med. 314 : 818 - 822.

Sauerbruch,T. (1989):

Gall stone lithotripsy by extracorporeal shock waves.
Am. J. Surg. 158:188-191.

**Schoenfield,L.J.,Lachin,J.M., The Steering Comittee and The
National Cooperative Gall Stone Study Group, (1981):**

Chenodiol (chenodeoxy cholic acid) for dissolution of

gall stones : The national cooperative gall stone study.

Ann. Intern. Med. 95 : 257 - 282.

Schwartz,S.I. (1989):

Gall bladder and extrahepatic biliary system. In : Principles of surgery eds. Schwartz,S.I., etal fifth edition .

McGraw-Hill book company. NewYork London Madrid Tokyo Volume II. P.P.1381-1412.

Schwartz,S.I. (1990):

Anatomy of the extrahepatic biliary tract. In : Maingot's abdominal operation. eds. Schwartz,S.I.and Ellis,S. Ninth edition.

Prentice-Hall international inc. London Sydney Newjersey Volume II. P.P.1337-1348.

Sherlock,S. (1875):

Anatomy, physiology and investigations of biliary tract. In : Diseases of the liver and biliary system. ed.Sherlock,S. Fifth edition.

Black well,Scientific Publication. Oxford London Melbourne P.699.

Siffert,G. (1979):

Motor disorders of biliary tract (dyskinesia,