

REFERENCES

- Azab G, (1977): Surgical anatomy and physiology. In:
El-gendi M.A, (ed.): Surgery, 1st Ed. Alexandria,
El Maaref Establishment, pp. 557-563.

- Bakey L., Glasaver F.E, and Alker G.J, (1980):
Pathophysiology of head injury. In: Bakey L., (ed.):
head injury. 1st Ed, Boston, Little Brown, pp: 11-
20.

- Barwick W.J, (1985): Scalp injuries, In: Wilkins RH,
and Rengachary S.S (eds): Neurosurgery 1st,
ed, New York, Mc Graw-Hill book Co., pp 1612-1622.

- Becker D.P., (1989): Common themes in head injury. In
Becker D.P., and Gudeman S.K (eds.): Textbook of
head injury 1st ed., Philadelphia, W.B Saunders
Co., pp.1-22.

- Becker D.P, Gade G.F, young H.F, and Feuerman T.F.
(1990): Diagnosis and treatment of head injury in
adults. In: youmans J.R. (ed.): Neurological
surgery, 3rd Ed, Philadelphia, W.B. Saunders Co.,
pp. 2017-2148.

- Becker D.P, and Gardner S, (1985): Intensive management of head injury, In: Wilkins R.H, and Rengachary S.S (eds.): Neurosurgery, 1st Ed., New York, McGraw-Hill book Co., pp.1593-1600.
- Becker D.P, Miller J.D, Ward J.D, Greenberg R.P, Young H.F., and Sakalas R. (1977): The outcome from severe head injury with early diagnosis and intensive management. J. Neurosurg 47: 491-502.
- Blumbergs P.C, Jones N.R. and North J.B, (1989): Diffuse axonal injury in head trauma, neurol. Neurosurg. Psychiatry; 52: 838-841.
- Braakman R, Schouten HJ, Dishoeck M.B, and Minderhoud J.M, (1983): Megadose steroids in severe head injury. J. Neurosurg; 58:326-330.
- Bruce D.A, Schut L, and Sutton LN, (1985): Pediatric head injury. In: Wilkinse R.H, and Rengachary S.S (eds): Neurosurgery, 1st ed, New York, Mc-Graw-Hill book Co, pp 1600-1604.

- Butterworth J.F, Maull K.I, and Miller J.D, (1980):
Detection of occult abdominal trauma in patients
with severe head injuries. Lancet 2: 719-726.
- Caffey J. (1974): The whiplash-shaken infant syndrome.
Paediatric, 54: 396-403.
- Chvisd J.G, and DeGroot J.,(1989): The scalp, the
skull, the cerebral meninges, and the brain. In:
Linder H. (ed.): Clinical anatomy, 1st Ed.,
California, Appleton & Lange Co., pp.1-38.
- Clifton G.L, Grossman R.G, Makela M.E, Miner M.E, ,
Handel S, and Sadhu V., (1980): Neurological
course and correlated computerized tomography
finding after severe closed head injury. J
Neurosurg; 52: 611-624.
- Cohen R.J, and Henry C.E, (1989): The electro-
encephalogram in head injury. In: Becker D.P, and
Gudeman S.K, (eds): Textbook of head injury, 1st
Ed., Philadelphia, W.B. Saunders Co, pp. 265-277.

- Cooper P.R, (1985) (A): Resuscitation of the multiply injured patient. In: Wilkins R.H, and Rengachary S.S (eds). Neurosurgery, 1st Ed. New York, McGraw-Hill book Co., pp 1587-1592.
- Cooper P.R, (1985) (B): Traumatic intracranial hematomas. In: Wilkins R.H, and Rengachary S.S, (eds.): Neurosurgery, 1st Ed., New York, McGraw-Hill Book Co., pp. 1657-1665.
- Cooper P.R, Moody S, and Kemp W.K, (1979): Dexamethasone and severe head injury. A prospective Double-blind study. J. Neurosurg; 51: 307-316.
- Cottrell J.E, and Marlin A.E, (1981): Frusemide and human head injury. J Trauma; 21:805-806.
- Dearden N.M, Gibson J.S, McDowall D.G, Gibson R.M, and Gameron M.M, (1986): Effect of high dose dexamethasone on outcome from severe head injury. J. Neurosurg; 64: 81-88.

- De-Villasante M.J, and Traverse J.,(1976): Computed tomography in acute head trauma. A.J.R; 126:765-778.
- Duncan C.C, Ment L.R, Smith B., and Ehrenkranz R., (1981): A scale for the assessment of neonatal neurological status, Child's Brain 8:299-306. (Quoted from Mc Laurin R.L and Towbin R. (1990): Diagnosis and treatment of head injury in infants and children. In Youmans J.R. (eds): Neurological surgery, 3rd ed, Philadelphia, W.B. Saunders Co, pp 2149-2193).
- Gade G.F, Becker D.P, Miller J.D, and Dwan P.S,(1990): Pathology and pathophysiology of head injury. In: Youmans J.R (ed.): Neurological Surgery, 3rd Ed. Philadelphia, W.B Saunders Co., pp: 1962-2016.
- Galbraith S.L, (1973): Age distribution of extradural hemorrhage without skull fracture. Lancet; 1: 1217-1219.

- Gardner E., (1975): Nervous system. In Gardner E., Gray D.J., and O'Rahilly R. (eds.): Anatomy (Regional study of human structure) 4th Ed., Philadelphia, W.B. Saunders Co., pp. 30-36.
- Garfield J., (1988): Cranio-cerebral injuries. In: Rains A.J, and Mann C.V., (eds.): Baily and Love's short practice of surgery, 20th Ed., London, H.K Lewis & Co. Ltd, pp.437-464.
- Gennarelli T.A, and Thibault L.E, (1982): Biomechanics of acute subdural hematoma. J. Trauma, 22; 680-686.
- Gennarelli, T.A. (1987): Cerebral concussion and diffuse brain injuries. In cooper P.R, (ed): head injury. 2nd Ed., Baltimor, Williams and Wilkins pp. 108-123.
- Greenberg R.P, Newlon P.G, Hyatt M.S, Narayan R.K, and Becker D.P, (1981): Prognostic implications of early multimodality evoked potentials in severely head injured patients. J. neurosurg; 52:227-236.

- Gudeman S.K, Kishore P.R, and Becker D.P (1984):
Computerized tomography in the evaluation of
incidence and significant of post-traumatic
hydrocephalus. Radiology, 141: 397-402.
- Gudeman S.K, Young H.F, Miller J.D, Ward J.D, and
Becker D.P, (1989): Indication for operative
treatment and operative technique in closed head
injury. In: Becker D.P, and Gudeman S.K (eds.):
Text book of head injury, 1st Ed., Philadelphia,
W.B. Saunders Co, pp. 138-181.
- Guttermann P, and Shenkin HA, (1970): Prognostic ,
features in recovery from traumatic decerebration.
J. Neurosurg; 32: 330-335.
- Han J.S, Kaufmann B, and Alfidi R.J, (1984): Head
trauma evaluated by magnetic resonance and
computed tomography. Radiology; 150: 71-77.
- Jamieson K.G, and Yelland J.D, (1972): Surgically
treated traumatic subdural hematoma. J. Neurosurg;
37:137-149.

- Jennett B. (1985): Altered consciousness and coma. In:
Crockard A., Hayward R., and Hoff J.T., (eds.).
Neurosurgery. (The scientific basis of clinical
practice), 1st Ed, Oxford, Blackwell Scientific
publications, pp. 117-126.
- Jennett B., and Bond M.R, (1975): Assessment of
outcome after severe brain damage. Lancet; 1:480-
484.
- Johnston I.H, Johnston J.A, and Jennett B, (1970):
Intracranial pressures following head injury.
Lancet; 2: 433-436.
- Landry H.J, and Villanueva P.A, (1984): An improved
subarachnoid screw for intracranial pressure
monitoring. A technical note. J. Neurosurg, 61:
606-608.
- Last R.J (1986): The central nervous system. In: Last
R.J. (ed): Anatomy (Regional and applied), 7th Ed,
Edinburgh, Churchill Livingstone, pp. 498-546.

- Langfitt T.W, and Gennarelli T.A, (1982): Can the outcome from head injury be improved? J. Neurosurg; 56: 19-25.
- Lee S.H., Lui T.N, Chang C.N, Warg D.Y, heinburger R.F, and Fai H. (1990): Features of head injury in a developing country- Taiwan J. Trauma; 30: 194-199.
- Lesnick J.E, Michelle J.J, Simeone F.A, De Feo S, and Welsh P.A, (1984): Alterations of somatosensory evoked potentials. J. Neurosurg; 60: 490-494.
- Levati A, Farina M.L, Vecchi G., Rossanda M, and Marrubini M.B, (1982): prognosis of severe head injuries. J Neurosurg; 57: 779-783.
- Lindsay K.W, and Bone I., (1986): head injury. In: Lindsay K.W and Bone I. (eds.): Neurology and neurosurgery illustrated, 1st Ed., Edinburgh, Churchill Livingstone, pp. 205-223.
- Lipper M.H, and Kishore P.R., (1989): Radiological investigation of acute head trauma. In: Becker

D.P, and Gudeman S.K (eds.): Text book of head injury, 1st Ed, Philadelphia, W.B. Saunders Co, pp. 102-137.

-Marshall L.F, and Bowers S.A, (1985): Outcome prediction in severe head injury. In: Wilkins R.H, and Rengachary S.S, (eds.): neurosurgery, 1st Ed, New York, Mc Graw-Hill Book Co, pp 1605-1608.

-Mauli K.I, (1989): Head injury and multisystem trauma. In: Becker D.P, and Gudeman S.K, (eds): Text book of head injury 1st Ed., Philadelphia, W.B Saunders Co, pp. 67-82.

-McCormick W.F, (1985): Pathology of closed head injury. In: Wilkins R.H, and Rengachary S.S (eds.): Neurosurgery, 1st Ed. New York, Mc Graw-Hill book Co, pp 1544-1569.

- McLaurin R.L, and Towbin R. (1990): Diagnosis and treatment of head injury in infants and children. In Youmans J.R. (eds): Neurological surgery, 3rd ed, Philadelphia, W.B. Saunders Co, pp 2149-2193.

- Mc Queen JD (1978): Traumatic internal carotid occlusion at the base of the skull. Surg Neurol 10: 233-236.

- Mendelow A.D and Teasdale G.M, (1983): Pathophysiology of head injuries. Br. J. Surg. 70: 641-650.

- Miller J.D, (1989): Pathophysiology of human head injury. In: Becker D.P, and Gudeman S.K, (eds.): Text Book of head injury, 1st Ed., Philadelphia, W.B. Saunders Co., pp. 507-524.

- Miller J.D, Becker D.P, Ward J.D, Sullivan H.G, Adams W.E, and Rosner M.J, (1977): Significance of intracranial hypertension in severe head injury. J Neurosurg., 47: 503-516.

- Miller J.D, Butterworth J.F, Gudman S.K, Faulkner J.E, Choi S.C, and Becker D.P. (1981). Further experience in the management of severe head injury. J. Neurosurg; 54: 289-299.

- Miller J.D, Sweet R.C, Narayan R.K, and Becker D.P (1978): Early insults to the injured brain. J.A.M.A; 240: 439-442.

- Muizelaar J.P, Wei E.P, and Kontos H.A, (1983):
Mannitol causes compensatory cerebral
vasoconstriction and vasodilation in response to
blood viscosity changes. J. Neuorsurg 59: 822-828.
- Narayan R.K, (1989): Emergency room management of the
head-injured patient. In: Becker D.P, and Gudeman
S.K (eds.): Textbook of head injury 1st Ed.,
Philadelphia, W.B. Saunders Co., pp. 23-66.
- Narayan R.K, Greenberg R.P, and Miller J.D, (1981):
Imporved confidence of outcome prediction in
severe head injury. A comparative analysis of the
clinical examination, CT scanning and ICP. J
Neurosurg; 54: 751-762.
- Nath F, and Galbraith S, (1986): The effect of
mannitol on cerebral white matter content. J.
Neurosurg 65: 41-43.

- Neave V, and Weiss M.H, (1985): Neurological evaluation of a patient with head trauma: (Coma scales). In: Wilkins R.H, and Rengachary S.S (eds.): Neurosurgery, 1st Ed., New York, McGraw-Hill book Co, pp 1570-1577.
- Newlon P.G, Greenberg R.P, and Gudeman S.K, (1989): Evoked potentials in the management of severely head-injured patients. In: Becker D.P, and Gudeman S.K, (eds.): Text book of head injury, 1st Ed., Philadelphia W.B. Saunders Co., pp 279-307.
- Patrick J.B, and Dimaio V., (1978): Civilian gunshot wounds of the brain. J. Neurosurg; 29: 423-425.
- Phomprasat C, Sumanwela C, Hongsaprabhas S.A, and Princhayndh P, (1980): Extradural hematoma, analysis of 138 cases. J Trauma 20: 679-683.
- Popp A.J, and Bourke R.S, (1985): Pathophysiology of head injury. In Wilkins R.H, and Rengachary S.S (eds.) Neurosurgery, 1st Ed., New York McGraw-Hill Book Co, pp 1536-1544.

- Reilly PJ, Adams JH, and Graham M, (1975): Patients with head injury who talk and die. Lancet; 2:375-381.
- Rivano C, Barzone M, Carta F, and Michelozzi G, (1980): Traumatic intracerebral hematoma, seventy two cases surgically treated. J. Neurosurg; 24: 77-84.
- Sarhan A.E., El-Shabrawy M, and El-Kashlan K.M. (1962): Introduction to statistical methods in medicine and public health. Alexandria, Dar-El-Maaref, pp.68-114.
- Saul T.G, and Ducker T.B, (1982): Effect of intracranial pressure monitoring and aggressive treatment on mortality in severe head injury. J. Neurosurg., 56: 498-503.
- Saul T.G,Ducker T.B, and Salzman M,(1981): Steroids in severe head injury. A prospective Randomized Clinical trial. J Neurosurg; 54: 596-600.

- Schettini A, Stahurski B, and Young HF, (1982):
Osmotic and osmotic-loop diuresis in brain surgery. J. Neurosurg 56: 679-684.

- Scotti G, Terbrugge K, and Melancon D., (1977):
Evaluation of the age of subdural hematoma by computerized tomography. J. Neurosurg; 47: 311-315.

- Seeling J.M, Becker D.P, and Miller J.D, (1981):
Traumatic acute subdural hematoma, major mortality reduction in comatose patients treated within four hours. N. Engl; 304; 1511-1518. (Quoted from Langfitt T.W. and Gennarelli T.A (1982): Can the outcome from head injury be improved? J. Neurosurg; 56: 19-25).

- Seif El-Din A., Abdel-Rahman N., El-Shazly M., Kheiralla A.N, Amin K., and Ramadan A.M, (1984):
Epidemiological study of neurosurgical accidents at the national health insurance clinics in Alexandria. The Alexandria Medical Journal; 26: 170-183.

- Simpson D. and Reilly P, (1982): The paediatric coma scale. Lancet; 2: 450-451.
- Snell R.S, (1981): The meninges and the brain. In: Snell R.S (ed.): Clinical anatomy, 2nd Ed., Boston, Little Brown, pp. 681-695.
- Starmark J., Stolhammar D, Holmgren E, and Rosander B, 1988: A comparison of the Glasgow coma scale and the reaction level scale, J. Neurosurg.; 69: 699-706.
- Strich S.J. (1956): Diffuse degeneration of the cerebral white matter in severe dementia following head injury. J Neurol Neurosurg Psychiatry 19: 163-185. (Quoted from Blumbergs PC, Jone NR and North JB 1989: Diffuse axonal injury in head trauma. J Neurol Neurosurg Psychiatry 52: 838-841).
- Stuart G.G, Merry G.S, Smith J.A, and Yellond J.N, (1983): Severe head injury managed without intracranial pressure monitoring; J Neurosurg.; 59: 601-605.

- Teasdale G.F, and Jennett B. (1974): Assessment of coma and impaired consciousness. Lancet; 2: 81-84.
- Thal E.R, and Shires G.T. (1973): Peritoneal lavage in blunt abdominal trauma. Am. J. Surg 125: 64-69.
- Ward J.D, (1989): Pediatric head injuries. In: Becker DP, and Gudeman S.K (eds): Text Book of head injury 1st ed. Philadelphia, W.B. Saunders Co, pp 319-325.
- Wilder J.R, and Kudchadkar A, (1980): Stab wounds of the abdomen: observe or explore? JAMA, 243: 2503-2505.
- Wilkinson H.A, (1990): Intracranial pressure. In: Youmans J.R. (ed.): Neurological surgery, 3rd Ed., Philadelphia, W.B. Saunders Co., pp. 661-695.
- Williams P.L, and Warwick K.R. (1980): Neurology. In: Williams P.L, and Warwick R. (eds.): Gray's anatomy, 36th Ed., Edinburgh, Churchill Livingstone: pp. 802-1216.

-Wohns R.N, and Wyler A.R, (1979): Prophylactic phenytoin in severe head injuries. J. Neurosurg; 51: 507-509.

-Wyler A.R, and Reynolds A.F (1977): An intracranial complication of nasogastric intubation. J. Neurosurg 47: 297-298.

-Zee C., Segall H.D, Ahmadi J., Apuzzo M.L, and Giannotta S.L, (1985): Computed tomography in head trauma. In: Wilkins R.H and Rengachary S.S (eds): neurosurgery, 1st Ed, New York, Mc Graw-Hill Book Co., pp. 1578-1587.

-Zervas N.T., Cosman E.R, and Coman B.J, (1977): A pressure balanced radio-telemetry system for the measurement of intracranial pressure. J. Neurosurg; 47: 899-911.