

REFERENCES

- Aronsi, N.; Bjorkman, I.; Lindstrom, K. and Nylander, G. (1977):
The mechanism of bizzin vasopressin haemostasis in bleeding oesophageal varices.
Am. J. Physiol., 145: 231-4.
- Atkinson, M. and Sherlock, S. (1954):
Intrasplenic pressure as an index of portal venous pressure.
Lancet, 1: 1325
- Barsoum, M.S.; Bolous, F.I.; El-Rooky, A.A. and Rzkallah (1982):
Tamponade and injection sclerotherapy in man-
agents of bleeding oesophageal varices.
Annals Int. Med., 96: 248.
- Berardi R.S. (1974):
Vascular complications of superior mesentric
Artery infusion with pitressin in treatment of
bleeding oesophageal varices.
Am. J. Surg. 127-757.
- Bilbey D L J, Rappaport A M, (1960):
Segmental anatomy of the human.
Liver anat. Rec. 136: 165.
- Bosch, J.; Mastai, R.; Kravetz, D. and Rodes, J. (1985):
Measurement of azygos venous blood flow in the

Bosch, J. Kraventz, D. and Rodes, J. (1981).

Effect of somatostatin in hepatic and systemic haemodynamic in patients with cirrhosis of the liver.

Gastroentrology, 80: 6-12.

Boyer T.D., Triger D.R., Horisawa M, Reolerker A.G., Rey-Reynolds T.B. (1977):

Direct transhepatic measurement of portal vein pressure using a thin needle.

Gastroentrology, 72: 584-589.

Bruix, J., Bosch, J., Kravetz, D., Mastai, R. and Rooles, J. (1985):

Effects of prostaglandine inhibition on systemic and hepatic haemodynamics in patients with cirrhosis of the liver.

Gastroentrology, 88: 430-5.

Burehell, A.R.; Moreno, A.H.; Panke, W.F. and Nealon, T.F. (1976):

Hepatic artery flow improvement after portacausl shunt.

Ann. Surg., 184: 289-302.

Chojhier M. Conn Ho "Esophageal tanponaded in the treatment of bleeding varices a decadal progress report "Dis Sci. 1980/25/267/272".

Conn H O Ramsby, G R Storer E H, Intra-arterial vasopressin in the treatment of upper G.I.T. hemorrhage "Gastroentrology 1975/68/211/221"

CraFood C, Frenkner P (1936):

New surgical treatment of varicose veins of the
oesophagus.

Acta otolaryngol 27: 422-429.

Decarvatho CAF sur L'angio-architecture veineuse de la
zone de transition oesophagogastrique et son inter-
pretation fonctionnelle Acta Anat. (1966); 64; 125-62.

Douglass B.E, Baggenstoss A H, Hollinshead W H (1950):

Anatomy of the portal vein and its tributaries.
Gynecol. Obstet. 91: 562-567.

Ebrec, D.; Novel, O.; Corbic, M. and Benhomous, J.P.
(1980):

propranolol, a medical treatment for portal hyper-
tension.

Lancet, 2: 180-2.

Fearon B, Sass-Koitsak, A. (1959):

The management of oesophageal varices in children
by injection of sclerosing agents.

Ann. oto Rhinol Lar 68: 906-15.

Fogel M.R. Knauer M. Adress L.L. et al. continuous intra-
venous vasopressin in active upper G.I.T.
bleeding "Ann intern Med. 1982/96/1565/569.

Freeman, J.G.; Barton, J.R. and Record, C.O. (1985):

Effect of isosorbide di Nitrate, verapamil and
labetolol on portal pressure in cirrhosis.

Br. Med. J.; 291: 561-562.

Groszman, R.J.; Kravetz, D. and Bosch, J. (1982):

Nitroglycrine improves the haemosynamic response
to vasopressin in portal hypertension.
Hepatology, 756-62.

Hassab, M.A. (1967):

Gastroesophageal decongestion and splenectomy
in the treatment of oesophageal varices in bil-
harzial cirrhosis.
Surgery 6K,: 169-76.

Harris, O, Dickey, J. and Stephenson, P. (1982):

Simple endoscopic injection sclerotherapy of
oesophageal varices.
Aust. N.Z.J. 12: 135-42.

Henderson J.M.; Gong-Liang J., Galloway J, Millikan J.
W.J., Sones P J , Warren W.D. (1985):

Portacaval collaterals following distal spleno-
renal shunt: incidence, magnitude and associated
portal perfusion changes.
Hepatology, 1: 649-661.

Hennessy, T., Stephens, R. and Keane, F. (1982):

Acute and chronic management of oesophageal
varices by injection sclerotherapy.
Surg. Gynaecol. & Obst, 154: 375-7.

- Hughes, R., Larson, D., Viggians, T., Adson, M., Heerden, J. and Reeves, C. (1982):
Endoscopic variceal sclerosis: a one year experience.
Gastrointestinal endoscopy, 28: 62-6.
- Hunt, P.S. Korman M.G., Hansky J., An eigh year. prospective experience with balloon tanponade in emergency control of bleeding eosophageal varices
Dig dis. Sci. 1982/27/413/416, 5- Hussein, K.E. and Rifaat, M.A. (1964): Emergency treatment of bleeding oesophageal varices. Proc. First National Symp. Bilhar. CAiro, p. 297.
- Kirkham J.S., Suayle J.B. (1982):
Oesophageal varices: evaluation of injection sclerotherapy without general anaesthesia using the flexible fibroptic gastroscope.
Ann. Roy Coll Surg. Engl. 64: 401-5.
- Kong, C.W.; Lay, C.S.; Tsai, Y.T.; Yeh, C.L.; Lai, K.H. Lee, S.D.; Lo, K.J. and Chiang, B.N. (1986):
The haemodynamic effect of verapamil on portal
- Lunderquist, A. and VAng, J. (1974):
Obliteration of coronary vein and oesophageal varices.
N. Eng. J. Med. 291: 646-9.

- . Hutson D .G., Livingstone A, Levi J.U., Zepaa R. (1982):
Early hepatic failure or upper gastrointestinal
bleeding following a distal splenorenal shunt surg.
Gynecol. Obstet. 155: 46-48.
- Iber F.L., Kerr D.N.S., Dollew, Sherlocks. (1960):
Measurement of blood flow in the collateral ves-
sels on the portal vein: preliminary results of
a new method.
Jelin Inves. , 39: 1204-1207.
- Jaspan, J., Polonsky, K., Lezis, M. and Moossa, A.R.
(9179):
Reduction in portal blood flow by somatostatin.
Diabetes, 28: 888-922.
- . Jensen, D.M. (1983):
Evaluation of sclerosing agents in animal models.
Proceeding of the third international endoscopy
symposium: 46-9.
- . Johnston, G.W. (1978):
Simplized oesophageal transection.
Br. Med. J., 1: 1388-91.
- . Johnston, G.W. (1982):
Oesophageal transection and devassularization
procedures.
In Westaby, D.; Macdoughall, B.R.D; Williams, R.;
eds. variceal Bleeding: London: Pitman Medical.

Johnson A.G., Simms J.M., Stoddard C.J. (1982):

Is there a role for injection sclerotherapy in the presence of active bleeding? In Westaby D, Macdougall BRD, Williams R, eds. Variceal bleeding.

London N, Pitman: 159-64.

Johnston, G.W. and Rodgers, H.W. (1973):

A review of 15 years experience in the use of sclerotherapy in the control of acute haemorrhage from oesophageal varices.

Br. J. Surg. , 60: 797-800.

Kahn D, Terblanche, J. (1979):

A study of the venous drainage of the lower oesophagus using a resin casting technique.

S. Afr J Surg.: 17: 136.

Katon, R.M. (1981):

Complication of the upper gastrointestinal endoscopy. In gastrointestinal bleeding.

Digest Dis Sci. 26: 475-545.

Kehne, J.H.; Hughes, F.H. and Gomertz, M.I. (1956):

The use of surgical pituitrin in the control of oesophageal varix bleeding.

Surgery, 39: 719.

Khalil, A. and Fadali, B. (1964):

Some aspects of bleeding oesophageal varices in bilharzial patients.

Alex. Med. J., 8: 533.

hypertension in patients with postnecrotic cirrhosis.

Hepatology 6(3): 423-6.

Kravetz, D.; Bosch, J. and Teres, J. (1984):

Comparison of intravenous somatostatin and vasopressin infusion in treatment of acute variceal haemorrhage.

Hepatology, 4: 442-6.

Langer, B.; Roststein, L.E. and Blindis, LM. (1980):

A prospective randomized trial of the selective distal splenorenal shunt.

Surg. Gynaecol. Obstet. 150: 45-8.

Lebrec D, De Fleury, P., Rueff B, Nahum H, Benhamou J.P. (1980):

Portal hypertension, size of the oesophageal varices and risk of gastrointestinal bleeding in alcoholic cirrhosis.

Gastroenterology 79: 1139-144.

Lebrec D, De Fleury, P., Rueff B, Nahum H, Benhamou J.P. (1980).

Portal hypertension, size of esophageal varices and risk of gastrointestinal bleeding in alcoholic cirrhosis.

Gastroenterology 1980); 79; 1139-44.

Lewis J, Chung Rs, Allison J (1980):

Sclerotherapy of oesophageal varices,
Arch. Surg. 115: 476-480.

Lewis, G.R.J., Morley, K.D., Lewis, B.M. and Bones, P.
J. (1978):

Antihypertensive effect of cardiovascular calcium
antagonists in hypertensive patients.

Br. Med. J., 87: 351

Linton R.R.; (1953):

The emergency treatment of massive bleeding from
esophageal varices by transesophageal suture of
these vessels at the time of acute haemorrhage.

Surgery 33: 243-255,

Linton R.R., Ellis D.A. (1956):

Emergency and defentive treatment of bleeding
esophageal varices.

JAMA, 160: 1017-1023 . .

Linton R.R., Hardly IB, vol willer W: (1948):

Portacaual shunts in the treatment of portal
hypertension.

Surg. Gynaecol. Obstat. 87: 129-144.

Macbeth, R. (1955):

Treatment of oesophageal varices in portal hyper-
tension by means of sclerosing injection.

Br. Med. J. 2: 877.

MacDougall B.R.D.Theodossi, A., Dawson J.L., Williams R.

(1982):si, A, Dawson J.L., Williams R. (1982)

Increased long term survival in variceal haemorr-
hage using injection sclerotherapy.

Lancet, 1: 124.

Macdougall, B.R.D. and Williams, R. (1983):

A controlled trial of cimetidine in recurrence
of oesophageal bleeding.

Hepatology of, 3: 69-73.

Maillicard, J.N., Flamant, Y.M. Hay, J.M. Chandler T.G.
(1979):

Selectivity of the distal spleno-renal shunt.

Surgr. 86(5): 663-671.

Mrni A., Trojsi C, Belli L (1981):

Distal splenorenal shunt: Haemodynamic advantage
over total shunt and influence on clinical status,
hepatic function and hypertension.

Am. J. Surg. 142: 372-376.

McCormick, T., Small Wood R.H., Walton L, Martin T.,

Robinson P., Johnson, A.G. (1983):

Doppler ultrasound probe for assessment of blood
flow in oesophageal varices .

Lancet 2: 677-8.

Mecormack T.T. Rose J.D., Smith P.M., Johnson AG (1983):

AG perforating veins and blood flow in oesophageal
varices.

Lancet ; ii 1442-4.

Mills, P.R.; Rae, A.P.; Farah, D.A. and Russel, R.I.

(1984):

Comparison of three adrenoreceptors blocking agents
in patients with cirrhosis and portal hypertension.

Gut, 25: 73-8.

Moncada, S., Higgs, E.A., Vane, J.R. (1977):

Human arterial and venous tissues generate prostacycline (prostaglandin) a potent inhibitor of platelets aggregation.

Lancet 1: 18-20.

Myers J.D., Taylor W.J. (1981):

An estimation of portal venous pressure by occlusive cathetization of an hepatic venule.

J. Clin. Invest. ; 30: 662-663.

Nasbaum, M.; Baum, S. and Sakylar, P. (1967):

Pharmacological control of portal hypertension.

Surgery, 62: 299-310.

Northover, JMA, Williams EDF, Terblanche J. (1980):

The investigation of mssmall vessels anatomy by scanning electron microscopy of resin casts.

A description of the technique and examples of its use in the study of the microvascular of the peritoneum and bile duct wall.

J. Anat. 130: 43-54.

Nowis B.H., Duys P. Barbezat Go, Clain J., Banks,

Terblanche, J. (1976):

Fibreoptic endoscopy and the use of the sengastaken tube in acute gastrointestinal haemorrhage in patient with portal hypertension and varices.

Gut 17: 258-262.

Nusbaum, M., Baum, S., Sakiyalak, P. and Blakemore,
W.S. (1967):

Pharmacologic control of portal hypertension
Surgery, 62: 299.

Palani C.K., Abuabara S, Kraft A.R., Jonasson O. (1981):

Endoscopic sclerotherapy in acute variceal haemorrhage A.M.J.

AMJ Surg 141: 164-168.52. Paquet K.J., Oberhammer
E. (1978):

Sclerotherapy of bleeding esophageal varices by
means of endoscopy.

Endoscopy 10: 7.

Paquet, K.J. and Oberhammer, E. (1978):

Sclerotherapy of bleeding oesophageal varices
by means of endoscopy.

Endoscopy 10: 7-12.

Peterson Wl. Barnettee, Smith H.J. et al. (1981):

Routine early endoscopy in upper gastrointestinal
bleeding.

NENGL J. Med. 304-925.

Pugh R.N.H., , Murry-Lyon I.M., Dowson, J.L., Pietroni,
M.C. and Roger Williams (1973):

Transection of the oesophagus for bleeding oesophageal varices.

Brit. J. Surg., 1973, vol. 60, no. 8, August.

Rappaport A.M. (1980):

"Hepatic blood flow" Morphologic Aspects and
physiologic regulation in liver & biliary tract
physiology. Edited by NB Javitt. Baltimore:
University Park Press, 85: 379-456.

Raschke E., Paquet K.J., (1973):

Management of haemorrhage from esophageal varices
using esophagosopic sclerosing method.
Ann. Surg. 177: 99-102.

Resnick, R.H., Chalmers, T.C. and Ishihara, A.M. (1969):

A controlled study of the prophylactic portacaval
shunt.
Ann. Inter. Med., 70: 675.

Reynolds T.B. Itos, Iwatsukis (1970):

Measurement of portal pressure and its clinical
application.
Am. J. Med. 49: 649-657.

Rose, J.D.R. M.D. Crane, and P.M. Smith (1983):

Factors affecting successful endoscopic sclerotherapy
for oesophageal varices.
Gut, 24, 946.

Salam A.A., Warren, W.D. (1974):

Anatomic basis of the surgical treatment of
portal hypertension.
Surg. Clin. N. Am. ; 54: 1247-1257.

Schwartz, S.I, Greenlaw, R.H. (1961):

Oesleation of portal circulation by percutaneous
splenic isotope injection.

Surg. 50: 833-841.

Schiller, K.F.R.; Cotton, P.B. and Salmon P.R. (1972):

Gut. B. 1027 .

Sherlok, S. (1978):

Progress report. Portal circulation and portal
hypertension.

Gut. 1978, 19, 70-83.

Shier, Z. and El-Assowity

New dimession in treatment of portal hypertension
in (HBF)

Department of internal medicine - Benha Faculty
of Medicine.

Soehendra N. (1979):

Fibrosopic sclerosing of esophageal varices.

Soehendra, N.K., DeHeer, Kempeneers. I, and M. Runge
(1983):

Sclerotherapy of oesophageal varices. Acute arrest
of gastrointestinal haemorrhage or long term
therapy endoscop. 15-136.

Spence R.A.J. (1984):

The venous anatomy of the lower oesophagus in normal subjects and in patients with varices: an image analysis study.

Br. J. Surg. 71: 739-44.

Spence R.A.J., Sloan J.M., Johnston G.W., Greenfield,

A. (1983):

Oesophageal mucosal changes in patients with varices .

Gut: 24: 1024-9.

Spence R.A.J., Sloan J.M., Johnston G.W. (1984):

Histologic factors of the oesophageal transection rig as clues to the pathogenesis of bleeding varices.

Surg. Gynecol Obstet. 1984; 159; 253-9.

Terblanche J., Yakoob H.I., Bornman Po, Stiegmann G.V.,

Bane R₁ Jonker M., Wright J. Kirsch R.E. (1981):

Acute bleeding varices. A 5-year prospective evaluation of tamponade and sclerotherapy .

Ann. Surg. 194: 521-530,

Terblanche J., Northover J.M.A., Bornman P, Kahn D.,

Barbezat Go, Sellars S., Saunders. S.J. (1979):

A prospective evaluation of injection sclerotherapy in the treatment of acute bleeding from esophageal varices.

Surgery 85: 239-245.

Terblanche J., Yakoob H.I., Bomman Pc,

(1967):

Bleeding varices.

A five year prospective evaluation tamponade and sclerotherapy.

Ann. Surg. 194: 521-530.

Terblanche J. (1981):

Treatment of oesophageal varices by injection s sclerotherapy. In: Maclean L.D. et al., eds.

Advances in surgery vol. 15-year book publishers Chicago, pp. 257-291.

Thomford, N.R. and Sirinek, K.R. (1975):

Intravenous vasopressin in patients with portal hypertension:

Advantages of continuous infusion.

J. Surg. Res., 18: 113-7.

Tygstrup N., Winkler, W. , Mellemgard K, Andreassen, M.

(1962):

Determination of the hepatic atrial blood flow and oxygen supply in man by clamping the hepatic artery during surgery

J. Clin. Invest. 1962; 41: 447-454.

Uasmik, J.; Jedicka, K.; Mulder, J.L. and Cort, J.H.

(1977):

Action of glypressin in patients with liver cirrhosis and bleeding oesophageal varices.

Van Hootehem, P. Rutgeerts, P., Fevery, J., Broeckaert, L.

and Ventrappen, G. (1984):

Sclerotherapy of oesophageal varices after variceal haemorrhage.

Endoscopy, 16: 95-7.

Vosmik, J., Jedlicka, K., Mulder, J.L. and Cort, J.H.

(1977):

Action of the triglycyl hormonogen of vassopressin (glypressin) in patients with liver cirrhosis and bleeding oesophageal varices.

Gastroentrology, 72: 605-9.