

REFERENCES

- Abouna GM, Hussam Baissony, Basil M.Al Nakib, Amir T. Menkarios, and Silva O.S.G. The place of sugiura operation for portal hypertension and bleeding esophageal varices. *Surgery*, 1987, 101:91-98.
- Andersen B., Burcharth F., Matsen P., and Sorensen TIA. Sclerotherapy after first variceal haemorrhage in cirrhosis. *N Engl. J. Med.* 1984; 311:1594-1600.
- Anonymous. Prophylactic sclerotherapy of oesophageal varices: Is it justified? *Lancet* 1988; 1:1369-1370.
- Baker LA, Smith C, Lieberman G. The natural history of oesophageal varices. *Am. J. Med.* 1959; 84(7): 717-722.
- Banti G. Splenomegali mit. liver cirrhosis. *Beirtr. Path. Anat.* 24:21, 1894. Cited by Clotworthy, 1974.
- Barbot DJ, and Ernest F.R. Experience with the esophagogastric devascularization procedure. *Surgery*, 1987; 101:685-690.
- Baronsky ID. Portal hypertension with special reference to the acid peptic factor in the causation of haematemesis. *Surg.* 1949; 25:135.
- Barsoum MS, Bolous FI, El-Rooby AA., et al. Tamponade and injection sclerotherapy in the management of bleeding oesophageal varices. *Br. J. Surg.* 1982; 69:76-78.
- Barsoum MS, Moore HAW, Bolous FI, Ramsy AF, et al. The complications of injection sclerotherapy of bleeding oesophageal varices. *Br. J. Surg.* 1982; 69:79-81.

- Boerema I., Kloppe P. and Holscher A.** Trans-abdominal ligation resection of the oesophagus in cases of bleeding oesophageal varices. *Surgery*, 1970; 67:409-13.
- Bogoraz NA.** Heber die Benhandlung der heber cirrhose durch anlagung emer Ech's (The anastomosis of the superior mesentric vein to the inferior vena cava in cirrhosis of the liver). *Munch. Med. Vch.* 12:48,1913. Qouted from Donovan, 1984.
- Bornman PC, Khan D, Terblanche J, et al.** Rigid versus Fiberoptic endoscopic injection sclerotherapy: A prospective randomized controlled trial in patients with bleeding esophageal varices. *Ann. Surg.* 1988; 208 (2):175-178.
- Bosch J, Grossmann RJ.** Measurement of the azygos venous blood flow by a continuous thermal dilution technique. An index of blood flow through gastro-esophageal collaterals in cirrhosis. *Hepatology*, 1984;4:424-429.
- Bosch J, Mastai R, Kravetz D, et al.** Measurement of the azygos venous blood flow in the evaluation of portal hypertension in patients with cirrhosis. Clinical and hemodynamic correlations in 100 patients. *J Hepatol*, 1985; 1:125-139.
- Bosch J, Bordas JM, Rigau J, et al.** Non-invasive measurement of the pressure of esophageal varices using an endoscopic gauge. Comparison with measurements by variceal puncture in patients undergoing sclerotherapy. *Hepatology*, 1985; 6:667-673.

- Bosch J, Mastai R, Kravetz D, et al.** Hemodynamic evaluation of the patients with portal hypertension. *Semin. Liver Dis.* 1986; 6:309-317.
- Bosch J, Navasa M., Pagan JCG, Delacy AM, and Rodes J.** Portal hypertension. *Med. Clin. of North America*, 1989; 73 (4):931-953.
- Boyer TD.** Portal hypertension and its complications :bleeding esophageal varices, ascites and spontaneous bacterial peritonitis. In: Zakim D. Boyer TD. *Hepatology, a text book of liver disease.* Philadelphia: WB Saunders, 1982; 469.
- Brick I and Palmer E.** Correlation between severity of esophageal varices and their propensity towards haemorrhage. *Gastroenterology*, 1956; 30:85. Q. by Khalil and Fadali; (1962).
- Brown JL, and Busuttil RW.** Portal hypertension. In: vascular surgery. A comprehensive review. Edited by W.S. Moore. PP. 777-819. Orlando:Grune & Stratton, Inc., 1983.
- Burcharth F, Sorensen T. and Andersen B.** Findings in percutaneous Transhepatic portography and bleeding in cirrhosis. *Surg. Gyn. & obst.* 1980; 150:887-890.
- Burroughs Ak, Mezzanotte G, Phillips A, et al.** Cirrhotics with variceal haemorrhage:the time interval between admission and the start of analysis for survival and rebleeding rates. *Hepatology*, 1989; 9(6) :801-807.

- Burroughs AK, Hamilton G, Phillips A, et al.** A comparison of sclerotherapy with staple transection of the esophagus for the emergency control of bleeding from esophageal varices. *N. Engl. J. Med.* 1989; 321 (28):857-862.
- Bush HL, and Nabseth DC.** Intravenous nitroglycerine to improve coronary blood flow and left ventricular performance during vasopressin Therapy. *Surg. Forum.* 1980; 31:226-228.
- Busuttill RW.** Selective and non-selective shunts for variceal bleeding: A prospective study of 103 patients. *The Am. J. of surg.* 1984; 148:27-34.
- Butler H.** The veins of the oesophagus. *thorax*, 1951; 6:276-296.
- Calès P, Braillon J, Jiton M., et al.** Superior portosystemic collateral circulation stimulated by azygos blood flow in patients with cirrhosis. *J. Hepatol*, 1985; 1:37-46.
- Calès P, Desmorat H, Vinel JP and Others.** Incidence of large esophageal varices in patients with cirrhosis: application to prophylaxis of first bleeding. *Gut*, 1990; 31:1298-1302.
- Camara DS.** Update in injection sclerotherapy of esophageal varices. *J. Intensive care Med.* 1986; 1:171-177.
- Cello J. P., Crass R., and Trunkey D.** Endoscopic sclerotherapy versus oesophageal transection in Child's class (C) patients with variceal haemorrhage, comparison with results of portacaval shunt. surgery, 1982; 91 (3):333-338.

- Cello JP, Grendell JH, Grass RA, Trunkey DD, Gobb EE, and Heilborn DC. Endoscopic sclerotherapy versus portacaval shunt in patients with severe cirrhosis and variceal haemorrhage. N. Engl. J. Med. 1984; 311:1589-1594.
- Chandler JG, Van Meter CH, Kaiser DL, and Mills JE. Factors affecting immediate and long-term survival after emergent and elective splanchnic-systemic shunts. Ann. Surg. 1985; 201:476-487.
- Chang WH. Side-to-side mesocaval anastomosis in portal hypertension surgery. Gynecol. and Obstet. 1981; 152:511-512.
- Chaudhary A.; Tatke M. and Aranya R.C. Endoscopic sclerotherapy: the far and near effects. Br.J. Surg. 1990; 77:963.
- Chawla YK, Dilawari JB, Ramesh GN, Kaur U., Mitra sk, and Walia BNS. Sclerotherapy in extrahepatic portal venous obstruction. Gut, 1990; 31:213-216.
- Cheng-Ji cai and Cheng-pei Wang. The CF.1 stapler for alimentary tract side-to side anastomosis: experimental and clinical observations. shanghai Med. J. 1984; 7:78-81. Q.by Cheng-Ji Cai and Cheng-Pei Wang (1988).
- Cheng-Ji Cai and Cheng-Pei Wang. Use of staplers on oesophagogastric varices. Br. J. surg. 1988; 75:1098-1099.
- Child C. G. III and Turcotte, J.G. The liver and portal hypertension. Third ed. Edited by C.G. Child; W.B. Saunders company, philadelphia, P.50, 1964.
- Child, C.G. The liver and portal hypertension. PP. 50-60. Philadelphia:W.B. Saunders Co., 1974.

- Clotworthy HW, Jr. A new type of portal to systemic venous shunt for portal hypertension. Arch Surg. 1955; 1:588.
- Clotworthy HW, Jr. Extrahepatic portal hypertension. In : major problem in clin. surg. portal hypertension as I see it. Child, 1974 Ch. 10, pp 243.
- Cohen FL, Koerner RS, and taub SJ. Solitary brain abscess following endoscopic injection sclerosis of esophageal varices. Gastrointest. Endosc. 1985; 31:331-333.
- Collini FJ, and Brener B. Collective review:portal hypertension. surgery, Gynecol, & obstet. 1990; 170:177-192.
- Conn HO. Ammonia tolerance in the diagnosis of esophageal varices. A comparison of the endoscopic, radiologic and biochemical techniques. J. lab. clin.Med. 1967; 70:442-451.
- Conn HO & Lindennuth WW. Prophylactic portacaval anastomosis in cirrhotic patients with esophageal varices. Interim results, with suggestions for subsequent investigation. N. Engl. J. Med. 1968; 279:725-732.
- Conn HO, Lindennuth WW, May CJ & Ramsby GR. A tale of two studies. Medicine, 1972; 51:27-40.
- Conn HO, Ramsby GR, and storer EG. Selective intra-arterial vasopressin in the treatment of upper gastrointestinal hemorrhage. Gastroenterology, 1972; 63:634-645.
- Conn, HO. The varix volcano connection. Gastroenterology, 1980;79:1333-1337.

Conn, H.O. Ideal treatment of portal hypertension in 1985.

In: Clinic of gastro-enterology: portal hypertension. Edited by F.P. Benharnou D. Lebrech. pp. 529-288. London: W.B. Saunders Co., 1985.

Cooperman AM, Fabri PJ, Martin EW and Garey LL. EEA esophageal stapling for control of bleeding esophageal varices. Am. J. surg. 140:821, 1980.

Corliss RJ, McKenna DH, Sialer S, O'Brien GS, and Rowe GG. systemic and coronary hemodynamic effects of vasopressin. Am. J. Med. Sci. 1968; 256:293-299.

Correia JP, Alves MM, Alexandrino P., and Silveira J. Controlled trial of vasopressin and balloon tamponade in bleeding esophageal varices. Hepatology, 1984; 4:885-888.

Crile G: Trans-oesophageal ligation of bleeding esophageal varices. A preliminary report of seven cases. Arch. surg. 61:654, 1950.

DaGradi A., Stempien S., Owenslk: Bleeding esophagogastric varices. Arch Sweg. 1966; 92:944.

DaGradi A., Stempien S. and Tan D. Endoscopic-study of the cirrhotic patient before and following portacaval shunt for bleeding varices. Am. J. Gastroenterology, 1970; 53 (5): 425-436.

Da Silva LC, Strauss E, Gayotto LCC, et al. A randomized Trial for the study of the elective surgical treatment of portal hypertension in mansonic schistosomiasis. Ann. surg. 1986; 204:148-153.

- Davis G., Bockstein J. and Coel M. Advantage of intra-arterial over intravenous vasopressin infusion in gastro-intestinal hemorrhage. Am. j. Roentgenol, 1977; 128:733-735.
- Dawson J, Gertsch, F, Mosimann R, et al. Endoscopic variceal pressure measurements: Responce to isosorbide dinitrite; Gut, 1985; 26:843-847.
- Dilawari JB, and Chawla YK. Spontaneous (natural) splenoadrenorenal shunts in extrahepatic portal venous obstruction:a series of 20 cases. Gut, 1987; 28:1198-1200.
- Dimagno EP, Zinsmeister AR, Larson DE, et al. Influence of hepatic reserve and cause of esophageal varices on survival and rebleeding before and after the introduction of sclerotherapy. A retrospective analysis. Mayo clinic proc. 1985; 60:149-157.
- Donovan A: surgical Treatment of portal hypertension World J.sury. 8, 626-45, 1984.
- Drapanas T. Interposition mesocaval shunt for treatment of portal hypertension. Ann. surg. 1972;176:435-448.
- Drapanas T., Locicero J and Dowling FB. Hemodynamics of the interposition mesocaval shunt. Ann. surg. 1975; 181:523.
- Drummond D. and Miroson R. A case of ascites due to cirrhosis of the liver cured by operation. Br. Med. J. 1896; 2:728.
- Eck M.V. On the question of ligation of the portal vein. Voccr, Med. J. 1877; 130:1.
- Translation in surg. Gyn. & obest. 1953; 96:375.Q. from Donovan, 1984.

- El-Masri SH, Bolous PB, Ibrahim OH, and Hassan MA.** Hemodynamic effects of splenectomy and vasoligation in bilharzial hepatic fibrosis. *Br. J. surg.* 1980; 67:111-114.
- El-Masri SH., and Hassan M.A.** Splenectomy and vasoligation for patients with haematemesis secondary to bilharzial hepatic fibrosis. *Br. J. surg.* 1982; 69:314-316.
- Everson TC and Cole WH.** Ligation of the splenic artery in patients with portal hypertension. *Arch surg.* 56:153, 1948.
- Ezzat F.A., Fathy O, Sultan A.A., El-Fiky A. et al.** Evaluation of stapler oesophageal transection in treatment of bleeding oesophageal varices. *Benha Med. J.*, 1986, 3 (3):81-89.
- Ezzat F.A., Abdel Wahab M., Sultan A.A., El-Fiky A.A., Fathy, D., Helncy M. and Bahgat O.** Porto-azygos disconnection for bleeding oesophageal varices. The Fifth annual meeting of Mansoura faculty of medicine; Mansoura, Egypt, 12-14 Feb; 1987.
- Ezzat F.A; Abu-El Magd K.M., Sultan A.A., Aly MA, Fathy OM, Bahgat O.O., et al.** Schistosomal versus Nonschistosomal variceal bleeders: Do they respond differently to selective shunt (DSRS)? *Ann. surg.* 1989; 209 (4): 489-500.
- Fletcher MS, Dawson JL, Williams R.** Long term follow-up of interposition mesocaval shunting in portal hypertension. *Br. J. surg.* 1981; 68:485-487.
- Galambos JT.** Esophageal variceal haemorrhage diagnosis and an overview of treatment. *semin Liver Dis*, 1982; 2:2110226.

- Gelman S, and Ernst EA. Nitroprusside prevents adverse hemodynamic effects of vasopressin. Arch surg. 1978;113:1465-1471.
- George P., Brown C., Rideway B. et al. Emergency oesophageal transection in uncontrolled variceal haemorrhage. Br. J. surg. 1973; 60:635-640.
- Glanz S, Koser MW, Dallemand S., and Gordon DH. Upper esophageal varices: Report of three cases and review of the literature. Am. J. Gastroenterology, 1982; 77 (3): 194-198.
- Gordon. MJ, and Del Guercio L.R.M. Late effects of portal systemic shunting procedures on cardio-respiratory dynamics in man. Ann. surg. 1972; 176:672-679.
- Graham Dy, and Smith JL. The course of patients following variceal haemorrhage. Gastroenterology, 1981; 80:800-809.
- Gray HE and Whitesell FB. Haemorrhage from esophageal varices. Ann. surg. 132: 798, 1950.
- Grossmann RJ, Glickmann M., Blei AT, et al. Wedged and free hepatic venous pressure measured with a balloon catheter. Gastroenterology, 1979; 76:254-258.
- Grossmann RJ, Kravets D, Bosch J, et al. Nitroglycerin improves the hemodynamic response to vasopressin in portal hypertension. Hepatology, 1982; 2:757-762.
- Grossmann RJ. Reassessing portal venous pressure measurements. Gastroenterology, 1984; 80:1611-1617.

- Grossmann M.D. and McGreevy J.M.** Effect of delayed operation for bleeding esophageal varices on Child's class and indices of liver function. *Am. J. Surg.* 1988; 156:502-505.
- Habief DV:** Treatment of esophageal varices by portal esophagogastrectomy and interposed jejunal segment. *Surg.* 46:214, 1969.
- Hanson KM.** Vascular response of intestine and liver to intravenous infusion of vasopressin. *Am.J. Physiol* 1970; 219:779-784.
- Hashizume M., Kitano S., Yamaga H., Wada H. and Sugimachi K.** Eradication of oesophageal varices recurring after portal non-decompressive surgery by injection sclerotherapy. *Br. J. Surg.* 1990; 77:940-943.
- Hassan R., Abd-ElAziz H., Abou-State M., and Chehata O:** Endoscopic and radiological study of esophageal varices. *J. Egypt. Med. Ass.*, 1983; 66:205-213.
- Hassab M.A.** Splenectomy and left gastric vessel ligation for the management of hematemesis in bilharzial hepatolienal fibrosis. *proc. 1st Int. Symposium on bilharziasis.* May, 1962; pp. 3-9.
- Hassab M.A.** Gastro-esophageal decongestion and splenectomy: A method of prevention and treatment of bleeding from esophageal varices, associated with bilharzial hepatic fibrosis. Preliminary report. *J. Int. Coll. Surg.* 1964; 41:232.

- Hassab M.A.** Gastro-esophageal decongestion and splenectomy in the treatment of esophageal varices in bilharzial cirrhosis: Further studies with a report on 355 operations. *Surgery*, 1967; 61:2.
- Hassab M.A.** The azygos circulation time and mechanism of varix rupture in portal hypertension. *Surgery*, 1970; 68 (3): 442-449.
- Hassab M.A.** Non-shunt operations in portal hypertension without cirrhosis. *Surg. Gynecol. & obstet.* 1970 : 648-654.
- Heil T., Mattes P., and Loeprecht H.** Gastro-oesophageal reflux: an aetiological factor for bleeding in oesophageal varices?. *Br.J. Srg.* 1980; 67:467-468.
- Henderson JM, Millikan WJ, Bacon LW, Kutner MH, and Warren WD.** Hemodynamic differences between alcoholic and non-alcoholic cirrhotics following distal splenorenal shunt: Effect on survival? *Ann. Surg.* 1983; 198:325-334.
- Henderson J.M., and Warren WD.** Surgical complications of cirrhosis and portal hypertension. In: *Davis-Christopher Textbook of surgery*. Edited by D.C. Sabiston. 13th ed., PP: 1095-1116. Philadelphia: W.B. Saunders Co., 1986.
- Henderson JM, Warren WD, Millikan WJ, Galloway JR, Kawasaki S, Kutner MH.** Distal splenorenal shunt with splenopancreatic disconnection: A 4-year Assessment. *Ann. Surg.* 1989; 210:332-341.

- Heyndricks RG, Boettcher DH, and Vanter SF.** Effects of angiotensin, vasopressin and methoxamine on cardiac function and blood flow distribution in conscious dogs.
Am. J. Physiol., 1976:1587-1597.
- Hidayet M. A. and Kamel R.** A modified Technique for trans-esophagogastric ligation for the esophagogastric varices. Its rational and indications. Proceedings of Int. Symp. on bilharziasis, 1962; PP: 325-337.
- Hidayet M.A., and Kamel R.** The surgical significance of haemodynamic changes in portal hypertension in hepatic schistosomiasis-A preliminary report. Ain-Shams Med. J. 1971; 22 (3):313-316.
- Hirashima T., Hara T., Takeuchi H., Muto M., Shirato T., Sakuraba Y., Saito M. and Okuoda K:** Trans-abdominal oesophageal mucosal transection for the control of oesophageal varices surg. Gyn. & obst. 151:36, 1980.
- Hof RP.** vasopressin induced myocardial depression is neurally mediated and not due to impaired coronary blood flow. Br. J. Pharmacol., 1986; 87:611-618.
- Holman JM, and Rikkers LF.** Success of medical and surgical management of acute variceal haemorrhage. Am. J. Surg. 1980; 140:816-820.
- Howard E.R., Stringer M.D. and Mowat AP.** Assessment of injection sclerotherapy in the management of 152 children with oesophageal varices. Br. J. surg. 1988; 75:404-8.

- Hunter GC, Steinkirchner T, Burbige EJ, Guernsey JM., and Putnam C.W. Venous complications of sclerotherapy for esophageal varices. Am. J. surg. 1988; 157:497-501.
- Hussein K., and Rifaat M.A. Emergency treatment of bleeding oesophageal verices. proceedings of Int. symp. on bilharziasis. 1962; 297-311.
- Infante-Rivard C, Esnaola S, and Villeneuve JP. Role of endoscopic sclerotherapy in the long-term management of variceal bleeding: a meta-analysis. Gastroenterology, 1989; 96:1087-1092.
- Inokuchi K., Kobayashi M., Kusaba A., et al. New selective decompression of oesophageal varices by a left gastric venous caval shunt. Arch. surg. 1970; 100: 157-162.
- Inokuchi K., Beppu K., Koyanagi M., et al. Fifteen years experience with left gastric venous caval shunt for esophageal varices. world J. Surg. 1984; 8:716-717.
- Inokuchi K., Beppu K., Koyanagi M., et al. Exclusion of non-isolated splenic vein in distal splenorenal shunt for prevention of portal malcirculation. Ann. Surg. 1984; 200:711-717.
- Inokuchi K. and cooperative study group of portal hypertension of Japan. Improved survival after prophylactic portal non-decompression surgery for esophageal varices: A randomized clinical trial. Hepatology, 1990; 12(1):1-6.

- Jackson FC, Perrin FB, Smith AG, Dagradi AE, Nadel HM.** A clinical investigation of the portacaval shunt. II. survival analysis of the prophylactic operation. *Am. J. surg.* 1968; 115:22-41.
- Jackson FC, Perrin EB, Felix WR., et al.** A clinical investigation of portacaval shunt.V. survival analysis of the therapeutic operation. *Ann. Surg.* 1971; 174:672-701.
- Jensen D.** Sclerosants for injection sclerosis of oesophageal varices. *Gastro-intestinal endoscopy*, 1983; 29 (4):315-317.
- Joffe S.M.** Non-operative management of variceal bleeding. *Br. J. Surg.* 1984; 71:85-91.
- Johansen K, Eide B, and Carrico CJ.** Enhanced survival in patients with variceal bleeding after elective portal decompression. *Am. J. Surg.* 1983; 145:596-598.
- Johnson A.G. and Murray-Lyon I.M.** Aetiology of submucosal oesophageal varices. *The Lancet*; 1979; 20:155-156.
- Johnston GW. and Rogers HW:** A review of 15 years experience in the use of sclerotherapy in the control of acute haemorrhage from esophageal varices. *Br. J. Surg.* 60:747, 1973.
- Johnston G.W.** Bleeding esophageal varices: the management of shunt rejects. *Ann. R. Coll. Surg.* 1981; 63:3-8.
- Kahn D, Terblanche J, Kitano S and Bornman P.** Injection sclerotherapy in adult patients with extrahepatic portal venous obstruction. *Br. J. Surg.* 1987; 24: 600-602.

- Kahn D, Terblanche J. Bornman PC. A 10-year prospective evaluation of acute injection sclerotherapy. HPB surgery, 1989; 1:207-219.
- Kahn D, Jones B, Bornman PC, and Terblanche J. Incidence and management of complications after injection sclerotherapy: a 10-years evaluation. surgery, 1989; 105:160-165.
- Kawasaki S, Kidokoro A, Sugiura M, et al. Effects of non-shunting operations on portal venous pressure and hepatic blood flow. Am. J. surg. 1987; 153:295-299.
- Kegaries DL: The veuons plexus of the oesophagus: its clinical significance. Surg. Gyn. Obst. 40:51, 1934. Q. by Donovan, 1984.
- Kelsen, K.E.J. Burbige. Idiopathic esophageal varices. Am. J. Gastroenterol, 1982, 77:539-540.
- Khairy M. Splenectomy and devascularization operation for the treatment of bilharzial hepatic fibrosis. Kasr EL aini J. surg. 1966; 7:37-43.
- Khalil A., and Fadali A.M. Some aspects of bleeding oesophageal varices in bilharzial patients. Proceedings of int. Symposium of bilharziasis, 1962; 171-184.
- King KA, pangocy. Cardiovascular effects of injections of vasopressin into the nucleus tractus solitarius in conscious rats. Br. J. Pharmacol, 1987; 90:531-536.
- Kitano S, Terblanche J., Kahn D, and Bornman P.C. Venous anatomy of the lower oesophagus in portal hypertension: practical implications. Br. J. Surg. 1986; 73:525-531.

- Kitano S., Koyanagi N., Iso Y. and Others.** Prospective randomized trial comparing two injection techniques for sclerosing oesophageal varices: Over-tube and Free-hand. Br. J. surg. 1987; 74:603-606.
- Kitano S., Iso Y., Yanaga H., Hashizume M., Higashi H. and Sugimachi K.** Trial of sclerosing agents in patients with oesophageal varices. Br. J. surg. 1988; 75:751-753.
- Klever G, Sauerbruch T., Fischer G., and Paumgartner G.** The red colour sign indicates a high oesophageal variceal pressure [Abstract]. Hepatology, 1987; 7:1062.
- Kokudo N, Kawasaki S, Ohashi K, et al.** Effects of non-shunting operation on azygos venous blood flow in cirrhotic patients. Gut, 1989; 30:1396-1400.
- Koop CE and Roddy SR.** Colonic replacement of distal oesophagus and proximal stomach in the management of bleeding varices in children. Ann. Surg. 147:17, 1958.
- Koyanagi N., Iso Y., Higashi H., Kitano S. and Sugimachi K.** Recurrence of varices after oesophageal transection: intra-operative and postoperative assessment by endoscopy. Br. J. Surg. 1988; 73:9-11.
- Krestovsky VV.** Contribution a "L" etude due traitement operative des ascites cirrhotique an moyend anastomosis. Immediate Entere Leveine inferieure et la vein porte. Pren-Med. 34:1398, 1926. Qouted from Donovan, 1984.

- Langer, B, Stone RM, Colapinto RF, and Others. Clinical spectrum of the Budd-Chiari syndrome and its surgical management, Am. J. Surg., 1975; 129:137-145.
- Langer B, Taylor Br, Mackenzie DR, et al. Further report of prospective randomized trial comparing distal splenorenal shunt with end-to-side portacaval shunt: An analysis of encephalopathy, survival, and Quality A life. Gastroenterology, 1985; 88:424-429.
- Lebrech D, Fleury PD, Rueft B., Nahum H., and Benhamou JP. Portal pressure size of esophageal varices and risk of gastrointestinal bleeding in alcoholic cirrhosis. Gastroenterology, 1980; 79:1149-1144.
- Lebrech D., Paynard T., Hilliard L. and Benhamou J. Propranolol for prevention of recurrent gastrointestinal bleeding in patients with cirrhosis: A controlled study. New Eng. J. Med. 1981; 305:1371-1374.
- Levine BA, Gaskill HV, and Sinnek KR. Portasystemic shunting remains the procedure of choice for control of variceal haemorrhage. Arch. surg. 1985; 120:296-300.
- Linton RR and Womert K. The emergency and definitive treatment of bleeding esophageal varices. surgery 33:243, 1953.
- Linton RR. Portacaval shunt in the treatment of portal hypertension with especial reference to patients previously operated upon. N. Engl. J. Med. 1948; 238:723. Cited from Donovan, 1984.

- Linton RR. Portal hypertension as I see it: Child CG, Vol. XIV
(eds) Engelbert, Dumphy. WB. Saunders, Philadelphia, London
pp 196, 1974.
- Ludwick C. JR., Markel S.F. and Child CG. Chiari's disease. Arch.
Surg. 1965; 91:697-704.
- Malt R., Abbott W., Warshaw A., et al. Randomized trial of emer-
gency mesocaval and portacaval shunts for bleeding
oesophageal varices. Am. J. Surg. 1978;135:584-588.
- Mayo W.J. The surgical treatment of hepatic cirrhosis. Ann. Surg.
80:41, 1924.
- McCormack TT, Rose JD, Smith PM, Johnson AG. Perforating veins
and blood flow in esophageal varices. Lancet, 1983;
ii:1442-1444.
- McIndoe: On discussion of Kegaries paper 1933. Cited by Kegaries,
1934.
- Merkel C., Bolognesi M., Angeli P., et al. Prognostic indicators
of survival in patients with cirrhosis and esophageal
varices, without previous bleeding. Am. J. Gastroenterology,
1989; 84 (7):717-722.
- Mikkelsen W., Therapeutic portacaval shunt. Arch. Surg. 1974;
108:302-305.
- Millikan WJ, Warren WD, Henderson JM, et al. The Emory prospec-
tive randomized trial: selective versus nonselective shunt
to control variceal bleeding: ten-years follow-up. Ann. surg.
1985; 201:712-722.

- Miskowak J. How the lower oesophageal sphincter affects sub-mucosal oesophageal varices. *The Lancet*, 1978; II:1284-1285.
- Moriyasu F, Nishida O, Ban N, et al. Measurement of portal vascular resistance in patients with portal hypertension. *Gastroenterology*, 1986; 90:710-717.
- Mosimann, R. Non-aggressive assesement of portal hypertension using endoscopic measurement of variceal pressure: preliminary report. *Am. J. surg.* 1982; 143:212-214.
- Mosimann R., Marquis C, Mosimann F, and Gertsch P. long-term follow-up after a distal splenorenal shunt procedure: A clinical and hemodynamic study. *Am. J. surg.* 1983; 145:253-255.
- Motoo Y., Okai T., Ohta H., Matsui O. and Sawabu N. Idiopathic esophageal varices with longitudinal erosion. *Endoscopy*, 1989; 21:289-290.
- Mulcare RJ, Halleran D, Gardine R. Experience with 49 consecutive Dacron interposition mesocaval shunts. A unified approach to portasystemic decompression procedures. *Am. J. surg.* 1984; 147:393-399.
- Nagasue N, Kohno H, Ogawa Y, Yukaya H, et al. Appraisal of distal splenorenal shunt in the treatment of esophageal varies: An analysis of prophylactic, emergency and elective shunts. *World J. surg.* 1989; 13:92-99.
- Ng WD, and Chan YT. Digital gangrene complicating intraoperative injection sclerotherapy. *Gastrointest. Endosc.* 1988; 34:151-153.

- Nusbaum M, Baum S, Kuroda K, and Blakemore WS. Control of portal hypertension by selective mesenteric arterial drug infusion. Arch surg. 1968; 97:1005-1013.
- Ohnishi K, Saito M, Nakayama T, et al. Portal venous hemodynamics in chronic Liver disease: Effects of posture change and exercise. Radiology, 1985; 155:757-761.
- Ohnishi K, Saito M, Sato S, Sugita S, Tanaka H, and Okuda K. Clinical utility of pulsed doppler flowmetry in patients with portal hypertension. Am.J.Gastroenterology, 1986; 81(1):1-8.
- Ono J., Katsuki T., and Kodama Y. New approach in the management of oesophageal varices. Br.J.Surg. 1987; 74:607-609.
- Orloff MJ, Girard B. Long term results of treatment of Budd-Chiari syndrome by side-to-side portacaval shunt. Surg. Gynecol. Obstet, 1989; 168:33-41.
- Orozco H., Juarez F., Santillan P and Others. Ten years of selective shunts for haemorrhagic portal hypertension. Surgery, 1988; 103(1): 27-31.
- Osborne DR, and Hobbs K.E.F. The acute treatment of haemorrhage from esophageal varices: a comparison of esophageal transection and staple gun anastomosis with mesocaval shunt. Br.J.Surg. 1981; 68:734-737.
- Ozaki, CF, Anderson JC, Lieberman RP, and Rikkers LF. Duplex Ultrasonography as a noninvasive technique for assessing portal hemodynamics. Am.J.Surg. 1988; 155:70-75.

- Panés J, Teres J, Bosch J, et al.** Efficacy of balloon tamponade in treatment of bleeding gastric and esophageal varices. Results in 151 consecutive patients. *Dig. Dis. Sci.*, 1988; 33:454-459.
- Paquet K.** Prophylactic endoscopic sclerosing treatment of oesophageal wall in varices. A prospective controlled randomized trial. *Endoscopy*, 1982; 18:4-5.
- Paquet KJ, Mercado MA Koussouris P. and Others.** Improved results with selective distal splenorenal shunt in a highly selected patient population: A prospective study. *Ann. Surg.* 1989; 210(2):184-189.
- Peterson K. and Giles GR.** Distal splenorenal (Warren) shunt in the management of actively bleeding esophageal varices. *Br.J. Surg.* 1986; 73:618-62.
- Phemeister DB and Humphrey's EM.** Gastroesophageal resection and total gastrectomy in the treatment of bleeding varicose veins. *Ann. Surg.* 126:397, (1947).
- Pinto H.C., Abrantes A., Esteves A.V., Almeida H, and Correia JP.** Long-term prognosis of patients with cirrhosis of the liver and upper gastrointestinal bleeding. *Am. J. Gastroenterology*, 1989; 84(10): 1239-1243.
- Polio J, Grossmann RJ.** Hemodynamic factors involved in the development and rupture of esophageal varices: A pathophysiologic approach to treatment. *Semin. liver Dis.*, 1986; 6:318-331.

- Polio J, Hanson J, Sikular E., et al.** A critical assessment of a pressure sensitive capsule for endoscopic measurement of variceal pressure. *Gastroenterology*, 1987; 92:1109-1115.
- Pope C.** Pathophysiology and diagnosis of reflux oesophagitis. *Gastroenterology*, 1976; 70 (3): 445-454.
- Pötsi R. Bauer P., Reichel W. et al.** Prophylactic endoscopic sclerotherapy of esophageal varices in liver cirrhosis. A multicentre prospective controlled randomized trial in Vienna. *Gut*, 1989; 30:873-879.
- Preble RB.** Conclusion based on sixty cases of fatal gastrointestinal haemorrhage due to cirrhosis of the liver. *Am. Med. Sc.*, 119:263, 1900. Qouted from Donavan, 1984.
- Pugh R.M.H., Murray-Lyon I.M., Dawson J.L. et al.** Transection of the esophagus for bleeding varices. *Br.J. Surg.* 1973; 60:646-649.
- Quierolo G.B.** Ein. neue. Methode zur vereinrg. Uny dervanen untersuch zur Nature chre des Menschen und der ties. *Moleschott* 15:233, 1893. Qouted from Donovan, 1984.
- Raia S, Mies S, and Macedo AL.** Surgical treatment of portal hypertension in schistosomiasis. *World J. Surg.* 1984; 8:738-752.
- Rector W.G.** Portal hypertension: a permissive factor only in the development of ascites and variceal bleeding. *Liver*, 1986; 6:221-226.

- Reding P., Urbain D, Grivegnée A. and Frère D. Portal venous-esophageal luminal pressure gradient in cirrhosis. *Hepatology*, 1986; 6 (1):98-100.
- Reichen, J. Liver function and pharmacological considerations in pathogenesis and treatment of portal hypertension. *Hepatology*, 1990; 11 (6): 1066-1078.
- Reynolds JI and Souttrevich HW. Portal hypertension, use of venous graft when side-to-side anastomosis is impossible. *Arch. Surg.* 1961; 62:789.
- Reynolds TB, Hudson NM, Mikkelsen WP, Turhill FL, and Redeker AG. Clinical comparison of end-to-side and side-to-side portacaval shunt. *Engl. J. Med.*, 1966; 274:706.
- Reynolds TB, Iwatsuki S., Mikkelsen WP, Redeker AG, and Turhill FL. Clinical comparison of the end-to-side and side-to-side portacaval shunt. Ten years follow up. *Ann. Surg.* 1973; 178:65.
- Reynolds TB, Donovan AJ, Mikkelsen WP, Redeker AG, turhill FL, and Weiner JM. Results of a 12-years randomized trial of portacaval shunts in patients with alcoholic liver disease and bleeding varices. *Gastroenterology*, 1981; 80:1005-1011.
- Reznick RK, Langer B, Taylor BR, Lossing A, Blendis LM, and Colapinto RF. Results and hemodynamic changes after interposition mesocaval shunt. *Surgery*, 1984; 95:275-279.
- Rigau J., Teres J., Visa J. Bosch J., et al. long term follow-up of 100 patients with portal hypertension treated by a modified splenorenal shunt. *Br. J. Surg.* 1986; 73:708-711.

- Rigau J, Bosch J, Bordas JM, et al.** Endoscopic measurement of variceal pressure in cirrhosis: Correlation with portal pressure and variceal haemorrhage. *Gastroenterology*, 1989, 96:873-880.
- Rigberg L., Ufberg M. and Brooks C.** Continuous low dose peripheral vein pitressin infusion in the control of variceal bleeding. *Am. J. Gastroent.*, 1977; 68 (5):481-483.
- Rikkers LF, Burnet DA, Volentino GD, Buchi KN, and Cormier RA.** Shunt surgery versus endoscopic sclerotherapy for long-term treatment of variceal bleeding: Early results of a randomized trial. *Ann. Surg.* 1987; 206:261-271.
- Rikkers LF, Cormier RA, and Nghia M.Vo.** Effects of altered portal hemodynamics after distal splenorenal shunts. *Am.J. Surg.* 1987; 152:80-85.
- Romeo JM, Lopez-Farre A., Martin-Paredero V. and Lopez-Novoa J.M.** Hepatic haemodynamic changes after portacaval anastomosis in normal, cirrhotic and chronic prehepatic portally hypertensive rats. *Br.J. Surg.* 1990; 77:335-338.
- Rose JDR, Crane MD, and Smith PM.** Factors affecting successful sclerotherapy for esophageal varices. *Gut*, 1983; 24:946-949.
- Rosenstein PV.** Uber die Behandlung der lebercirrhosi durch. Anlagung einer Ech's fistule (the treatment of cirrhosis of the liver by construction of an Eck's fistulae). *Arch. Chir. Klin. berl.*, 48:1082, 1913, Qouted from Donovan, 1984.

- Rossi RL, Jenkins RL, and Whitcomb FFW. Management of complications of portal hypertension. Surg. Clin. N.Am. 1985; 65 (2): 231-262.
- Rousselst L.M. Autogenous vein grafts in splenorenal anastomosis and its clinical application in some patients. Surgery, 1952; 31:403.
- Rypins E.B., Mason G.R., Conroy R.M., and Sarfeh I.J. Predictability and maintenance of portal flow patterns after small-diameter portacaval H-grafts in man. Ann. Surg. 1984; 200:706-710.
- Saito M., Ohnishi K, Tanaka H., et al. Effects of esophageal transection combined with splenectomy on portal hemodynamics. Am. J. Gastroenterology, 1987; 82(1):16-19.
- Santangelo WC, Dueno MI, Estes BL, and Krejs GJ. Prophylactic sclerotherapy of large esophageal varices. New Eng. J.Med. 1988; 318 (13):814-818.
- Sarfeh I.J., Rypins E.B., and Mason G.R. A systemic appraisal of portacaval H-graft diameters. Ann. Surg. 1986; 204(4): 356-363.
- Sarin SK, Sethi KK, and Nanda R. Measurement and correlation of wedged hepatic, intrahepatic, intrasplenic and intravariceal pressures in patients with cirrhosis of liver and non-cirrhotic portal fibrosis. Gut, 1987; 28:260-266.
- Sarin SK, Nanda R., Sachdev G, Chari S, Anand BS, and Broor SL. Intravariceal versus paravariceal sclerotherapy: a prospective controlled randomized trial. Gut, 1987; 28:657-662.

- Sarin, SK, Sundaram KR, and Ahuja RK.** Predictors of variceal bleeding: an analysis of clinical, endoscopic, and hemodynamic variables, with special reference to intravariceal pressure. Gut, 1989; 30:1757-1764.
- Sauerbruch T., Wotzka R., Kopcke W. et al.** Prophylactic sclerotherapy before the first episode of variceal haemorrhage in patients with cirrhosis. New Eng. J. Med. 1988; 319 (1):8-15.
- Schiff L. and Schiff E.R.** Portal hypertension. Diseases of the Liver. Fifth edition, 1982; PP.393-431.
- Schuman BM, Beckman JW, Tedesco FJ, Griffin JW, and Assad R.** Complications of endoscopic injection sclerotherapy: a review. Am.J. Gastroenterol, 1987; 82:823-829.
- Scott J, Lang RG, Dick R, and Sherlock S.** Percutaneous transhepatic obliteration of gastro-esophageal varices. Lancet, 2:53, 1976.
- Sengstaken RW & Blackmore AH.** Balloon tamponade for control of haemorrhage from esophageal varices. Ann. Surg. 131:781, 1950.
- Shaldon, S, Chianussi L., Guevara, L., and Others.** The measurement of hepatic blood flow and intrahepatic shunted blood flow by colloid, heat denatured serum albumin labelled with I^{131} . J.Clin. Invest., 1969; 40:1038-1040.
- Shedid N., El-Bakry M.A., El-Ashri Taha, Bahgat O.** Elective splenectomy and vasoligation complemented with oesophageal transection in management of oesophageal varices due to bilharzial liver fibrosis. Zag. Universt. Med. J. , 1987; 10 (3): 205-208.

- Sherlock, S.** Classification and functional aspects of portal hypertension. *Am. J. Surg.* 1973; 127:121-128.
- Sherlock, S.** portal circulation and portal hypertension: progress report. *Gut*, 1978; 19:70-83.
- Sherlock S.** The portal venous system and portal hypertension. *Diseases of Liver and biliary system*, sixth edition, chapter 11, PP. 134-176. 1981.
- Sherman LM, Shenoy SS, and Cerra FB.** Selective intra-arterial vasopressin: clinical efficacy and complications. *Ann. Surg.* 1979;189:298-302.
- Shields R.** Injection sclerotherapy for esophageal varices. *The lancet*, 1979; 18:365-366.
- Sikuler E, Kravetz D, Grossmann RJ.** Evolution of portal hypertension and mechanisms involved in its maintenance in a rat model. *Am. J. Physiol*, 1985; 248: G 618-G625.
- Sirinek KR, and Thomford NR.** Isoproterenol in offsetting adverse effects of vasopressin in cirrhotic patients. *Am.J. Surg.* 1975;129-130-136.
- Sirinek KR, Adcock DK, and levine BA.** Simultaneous infusion of nitroglycerin and nitroprusside to offset adverse effects of vasopressin during portosystemic shunting. *Am.J. surg.* 1989; 157:33-37.
- Smith RB, Warren WD, Salam AA et al.** Dacron R interposition shunts for portal hypertension. An analysis of morbidity correlates. *Ann. Surg.* 1980;192:9-17.

Smith. Leading articles; variceal sclerotherapy: further progress. Gut, 1987; 28:645-49.

Spence R.A.J., Sloan JM, Johnston GW, Green field A. Oesophageal mucosal changes in patients with varices. Gut, 1983; 24:1024-1029.

Spence R.A.J. The venous anatomy of the lower oesophagus in normal subjects and in patients with varices:an image analysis study. Br. J. surg. 1984; 71:739-744.

Spence R.A.J, Sloan J.M., and Johnston G.W. Histologic factors of the esophageal transection ring as clues to the pathogenesis of bleeding varices. surgery, Gynecol. and obstet. 1984; 159:253-259.

Spence R.A.J., and Johnston G.W. Results in 100 consecutive patients with stapled esophageal transection for varices. Surg. Gynecol. Obstet. 1985; 160:323-329.

Spina GP, Galeotti F, Opocher E, et al. selective distal splenorenal shunt versus side-to-side portacaval shunt: clinical results of a prospective, controlled study. Am. J. Surg. 1988; 155:564-571.

Steegmüller KW, Marklin HM, Hollis Jr,HW. Intraoperative hemodynamic investigations during portacaval shunt. Arch. surg. 1984; 119:269-273.

Stiegmann GV, Cambre T, and Sun JH. A new endoscopic elastic band ligating device. Gastrointest. Endosc. 1986; 32:230-233.

- Stiegmann GV, Goff JS, sun JH, Wieborns.** Endoscopic elastic band ligation for active variceal haemorrhage. *Am. J. Surg.* 1989; 55:124-128.
- Stiegmann GV, Goff JS, sun TH, Hursa D, and Reveille RM.** Endoscopic ligation of esophageal varices. *Am. J. Surg.* 1990; 159:21-26.
- Sugiura M., and Futagawa S.** A new technique for treating oesophageal varices. *J. thorac. Cardiovasc. Surg.* 1973; 66:677-685.
- Sugiura M. and Futagawa S.** Esophageal transection with paraesophago-gastric devascularization (The Sugiura procedure) in the treatment of esophageal varices. *World J. surg.* 1984; 8:673-679.
- Szczepanik A.B. and Rudowski WJ.** Emergency and elective sclerotherapy of oesophageal varices. *Annals of the Royal college of surgeons of England*, 1988; 70:24-28.
- Takayasu K, Takashi M. et al.** spontaneous reversal of portal blood flow demonstrated by percutaneous trans-hepatic catheterization: Report of two cases. *Gastroenterology*, 1982; 82:753-737.
- Takenaka H, Nakao K, Miyata M., et al.** Hemodynamic study after devascularization procedure in patients with esophageal varices. *Surgery*, 1990; 107 (1): 55-62.

- Talma S.** Chirurgische offnunrg neuer sciten bahnon fur das blut der vena porta. Berl. Klim. Wchnschr:35:833, 1898 (Surgical opening of new channel for the blood of the vena porta)
Cited by Donovan, 1984.
- Tanner, N.C.** The late results of porto-azygos disconnection in the treatment of bleeding from oesophageal varices. Ann. R. Coll. surg. Engl. 1961; 28:153-174.
- Tansini J.** Diversion of the portal blood by direct anastomosis of the portal vein with vena cava. Gaz. Med. Ital., 1902; 53:323. Qouted from Donovan, 1984.
- Terblanche J, Yakoub HE, Bornman PC, et al.** Acute bleeding varices: a five year prospective evaluation of tamponade and sclerotherapy. Ann. Surg. 1981; 191:521-530.
- Terblanche J, Bornman PC, Kahn D. et al.** Failure of repeated injection sclerotherapy to improve long-term survival after esophageal variceal bleeding. A five-years prospective controlled clinical trial. Lancet 1983; 11:1328-1332.
- Terblanche J, Northover JMA, Bernman P, Karm D, and others.** A prospective evaluation of injection sclerotherapy in the treatment of acute bleeding from esophageal varices. Surg. 85:239, 1989.
- Terblanche J., Kahn D. and Bornman P.C.** Long-term injection sclerotherapy treatment for esophageal varices: A 10-years prospective evaluation. Ann. Surg. 1989; 210 (6):725-731.

- Terblanche J.** What's new in general surgery: The surgeon's role in the management of portal hypertension. *Ann. Surg.* 1989; 209 (4):381-395.
- Terés J. Planas R. Panes J. et al.** Vasopressin/nitroglycerin infusion Vs. esophageal tamponade in the treatment of acute variceal bleeding: A randomized controlled trial. *Hepatology*, 1990; 11 (6):964-948.
- Terpstra O.T., Ausema B., Bruining H.A., et al.** Late results of mesocaval interposition shunting for bleeding esophageal varices. *Br. J. Surg.* 1987; 74:787-790.
- The North Italian endoscopic club for the study and treatment of esophageal varices. Variceal hemorrhage and cirrhosis-De Franchis et al.** Prediction of the first variceal haemorrhage in patients with cirrhosis of the liver and esophageal varices: A prospective Multicenter study. *New Eng. J. Med.* 1988; 319 (15):983-989.
- Triger.** Leading article. Extrahepatic portal venous obstruction. *Gut*, 1987; 28:1193-1197.
- Tsao GG, Grossmann RJ, Fisher RL, Conn Ho, Atterbury CE, and Glickman M.** Portal pressure, presence of gastro-esophageal varices and variceal bleeding. *Hepatology*, 1981; 5:419-424.
- Uneyama K. Yoshikawa K., Yamashita T., Todo T. and Satake K.** Transabdominal oesophageal transection for oesophageal varices: Experience in 101 patients. *Br. J. Surg.* 1983; 70:419-422.

Vankemmel M. Ligature, resection. segmentaire et anastomose al.
Appareil PK 525. LiLLe-Chir 29:1, 1974. Cited by Donovan,
1984.

Vidal M. Traitment chirurgical des ascites dans les cirrhoses due
foic (Surgical treatment of ascites) 16th Congres Francais
de chirurgie 1903, 16:294, Cited by Johnston, 1981.
Villeneuve JP, Layrargues GP, et al. Emergency portacaval shunt
for variceal haemorrhage; A prospective study. Ann. Surg.
1987; 206:48-52.

Waldram R., Nunnerley H., Davis M., et al. Detection and grading
of oesophageal varices by fibre-optic endoscopy and barium
swallow with and without buscopan. Radiology, 1977;
28:137-141.

Walker RM. Transection operation for portal hypertension. Thorax,
15:218, 1960.

Walters W., Rowntree LG and Mc Indoe AH. End results of the tying
of the coronary vein for prevention of haemorrhage from
esophageal varices. Proc. Staff Mtg Mayo clinic 4:263, 1929.
Cited by Donovan, 1984.

Walters.W. Ligation of the coronary vein and vasa brevia for con-
trolling of haemorrhage from varices on discussion of keg-
reies paper. Proc. staff Mtg. Mayo clinic. 8:160, 1933.
Cited by Donovan, 1984.

Wangensteen OH. The ulcer problem. Can, Med. Assoc. J. 53:309,
1945. Q. by Donovan, 1984.

- Warren WD. and Muller WH. Classification of some hemodynamic changes in cirrhosis and their surgical significance.. Ann. Surg. 1959; 130:413.
- Warren WD., Zeppa R, and Foman JJ. Selective trans-splenic decompression of gastroesophageal varices by distal splenorenal shunt. Ann. Surg. 1967; 166:437-55.
- Warren WD., Zeppa R., Zeppa R., Foman J. et al. spontaneous reversal of portal venous flow in cirrhosis. Surg. Gyn. obst., 1968; 126:315.
- Warren W.D., Henderson J.M., Millikan W.J., Galambos J.T and Others. Distal splenorenal shunt versus endoscopic sclerotherapy for long-term management of variceal bleeding:preliminary report of a prospective, randomized trial. Ann. Surg. 1986; 203:454-462.
- Warren W.D., Millikan W.J., Jr., Henderson J.M, Abu-ELmagd K.M., et al. Splenopancreatic disconnection: Improved selectivity of distal splenorenal shunt. Ann. Surg. 1986; 204:346-355.
- Warren WD. Henderson JM. Millikan WJ, Galambos JT, and Bryan Fc. Management of variceal bleeding in patients with non cirrhotic portal vein thrombosis. Ann. Surg. 1988; 207 (5):623-634.
- Westaby D, Mac Dongall BRD, Malia WM, Theodossi A, and William R. A prospective randomized study of two sclerotherapy techniques for esophageal varices. Hepatology 1983; 3:681-684.

- Westaby D., Melia W., Mac Dougall B., et al.** Injection sclerotherapy for oesophageal varices, a prospective randomized trial of different treatment schedules. *Gut*, 1984; 25:129-132.
- Westaby D, and Williams R.** Follow-up study after sclerotherapy. *Scand. J. Gastroenterol.* 1984; [Suppl. 102] 19:71-75.
- Westphal R.** Ueber cine Konpkrassion handlung des Blutunger aus-esophagus. *Varizen, Dtsth Med Wochens Ch* 56:1135,1930. Cited by Donovan, 1984.
- Whipple AO.** Rational of porto caval anastomosis. *Ann. Surg.* 1946; 22:251. Q by Donovan, 1984.
- White S.** Discussion on the surgical treatment of ascites secondary to vascular cirrhosis of the liver. *Br. Med. J.* 1906; 2:1298. Qouted from Raia, 1984.
- Witzel L., Wolbergs E., and Merki H.** Prophylactic endoscopic sclerotherapy of esophageal varices. *Lancet*, 1985; i:773-775.
- Womack N.A., and Peter R.M.** Ligation of gastric arterial supply and splenectomy in the treatment of acute haemorrhage from gastro-esophageal varices. In current surgical management. Ellison SR Frissen JN, Mulholland R eds. Philadelphia WB saunders Co P 268-78, 1965.
- Widrich W.C., Srinivasan. M.; Semine, M.C. et al.** Collateral pathways of the left gastric vein in portal hypertension. *A.J.R;* (1984); 142:375-382.

Yamanato S., Hidenure R., Sawada M. and Tokoshige K. The late results of terminal oesophago-proximal gastrectomy, with extensive devascularization and splenectomy for bleeding oesophageal varices in cirrhosis. surgery 1976; 80 (1):106-114.

Yassin Y.M. and Sherif S.M. Randomized controlled trial of injection sclerotherapy for bleeding esophageal varices-an interim report. Br. J. surg. 1983; 70:20-22.