

## References

## REFERENCES

- Adams, R.D.; Fisher, C.M.; Hakim, S.; Ojemann, R.G. and Sweet, W.H.: Symptomatic occult hydrocephalus with "normal" cerebrospinal-Fluid pressure. Atreatable syndrome. New Eng. J. Med., 237 : 117 , 1965.
- Ames, A.; Sakanoue, M. and Endo, S.: Na, K, Ca, Mg and Cl Concentrations in choroid plexus Fluid and Cisternal fluid compared to plasma ultra filtrate. J. Neurophysiol, 27 : 672 , 1964.
- Bering, E.A., Jr. : Circulation of the cerebro spinal Fluid. Demonstration of the choroid plexuses as the generator of the Force for flow of fluid and ventricular enlargement. J. Neurosurg. , 19 : 405 , 1962.
- Blackwood, W.S. ; McMenemy, W.H.; Meyer, A.; Norman, R.M.; and Russell, D.S. : Green field's Neuropathology. William's & Wilkins, Baltimore, 1963.
- Blackwood, W.S.; McMenemy, W.H. ; Meyer, A.F.; Norman, R.M. and Russell, D.S.: Green field's Neuropathology, 2nd ed. Edward Arnold, London, 1963.
- Bowsher, D. : Pathways of absorption of protein from the cerebro spinal fluid. An autoradiographic study in the cat Anat. Rec., 128 : 23 , 1957.
- Becker, D.P. and Nulsen, F.E.: Control of hydrocephalus by valve-regulated venous shunt : Avoid ence of complications in prolonged shunt maintenance . J. Neurosurg ., 28 : 215 , 1968.
- Benda, C.E.: The Dandy-Walker syndrome or the so called atresia of the foramen magendie. J. Neuropath. Exp. Neurol. , 13 : 14 , 1954.
- Bowsher, D. : Cerebrospinal Fluid Dynamics in health and disease. Charles C. Thomas , Spring field, III., 1960.
- Cairns, H. : Raised intracranial pressure : Hydrocephalic and vascular factors. Brit. J. Surg., 28:275,1939.
- Carrea, R., Audi, E.L., Girado, J.M. and Cortelezzi, C.: Pleurostomias en el tratamiento do las hidrocefalias. Acta Neurol. Lat. Amer., 4: 300, 1958.
- Crosby, R.M.; Mosberg, M.H., Jr. and Smith, G.W.: Intra-uterine meningitis as cause of hydrocephalus. J. Pediatrics , 39 : 94 , 1951.

- Dandy, W.E.: Extirpation of choroid plexus of the lateral ventricles in communicating hydrocephalus. Ann. Surg., 68 : 569 , 1918.
- Dandy, W.E.: Extirpation of the choroid plexus of the lateral ventricle in communicating hydrocephalus Ann. Surg., 58 : 569 , 1918.
- Dandy, W.E.: The brain. in practice of surgery, Vol. 12, (D. Lewis, editor) , P. 1 W.F. Prior, Hagerstown, Md., 1932.
- Dandy, W.E.: The brain. In Practice of surgery, Vol. 12, (D. Lewis, editor) P.1. W.F. Prior, Hagerstown , Md., 1932.
- Dandy, W.E.: Diagnosis and treatment of stricture of the aqueuct of sylvias (Causing hydrocephalus). Arch. Surg. (Chicago), 51 : 1, 1945.
- David, C.M.; James, G.K.; John, H.P. and Maurean, W. : Antibiotic prophylaxis in ventricular shunt surgery : I. Reduction of aoperative infection rates with Methicillin. Child's Brain, 7 : 182, 1980.
- Davson, H. and Pollay, M.: The turnover of  $^{24}\text{Na}$  in the Cerebrospinal fluid and its bearing on the blood-brain barrier. J. Physiol.(London) 167 : 247 , 1963.
- Davson, H.: Physiology of the cerebrospinal fluid. J. and A. Churchill , London, 1967.
- Dichiro, G. : Movement of the cerebrospinal fluid in human beings. Nature (London), 204: 290, 1964a.
- Dohrmann , G.J.: The choroid plexus : Ahistological review. Brain res, 18 : 197, 1970.
- Dunbar, H.S.; Guthrie, T.C. and Karpell, B.: A study of the cerebrospinal fluid pulse wave. Arch Neurol (Chicago) , 14 : 624 , 1966.
- Evans, H.M.; Nelson, M.M.; Baird, C.D. and Wright, H.V.: Multiple congenital abnormalities resulting from pantothenic acid deficiency in the rat. Fed. Proc., 15 : 549 , 1956.
- Fairburn, B.: Choroid plexus papilloma and its relation to hypertrophy. J. Neurosurg. 17 : 166, 1960.

- Field, E.J. and Brierley, J.B.: The lymphatic connexions of the subarachnoid space. An experimental study of dispersion of particulate matter in the cerebrospinal fluid, with special reference to the pathogenesis of poliomyelitis. *Brit. Med. J.*, 1 : 1167 , 1948 .
- Fisher, R.G. and Copenhaver , J.H.; the metabolic activity of the choroid plexus. *J. Neurosurgery*, 16 : 167 , 1959.
- Foltz, E.L., and Shurtleff , D.B.: Five-Year comparative study of hydrocephalus in children with and without operation (113 cases). *J. Neurosurg* , 20 : 1064 , 1963.
- Franks, R.C.: Pituitary-adrenal function in arrested hydrocephalus. *J. Clin Endocr.*, 29 : 864, 1969.
- Greitz, T.V.; Grepe, A.O.; Kalmer, M.S. and Lopez, J. : Pre-and postoperative evaluation of cerebral blood flow in low-pressure hydrocephalus. *J. Neurosurg* , 31 : 644 , 1969.
- Hakim, S. and Adams, R.D.: The special clinical problem of symptomatic hydrocephalus with normal cerebrospinal fluid hydrodynamics. *J. Neurol. Sci* , 2 : 307 , 1965.
- Ingalls, T.H.; Pugh, T.F. and Mac Mahon, B.: Incidence of anencephalus , spina bifida and hydrocephalus related to birth rank and maternal age. *Brit. J. Prev. Soc. Med.*, 8 : 17 , 1954.
- Kaplan, A.: Pia-arachnoidal cysts of posterior fassa. *Amer. J. Surg.*, 76 : 102 , 1948.
- Kappers, J.A.: Structural and functional change in the telencephalic choroid plexus during human ontogenesis. In ciba foundation symposium on the cerebrospinal fluid (G.E. Wolstenholme and C.M. O'Conner, editors), P. 3. Little, Brown and company, Boston, 1958.
- Klosovsky, B.N. : Hydrocephalus. In pathology of the nervous system , Vol. 1 (J. Minckler, editor)-, P. 456. McGraw-Hill , New York, 1968.
- Last, R.J. and Tompsett, D.H.: Casts of cerebral ventricles. *Brit. J. Surgery*, 40 : 525, 1953.

- Laurence, K.M.; Hoore, R.D. and Till, K.: The diagnosis of the choroid plexus papilloma of the lateral ventricle. *Brain*, 84 : 628, 1961.
- Matson, D.D.: *Neurosurgery of infancy and childhood*, 2<sup>nd</sup> ed. Charles C. Thomas, Springfield, II., 1969.
- Maxwell, D.S. and Pease, D.C.: The electron microscopy of the choroid plexus. *J. Biophys. Biochem. Cytol*, 2 : 467, 1956.
- Mazza, C.; Pasqualin, A. and Dapian, R.: Results of treatment with ventriculo-atrial and ventriculo-peritoneal shunt in infantile non-tumoral hydrocephalus. *Child's Brain*, 7 : 1, 1980.
- McCallough, D.C.; Kane, J.G.; Presper, J.H. and Wells, M.: Antibiotic prophylaxis in ventricular shunt surgery. I. Reduction of operative infection rates with mMethicillin. *Child's Brain*, 7 : 182, 1980.
- McIntosh, R.; Merritt, K.K.; Rikards, M.R.; Samuels, M.H. and Bellows, M.T.: The incidence of congenital malformations: A study of 5,964 pregnancies. *Pediatrics*, 14 : 505, 1954.
- Mchaurin, R.L.; Glan, I.H. and Kaplan, S.: Ventriculo-atrial shunt for hydrocephalus. Electro-casdiographic control for accurate placement. *Amer J. Dis. Child*, 105 : 216, 1963.
- Merritt, H.H.: *A text book of Neurology*, 3<sup>rd</sup> ed. Lea & Febiger, Philadelphia, 1963.
- Milhorat, T.H.: Choroid plexus and Cerebro-spinal fluid production. *Science*, 166 : 1514, 1969.
- Milhorat, T.H.: Acute hydrocephalus, *New Eng. J. Med.*, 283, : 857, 1970.
- Milhorat, T.H.: Experimental hydrocephalus. Part 1. A technique for producing obstructive hydrocephalus in the monkey. *J. Neurosurg*, 32 : 285, 1970a.
- Milhorat, T.H.; Clark, R.G.; Hammock, M.K. and McGrath, P.P.: Structural ultrastructural, and permeability changes in the ependyma and surrounding brain favoring equilibration in progressive hydrocephalus. *Arch Neurol (Chicago)*, 22 : 297, 1970 a.

- Milhorat, T.H. : Acute hydrocephalus. New Eng. N. Med , 283 : 857 , 1970 b.
- Milhorat, T.H.; Hammock, M.K.; Fenstermacher, J.D.; Rall , D.P. and Levin, V.A.: Cerebrospinal Fluid Production by choroid plexus and brain.Science, 173 : 330 , 1971.
- Milhorat, T.H.; Hammock, M.K. and Chandra, R.S.: The subarachnoid space in Congenital hydrocephalus Part II. Microscopic Findings. J. Neurosurg, 35 : 7, 1971.
- Milhorat, T.H.; Hammock, M.K. and Chandra, R.S.: The subarachnoid space in Congenital obstructive hydrocephalus. Part I. Cisternographic findings. J. Neurosurg , 35 : 1 , 1971.
- Milhorat, T.H.: Intracerebral haemorrhage, acute hydrocephalus , and systemic hypertension. JAMA , 218 : 221 , 1971.
- Millen, J.W.; Woolam , D.H. and Lamming, G.E.: Hydrocephalus associated with deficiency of vitamin E. A. Lancet, 2 : 1234 , 1953.
- Myrianthopoulos , N.C. and Kurland, L.T.: Present Concepts of the epidemiology and genetics of hydrocephalus. In Disorders of the developing nervous system. 5(W.S. Fields and M.M.Desmond, editors) P. 187. Charles. C. Thomas, Springfield , III., 1961.
- O'Dell, B.L.; Whitley, J.R. and Hogan A.G.: Relation of folic acid and vitamin A to incidence of hydrocephalus in infant rats. Proc. Soc. Exp. Biol. Med., 69 : 272 , 1948.
- O'Dell, B.L.; Whitley, J.R. and Hogan, A.G.: Vitamin B<sub>12</sub> as a factor in prevention of hydrocephalus in infant rats Proc. Soc. Exp. Biol. Med., 76 : 349 , 1951.
- Pearce, W.H. and Danforth, D.N.: Dystocia due to abnormal fetopelvic relations. In text book of obstetric and gynaecology (D.N. Danforth , editor) P. 586. Harper & Row, New York, 1966.
- Penfield, W. and Elvidge , A.R.: Hydrocephalus and the atrophy of cerebral compression. In cytology and Cellular pathology of the Nervous system , Vol.3(W.Penfield, editor), P. 1201. Hafner, New York, 1932.

- Phillips, P.A.; Alpers, M.P. and Stanley, N.F.: Hydrocephalus in mice inoculated neonatally by the oronasal route with reovirus type I. Science, 168 : 858 , 1970.
- Pollay, M. and Davson, H.: The passage of certain substances out of the C.S.F. Brain, 86:137, 1963.
- Portnoy, H.D., Tripp , L. and Croissant, P.D.: Hydrodynamics of shunt valves;. Child's brain, 2 : 242 , 1976.
- Raimondi, A.J.; Samuelson, G.; Yarzagaray, L. and Norton, T.: Atresia of the foramina of luschka and Magendie : The Dandy walker cyst. J.Neurosurg. 31 : 202 , 1969.
- Rubin, R.C.; Henderson, E.S.; Walker, M.D. and Rall , D.P.: The production of cerebrospinal fluid in man and its modification by acetazolamide. J. Neurosurgery , 25 : 430 , 1966.
- Russell, D.S.: Observations on the pathology of hydrocephalus. Her majesty's stationary affice(special report series medical research council, NO;265) London, 1949.
- Russell, D.S. and Rubinstein, L.J.: Pathology of tumours of the nervous system. Edward Arnold, London , 1959.
- Rydberg, E.: Cerebral injury in new-born children consequent on birth trauma ; with an inquiry into the normal and pathological anatomy of neuroglia. Acta Path. Microbiol. Scand. (Supp.), 10:1,1932.
- Scarff, J.E.: Treatment of hydrocephalus : An historical and Critical review of methods nand results. J. Neural. Neurosurg;. Psychat., 26 : 1 , 1963.
- Scraff, J.E.: The treatment of non-obstructive (Communicating) hydrocephalus by endoscopic cauterization of the choroid plexuses. J. Neurosurg , 33 : 1 , 1970.
- Shabo, A.L. and Maxwell , D.S.: The morphology of the arachnoid villi: A light and electron microscopic study in the monkey. J. Neurosurg., 29 : 451 , 1968a.
- Singleton, E.B.: Radiologic aspects of congenital hydrocephalus and related malformations. In disorders

- Singleton, E.B.: Radiologic aspects of congenital hydrocephalus and related malformations. In disorders of the developing Nervous system. (W.S. Field and M.M. Desmond, editors) P. 420. Charles C. Thomas, Springfield, III, 1961.
- Stein, S.C.; Feldman, J.G.; Apfel, S.; Kohl, S.C. and Glenn Casey, A.B.: The epidemiology of congenital hydrocephalus. *Child's Brain*, 8: 253, 1981.
- Symonds, C.P.: Hydrocephalic and focal cerebral symptoms in relation to thrombophlebitis of dural sinuses and Cerebral veins. *Brain*, 60: 531, 1937.
- Taggart, J.K., Jr. and Walker, A.E.: Congenital atresia of the Foramina of Cushing and Magendie. *Arch. Neurol. Psychiat.*, 48 : 583, 1942.
- Tennyson, V.M. and Pappas, G.D.: Electronmicroscope studies of the developing telencephalic choroid plexus. In normal and hydrocephalic rabbits. In disorders of the developing nervous system (W.S. Fields and M.M. Desmond, Editors), P. 267. Charles C. Thomas, Springfield, III, 1961.
- Voetmann, E.: On the structure and surface area of the human choroid plexuses. A quantitative anatomical study: *Acta anat.*, (Suppl. 10) 8 : 1, 1949.
- Weller, R.O. and Wisniewski, H.: Histological and ultrastructural changes with experimental hydrocephalus in adult rabbits. *Brain*, 92 : 819, 1969.
- Wilson, A.L.: Experimental studies on congenital malformations. *J. Chronic Dis.*, 10 : 111, 1959.
- Wislocki, G.B. and Ieduc, E.H.: Vital Staining of hematoencephalic barrier by silver nitrate and trypan blue, and cytological comparisons of neurohypophysis, pineal body, area postrema, intercolumnar tubercle and supraoptic crest. *J. Comp. Neurol.*, 96 : 371, 1952.
- Woolf, A.L.: Experimentally produced cerebral-venous obstruction. *J. Path. Bact.*, 67 : 1, 1954.
- Yakovlev, P.I.: Paraplegias of hydrocephalics (a clinical note and interpretation). *Amer. J. Ment. Defic.*, 51 : 561, 1947.

Yashon, D.; Jane, J.A. and Sugar, O.: The Course of  
severe untreated infantile hydrocephalus.  
Prognostic significance of the cerebral mantle.  
J. Neurosurg., 23 : 509 , 1956.