

REFERENCES

REFERENCES

Abe, R. (1976):

A study of the pathogenesis of postmastectomy lymphedema.

Tohoku, J. Exp. Med., 118 : 163.

(Quoted from Penzer et al., 1986): Arm lymphedema in breast cancer patients.

Int. J. Rad. Oncol. Biol. Phys., 12 : 2079.

Aitken, D.R. and Minton, J.P. (1983):

Complications associated with mastectomy.

Surg. Clin. No. Am., 63 (6): 1131.

Alday, E.S. and Goldsmith, H.S. (1972):

Surgical technique for omental lengthening based on arterial anatomy.

Surg. Gyn. Obst., 135 : 103.

Allen, E.V. (1934):

Lymphedema of the extremities, classification, etiology and differential diagnosis : Study of 300 cases.

Arch. Intern. Med., 54 : 606.

(Quoted from Greenfield 1988) : Venous and lymphatic disease. In : Principles of surgery. 5th ed. Editors, Schwartz, S.I., Shires, C.T., Spencer, F.C. and Husser, W.C. Ch., 22, 1011.

Baumeister, R.G. and Siuda, S. (1990):

Treatment of lymphedemas by micro-surgical lymphatic grafting : What is proved?

Plast. Recon. Surg., 85 (1): 64.

Bertelli, G.; Venturini, M.; Forno, G.; Macchlavello, F. and Dini, D. (1992):

An analysis of prognostic factors in response to conservative treatment of postmastectomy lymphedema.

Surg. Gyn. Obs., 175 : 455.

- Bohler, F.K.; Rhomberg, W. and Doring, W. (1992):**
Hypertension as risk factor for increased rate of side effects in the framework of breast carcinoma irradiation.
Strahlenther-Onkol., 168 (6): 344.
- Bower, R.; Denese, C.; Debbas, J. and Howard, J. (1962):**
Advances in diagnosis of disease of the lymphatics.
J.A.M.A., 181 : 687.
- Brennan, M. and Weitz, J. (1992):**
Lymphedema 30 years after radical mastectomy.
Am. J. Phys. Med. and Rehab., 71 (1): 12.
- Brismar, B. and Ljungdahl (1983):**
Postoperative lymphedema after treatment of breast cancer.
Acta. Chir. Scand., 149 : 687.
- Britton, R.C. and Nelson, P.A. (1962):**
Causes and treatment of postmastectomy lymphedema of the arm. Report of 44 cases.
J.A.M.A.; 180 : 95.
- Browse, N.L. and Stewart, G. (1985):**
Lymphedema, pathophysiology and classification.
J. Cardiovas. Surg., 26 (2): 91.
- Brucke-Kan, R. (1979):**
The lymphatic system, lymphoid organs, and immunity.
In : Introduction to human anatomy.
Chapter 9, 318.
Harper and Publishers, New York, Hagerstown, Philadelphia, San Francisco, London.
- Casely-Smith, J.R.; Foldi, M. and Ryan, T.J. (1985):**
Summary of the 10th International Congress of lymphology working group discussions and recommendations.
Lymphology, 18 : 175.

Charles, H. (1912):

Treatment of elephantiasis. In : A system treatment. Vol. (111), edited by Latham and English. London : Churchill, 504.

(Quoted from Sawhney, C.P. 1980) : Lymphoedema of the extremities : A new approach to its management.

Br. J. of Plast. Surg., 33 : 445.

Chavez, C.M. (1977):

The lymphatic system. In : Rhoads textbook of surgery principles and practice. 5th ed. Edited by Hardy, J.D. Chapter 57, P. 1906.

Lippincott, Co., Philadelphia, Toronto.

Chilson, T.R.; Chan, F.D. and Lonser, R.R. (1992):

Seroma prevention after modified radical mastectomy. The Am. Surgeon., 58 :750.

Chilvers, A.S. and Kinmonth, J.D. (1975):

Operation for lymphedema of the lower limbs.

J. Cardiovas. Surg., 16 : 115.

Chiverton, S.G. and Perry, P.M. (1987):

Morbidity after surgery for breast cancer.

Br. J. Surg., 74 : 1166.

Copeland, E.M. and Bland, K. (1987):

The breast. In : Essential of surgery. Editor David C. Chapter 17, P. 288. W.B. Saunders Co., Philadelphia. London. Tokyo. Hong Kong.

Danese, C.A.; Papaioannou, A.N.; Morales, L.E. and Mitsuda, S. (1968):

Surgical approachesto lymphatic blocks.

Surg., 64 : 821.

Dawson, I.; Stam, L.; Heslinga, J.M. and Kalsbeek, H.L. (1989):

Effect of shoulder immobilization on wound seroma and shoulder dysfunction following modified radical mastectomy : a randomized prospective clinical trial.

Br. J. Surg., 76 : 311.

Demitsu, T. and Tadaki, T. (1991):

A typical neutrophilic dermatosis on the upper extremity affected by postmastectomy lymphedema : Report of 2 cases.
Dermatologica, 183 : 230.

DeWeese, J.A. (1979):

Venous and lymphatic system. In : Principles of surgery. 3rd ed. Editors, Schwartz, S.I., Shires, G.I., Spencer, F.C. and Storer, E.H. Chapter 22, 985.
McGraw-Hill Book Co. International edition.

DeWeese, J.A. (1985):

Venous and lymphatic system. In : Principles of surgery. 4th ed. Editors, Schwartz, S.I., Shires, G.T.; Spencer, F.C. and Storer, E.H. Chapter 22, P. 975.
McGraw-Hill Book Co., International Edition.

Eby, C.S.; Brenan, M.J. and Fine, G. (1967):

Lymphangiosarcoma : A lethal complication of chronic lymphedema.
Arch. Surg., 94 : 223.

Ege, G.N. (1978):

Internal mammary lymphoscintigraphy : a rational adjunct to the staging and management of breast carcinoma.
Clin. Radiol., 29 : 453.

Evans, J.A. and Smedal, I. (1961):

Treatment of acute thrombophlebitis of the arm after radical mastectomy.
Angiology, 12 : 155.

Evans, W.F. (1976):

The circulation of body fluid. In : Anatomy and physiology. 2nd ed. Chapter 10, P. 245.
Prentice-Hall, Inc. Englewood Cliffs, New Jersey.

Flew, T.J. (1979):

Wound drainage following radical mastectomy : the effect of restriction of shoulder movement.
Br. J. Surg., 66 : 302.

Foldi, E.; Foldi, M. and Clodius, L. (1989):

The lymphedema.

Ann. Plast. Surg., 22 : 505.

(Quoted from Bertilli, G.; Venturini, M.; Forno, G. et al. 1992).

An analysis of prognostic factor in response to conservative treatment of postmastectomy lymphedema.

Surg. Gyn. Obst., 175 : 455.

Forrest, A.P.M.; Carter, D.C. and Macleod, I.B. (1990):

The lymphatic system. In : Principles and practice of surgery. 2nd ed. Chapter 22, P. 317,

English Language Book Society Churchill Livingstone.

Gajraj, H.; Barker, S.G.E.; Burnand, K.G. and Browse, N.L. (1987):

Lymphangiosarcoma complicating primary lymphoedema.

Br. J. Surg., 74 : 1180.

Gillies, H.D. and Fraser, F.R. (1935):

Treatment of lymphedema by plastic operation : a preliminary report.

Br. Med. Journ., 1 : 96.

Quoted from Sawhney, C.P. (1980): Lymphoedema of the extremities : A new approach to its management.

Br. J. of Plast. Surg., 33 : 445.

Glenn, W. (1981):

The lymphatic system, some surgical considerations.

Arch. Surg., 116 : 989.

Gloviczki, P.; Hollier, L.H.; Nora, F.E. and Kaye, M.P. (1986):

The natural history of microsurgical lymphovenous anastomoses : an experimental study.

J. Vasc. Surg., 4 : 148.

Gloviczki, P.; Fisher, J. and Hollier, L.H. (1988):

Microsurgical lymphovenous anastomosis for treatment of lymphedema : a critical review.

J. of Vasc. Surg., 7 (5): 647.

Godal, R. and Swedborg, I. (1982):

A correction for the natural asymmetry of the arms in the determination of the volume of oedema.

Scand. J. Rehabil. Med., 14: 193.

Goldsmith, H.S.; Delos Santos, R. and Beattie, E.J. (1967):

Relief of chronic lymphedema by omental transposition.

Ann. Surg., 166 : 572.

Goldsmith, H.S. (1974):

Long term evaluation of omental transposition for chronic lymphedema.

Ann. Surg., 180 : 847.

Goldstone, J. (1988):

Veins and lymphatics. In : Current surgical diagnosis and treatment. Ed. 8 Editor Way, L.W. Chapter 38, P.715.

Appleton, and Lang, Norwalk, Connecticut Los Altos, California.

Graig, J.O.M.C. (1980):

Lymphangiography. In : A textbook of radiology and medical imaging. 3rd. ed. Editor, Sutton, D. Chapter 31, P. 641.

Charchill Livingstone. Edinburgh London Melbourne and New York.

Graig, J.O.M.C. and Al-Koutoubi, A.M. (1987):

The lymphatic system. In : Textbook of radiology and medical imaging. 4th ed. Editor, sutton, D. (I)Chapter 28, P. 758.

Charchill Livingstone. Edinburgh London. Melbourne and New York.

Greenfield, L.J. (1988):

Venous and lymphatic disease. In : Principles of surgery. 5th ed. Editors, Schwartz, S.I., Shires, C.T.; Spencer, F.C. and Husser, W.C. Chapter 22, P. 1011.

McGraw Hill Book Co., International Editon.

Guenier, C.; Coiblon, M.; Badr El-Din, A. and Nogaret, J.M. (1990):

Morbidity of surgical treatment for advanced cancer of the breast after irradiation.

Ann Chir., 44 : 382.

(Quoted from Chilson, T.R.; Chan, F.D.; Lonser, R.R. 1992).

Seroma prevention after modified radical mastectomy. The Am. Surg., 58 : 750.

Guyton, G. (1986):

The lymphatic system, interstitial fluid dynamic, edema, and pulmonary fluid. In : Textbook of medical physiology. 7th ed. Chapter 31, P. 361.

W.B.; Saunder, International Edition.

Haagensen, D.C. (1971):

Disease of breast. 2nd ed. P. 718.

Philadelphia. W.B. Saunders.

Halsted, W.S.A. (1921):

A swelling of arm after operation for cancer of the breast. Its causes and prevention.

Bull. J. Hopkins., 32 : 309.

(Quoted from Kissin, M.W.; Querci, G.; Easton, D. and Westbury, G. 1986) : Risk of lymphedema following the treatment of breast cancer.

Br. J. Surg., 73 : 580.

Handly, W.S. (1908):

Lymphangioplasty : a new method for the relief of the brown arm of breast cancer and for similar conditions of lymphatic edema.

Lancet. 1 : 783.

(Quoted from Sawhney, C.P. 1980) : Lymphoedema of the extremities : a new approach to its management.

Br. J. of Plast. Surg. 33 : 445.

Hirshowitz, B. and Goldan, S. (1971):

Bi-hinged chest arm flap for lymphedema of the upper limb.

Plastic and Rec. Surg., 48 : 52.

(Quoted from Sawhney, C.P. 1980) : Lymphoedema of the extremities : A new approach to its management.

Br. J. of Plast. Surg., 33 : 445.

Ho, L.C.Y., Lai, M.F.; Yeates, M. and fernandez, V. (1988):

Microlymphatic by pass in obstructive lymphedema.

Br. J. Plast. Surg., 41 : 475.

Hoe, A.L.; Iven, D.; Royle, G.T. and Taylor, I. (1992):

Incidence of arm swelling following axillary clearance for breast cancer.

Br. J.Surg., 79 : 261.

Hollinshed, W.H. and Rosse, C. (1985):

The upper limb as a whole. In : Textbook of anatomy. 4th ed. Chapter 11 P. 147.

Harper and Row, Publishers Philadelphia.

Homans, J. (1936):

The treatment of elephantiasis of the legs : a preliminary report.

N. Engl. J.Med., 215 : 1099.

(Quoted from Sawhney, C.P. 1980) : Lymphoedema of the extremities : A new approach to its treatment.

Br.J.of Plast. Surg., 33 : 445.

Hoopes, J.E. (1989):

Lymphedema of the extremity. In : Current surgical therapy. 3rd ed. editor, Cameron, J. L. P. 629.

B.C.Decker, Inc. Toronto. Philadelphia.

Hughes, J.H. and Patel, A.R. (1966):

Swelling of the arm following mastectomy.

Br. J. Surg., 53 : 4.

Huntigton, G.S. and McClure, C.F.W (1910):

The anatomy and development of the jugular lymph sac in the domestic cat.

Am. J. Anat., 10 : 177.

(Quoted from Greenfield, L.J. 1988): Venous and lymphatic disease. In : Principles of surgery 5th ed. Editors, Schwartz, S.I., Shiers, C.T.; Spencer, F.C. and Husser, W.C. Ch. 22, P. 1011.

Jia-Kai Zhu, Guo-Zhong Yu and Jun-xi Liu (1987):

Recent advances in microlymphatic surgery in china.

Clin. Orthop., 215 : 32.

Jungi, W.F. (1981):

The prevention and management of lymphedema after treatment for breast cancer.

Int. Rehab. Med., 3 : 129.

Kimonth, J.B. (1972):

The lymphatics. In : Surgery, lymphography and disease of the chyle and lymph system. 1st ed. London, Edward Arnold.

Kissin, M.W.; Querci, G.; Eastton, D. and Westburg, G. (1986):

Risk of lymphedema following the treatment of breast cancer.

Br. J. Surg., 73 : 508.

Kondoleon, E. (1912):

Die operative behandlung der elephantiastischen odeme.

Zentralblatt Fur Chirurgie, 39 : 1022.

(Quoted from Sawhney, C.P. 1980): Lymphoedema of the extremities : A new Approach to its mangement.

Br. J. of Plast. Surg., 33 : 445.

Kubik, S.T. (1980):

The role of the lateral upper arm bundle and the lymphatic watersheds in the formation of collateral pathways in lymphedema.

Acta. Biol. Acad. Sci. Hung., 31 : 191.

(Quoted from Kissin, M.W.; Querci, G.; Easton, O. and Westbury, G. 1986):

Risk of lymphedema following the treatment of breast cancer.

Br. J. Surg., 73 : 580.

Lang, M. (1986):

The breast. In : Lee McGregors synopsis of surgical anatomy. 12th ed. Editors. Decker, G.A.; Duplessis, D.J. and Myburgh, J.A. Chapter 13, 161.

Wright Pristol.

Larson, D.; Weinstein, M. and Goldberg, I. (1986):

Oedema of the arm as a function of the extent of axillary surgery in patients with stage 1-III cancer of the breast treated by primary radiotherapy.

Int. J. Rad. Oncol. Biol. Phys., 12 : 1575.

Last, R.J. (1978):

The thorax. In : Anatomy regional and applied. 6th ed. Sec. 4, P. 210.

The England Language Book Society and Churchill Livingstone.

Laurence, D.R. and Bennet, P.N. (1980):

Drugs and blood clotting, blood lipid lowering agents.

In : Clinical pharmacology. 5th ed. Chapter 26, P. 736.

The English Language Book, Society and Churchill Livingstone.

Lythgoe, J.P. and Palmer, M.K. (1982):

Manchester regional breast study 5 and 10 year results.

Br. J. Surg., 69 : 693.

Lewis, R.S. (1977):

Lymphedema. In : Reconstructive plastic surg. 2nd ed. Editor Converse, J.M. Chapter 87, P. 3567.
Philadelphia, London, Toronto. W.B. Saunders, Co.

MacDonald, I. (1948):

Resection of axillary vein in radical mastectomy; its relation to mechanism of lymphedema.

Cancer; 1 : 618.

(Quoted from Robbins, G.F. 1975) : Complication following the surgical treatment of women with potentially curable carcinoma of the breast. In : Management of surgical complications. 3rd ed. Editors, Artz, C.P. and Hardy, J.O. Ch. 28 : 672.

Mallett, R.B.; Curley, G.K. and Mortimer, P.S. (1992):

Acquired lymphangioma : report of four cases and a discussion of the pathogenesis.

Br. Jour. Dermat., 126 : 380.

Mansoor, I.A. (1968):

Elephantiasis : a method of treatment.

Br. J. Plast. Surg., 21 : 378.

Martino, G. (1990):

Late iatrogenic and metastatic pleyopathy and rehabilitation treatment : Lymphedema.

Breast Cancer : Rehabilitation, 237.

McCann, R.L. (1987):

The lymphatic system. In : Essential of surgery. Editor, Sabiston, D.C. Chapter 31, P. 634.

W.B. Saunders, Co., West Washington, Square. Philadelphia, P.A.

Medgyesi, S. (1983):

A successful operation for lymphedema using a myocutaneous flap as a "wick".

Br. J. of Plast. Surg., 36 : 64.

Miller, T.A. (1977):

A surgical approach to lymphedema.

Am. J. Surg., 134 : 191.

Miller, T.A. (1984):

Surgical approach to lymphedema of the arm after mastectomy.

Am. J. Surg., 148 : 152.

Milnor, W.R. (1980):

Capillary and lymphatic vessels. In : Medical physiology. 14 the ed. Editor, Mountcastle, V.B. Chapter 43, P. 1085.

The C.V. Mosby, Co., St. Louis-Toronto. London.

Morgan, R.G.; Casley-Smith, J.R. and Mason, M.R. (1992):

Complex physical therapy for the lymphedematous arm.

J. Hand Surg., 17 (4): 437.

Morris, A.M. (1973):

A controlled trial of closed wound suction drainage in radical mastectomy.

Br. J. Surg., 60 : 357.

Mortimer, P.S. (1989):

Lymphatics. In : Advances in dermatology. Editor. Champion, R. 8 : 175.

Churchill Livingstone.

Moskaluk, C.A.; Merino, M.J. and Danforth, D.N. (1992):

Low grade angiosarcoma of skin of the breast : A complication of lumpectomy and radiation therapy for breast carcinoma.

Human Pathology, 23 (6): : 710.

Mowlem, R. (1949):

The treatment of lymphedema.

Br. J. of Plast. Surg., 1 : 48.

(Quoted from Medgyesi, S. 1983) : A successful operation for lymphedema using a myocutaneous as a "wick".

Br. J. of Plast. Surg., 36 : 64.

Mustard, R.L. and Murillo, C. (1961):

Prevention of arm lymphedema following radical mastectomy.

Ann. Surg., 154 : 282.

Nielubowicz, J.; Olszewski, W. and Sokolowski, J. (1968):

Surgical lymphovenous shunts.

J. Cardiovas. Surg., 9 : 262.

Nylander, G. and Tjernberg, B. (1969):

Lymphatics of the greater omentum; an experimental study in the dog.

Lymphology, 2 : 3.

(Quoted from Miller, T.A. 1977): A surgical approach to lymphedema, 134 : 191.

O'Brien, B.M.; Chair, L.A. and Hurwitz, P.J. (1977):

Microlymphatic surgery.

Orthop. Clin. North. Am., 8 : 405.

O'Brien, B.M.; Mellow, C.G. and Khazanchi, R.K. (1990):

Long term results after microlymphaticovenous anastomoses for treatment of obstructive lymphedema.

Plast. Reconst. Surg., 85 (4): 562.

O'Donnel, T.F.; Kelly, J.J. and Gallow, A.D. (1979):

The effect of elastic compression on venous pressures in the post thrombotic limb.

JAMA., 242 : 2766.

O'Dwyer, P.J. (1991):

Axillary dissection in primary breast cancer.

Br. Med. J., 302 : 360.

O'Higgins, N. (1994):

Quality control in axillary lymph node dissection.

The Breast, 3 : 71.

Pansky, B. (1975):

The lymphatic system. In : Dynamic anatomy and physiology. Chapter 10, P. 372.
Macmillan Publishing Co., Inc., New York. Collier.
Macmillan Publishers, London.

Pellegrini, C.A. (1988):

Postoperative complications. In : Current surgical diagnosis and treatment. 8th ed. Editor, Way, L.W.
Chapter 4 : 23.
Appleton and Lange. Norwalk, Connecticut Los
Altos, California.

Pronin, V.I.; Rozanov, I.U.L. and Zolotarevskis, V.I. (1990):

Radical mastectomy techniques.
Khirurgiya, 2 : 52.

Penzer, R.D.; Patterson, M.R. and Hill, R. (1986):

Arm lymphedema in patients treated conservatively
for breast cancer : relationship to patient age and
axillary node dissection.
Int. J. Rad. Oncol. Biol. Phys., 12 : 2079.

Raines, J.K.; O'Donnell, T.F. and Kalisher, L. (1977):

Selection of patients with lymphedema for
compression therapy.
Am. J. Surg., 133 : 430.

Ransohoff, J.L. (1945):

Surgical treatment of lymphedema.
Archives of surg., 50 : 269.
(Quoted from Sawhney, C.P. 1980): Lymphoedema of
the extremities : A new Approach to its management.
Br. J. of Plast. Surg., 33 : 445.

Recht, A.; Connally, S. and Schmitt, J. (1986):

Conservative surgery and radiation therapy for early breast cancer : Results controversies and unsolved problems.

Semin Oncol., 13 : 434.

(Quoted from Hoe, A.L., Iven, D.; Royle, G.T. and Taylor, I. 1992): Incidence of arm swelling following axillary clearance for breast cancer.

Br. J. Surg., 79 : 261.

Richmand, D.M.; O'Donnell, T.F. and Zelikovski, A. (1985):

Sequential pneumatic compression for lymphedema.

Arch. Surg., 120 : 1116.

Rigas, A.; Chrysanthakopoulos, S. and Tsardakas, E. (1970):

Diagnostic and therapeutic applications of lymphangiography in clinical medicine.

Am. J. Surg., 120 : 66.

Rivero, O.R.; Calnan, J.S.; Reis, N.D. and Mercurius-Taylor, L. (1967):

Experimental peripheral lymphovenous communications.

Br. J. of Plastic Surg., 20 : 124.

Robbins, G.F. (1975):

Complications following the surgical treatment of women with potentially curable carcinoma of the breast. In : Management of surgical complications. 3rd ed. Editors, Artz, C.P. and Hardy, J.D. Chapter 28 : 672.

W.B. Saunders Co. Philadelphia, London, Toronto.

Sabin, F.R. (1902):

On the origin of the lymph system from the veins and the development of lymph hearts and thoracic duct in the pig.

Am. J. Anat., 1 : 367.

(Quoted from Greenfield, L.J., 1988): Venous and lymphatic disease. In : Principles of surgery. 5th ed. Editors, Schwartz, S.I., Shires, C.T.; Spencer, F.C., and Husser, W.C. Ch., 22 : 1011.

Sawhney, C.P. (1980):

Lymphoedema of extremities : A new Approach to its management.

Br. J. of Plast. Surg., 33 : 445.

Scherman, A.I. and Ter-Pogassian, M. (1953):

Lymph node concentration of radioactive colloidal gold following interstitial injection.

Cancer, 6 : 1238.

Schoebean, G.S. and Rosse, J. (1991):

Structure-function relation in peripheral circulation. In: Physiological basis practice. 12th ed. Editor, West, J.B. Chapter, 6 , P. 118, Williams and Wilkins, Baltimore Hong Kong London, Saydey.

Schunemann, H. and Willich, N. (1992):

Secondary lymphedema of the arm following primary therapy of breast carcinoma.

Zentralb-1-Chir; 117 (4): 220.

(Quoted from Stewart, G.; Gaunt, J.I., Croft, D.N. 1985): Isotope lymphography : A new method of investigating the role of the lymphatics in chronic limb oedema.

Br. J. Surg., 72 : 906.

Sedlacek, J. (1969):

Lymphovenous shunt as a supplementary treatment of elephantiasis of the lower limbs.

Acta. Chir. Plastica, 11 : 157.

(Quoted from Sawhney, C.P., 1980): Lymphoedema of the extremities : A new approach to its management.

Br. J. of Plast. Surg., 33 : 445.

Segerstom, K.; Bjerle, P.; Graffman, S. and Nystrom, A. (1992):

Factors that influence the incidence of brachial oedema after treatment of breast cancer.

Scand. J. Plast. Reconst. Surg., Hand Surg., 26 (2): 223.

Senapati, A. and Browse, N.L. (1992):

The management of lymphedema of the lower limb.
Current Practice in Surg., 4 : 235.

Silver, D. and Pucket, C.L. (1976):

Lymphangioplasty : A ten year evaluation.
Surg., 80 : 748.

110- Simon, M.S. and Cody, R.L. (1992):

Cellulitis after axillary lymph node dissection for
carcenoma of the breast.
Am. J. Med., 93 (5): 543.

Sistrunk, W.E. (1918):

Elephantiasis treated by konodleon operation.
Surg. Gyn. and Obst., 26 : 383.
(Quoted from Sawhney, C.P., 1980): Lymphoedema
of the extremities : A new approach to its
management.
Br. J. of Plast. Surg., 33 : 445.

Snell, S.R. (1983):

Lymphatic system. In : Clinical and functional
histology. 3rd ed. Chapter 9 : 333 USA. HAL edition.

Smith, J.W. and Conway, H. (1962):

Selection of appropriate surgical procedure in
lymphedema.
Plas. and Reconst Surg., 30 : 10.
(Quoted from Sawhney, C.P., 1980): Lymphoedema
of the extremities : A new approach to its
management.
Br. J. of Plast. Surg., 33 : 445.

Sobotta (1990):

Mammary gland. In : Atlas of human anatomy. Editor,
staubesand.
J. (II) : 51 Urban and Schwarzenberg.

Standard, S. (1942):

Lymphedema of the arm following radical mastectomy for carcinoma of the breast a new operation for its control.

Ann. of Surg., 116 : 816.

(Quoted from Sawhney, C.P. 1980): Lymphoedema of the extremities : A new approach to its management.

Br. J. of Plast. Surg., 33 : 445.

Stewart, G.; Gaunt, J.I.; Croft, D.N. and Browse, N.L. (1985):

Isotope lymphangiography : a new method of investigating the role of the lymphatics in chronic limb oedema.

Br. J. Surg., 72 : 906.

Stewart, F.W. and Treves, N. (1948):

Lymphangiosarcoma in postmastectomy lymphedema.

A report of six cases in elephantiasis chirurgica.

Cancer 1 : 64.

(Quoted from Moskaluluk, C.A., 1992): Low grade angiosarcoma of the skin of the breast.

Human Pathology, 23 (6) : 710.

Stillwell, G.K. (1977):

Management of arm oedema. In : Management of breast cancer. Early and lated. Editor, Stoll, B.A. : 213.

London : Heinemann Medical Books.

Stone, E.J. and Hugo, N.E. (1972):

Lymphedema.

Surg. Gyn. Obst., 135 : 625.

Swan, K.G. and Rocko, J.M. (1988):

Venous and lymphatic abnormalities of the limb. In : Physiological basis of modern surgical care. Editor. Miller. T.A. Chapter 53, P. 863.

The C.V. Mosby Co. Stlonis, Washington, D.C. Toronto.

Swedborg, I. and Wallgren, A. (1981):

The effect of pre and postmastectomy radiotherapy on the degree of edema, shoulder joint mobility and gripping force.

Cancer, 47 : 877.

Thiele, B.L. and Bandyk, D.F. (1988):

Physiology of arterics, veins and lymphatic flow. In : Physiologic basis of modern surgical care. Editor. Miller, T.A. Chapter 50, P. 816.

The C.V. Mosby Co. St. Louis. Washington, D.C. Toronto.

Thompson, N. (1962):

Surgical treatment of chronic lymphedema of the lower limb.

Br. Med. Jour., 2 : 1566.

Thompson, N. (1967):

The surgical treatment of lymphedema of extremity.

Surg. Clin. N. Am., 47 : 445.

Treves, N. (1957):

An evaluation of the aetiological factors of lymphedema following radical mastectomy.

Cancer, 10 : 444.

Van der Molen, J.R. and Toth, L.M. (1974):

The conservative treatment of lymphedema of the extremities.

Angiology, 25 : 470.

Veal, J.R. (1938):

Pathologic basis for swelling of the arm following radical amputation of breast.

Surg. Gyn. Obst., 67 : 752.

(Quoted from Kissin, M.W. Querci, G.; Easton, D. and Westbury, G. 1986): Risk of lymphedema following the treatment of breast cancer.

Br. J. Surg., 73 : 580.

Williams, P.L.; Warwick, P.; Dyson, M. and Bannister, L.H.

(1980).

The lymphatic system. In : Gray's anatomy. Ed. 37

Chapter, 6, P. 821.

Chapter, 6, P. 821.

The lymphatic system. In : Gray's anatomy. Ed. 37

(1980):

Williams, P.L.; Warwick, P.; Dyson, M. and Bannister, L.H.