

REFERENCES

- Abou El-Naga, I.; 1972 .
Histology for medical students , sixth edition , the Anglo-Egyptian bookshop section , vol. IV : 336 - 348 .
- Adam, Y.G. & Efron, G.; 1983 .
Cutaneous malignant melanoma ; current views on pathogenesis, diagnosis and surgical management .
Surgery ; 93 : 481 - 494 .
- Ahmann, D.L., Creagan, E.T., Hahn, R.G., et al ; 1989 .
Complete responses and long term survivals after systemic chemotherapy for patients with advanced malignant melanoma.
Cancer ; 63 : 224 .
- Andreev, V.C.; 1968 .
Diagnosis & treatment of malignant melanoma in Bulgaria.
British Journal of Dermatology ; 80 : 149 - 152 .
- Arons, M.S.& Hurwitz, S.; 1983 .
Congenital naevocellular naevi. A review of the treatment controversy and report of 46 cases .
Plast. Reconst. Surg .; 73 : 3.
- Balch, C.M., Murad, T.M., Soong, S.J., Ingalls, A.L., Halpern, N.B. & Maddox, W.A.; 1978 .
A multifactorial analysis of melanoma . Prognostic histopathological features compaing Clark's and Breslow's staging methods .
Annals of Surgery ; 188 : 723 - 742 .
- Baskies, A.M., Sugarbaker, E.V., Chretien, P.B. & Deckers, P.J.; 1983.
Anorectal melanoma; the role of posterior pelvic exentration.
Dis . Colon Rectum ; 25 : 772 .
- Beker , S.W.; 1954 .
Pitfalls in the diagnosis and treatment of melanoma .

- A. M. A. Arch. Dermat. & Syph.; 69 : 4 - 30 .
- Bentzen, S.M., Overgaard, J., Thames, H.D., et al ; 1989 .
Clinical radiology of malignant melanoma .
Radiother. Oncol.; 19 : 1449 .
- Berman, C.G., Norman, J., Cruse, C.W., Reintgen, D.S. & Clark, R.A.; 1992 .
Lymphoscintigraphy in malignant melanoma .
Ann . Plast. Surg. ; 28 : 29 - 32 .
- Berrhelsen, A., Andersen, A.P., Jensen, S. & Hansen, H.S.; 1984 .
Melanomas of the mucosa of the oral cavity and upper respiratory passages .
Cancer ; 54 : 907 - 912 .
- Biren, C.A., Barr, R.J.; 1986 .
Dermatologic application of cyclosporin A .
Arch. Dermat.; 122 : 1028 - 1032.
- Brem, S., Cortan, R. & Falman, J.; 1972 .
Tumour angiogenesis ; A quantitative method for histologic grading .
J. Natl. Cancer Inst. ; 48 : 347 - 356 .
- Breslow, A.; 1975 .
Tumour thickness, level of invasion and node dissection in stage I cutaneous malignant melanoma .
Ann. Surg. ; 182 : 572 - 575 .
- Brodsky, I., Baren, M., Kahn, S.B., Lewis, G.Jr. & Tellem, M.; 1965.
Metastatic malignant melanoma from mother to foetus.
Cancer ; 18 : 1048 .
- Bulman, A.S. & Jamieson, C.W.; 1980 .
Isolated limb perfusion with melphalan in the treatment of malignant melanoma .
Br. J. Surg.; 67 : 650 - 662 .
- Caro, W.A., & Bionstein, B.R.; 1985 .
Tumours of the skin in Moshella, S.L. and Hurly, H.I. editors.

Dermatology , 2 nd edition , W.B. Saunders company ;
Philadelphia , vol. 2. PP. : 1533 - 1628 .

Cascinelli, N., Vaglini, M., Bufalino, R. & Morabito, A.; 1986.

(BANS) A cutaneous region with no prognostic significance
in patients with malignant melanoma .
Cancer ; 57 : 441 .

Cason, R.R. & Robbins, P.; 1990 .

Malignant tumours of the skin in McCarthy , J.C., May, J.W. Jr.
& Littler, J.W. editors . Plastic surgery ; vol. V .
Philadelphia; W.B. Saunders company ; PP. 3614 - 3662 .

Chiu, Y.S., Unni, K.K., Beart, R.W.; 1980 .

Malignant melanoma of the Anorectum .
Dis. Colon Rectum ; 23 : 122 - 124 .

Clark, W.H. Jr., From, L., Bernardino, E.A. & Mihm, M.C.; 1969 .

The histogenesis and biologic behaviour of primary human
malignant melanoma of the skin .
Cancer Res. ; 29 : 705 - 727 .

Clark, W.P., Reimer, R.R., Greene, M.H., Anisworth, A.M. &
Mastragelo , M.J. ; 1978 .

Origin of familial malignant melanoma from heritable
melanocytic lesions. The B-K mole syndrome .
Arch . Dermat. ; 114 : 732 - 727 .

Clark, W.H.; 1982 .

Malignant melanoma in Russel, R.C.G.; editor. Recent advances
in surgery . Edinburgh , London , Melbourne and New-
York; PP. 85 - 100 .

Coleman, W.P., Loria, R.R., Reed, R.J. & Kremantz, E.T.; 1980 .

Acrall lentiginous malignant melanoma .
Arch. Dermat. ; 116 : 773 - 776 .

Conley, J., Lattes, R. & Orr, W.; 1971 .

Desmoplastic malignant melanoma (A rare variant of spindle cell melanoma) .

Cancer ; 28 : 91 /.

Cortan, R.S., Kumar, V.& Robbins, S.L.; 1989 .

Neoplasia in Robbins pathologic basis of disease , 4 th edition , W.B.Saunders international edition . Philadelphia; London , Toronto, Montreal , Sydney, Tokyo, PP.; 239 - 305.

Creeley, P.W., Beker, S.W.Sr.& Nickel, W.R.; 1965 .

Incidence of malignancy in giant congenital naevo-cellular pigmented naevi .

Plast. Reconst. Surg.; 36 : 26 .

Creagan, E.T., Cupps, R.E., Ivins, J.C., Pritchard, D.J.,et al; 1978 .

Adjuvant radiation therapy for regional nodal metastases from malignant melanoma . A randomised prospective study.
Cancer ; 42 : 2206 .

Cruse, C.W., Wells, K.E., Reintgen, D.S.; 1992 .

Treatment of primary malignant melanoma of the skin .
Ann. Plast . Surg. ; 28 ; 22 - 25 .

Dargeon, H.W., Eversole, J.W.& Dolduca, V.; 1950 .

Malignant melanoma in infants .
Cancer ; 3 : 299 .

Day, C.L., Harrist, T.J. & Gorstein, F.; 1981 .

Malignant melanoma; The prognostic significance of the microscopic satellites in the reticular dermis and subcutaneous fat .
Ann. Surg.; 194 : 108 .

Day, C.L.,& Sober, A.J.; 1981.

Malignant melanoma patients with positive nodes and relatively good prognosis .
Cancer ; 47 : 955 .

Domonkos, A.N. ; 1971 .

Histology of the skin in Andrew's diseases of the skin ,
clinical dermatology. W.B.Saunders . Philadelphia, London,
Toronto ; PP. 1 - 10 .

Elder, D.E., Goldman, L.I., Greene, M.H., et al ; 1980 .

Dysplastic naevus syndrome .

Cancer ; 46 ; 1787 - 1794 .

Fallowfield, M.E. & Cook, M.G. ; 1990 .

Lymphatics in primary cutaneous malignant melanoma .

Am . J. Surg. Path. ; 14 : 370 - 374 .

Fallowfield, M.E. & Cook, M.G. ; 1991 .

The vascularity of primary cutaneous malignant melanoma .

J . of Path. ; 164 : 241 .

Fish, J., Smith, E.B. & Canby, J.F. ; 1966 .

Malignant melanoma in children .

Surgery ; 59 : 309 .

Fisher, S.R., Seigler, H.F. & George, S.L. ; 1992 .

Therapeutic and prognostic considerations of head and neck
malignant melanoma .

Ann. Plast. Surg .; 28 : 78 - 88 .

Friedman, R.J., Rigel, D.S., Silverman, M. & Kopf, A.W. ; 1991 .

The continued importance of early detection of melanoma .

Cancer ; 41 : 201 - 226 .

Garnick, M. & Lokich, J.J. ; 1978 .

Primary malignant melanoma of the rectum . Rationale for
conservative surgical management .

J. Surg . Oncol. ; 10 : 529 - 531 .

Gauthier, Y., Surlevin-Bazeille, J.E., Gauthier, O., et al ; 1975.

Ultrastructure of the halo naevus .

J. Cut. Pathology ; 2 : 71 - 81 .

Gray, D.V. ; 1967 .

The skin in Gray's anatomy descriptive and applied , by
Gray, D.V., 34 edition, Longman's green co. LTD. London
and Harlow. PP. 1346 .

Greeley, P.W., Middleton, A.G. and Curtin, J.W.; 1965 .

Incidence of malignancy in giant pigmented naevi .
Plast. Reconst. Surg.; 36 : 26 - 37 .

Greene, M.H., Clark, W.H.Jr., Tucker, M.A., et al ; 1985 .

High risk of malignant melanoma in melanoma prone families
with dysplastic naevi .
Ann. Intern. Med. ; 102 : 458 - 465 .

Greene, M.H., Clark, W.H.Jr., Tucker, M.A., et al; 1985 .

Acquired precursors of cutaneous malignant melanoma (The
familial dysplastic naevus syndrome) .
N; Engl. J. Med.; 312 : 91 .

Gullino, P.M. ;1978 .

Angiogenesis and oncogenesis .
J. Natl. Canc. Inst . ; 61 : 639 - 643 .

Harris, M.N., Gumpert, S.L. & Berman, I.R. ; 1973 .

Ilio-inguinal node dissection for malignant melanoma .
Surg. Gynecol. Obstet. ; 136 : 33 .

Hill, G.J., Ruess, R., Berris, R., Philpott, G.W. & Parkin, P.; 1974.

Chemotherapy of malignant melanoma with dimethyl triazeno-
imidazole carboxamide (DTIC) & nitrosurea derivatives .
Ann . Surg .; 180 : 167 .

Huley, D.N & Wilkewask, S.; 1960 .

The dynamic of eccrine sweating in man .
J. Invest . Dermat .; 39 : 329 .

Husa, A. & Höcherstedt, K. ; 1974 .

Anorectal malignant melanoma .
Acta Chir-Scand . J.; 140 : 68 - 72 .

- Huvos, A.G., Shah, J.P. & Goldsmith, H.S.; 1972 .
A clinicopathological study of a melanotic melanoma .
Surg. Gynecol. Obstet.; 135 : 917 .
- Imber, M.G. & Mihm, M.C.; 1988 .
Biological and prognostic characteristics in malignant melanoma in Mihm, M.C., Murrphy, G.F., Kaufman, N.; editors.
Pathobiology and recognition of melanoma . Baltimore, Williams & Wilkins .; PP. ; 19 - 34 .
- Iscoe, N., Kersey, P., Gapsk, J., Osoba, D., et al ; 1987 .
Predictive value of staging investigations in patients with clinical stage I malignant melanoma .
Plast . Reconst. Surg.; 80 : 233 .
- Ishii, N., Ichiyama, S., Saito, S., et al ; 1991 .
Congenital malignant melanoma .
Br . J. Dermat .; 124 : 492 - 494 .
- Kaplan, E.N. ; 1974 .
The risk of malignancy in congenital naevocellular naevi .
Plast . Surg .; 53 : 421 - 428 .
- Kersting, D.W. & Caro, M.R. ; 1956 .
Cellular blue naevus of Ota followed for 22 years .
Arch . Dermat .; 74 : 59 .
- Kinlen, L.J., Sheil, A.G.R., Peto, J. & Doll, R.; 1979 .
A collaborative United Kingdom-Australian study of cancer in patients with immunosuppressive drugs .
Br . Med . J.; 2 : 1461 - 1466 .
- Klein, E.S., Ben-Ari, G.Y.; 1987 .
Isolated perfusion with cisplatin for melanoma of the limbs.
Cancer ; 59 : 1068 .
- Kpof, A.W. & Andrade, R. ; 1966 .
Benign juvenile melanoma in Kpof, A.W. & Andrade, R., editors
in year book of dermatology;1966 . Chicago year book medical
publishers ; PP. 1034 .

Lane, R. & Malin, J. ; 1958 .

The clinicopathological correlations in a series of 117 malignant melanoma of the skin in adults .

Cancer ; 11 : 1025 - 1043 .

Lanier, V.C.Jr., Pickpall, K.L. & Georgiada, N.G.; 1976 .

Congenital giant naevocellular naevi ; clinical and pathological considerations .

Plast. Reconst. Surg .; 58 : 48 - 54 .

Last, R.J. ; 1973 .

Tissue and structures in Last, R.J. editor, in Anatomy regional and applied . The English-Language book society & Churchill living stone publishers, Edinburgh, London.

PP. 1 - 2 .

Lee, J.A. & Merrill, J.M.; 1970 .

Sunlight and the etiology of malignant melanoma .

Med. J. Austr. . 2 : 846 .

Lee, J.A.; 1972 .

Sunlight and the etiology of malignant melanoma in McCarthy, W.H., editor . Melanoma and skin cancer . Proceedings of International Cancer conference . Sydney, Australia , V.C.N. Blight .

Lorentzen, M. & pers, M. ; 1977 .

The incidence of malignant melanoma in giant pigmented naevi.

Scand. J. Plast. Reconst. Surg .; 11 : 163 .

Mackie, R.M. ; 1982 .

Multipule melanoma and a typical melanocytic naevi . Evidence of an activated and expanded melanocytic system .

Br. J . Dermat. ; 107 : 621 - 629 .

Mackie, R.M.; 1990 .

Clinical recognition of early invasive malignant melanoma.

Br. Med . J. ; 301 - : 1005 - 1006 .

- Mackie, R.M., Watt, D., Doherty, V. & Aitchison, T.; 1991 .
Malignant melanoma in those aged under 30 years in the
west of Scotland ; 1979 - 1986 . A study of incidence ,
clinical features , pathological features & survival .
Br . J. Dermat.; 124 ; 560 - 564 .
- Mason, J.K. & Helwig; E.B. ; 1966 .
Anorectal malignant melanoma .
Cancer ; 19 : 39 - 50 .
- McCarthy, J.G., Haagensan, C.D. & Herter, F.P.; 1974 .
The role of groin dissection in the treatment of melanoma
of the lower extremity.
Ann . Surg. ; 179 : 156 .
- McCarthy, W.H. ; 1982 .
Malignant melanoma in Russel, R.C.G., editor . Recent
advances in surgery , first edition . Churchill livingstone,
Edinburgh, London, Melbourne & New-York. PP. 85 - 100 .
- McGovern, V.J., Shaw, H.M., Milton, G.W. & Ferego, G.A.; 1980 .
Is malignant melanoma arising in Hutchinson's melanotic
freckle or a separate disease entity .
Histopathol. ; 4 : 235 .
- McGovern, V.J., Mihm, M.C.Jr., Bailly, C. , et al ; 1973 .
The classification of malignant melanoma and its histolo-
gical grading .
Cancer ; 32 : 1448 - 1457 .
- McNeer, G. & DasGupta, T.; 1964 .
Prognosis in malignant melanoma .
Surgery ; 56 : 512 .
- Mihm, M.C.Jr., Clark, W.H.Jr. & From, L.; 1971 .
The current concepts : The clinical diagnosis, classificat-
ion and histogenetic concepts of the early stages of cuta-
neous malignant melanoma .
New Engl. J. Med. ; 248 : 1078 .

Miescher, G.; 1955 .

Über Klinik & therapie de melanoma .

Arch . Dermat . & Syph.; 200 :215 .

Merot, Y., Miescher, P.A., Balsiger, F., et al ; 1990 .

Cutaneous malignant melanoma occuring under cyclosporine A.
therapy . A report of 2 cases .

Br . J. Dermat.; 123 : 237 - 239 .

Montagna, W.; 1962 .

The structure and function in Montagna, W., editor . 2 nd
edition . New-York Academic press . PP. 178 .

Moore, E.S. & Martin, H.; 1955 .

Melanoma of upper respiratory passages and oral cavity .

Cancer ; 8 : 1167 - 1176 .

O'Connor, T.P.F. & Bodenham,D.C. ; 1986 .

Malignant melanoma of the head and neck in Parcly, T.L. &
Desmond, A.K.E. editors. Rob& Smith operative surgery (
Plastic surgery) vol. II, 4 th edition . Philadelphia,
Putterworths . PP. 538 - 558 .

Pack, G.T. & Oropeza, R. ; 1967 .

Subungual malignant melanoma .

Surg. Gynecol . Obstet .; 136 : 905 - 911 .

Paladugu, R.R., Winberg, C.D. & Yonemoto, R.H. ; 1983 .

Acral lentiginous melanoma ; A clinicopathological study .
Cancer ; 52 : 161 - 168 .

Parrish, J.A. ; 1983 .

Ultra-violet radiation affects the immune system .

Pediatrics ; 71 : 129 .

Pearman, K.; 1979 .

Clinical records ; Malignant melanoma of the nasal mucous
membrane .

J. Laryngol . ; 93 : 1003 - 1009 .

- Petrrsen, N.C., Bodenham, D.C. & Lloyd, O.C. ; 1962 .
Malignant melanoma of the skin .
Br . J. Plast . Surg .; 15 : 49 .
- Pratt, C.B., Palmer, M.K., Thatcher, N. & Crawther, D.; 1981 .
Malignant melanoma in children and adolescents .
Cancer ; 47 : 392 - 397 .
- Prose, N.S., Laude, T.A., Heilman, E.R. & Coren, C.; 1987 .
Congenital malignant melanoma .
Pediatrics ; 79 : 967 - 970 .
- Quevedo, W.C.Jr.; 1973 .
Genetic control of melanin metabolism within the melanin
unit of mammalian epidermis .
J. Invest . Dermat. ; 60 : 407 .
- Quevedo, W.C.Jr., Fitzpatrick, T.B., Szabo, G. & Jimbow, K.; 1979.
Biology of melanin pigmentary system in Fitzpatrick, T.B.,
Eisen, A.Z., Wolff, K., Freedberg, I.M. & Austein, K.F.;
editors. Dermatology in general medicine , 3rd edition .
New-York, McGraw Hill company . PP. 224 - 251 .
- Rawles, M.E. ; 1948 .
Origin of melanophores and their role in development of
color patterns in vertebrates .
Physiol. Rev. ; 28 : 383 .
- Reintgen, D.S., McCarty, K.M.jR., Cox, E. & Seigler, H.F.; 1982 .
Malignant melanoma in black American and White Americans .
J. A. M. A.; 248 : 1856 .
- Reintgen, D.S., Cruse, C.W., Wells, K.E., et al ; 1992 .
The evaluation of tumour markers for malignant melanoma .
Ann. Plast. Surg. ; 28 : 55 .
- Rhodes, A.R. ; 1979 .
Neoplasms; Benign neoplasms; Hyperplasia & dysplasia of
melanocytes in Fitzpatrick, T.B., Eisen, A.Z., Wolff, K.,

Freedberg, I.M. & Austein, K.F. editors. Dermatology in general medicine . 3rd edition . New-York, McGraw -Hill company . PP. 877 - 948 .

Rhodes, A.R., Wood, W.C., Sober, A.J. & Mihm, M.C.Jr.; 1981 .
Non epidermal origin of malignant melanoma associated with a giant congenital naevocellular naevi .
Plast. & Reconst. Surg .; 67 : 782 - 790 .

Rigel, D.S.; 1992 .
Epidemiology and prognostic factors in malignant melanoma.
Ann. Plast. Surg. ; 28 : 7 - 8 .

Rigel, D.S.; 1992 .
The dilemma of the dysplastic naevi .
Ann. Plast. Surg.; 28 : 9-10 .

Rigel, D.S., Friedman, R.J., Rivers, J., Kopf, A.W., et al ; 1989.
Dysplastic naevi; markers for increased risk of melanoma.
Cancer ; 63 : 386 .

Russel, L.C. & Murrphy, J. ; 1992 .
Patient education; Recommendations regarding, sunscreens, drugs and diet .
Ann. Plast. Surg. ; 28 : 14 - 16 .

Scharangel, I.M. ; 1946 .
Melanoma of the skin .
J. Am ; Women's A. ; 1 : 76 - 83 .

Seigler, H.F.; 1980 .
Melanoma .
Adv. Surg. ; 14 : 231 - 257 .

Shah, J.P. & Goldsmith, H.S.; 1970 .
Incontinuity versus discontinuous lymph node dissection for malignant melanoma .
Cancer ; 26 : 610 .

- Silver, H.K.B., Rangel, D.M. & Morton, D.L.; 1978 .
Serum sialic acid elvation in malignant melanoma patients.
Cancer ; 41 : 1497 - 1499 .
- Silverberg, C.D., et al ; 197I .
Invasion of the brin by a cellular blue naevus of the scalp.
Cancer ; 27 : 349 .
- Sim, F.H., Taylor, W.F., Ivins, J.C., Pritchar,D.J.&Soule,E.H.;1978.
A prospective randomizedstudy of the efficacy of routine
elctive lymphadenectomy in the management of melanoma .
Cancer ; 41 : 948 .
- Slingluff, C.L.Jr., Reintgen, D.S., Vollmer,R.T? et al ; 1989 .
Malignant melanoma arising during pregnancy.
Ann . Surg .; 211 : 552 - 557 .
- Slingluff, C.L.Jr.& Seigler, H.F. ; 1992 .
Anorectal malignant melanoma : Clinical characterstics and
the role of abdomenoperineal resection .
Ann . Plast . Surg .; 28 : 85 -88 .
- Slingluff, C.L.Jr. & Seigler, H.F. ; 1992 .
Thin malignant melanoma ; risk factors & clinical management.
Ann . Plast . Surg .; 28 : 89 - 94 .
- Smith, J.L. & Stehlin, J.S. ; 1965 .
Spontaneous regression of primary malignant melanoma .
Cancer ; 18 : 1399 .
- Sober, A.J., Rhodes, A.R., Mihm, M.C.J.& Fitzpatrick,T.B.; 1979 .
Neoplasm, malignant melanoma in Fitzpatrick, T.B., Wolff,K.,
Eisen, A.Z., Freedberg, I.M. & Austein, K.F.; editors .
Dermatology ingeneral medicine . 3 rd edition . New-York,
McGrow- Hill company . PP. 947 - 966 .
- Spitz, S.; 1948 .
Melanomas of childhood .
Am . J. Pathol. ; 3 : 591 .

Staricco, R.J. & Pinkus, H; ; 1957 .

Quantitative and Qualitative data on the pigment cell of adult human epidermis .

J. Invest. Dermat .; 28 : 33 .

Stadler, R.& Garbe, C.; 1991 .

Disseminated malignant melanoma : New therapeutic approaches.
International J. of Dermat. ; 30 : 239 - 242 .

Stehlin, J.S.Jr. & Clark, R.L.; 1965 .

Melanoma of the extremities . Experience with convential treatment and perfusion in 339 cases .

Am . J. Surg. ; 110 : 366 .

Stehlin, J.S., Greef, P.J., De Ipolyr, P.D., et al ; 1988 .

Heat as an aduvant in the treatment of advanced melanoma;
An immune stimulant .

Housten Med. J. ; 4 : 61 .

Sullivan, D.J. & Epstein, W.L. ; 1963 .

Mitotic activity of wounded human epidermis .

J. Invest. Dermat. ; 41 : 39 .

Trozak, D.J.& Rowland, W.D.HuF. ; 1975 .

Metastatic malignant melanoma in pre-pubertal children.

Pediatrics ; 55 : 191 - 204 .

Trotti, A. & Peters, L.J.; 1992 .

The role of radiotherapy in the primary management of cutaneous malignant melanoma .

Ann . Plast . Surg .; 28 : 39 - 44 .

VanderHoop, R.G. ; 1990 .

Prevention of cisplatin neurotoxicity with an adreno-corticotropic (ACTH) hormone analogue in patients with ovarian cancer .

New Engl. J. Med. ; 322 : 89 .

- Veronesi, U., Adamus, J., Bandiera, D.C., Brennhovd, I.O., et al; 1977.
Inefficacy of immediate node dissection in stage I malignant melanoma of the limbs .
New Engl. J. Med. ; 297 : 627 .
- Viver, A. ; 1991 .
Recognising early invasive malignant melanoma .
Br. Med. J. ; 302 (6767) : 49 - 50 .
- Walton, R.G. ; 1971.
Pigmented naevi .
Ped . Clin . North. Am. ; 18 : 897 - 923 .
- Wanebo, J.H., Woodruff, J. & Fortner, J.G. ; 1975 .
Malignant melanoma of the extremities . A clinico-pathological study using levels of invasion (Microstaging).
Cancer ; 35 : 666 - 676 .
- Ward, M.W.N., Romano, G. & Nicholls, R.J. ; 1986 .
The surgical treatment of anorectal malignant melanoma .
Br. J. Surg .; 73 : 68 - 69 .
- Weber, F.P., Schwartz, E. & Hellenschmied, R.; 1930 .
Spontaneous innoculation of melanotic sarcoma from mother to foetus .
Br. Med. J.; 1 : 537 .
- Wells, K.E., Reintgen, D.S. & Cruse, C.W.; 1992 .
The current management and prognosis of Acral lentiginous malignant melanoma .
Ann. Plast. Surg.; 28 : 100 - 103 .
- Weters, R.A., Clement, R.M. & Thomas, J.M.; 1991.
Carbon dioxide laser ablation of cutaneous metastases from malignant melanoma .
Br. J. Surg .; 78 : 493 - 494 .
- Wilgrin, G.B., Kidd, R.L., Krawczyk, W. & Cole, P.L.; 1970 .
Sunburn effect on keratinosomes .
Arch. Dermat. ; 101 : 505 .

Witkop, G.B.; 1983 .

Albinism and other disorders of pigment metabolism in
Stanburg, J.B., et al; editors . Metabolic basis of inher-
ited diseases. 5 th edition. New-York, McGrow-Hill company.
PP. 301 .

Wray, R.C.Jr.; 1988 .

The skin and subcutaneous tissue in Schwartz, S.I., Shires,
G.T & Spencer, F.C. editors . Principles of Surgery ; 5 th
edition . New-York, San-Francisco, Colorado, McGrow-Hill
information services . vol. I. PP. 527 - 547 .

Zelickson, A.S.; 1964 .

Fibroblast development and fibrogenesis .
Arch. Dermat. ; 88 : 4947 .

Zelickson, A.S.& Mottaz, J.H.; 1968 .

Epidermal dendritic cells. A quantitative study .
Arch . Dermat .; 98 : 652 .

Young, A.R.; 1990 .

Senescence and sunscreens .
Br. J. Dermatology ; 122 : 111 - 114 .