

REFERENCES

- Abe M., Takahshi M., IORT (1981):
The Japanese experience. *Int J. Radiat. Oncol. Biol. Phys.* 7:863.
- Aibe T, Fuji T Uklla K et al. (1986) :
Structure of the gastrointestinal wall
visualized by endoscopic ultra - sonography.
Scand J. Gastroenterol., 21 (Suppl 123): 6-15.
- Aibe T, Fujineura H, Yanai H et al., (1992) :
Endosonographic diagnosis of metastatic lymph
nodes in gastric carcinoma.
Endoscopy 24: 315-319.
- Aichi R. (1980) :
Gastric adenocarcinoma, a review. *Am J. Surg.*, 144 : 19-27.
- Aird I, Benthall HH, Roberts JAF (1953) :
A relationship between cancer of the stomach
and the ABO blood groups.
Br. Med. J. 1:799.
- Akerman M, Brandt L, Johnson A, Olsson H. Mitotic activity
in non-Hodgkin's lymphoma (1987) : Relation to
the kiel classification and to prognosis. *Br J cancer* 55 : 219-23.
- Akiyama H., Hashimota C., Kawamura T., Miyazono H. (1979) :
Tharacoabominal approach for carcinoma of the
cardia of the stomach. *Am. J. Surg.*, 137: 345.
- Alexander Williams J, (1982) :
To facilitate the instertion of EFA auto suture
head into oesophagus. *British, J Surg* 69 P.
146.
- American Joint committee for cancer staging and end results
reporting (1977) : Manual for staging of
cancer. Chicago, American joint committee.
- Allum, W, H, Fielding F.W.L (1987):
Staging and management of gastric carcinoma.
In progress of Sugery Vol2 chapter 5P : 68-85
edited by taylor I. Puplished by churchill
livingstone. Edimburgh, london and New Yourk.
- Andreica V.; DimitrraCscu D.; SaCsca N.; Sa Csca C.;

raghici A.; pascu O., Gorgan V; Gan A.;(1989):
Campylobacter pylori infection in chronic
gastritis and gastric cancer. JN SLG
(0303-8424) Rev. Med. Interna vol. 41, No
1, P. 49-56, (Romania).

- Anehus S, Pohjanpelto P, Baldetorp B, Langstrom E, Heby O :
(1991) :Polyamine starvation prolongs the S
and G2 phase of polyamine dependent
(arginase-deficient) CHO cells. Mol Cell Biol
4: 915-922.
- Appleby LH.(1953) :
The celiac axis in the expansion of the
operation for gastric carcinoma. Cancer 6 :
704.
- Aranha GV (1989) :
and Georgen R : Gastric linitis plastica is not
a surgical disease. JN : VC3 Surgery, vol. 106,
no. 4, P. 758-62; discussion 762-3.
- Arinaga-S; Karimine-N; Takamuku K; Nanbara-S; Abe-R;
Watanabe-D; mastuoka-H; Akiyoshi-T (1992) : A
trial of adjuvant chemoimmunotherapy with
mitomycin C and OK-432 for stage III gastric
carcinoma. Department of surgery, Kyushu
University, Beppu, Japan. J-Surg-Oncol. Jule;
50 (3) : 187-9.
- Au F.C.; koprowska I.; Berger A.; Maier W.P.;and Ming S.C.
(1980): The role of cytology in the
diagnosis of carcinoma of the stomach.
Surg. Gynaecol. Obstet., 151 : 601.
- Banner BF, Vega JETL, Roseman DL, Coon JS. (1985) :
Should flow cytophotometric DNA analysis
precede definitive surgery for colon
carcinoma?. Ann Surg 202: 740-4.
- Bemvenuti, G. A. Hattori, K., levin, B., Kirschner, J. B.,
and Reilly, R. W. : (1975) : Endoscopic
sampline for tissue diagnosis gastrointest.
Emdosc. 121 : 159.
- Bjeke, E, (1974) :
Epidemiologic studies of cancer of the stomach
colon and rectum with special emphasis on the
role of diet.Scand J. Gstroent 37 P.1.

- Bozzetti F.; Bonfant G, Bufalino R., Menolttiv, persano S.; Andreola S., Doci R.; Gennari L. (1982) : Adequacy of margins of resection in gastrectomy for cancer. Ann. Surg., 196 : 685.
- Borrmann, R. (1926) : Geschwulste des magens and duodenum. In Henke, F., and lubarsch, O, volume IV, part 1 berlin, J. Springer, PP. 812-1054.
- Blot Wj. Devesa S.S. Kneller RW. Fraumeni JF (1991) : Rising incidence of adenocarcnimo of the oesophegus and gastric cardia JAMIA 265: 1287-1289.
- Brando CR; Halpern NB; Aldret JS; (1989) : Total Gastrectomy for gastric carcinoma. South Med. Journal: vol. 82, no.8, P.973-6.
- Bozzetti-F (1992) : Total versus subtotal gastrectomy in cancer of the distal stomach : facts and fantasy. Istituto Nazionale Tumori, Milan, Italy. Eur-J-Surg-Oncol Dec; 18 (6) : 572-9.
- Brookes, V.S., Water house, J.A.H. and Powell DJ (1965) : Carcinoma of the stomach 10 year survey of results and of factors affecting prognosis. Br. Med J.1 P. 1577.
- Buiatti E., palli D.; Decarli A.; Amadori D.; Avellini C; Bianchi S.; Biserni R.; Ciprianif.; Cacco P.; Giascosa A.; et al., (1989) : A case-control study of gastric cancer and diet in Italy JV : GQU (0020-7136) International journal of cancer vol. 44, No. 4, P. 611.
- Burr MI, Samloff 1M, Bates CJ, Holliday RM (1987): Atrophic gastritis and vit C status in two towns with different stomach cancer death rates.Br. J cancer 56 P. 163.
- Calvo-FA; Aristu-JJ; Azinovic-I; Abuchaibe-O; Escude-L; Martinez-R; Tango-E; Hernandez-JL; Pardo-F; Aivarez-Cienfuegos-J (1992) : Intraoperative and external radiotherapy in resected gastric cancer: updated report of a phase II trial.Department of Oncology, Clinica Universitaria de Navarra, School of Medicine, University of navarra, Pamplona, Spain.

Int-J-Radiat-Oncol-Biol-Phys. 24 (4).

- Carter and Johnstone (1986) :
Ferquharson's textbook of Operativ Surgery,
7th Edition., Chapter 17, P. 334, Churchill
Livingstone.
- Christopher, W. (1988) :
Stomach and duodenum in Bailey and Loves short
practice of surgery, 20 th edition, ch. 44
revised by A.J.Harding Rains and Charles Y.
Mann published by English Language Book Society
H.K, Lewis London.
- Coller FA, Kay EB, McIntyre RS. (1971) :
Regional lymphatic metastases of carcinoma of
the stomach. AMA Arch Surg 43 : 748.
- Comis R and Carters (1977) :
A review of chemotherapy in gastric cancer, 34
P.1576.
- Cooper BT and Chadwick Y.S., (1981):
Menetriers disease in J.H Baron and FG Moody
(EDS). Gastroenterology Voll Foregut, London,
Butter worth, P.141.
- Correa P.Haenszel L.W,Cuell O.C, Tannerbaum, S, Archer M, :
(1975) : A mode for gastric cancer
epidmiology. Lancet, 11 P.58 1975.
- Coggon D.; Barker D.J. Cole R. B.; Nelson M. (1989):
Stomach cancer and food storage.
0027-8874 Journal national cancer indtitute,
USA vol. 81, No. 15, P. 1178-82.
- Craven. J.I./Baum, M and West RR (1979) :
Variations in gastric cancer mortality in
South Wales. Clinic- concol, 5 P.341.
- Crespi IM and Munoz, N (1987, 1981) :
Gastric pre- cancer states in gastric cancer.
Ad. biosci, 32 P.65 Quoted from Systemic
Pathaology by Morsori.
- Csendes-A; Diaz-JC; Burdiles-P; Braghetto-I; Maluenda-F;
Nava-O; Korn-O (1990) :Classification and
treatment of anastomotic leakage after
extended total gastrectomy in gastric
carcinoma. Hepatogastroenterology Dec; 37 Suppl
2 : 174-7.

- Cuesta M. A. Meijer S. and Borgsteim P. J., (1992) :
Laparoscopy and assessment of digestive tract
cancer Br. J. Surgery 79 : 486-487.
- Cuschieri- A (1982) :
Long term evaluation of a reservoir jejunal
inter position with an isoperistaltic conduit
in management of patients with the stomach
syndrom. Br. J. Surg, 69 P. 386.
- Cuschieri. A. Cancer of the stomach (1986) :
In Recent Advances in Surgery, 12, edited by
R.C.G Russel, published by charchill living
store Edinburgh, London, Melbourne and New York
- Czernialc- B, Herz, F, Koss1G, (1987) :
Distribution patterns in early gastric
carcinoma. Cancer, 54: P.113-1.
- Czernialc- B, Herz, F, Koss1G, (1987) :
Ras oncogene P.21 as tumour marker in the cyto
diagnosis of gastric carcinoma. Cancer, 60
P.2432.
- Day D.W. (1981) :
Histopathology of gastric cancer.
In Fielding J.W.L.; newman C.E.; Ford C.H.J.;
and Jones B.G.(Eds.) : Gastric cancer.
Oxford, pergamon press, P. 95-109, .
- Day DW (1987) :
The pathology of the stomach. In "Systemic
Pathology in Alimentary Tract", chapter 5
edited by Basil c Morson, Publisheed by
Churchill livingstone Edinburgh, London, New
York.
- Dekker. W, and Tytgat GN (1977):
Diagnostic accuracy of fiberoptic endoscopy in
detection of upper intestinal malignancy.
A follow up analysis Gastro- enterology, 73:
P. 710.
- Drasar B.S. and Hill M.J. (1974) :
Role of bact in the aetiology of cancer.
In human intestinal microflora. Academic press,
London, 193.
- Dupont B, Cohn JR (1980) :
Gastric adenocarcinoma In: Hickey RC, ed.

Current problems in cancer.

Chicago: Year Book Medical Publishers, 4: 1-46,

- Ekblom, G. A., and Gleysteen, J.J. (1980) :
Gastric malignancy : Resection for palliation.
Surgery, 88 : 476.
- Ellis DJ, Kingston RD, et al (1979) :
Gastric ulceration and previous peptic
ulceration and Br. J. Surgery 66 : 171,
- Evans DMD; Carver J.L.; Murphy F; and Cleary B.K. (1978):
Comparison of "early gastric cancer" in Britain
and Japan. Gut, 19 : 1.
- Feuerstein B, Porter CW, Dave CA (1979) :
Selective effect of methylglyoxal- bis
(guanyldihydrazone) on the synthesis of
mitochondrial DNA of cultured L1210 leukemic
cells. Cancer Res 39: 4130-4137.
- Feussner H. : Welser HF; Liebermann-Meffert D.; Siewert
JR. (1988) : Intestino-esophageal reflux
following gastrectomy mechanism of action
and effectiveness of oesophago-jejunojejunostomy.
Chirurg. vol. 59, no. 10, P. 665-9.
- Fielding JWL, Roginski C, Ellis DJ Jones BG, Powell. DT
Waterhouse JAH. Brooks YS (1984) : Clinico
pathological staging of gastric cancer. British
J. Surg, 71: P. 677.
- Fielding JWL, and Alexander Williams (1986) :
Adeno carcinoma of the stomach. Chapter 25.
In Surgery of the stomach and duodenum, edited
by Lloyd M. Nyhus, 4th edition, Boston,
Little Brown, New York.
- Fisher A, Graem N, Jensen OM, (1983) :
Risk of gastric cancer after Billroth II
resection for duodenal ulcer. Br.J. Surg, 70:
P. 552.
- Fortner JG. (1973) : Regional resection of cancer of the
pancreas. A new surgical approach 73 : 307.
- Frankfurt OS, Chin JL, Englander LS, Greco WR, Pontes JE,
Rustum YM. (1985) : Relationship between DNA
ploidy, glandular differentiation and tumor
spread in human prostate cancer. Cancer Res
45: 1418-23.

- Frederick Green L:
Gastroscopic screening. Arch. Surg, 122: P.300
- Fujimoto S, Igarashi K, Shrestha RD, Miyazaki M, Okui K (1985) : Antitumor effects of two polyamine antimetabolites combined with mitomycin C on human stomach cancer cells xenotransplanted into nude mice. Int J Cancer 35: 821-825,
- Fujimoto S, Igarashi K, Shrestha RD, Miyazaki M, Endoh F, Ohta M, Togawa Y, Okui K (1986) : Combined therapy of polyamine antimetabolites and antitumor drugs for human gastric cancer xenotransplanted into nude mice. Jpn J Surg 16: 133-139.
- Fujimori T, Hirayama D, Satonaka K et al. (1991) : Limitation of dissecting microscopy for the diagnosis of the extent of the spread of cancer cells-A fundamental study on endoscopic complete resection of gastric carcinoma. Stomach 26 : 301-309. (in Japanese with English abstract).
- Fujimoto-S; Takahashi-M; Kobayashi-K; Nagano-K; Kure-M; Mutoh-T; Ohkubo-H (1992) : Cytohistologic assessment of antitumor effects of intraperitoneal hyperthermic perfusion with mitomycin C for patients with gastric cancer with peritoneal metastasis. Division of surgery, Social insurance funabashi Central Hospital, Chiba, Japan. Cancer. Dec. 15; 70 (12) 2754-60.
- Fujisaki J, Mine T, Akimoto K et al (1988) : Enucleation of a gastric leiomyoma by a combined laser and snare electrocutting technique. Gastrointest. Endosc. 23: 128-130.
- Furihata C.; Sudok; Matsushima T. (1989) : calcium chloride inhibits stimulation of replicative DNA synthesis by sodium chloride in the pyloric mucosa of rat stomach. JN ; c9T (0143-3334) carcinogenesis. Vol. 10, No. 11, P. 2135-7.
- Furukawa H.; Iwanaga T.; Hiratsuka M.; Fukuda I.; Kabuto T., Ishikawa O.; Sasaki Y. et al. (1989) : The significance of hormone receptors in hormone therapy of gastric cancers.

- Gilbertsen V. A. (1969) :
Results of treatment of stomach cancer.
An appraisal of efforts for more extensive
surgery and a report of 1983 cases. Cancer,
23 : 1305.
- Gohmann JJ and MacDonald JS (1989) :
Chemotherapy of gastric cancer. Cancer invest.
Vol. 7, no. 1, P. 39-52.
- Goodwin, C.S., Armstrong, J. A., Chilvers, T. et al.,
(1989) : Transfer of *C. pylori* and *C. mustelae*
to *Helico bacter* gen. nov. as *H. pylori* comb.
nov. and *H. mustelae* comb. novo.,
respectively. Int J. Syst. Bacterial., 30 (4)
:397.
- Graham D. V.; Spjut H.J.; and Estrada R.G. (1978) :
Directed cytology of the oesophagus and
stomach. A comparison of the three rapid
collection methods. Gastrointest.
Endosc., 24 : 277.
- Gray SW, Skandalakis JE. (1972) :Embryology for surgeons
philadelphia WB Saunders, 101-29.
- Griffith GH. Anatomy. In : Harkins HN, Nyhus LM, eds.
(1969) : Surgery of the stomach and duodenum
2nd ed. Boston : Little Brown.
- Gutman M, asaf D, Skornick Y, et al. (1988) :
Sporadic amplification of c-myc and c-erb-B2
proto-oncogenes in soild tumors proc Am assoc
cancer Res 29 : A 1800.
- Haber DA, Mayer RJ. Primary gastrointestinal lymphoma.
Semin Oncol 1988; 15 : 154-169.
- Habu H.; Kando F.; Saito N., Sato Y; Takeshita K.; Sunagawa
M. Endo M. (1989) : Experience with the EEA
stapler for oesophagojejunostomy. Int. Surg.
vol. 74, 2, P. 73-6.
- Haenszel W, Kurihara M, Segi M, Lee RKC.(1972) :
Stomach cancer among Japanese in Hawaii JNCI
49: 969-988.
- Haenszel. W Kurihara Mm Segi, Lee (1977) :
Stomach cancer among Japnese in Hawaii.J of
Nat cancer Inst, 49: P. 469.

- Hamada T, Yoshimine H, Kubata H (1991) : Endoscopic resection for early gastric cancer measuring 1 cm or less in size, stomach and intestine 26 : 255-265 (In Japanese with English abstract).
- Haraguchi M, Okamura T, Korenaga D, Tsujitani S, Sugimachi K. (1987) : Heterogeneity of DNA ploids in patients with undiffer.
- Haring R.; Kania U.; Hirner A., (1988) : Accomplishments of tumour surgery in tumours of the stomach. Longenbecks Arch. Chir., vol. suppl. 2, P. 275-81.
- Harrison JD; Morris DL. Ellis 10; Jones JA; Jackson I. (1989) : The effect of Tamoxifen and oestrogen receptor status on survival in gastric carcinoma. Cance vol. 64, no . 5, P. 1007-10.
- Hattori T, Hosokawa Y, Fukuda M, et al. (1984) : DNA analysis of DNA ploidy patterns of gastric carcinomas of Japanese. Cancer 54: 1591-7.
- Hays RP, Clark DA (1960): Nutrition in patients with total gastrectomy and a jejunal food pouch. Annals of surgery 152 864-870.
- Hayes J, Dunn E. (1989) : Has the incidence of primary gastric lymphoma increased ? Cancer 63 : 2073-2076.
- Hepatner G., Domeschkes., Domschke W. (1986): The rolr of tumour markers in the diagnosis and management of gastrointestinal cancer. Hepatogastroenterology 33: 140.
- Hine, KR, Booth SN, Leonard JC, Dykes PW,: Carcinoembryonic antigen concentrations in undiagnosed patients. Lancet, 11 : P. 1337.
- Hirayama T. (1981) : Methods and results (cost-effectiveness) of gastric cancer screening. In Fielding J.W.L., Newman C.E., Ford C.H.J., and Jones B.G. (Eds.) Gasric cancer. Oxford, pergamon press, P. 77-84.
- Hirschowitz B.I (1976) : Early gastric cancer. Gastrointestinal Endo- scopy 23 : 45-46.

- Hisamichi S. (1989):
Screening for gastric cancer. World journal of surgery, volume 13, no. 1, P. 31-7.
- Hoerr W.O. (1961):
Carcinoma of the stomach. Am. J. Surg., 101: 294.
- Holland JF, Bekesi JG, cuttner J., Gllidewell O., (1977):
Chemoimmunotherapy in acute myelocytic leukaemia. 1st. J. Med Sci., 13 : 694.
- Hotz J, Goebell H, (1989) :
Epidemiology and pathogenesis of gastric carcinoma In: Meyer HJ, Schmoll HJ. Hotz J, eds. Gastric carcinoma. New York: Springer-Verlag, 3-15.
- Houldsworth J, Cordon- Cardo C, Ladanyi M, Kelsen DP, Chaganti RSK (1990) : Gene amplification in gastric and esophageal adenocarcinomas. Cancer Res 50: 6417-6422.
- Hunt Cd (1952) :
Construction of food pouch from segment of jejunum as substitute for stomach in total gastrectomy. Archives of surgery 64 : 601-608.
- Igarashi K, Morris DR (1984) :
Physiological effects in bovine lymphocytes of inhibiting polyamine synthesis with ethylglyoxal bis (guanylhydrazone). Cancer Res 44: 5332-5337.
- Ikeda Y, Hirae M, Hase Y et al (1984) : Endoscopic resection of early gastric carcinomas and other gastric lesions with malignant potential. Gastroenterol. Endosc. 26 : 1655-1661. (In Japanese with English abstract).
- Janssen C.W., Maartmann-Moe H., Terje R. (1987) :
concentration of proteins and ESR in patients with different histologic types of gastric carcinomas. Eur. J. Surg. Oncol. 13 : 207.
- JRS GC (1985) :
The general rules for the gastric cancer study in study in surgery and pathology. 2nd ed., Taky
- Japanese research society for gastric cancer (1962) :

General rules for gastric cancer study in surgery pathology. Kanehara, shuppan, Tokyo. Quoted from Recent Advances in Surg. "12" by R.C.G. Russell 1986.

- Jaskiewicz K. ; Louwrens HD; Woodroof CW; van wyk MD; price SK (1989) : The association of Campylobacter pylori with mucosal pathological changes in population at risk for gastric cancer. JN : 0038-2469 S. African Med. Journal vol. 75, No. 9, p.417-9.
- Kaneko E., Nakamura T., Umeda N., Fujina M., and Niwa H.(1977) : Outcome of gastric carcinoma detected by gastric mass survey in Japan. Gut, 18 : 626.
- Keighley MRB, Morre J, et al (1984) : Incidence and prognosis of N4 node involvement in gastric cancer. Br. J. Surg. 71: 863.
- Kennedy B.J. (1979) : TNM classification for stomach cancer. Cancer, 26 : 971.
- Kern K. A. (1989) : Gastric cancer : a neoplastic enigma. J. Surg. Oncol. Suppl. vol. 1, P. 34-9.
- Kidokoro, T. (1972) : Frequency of resection, metastases, and 5-year survival rate of early gastric carcinoma in a surgical clinic. In Murakami T. (Ed.) : Early gastric cancer. Japanese cancer association. Gann monography on cancer research No. 11, baltimore. University park press.
- Kim J.P., Park J.G. (1983) : The end results of surgical treatment of gastric cancer. J. Korean Med. Assoc. 26 : 637, 1983.
- Kim J.P. (1987) : The concept of immunochemosurgery in gastric cancer. World J. Surg., vol. 11 P. 465-472.
- Kim J, Takahashi T, Chiba I, et al., (1991) : Occurence of small P> 35 gene abnormalities in gastric carcinoma tumors and cell lines. JNCI 83: 938-943.

- Kimura Y., Fujii T.; Hamamoto K.; Miyagawa N.; Tsuda K.; Tnada S.; Lio A. (1989) : Evaluation of serum pepsinogen 1 and 1i of patients with gastric Cancer. JN : KML (0022- 7854) kakulgaka, vol. 26, no. 9, p. 1127-33.
- Kitaoka K., Phura H., Yoshida S. (1985) :
Combination therapy of mitomycin C., Novlvadex for schirrous gastric cancer. Shokaki- geka semin. 21 : 50.
- Kobori O., schmerold I.; Ludeke B.; Ohgaki H.; Kleihues P.:
(1988) : DNA methylation in rat stomach and duodenum following chronic exposure to MNNG. JN: (0143- 3334) carcinogenesis. vol. 9, No. 12, p. 2271-4.
- Kodama Y., Sugimachi K., Matsusaka T., and Inokiuchi K. :
(1981) : Evaluation of extensive LN dissection for cancer stomach. World J. Surg., 5 : 241.
- Koga S.; Hamazoe R. (1986) :
CHIPP for cancer. In gastric cancer surgery (The latest therapy) vo. 3, Tokyo, P. 525-529.
- Koga. S, Watanabe H, Enjoji, M, (1990) :
Stomal Polypoid hypertrophic gastritis polyeoid gastric lesion at gastro- enterostomy site. Cancer, 43: P. 647.
- Kogo, S, Naalcata, H, Kiyonara, H (1990) :
Minute mucosal patterns in gastric carcinoma. Radiology, 120: P.
- Korenaga D, Mori M, Okamura T, Sugimachi K, Enjoji M. (1986) : DNA ploidy in clinical malignant gastric lesion less than 5 mm in diameter. Cancer 58: 2542-5.
- Korenaga D, Okamura T, Saito A, Baba H, Sugimachi K. (1988):
The DNA ploidy is closely linked to tumor invasion, lymph node metastasis and prognosis in clinical gastric cancer. Cancer 62: 309-13.
- Kornega D.; Okamura T.; Baba H.; et al., (1989) :
Results of resection of gastric cancer extending to adjacent organs. Br.J. Surg. 75 : 12.
- Kuwahara A.; Saito T., Kobayashi M. (1989) :
Bile acids promote carcinogenesis in the

remnant stomach of rats. Clin. Omal.
Vol. 115, No. 5, P. 423-8.

- LaDue J. S. (1967) :
The clinical diagnosis of gastric cancer. In
McNeer, and pack (Eds) : Neoplasms of the
stomach. Philadelphia, J. B. Lippicott Co.,
P. 102-125.
- Lauren P. (1965) :
The two histological main types of gastric
carcinoma : Diffuse and so-called intestinal
type carcinoma. An attempt at a histoclinical
classification. Acta path. Microbiol. Scand.,
54-31.
- Lawrence W. (1962) :
Reservoir construction after total
gastrectomy. An instructive case. Annals of
surgery, 155 : 198, 1962.
- Liu J.G., Limh (1989) :
Roussin Red Methyl Ester, a tumour promoter
promoter isolated from pickled vegetables. JN :
0143-3334 carcinogenesis. vol. 10, No. 3, p.
617-20.
- Logan R, Longman M, (1983) :
Screening for gastric cancer after gastric
surg. Lancet, 2: P. 667.
- Longmire WP Jr., Kuzma JW and Dixon W. (1968) :
The use of Triethylenethiophosphoramide as an
adjuvant to gastric carcinoma. Ann-Surg.,
167-293.
- Longmire W.P. Jr (1980) :
the place of radical surgery in gastric cancer
In fielding JW, Newman CE, Ford CHJ, and
Jones BG (Eds.) : Gastric cancer. Oxford,
Pergamon press, P. 203-217.
- Lundh G, Burn JJ, Kolig G (1974) :
A cooperative international study of gastric
cancer. Ann. R. coll. Surg Eng, 54: P. 219
- Macartney JC, Camplejohn RS, Powell G. (1986) :
DNA flow cytometry of histological material
from human gastric cancer. J Pathol 148:
273-7.

- MacDonald J.S., Schein, P.S., Wolley, P.V., Smythe, T., and Lagarde, C. (1986) : Combination chemotherapy for advanced gastric cancer *Ann. Intern. Med.*, 93 : 533.
- MacDonald, J.S., and Gohmann, J.J (1988) : Chemotherapy of advanced gastric cancer : Present status future prospects. *Semin. Oncol.*, 15 (Suppl.4) : 42.
- Macon WLIV (1979) : Gastric lymphoma vs adenocarcinoma. *Arch Surg* 114 : 305-306.
- Maehara Y, Miriguchi S, Kakeji Y, Orita H, Haraguchi M, Korenaga D, Sugimachi K. (1991) : Prognostic factors in adenocarcinoma in the upper one third of the stomach. *Surg* 223-226
- Majima S., Etani S., Fujita Y. and Takahashi T. (1972) : Evaluation of extended LN dissection for gastric cancer. *Jpn. J. Surg.*, 2 : 1.
- Makino M., Kaibara N., Kimura O., Koga S., Nishiodi H. (1989): Correlation 1 between subserosal venous invasion by gastric cancer and the occurrence of liver metastasis 3EJ (0277-3732) *Am. J. Clin. Oncol.* vol. 12, no. 5, P. 407-10,
- Mallaih L.; Fructer G., Brozinsky S. and Uddin M.S. (1980): Malignant gastrocolic fistula. *Am. J. Proctol. Gastroenterol. Colon Rectal Surgery.*, 31:12.
- Mallet-Guy PA. (1983) : Late and very late results of resection of the nervous system in the reatment of chronic relapsing pancreatitis. *Am J Surg* 145 : 234.
- Maruyama K. (1979) :
A new dissection technique of superior pancreatic lymph nodes, pancreas preserving radical gastrectomy. *Jpn . J. Gastroenterol. Surg.* 12 : 961.
- Maruyama K., Okabayashi K., Kinoshita T (1987) :
Progress in gastric cancer surgery in Japan and its limits of radicality. *World J. Surg.*, vol. 11, P. 418-425.
- Maruyama, K. (1987) :
Surgical treatment and end results of gastric cancer. In standard treatment of gastric

cancer (UICC manual), Berlin Heidelberg-N.Y.,
springer-verlag.

- Maruyama K, Gunven P, Okabayashi K, Sasako M, Kinoshita T, (1989) : Lymph node metastases of gastric cancer. Ann Surg; 210: 596-602.
- Masclee A.; Termeer A.; Verbeek AL; Van Tongeren JH. (1989) : Achlorhydria and stomach carcinoma. JN : NUK (0028-2162) Ned. Tijdschr Geneesk. vol. 133, No.37, P. 1834-8, NLD.
- Mathe' G.; Amiel JL, Schworzenbeg L., Schneider M., Cattan A, Hayat M., Devasssal F. (1969) : Active Immunotherapy for all. Lancet 1:697.
- McNeer G., Bowden L., Booker RJ and McPeak1 C.J. (1974) : Elective total gastrectomy for stomach cancer. End results. Ann. Surg., 180-252.
- Mettlin C (1988) :
Epidemiologic studies in gastric adenocarcinoma. In: Douglass HO Jr, ed. Gastric cancer. New York: Churchill livingstone,: 1-25.
- Meyer-HJ; Jahne-J; Wilke-H (1993) :
Perspectives of surgery and multimodality treatment in gastric carcinoma editorial J-Cancer-Res-Clin-Oncol. 1993; 119 (7) : 384-94.
- Ming SC (1977) :
Gastric carcinoma. A pathobiological classification. Cancer, 39 : 2475.
- Ming ES (1977) :
The adeno carcinoma sequence in the stomach and colon 11 Malignant potential of gastric polyps. Gastrintestinal Radialogy, 1: P. 121.
- Mishima Y.; Hirayama R. (1987) :
The role of LN surgery in gastric cancer. World J. Surg., vol 11, 406-411.
- Mizushima K. Harada K, Okamura T et al., (1979) :
Clinical application of YAG laser- The second report. Gastroenterol. Endosc. 1979; 21(11): 1289-1296.

- Moertel CG (1982) :
The stomach in (1982) : Holland JF. Frei E,
eds. Cancer medicine, Philadelphia : Lea &
Febiger, : 1760-1774.
- Morson B.C, Sobin L, H, Grundmann E (1980) :
Precancerous conditions and epithelial dysplasia
in the stomach. J. clinical path, 33: P. 711.
- Mor O, Messinger Y, Rotman G, et al., (1991) :
Novel DNA sequences at chromosome 10 q26 are
amplified in human gastric carcinoma cell
lines ; Molecular cloning by competitive DNA
reassociation. Nucleic Acids Res 19: 117-123.
- Moss AA, Margulis AR, Schnyder Thoeni RF (1981):
A uniform computed tomography staging system
for malignant neoplasm of the alimentary tract.
Am. J. of Roentgenology, 136: P. 1251.
- Murakami, T. (1979) :
Early cancer of the stomach. World J. Surg.,
3: 685.
- Murakami T, ed.. (1971) : Early gastric cancer in : Gann
Monograph on cancer research Vol. II, B.
Himore : University park press 1971.
- Mitsuura H, Sugimachi K, Ueo H, Kuwano H, Koga Y, Okamura
T, (1986) : Malignant potentiality of squamous
cell carcinoma of the esophagus predictable by
DNA analysis. Cancer.
- Nagao F.; and Takahashi N. (1979) :
Diagnosis of advanced gastric cancer.
World J. Surg. 3:63.
- Nagata T.; Ikeda M. and Nakayama F.; (1983) :
Changing perspective of gastric cancer in
Japan Histologic perspective of the past 76 5-
years. American Journal of surgery, 145:226, 1983.
- Nagayo T. (1986) :
Background data to the study of advanced
gastric cancer. IN: Nagayo T, ed. Histogenesis
and precursors of human gastric cancer. New
York: Springer- Verlag, 17-39.
- Nakamuro-M; Takahashi-T; Sato-H; Hoshi-M; Wakui-A;
Kanamaru-R (1992): Histopathological evaluation
on the effect of induced hypertension
chemotherapy presurgically performed in

patients with advanced carcinoma of the stomach. Department of pathology, Tohoku University, Sendai, Japan.

- Nakazawa S, Yoshino J, Nakamura T et al., (1989) :
Endoscopic ultrasonography of gastric myogenic tumor. A comparative study between histology and ultrasonography. J. Ultrasound Med. 8: 353-359.
- Nanus DM, Kelsen DP, Niedzwieki D, Brennan M, Cheng E, Melamed M, (1989) : Flow cytometry as a predictive indicator in patients with operable gastric cancer. J Clin Oncol 7: 1105-1112.
- Netter FH. (1975) :
The collection of Medical illustrations, Vol. 3. digestive system. Part I. upper digestive tract. Summit, NJ : CIBA pharmaceutical Co.
- Nishi., Tokunaga KNA, et al., (1987) :
Immunohistochemical study of intracellular oestradiol in human gastric cancer. Cancer 59: 1328.
- Noguchi Y.; Inada T.; Matsumoto A.; Coit DG; Brennan MF (1989) : Radical Surgery for gastric cancer, A review of the Japanese literature. Cancer, vol. 64.
- Nomuro A.M.Y.; Stemmermann G. N., and Samloff I. M. (1980) :
Erum pepsinogen I as a predictor of stomach cancer. Ann. Int. Med., 93 : 537, 1980.
- Nordmann E., Kanppinen C. (1972) :
the value of megavolt therapy in stomach cancer. Strahlentherapie 144 : 635, 1972.
- Oata K. (1977) :
Histological typing of gastric and oesophageal tumours. Geneva, W. H. O.
- Ogawa M. (1989) :
A current overview of chemotherapy in advanced gastric cancer : Gan. To Kagaku ryoho. vol. 16, no. 6, p. 2161-8.
- Oguro Y, Tajiri H, Hirashima T (1984) : Endoscopic therapy for gastric cancer-Indication and problems seen from the standpoint of internal medicine. Stomach and intestine 19 : 855-863. (In

Japanese with English abstract).

- Okabe H. (1971) :
Growth of early gastric cancer. In : Murakami T. (ed.) Gann Monography on cancer Research. University of Tokyo press, P. 67-69.
- Okamura T.; Korenaga D.; Baba H.; Saito A.; Watanabe A.; Sugimach K. (1989) : Thoracoabdominal approach for cure of patients with an adenocarcinoma in the upper third of the stomach. Am. Surg. J. vol. 55, No. 4, p. 848-51.
- Okuchi N, Yao T, et al., (1987) :
Frequent overexpression, But not activation by point mutation of ras genes in primary human gastric cancer. Gastroenterology 93: 1339-1345.
- Okuchi N, Hand P, Merlo G, et al., :
Enhanced expression of c-Ha ras p21 in human antibodies stomach adenocarcinomas defined by immunoassays using monoclonal antibodies.
- Okudaira Y.; Inoluchi K.; Kaik, Kuwano H.; Matsuura H. (1982): Postoperative long-term immunochemotherapy for oesophageal carcinoma. Jpn. J. surg. 12 : 249.
- Okuyama K.; Isono K.; Onoda S., Ochiai T.; Yamamoto Y.; Koide Y. sato H. (1984) : CLinical studies on effective treatment for gastric cancer patients with synchronous hepatic metastasis. J. Jpn. Soc. Cancer ther. 19 : 763.
- Oim., Oshida K, Sugimura S. (1959) : The location of gastric ulcer. Gastroenterology, 36 : 45.
- Orita K.; Miwa H.; Fukuda H.; Yumora M., Konoga Z., Tanaka S. (1976) : preoperative cell-mediated immune status of gastric cancer patient. Cancer, 38 : 2343.
- Ovaska JT; Ekfors To; Luukkonen PE; lempinen MJ.:
Histological changes in the gastric stump mucosa and late clinical results after Billroth I, Billroth II and Roux-en-Y operations for peptic (1988) ulcer disease. UN : (0355-9521) Ann. Chir Gynaecol., Finland vol. 77, no. 1, 1-5.

- Pannella A.; Laboranti F.; Guardamagna A.; Di Ninno N; Fossa M. (1989) : Gastric carcinoma in the aged. N31 (0026-4733) Mimerva chir, vol. 44; No. 15-16, p. 1795-802, Italy.
- Papachristou D.; Aganti N.; Fortner J. (1980) : Gastric carcinoma after III of ulcer. Am. J. Surg., 139 : 193-196.
- Pauline, F., and Roselli, A. (1973) : Carcinoma of the stomach with seual reference to total gastrectomy. In Ravitch, M. (ed.) : Current problems in surgery chicago, year book medical publishers.
- Phillips JC, Linsay JW, Kendall JA (1970) : Gastric leiomyosarcoma : Roengenologic and clinical findings. AM J Dig Dis 15 : 239.
- Pointner R.; Schawb G; Konigsrainer A.; Bodner E.; Schmid KW. Gastric stump cancer (1989) : aetiopathological and dimical aspects: JN : 0013-726x endoscopy. vol. 21, No. 3, p. 115-9.
- Powell J, McConkey CC (1990) : Increasing incidence of adenocarcinoma of the gastric cardia and adjacent altes. Br J Cancer 62: 440-443.
- QIXD (1989) : Gastroscopic mucosal bipsy and carbon ink injection marking for determination of resection line on the gastric wall in stomach cancer. JN : EBH (0253-3766) chung Hua chung liu Tsa Chih. vol. 11, no. 2, P. 136.
- Rashad, H., Rezk, M., kamal, G. et al (1989) : Does bacterial infection have a ole in primary gastritis and duodenal ulcer. New Egyptian J. of medicine, 3 (2) : 261-264.
- ReMine W. H., and Priestley J.T. (1966) : Trend in prognosis and surgical treatment of cance of the stomach. Ann. Surg., 163.
- Remine W.H (1979) : Inidcations and contraindications for surgery in gastric carcinoma. World J. Surg., 3 : 709.
- Remine W.H. (1979) : Palliative operattions for incuratable gastric

cancer. World J. Surg., 3: 721.

- Remine WH (1985) :
Carcinoma of the stomach. In Maingot's Abdominal Operations (text), 8 th edition, edited by Schwartz, Sl. and Ellis, H., published by Appleton- Century- Crofts. Norwalk, Connecticut, Vol. 11, chapter, 37: P.957.
- Rezk, M., Saleh, M.A., Kamal, G. Rashad, H (1992) : Effect of therapy on H.pylori infection and duodenal ulcer healing relapse. New Egyptian J. of medicine, 6 (5) : 1960-1926.
- Rodriguez V., Bodey GP, McCredie KB, Gutterman JU, Keating Md, Gehan EA, Smith TL (1978) : Randomized trial of protected environment prophylactic antibodies in 145 adults with acute leukaemia. Medicine 57 : 253.
- Rogers K, Robert, GM, and Williams GT (1981) :
Gastric juice enzymes. An aid in the diagnosis of gastric cancer. Lancet, 17: P. 1124.
- Roland M. (1976) :
Secretary of histological study of the stom. before and after surgical truncal vagotomy and pyloroplasty in duod. Ulcer pts. Scand. J. Gastroenterol., 11:65-71.
- Ruudell, W.S.J., Bone, E.S., Hill, M.J., Blendis, L. M., and Waiters, C.L. (1976) : Gastric juice nitrite. Risk factor for cancer in the hypochloric stomach ? Lancet 2 : 1037.
- Ross A, Smith M, Anderson J (1982) :
Late mortality after surgery. for peptic ulcer. Eng. J. Med, 307: P. 519.
- Ruckley CV. (1964) : A study of the variations of the abdominal vagi. Br J surg 51 : 569.
- Sabiston D. Davis-Christopher Textbook of surgery (1981) :
The biological basis of modern surgical practice. Philadelphia : WB Saunders.
- Sakamoto K. (1987) :
Clinicopathological study on the metastatic mode of gastric cancer. Japanese Journal of Surgery, (in press) In : World Journal of surgery, vol. 11, P. 407. No. 4.

- Sancho-Poch F.J.; Balanco J.; Ocana J.; Presa E.; Sala Cladera E.; Cusso X.; and Vilardell F. (1978):
An evaluation of gastric biopsy in the
diagnosis of gastric cancer. *Gastrointest.*
Emdosc., 24-281.
- Schein PS, Coffey R. and Smith FP (1981):
Chemotherapy and combined modality treatment
of gastric cancer. In fielding JWL, Newman
CE., Ford CHd and Jones BG (Eds.) *Gastric*
cancer. Oxford, Pergamon press, p. 139 : 148.
- Schlag, P., Ulrich, H., Merkle, P., Bockler, R., Peter, M.,
and Herfarth, ch. (1982) : Are nitrite and
N-nitroso compounds in gastric juice risk
factors for carcinoma in the operated stomach.
Lancet 1 : 727.
- Schlag, P., Ulrich, H., Merkle, P., Bockler, R., Peter, M.,
and Herfarth, ch. (1982) : Are nitrite and
N-nitroso compounds in gastric juice risk
factors for carcinoma in the operated stomach.
Lancet 1 : 727.
- Schonleben K., Langhans P., Schlake W. et al (1979) :
gastric stump carcinoma. carcinogenic factors and
possible preventive measures. *Hepatogastro-*
enterology, 26 : 239 - 247.
- Schrock TR and Way LW (1978) :
Total gastrectomy. *Am J. Surg.*, 135 : 348.
- Schrumph E, Stodaas J, Myren J (1977) :
Mucosal changes in the gastric stump 20-25
years after partial gasterctomy. *Lancet*, 11: P.
467.
- Scott HW, Adkins RB, Sawyers JL (1985) :
Results of an aggressive surgical approach to
gastric cancer during a 23 year period. *Surgery*
97 : 57.
- Secco-GB; fardelli-R; Campora-E; Rovida-S; Beatini-M;
Larghero-G; Testa-T; Prior-C (1992) : Istituto
di patologia speciale Chirurgica,
Universitadegli studi di Genova, Italy
Int-Surg. Oct-Dec; 77 (4) : 242-7.
- Serlin O, Keehn R, Higgins G, Harrower H, Mendeloff
G, (1977) : Factors related to survival
following resection for gastric carcinoma:

Analysis of 903 cases. Cancer 1977; 40:
1318-11329.

- Serrano Sanchez PA.; Martinez-Pineiro carames M et al (1989)
Treatment of gastric cancer. Rev. Esp. Enfer,
Apar. Dig, vol. 76, no 1 P. 82-9, 1989. Shahon
D.B., Harowitz S., and Kelly W.D. (1956): cancer
of the stomach. An analysis of 1152 cases.
Surgery, 39 : 204.
- Shiu M, Papachristou D, Kosloff C, Eliopoulos G. (1980):
Selection of operative procedure for
adenocarcinoma of the midstomach. Ann Surg
192: 730-737.
- Siewert JR, Bottcher K, Bollschweiler E (1992) :
TNM- Klassifikation beim Magenkarzinom- das
problem der T2- tumoren. Dtsch. Med. Wschr.
116: 473-475.
- Siewert JR, Fink U (1992) :
Multimodale Therapieprinzipien bei Tumoren des
Gastrointestinaltrakts. Chirurg 63: 242-250.
- Silverberg E. (1984) :
Cancer statistics. , 1984. Cancer, 34 : 7.
- Smith-JW; Shiu-MH; Kelsey-L; Brennan-MF (1991) :
Morbidity of radical lymphadenectomy in the
curative resection of gastric carcinoma :
Department of surgery sloan-kettering cancer
center, New York, Ny 10021. Arch-Surg. Dec;
126 (12) : 1469 - 73.
- Sunderland D. (1967) :
The lymphatic spread of gastric cancer. In:
McNeer G, Pack G, eds Neoplasms of the
stomach. Philadelphia: JB Lippincott,
408-420.
- Stadelmann O, E Isieric, Stolte, M (1971) :
The peptic gastric ulcer. Histographic and
functional investigations.
Scand. J Gastroenterology, 6: P. 613.
- Stalsberg H, Takasi S, (1971) :
Stomach cancer following gastric surgery for
benign conditions. Lancet, 11: P. 22..
- Staszewski J. (1972) :
Migrant studies in alimentary tract cancer.
Recent results cancer Res. 39 : 85-97.

- Stemmerman GN, Samloff IM, Nomura A, (1980) :
Serum pepsinogen I and gastrin in relation to extent and location of intestinal metaplasia in the surgically resected stomach. *Digestive diseases*, 25: P. 680.
- Stemmermann G.N., Samloff I.M., Nomura A. and Walsh J. (1980) : Serum pepsinogen I and gastrin in relation to extent and location of intestinal metaplasia in the surgically resected stomach. *Dib. Dis Sci.*, 25 : 680.
- Stockburger RW, Mennon GG, et al (1982) :
Endoscopic screening in patients with pernicious anaemia, in cotton P. (ed.) : *Early gastric cancer*. welyne garden city, YK : Smith, Kline and French Laboratories, P. 59-63.
- Stocks, P., and Davies, R. T, (1981) :
Zinc and copper content of solils associated with the incidence of cancer of the stomach and other organs. *Br. J. Cancer*, 13 : 14.
- Stone R., Tangel DM, Gordon HE and Wilson SE (1977) :
Carcinoma of the gastroesophageal junction. A 10-year experience with oesophagogastrectomy. *Am. J. Surg.*, 134 : 70.
- Stout A.P. (1953) :
Tumours of the stomach. Atlas of tumour pathology. Section VI, Fascicle 21. Washington, D.C. Armed Forces institute of pathology.
- Strickland. RG, M akay IRA (1973) :
Reappraisal of the nature and significance of chronic atrophic gastritis. *Am. J. Digestive disease*, 18: P. 426.
- Suga S., Tsunekawa H.; Washino M. (1977) :
Treatment of gastric cancer, with special reference to the survivals of the cancer patients treated with multiple combination of MFC therapy or immunochemo therapy of MFC. *Gastroenterol. Jpn.* 12 : 20,
- Sutton D (1987) :
Radiology of the stomach. In *Radiology and Imaging (text)* 4 th, Edited Sutton D. published by churchill living stone, Edinburgh, London and New York.

- Suzuki H; Miho O; Watanabe Y; Kohyama M; Nagao F. (1989):
Endoscopic laser therapy in the cuative and
palliative treatment of upper gastrointestinal
cancer. World J. Surg. vol. 13, no. 2, P.
158-64.
- Tada M, Yanai H, Takemoto T (1984) :
New technique of gastric biobsy. Stomach and
Intestine 19: 1107. (In Japanese with English
abstract).
- Tada M, Karita M, Yanai H et al (1987) : Treatment of early
gastric cancer using striop biopsy, a new
technique for jumbo biopsy. In : Takemoto T,
Kawai K- (eds) : Recent topics od digestive
endoscopy. Excerpta Medica, Tokyo 137-142.
- Tada M, Karita M, Yanai H (1989) : Evaluation of endoscopic
strip biopsy therapeutically used for early
gastric cancer. Stomach and intestine 23 :
373-385. (In Japanese with English abstract).
- Takagi K. (1981) :
The incidence of early gastric cancer since the
advent of gastroscopy. In Felding JWL, Newman
CE, Ford CHJ and Jones BC (Edc.) : Gastric
cancer. Oxford, peramon press, P. 159- 169,
- Takahashi T., Hagiwara A., Ito T. (1984) :
Intaabdmina administration of mitomcin C
adsorbed on activated carbon for management of
of carcinomatous peritoritis. Jpn. J. Cancer
Chemother. II : 1550.
- Takami H, Umemoto S, Kodaira S, Ishibiki K, Abe O (1984) :
Antitumor effect of α -diffuoromethylornithine
(DFMO) and ornithine decarboxylase activity in
human tumor transplanted into nude mice. In :
Imahori K, Suzuki F, Suzuki O, Bachrach U eds
polyamines : Basic and apects. UNV Science
Press Urecht, PP 285-291.
- Takedal M, (1984) :
Gastric cytology recent developments in Koss
G, Coleman DY, (eds) Advances in clinical
cytogy. vol 2, New York masson publishing 1984
P. 49 Quoted from surgery of the stomach and
duodenum, by Nyhus, L.
- Takemura k., Hirayama R. (1986) :
Distribution of lymphocyte sobsets in gastric
cancer and its regional lymph nodes.

Jpn. J. Gastroenterol. Surg. 19 : 849.

- Takemoto T (1986) :
Laser therapy of early gastric carcinoma.
Endoscopy 18: 32-36.
- Takemoto T, Yanai H, Tada M et al. (1991) : Evaluation of
endoscopic resection of early gastric cancer-
a follow-up study of strip biopsy. Stomach and
Intestine 26 : 365-370.
- Takenaka S., Sera N. (1989) :
Tokiwa H.; Hirohato I.: Hirohat T.
Identification of Mutagens in Japanese pickles
JN : 0027-5107 Mutat Res, vol. 223, No. 1, P.
35-50.
- Takeshita K., Habu A. (1980) :
A long-term postoperative results of early
gastric cancer. Jpn Surg. 81 : 724.
- Todd RF, Garnick MB, Canellos GP (1982) :
Phase II trial of combination methyl- GAG and
vinblastine in the treatment of metastatic
renal adenocarcinoma. Cancer treat Rep 66.
- Tomasutoj. (1971) :
Gastric polyps : Histologic types and their
relationship to gastric carcinoma. Cancer 27 .
- Trichopoulos D, Ourais G, Day NE (1985) :
Diet and cancer of the stomach a case control
study in Greece. Int. J Cancer, 36: P. 291.
- Tsai CH, Akabane H, Nakamura K (1984) : A
clinicopathological study of endoscopic
treatment of gastric carcinoma by laser.
Stomach and intestine 19 : 873-883.
- Tsujino T, Yoshida K, Nakayama H, et al. (1990) :
Alterations of oncogenes in metastatic tumors
of human gastric carcinoma. Br. J. cancer 62 :
226-230.
- Turnbull A., Kussin S., Kurtz RC and Bains M.; Palliative
(1980) prosthetic intubation in gastric
cancer. J. Surg. Oncol. 15 : 37, 1980.
- UICC, (International union against cancer (1978) :
TNM classification of malignant tumours 3rd.
edition. Geneva.

- UICC, (International union against cancer 1986, 1982):
TNM. Atals illustraterd guide to the
classification of malignant tumours. Springer
Yerlag Berline. Quoted from recent Advances in
surgery 12 by R.C.G. Russell.
- Unakami, M., Hara M., Fukuchi S., akiyama H. (1989) :
cancer of the gastric cardia and the habit of
smoking. JN : INE (0001-6632) Acta pathol.
Japan vol. 39, No. 7, P. 420-4.
- Usha; SIngle Sd; Shukla HS; Sinh RG; Khanna S; Gupta RM
(1989): precancerous lesions of stomach, JN
GKK (0377-4929) India journal pathol.
Microbid, vol. 32, no. 2, P. 75-809.
- Watanabe H., Enjoji M., and Imai T. (1976) :
Gastric carcinoma with lymphoid stroma. It's
morphological characteristics and prognostic
correlations cancer, 38 : 232.
- Watt I, Stewart I, Anderson D, Anderson J R. (1989) :
Laparoscopy and computed tomogrda phy in cancer
of oesophagus and gstric cardia : a
prospective comarison for delecting
intraabdominal metastases. Br. j Surg. 76;
1036-9.
- Weh-Hj; Walter-TA; Garbrecht-M; Kremer-B; Henne-Bruns-D;
Crone-Muenzebrock-LS; Hossfeld-DK (1990) :
Treatment of metastatic gastric carcinoma with
a modified famtx chemottherapy regimen.
Onkologia. Oct; 13 (5) 354-8.
- Weed T.E., Nuewssle W., and Ochsner A. (1981) :
carcinoma of the stomach. Why are we failing
to improve survival? Ann. Surg. 193 : 407.
- Welch CE (1981) :
Invalid commentary. World J. surg., 5 : 297,
- Winawer S.J., Melamed M., Sherlock P. (1976) :
Potential of endoscopy, biopsy and cytology in
the diagnosis and management of patients with
cancer. Clin- gastroenterol. 5 : 575.
- Yamada E., Miyashi S., Nakazato H., Kasto K., Kito T.,
Takagi H., Morimoto T and Yamauchi M (1980) :
The surgical treatment of cancer stomach. Int.
Surg., 65 : 387.

- Yasuda K., Nakajima M., Hawaik. (1986) :
EUS in the diagnosis of submucosal tumour of
upper GIT. Scand. J. Gastroenteral, 21 : 59,
- Yasui W, Sumiyashi H, Hata J, et al.,(1988) :
Expression of epidermal growth factor receptor
in human gastric and colonic carcinomas.
Cancer Res 48: 137-141.
- Yonemura-Y; Sawa-T; Kinoshita-K; Matsuki-N (1993) :
Neoadjuvant chemotherapy for high grade
advanced gastric cancer. World J Surg.
Mar-Apr; 17 (2) : 256-61.
- Yin ZZ. (1989) :
Value of immunohistochemical investigation of
anti-GST-pi antibody in the early diagnosis of
gastric carcinomaad precancerous lesion. JN
EBH, vol. 11, no 2, P. 114-6.
- Zinninger M.(1954) :
Extension of gastric cancer in the interamural
lymphatics and its relation to gastrectomy Am
Surg 20: 920-927.