

REFERENCES

- Alain, J.L., Grousseau, D. and Terrier, G. (1991):
Extramucosal pylorotomy by laparoscopy.
J. Ped. Surg.; 26 (10) : 1191 .
- Armitage, G., and Rhund, J.A. (1951) :
The fate of the tumour in infantile
hypertrophic pyloric stenosis.
Br. J. Surg.; 39 : 39 .
- Atwell, J.D. and Levick, P. (1981) :
Congenital hypertrophic pyloric stenosis
and associated anomalies in the
genitourinary tract.
J. Ped. Surg.; 16 (6) : 1029 .
- Avery, G.B., Randolph, J.G. and Weaver, W. (1966) :
Gastric acidity in the first day of
life.
Pediatrics; 37 : 1005 .
- Ball, T.L., Atkinson, G.O. and Gay, B.B. (1983) :
Ultrasound diagnosis of hypertrophic
pyloric stenosis real-time application
and the demonstration of a new
sonographic sign.
Radiology; 147 : 499 .
- Batcup, G. and Spitz, L. (1979) :
A histopathological study of gastric
mucosal biopsies in infantile
hypertrophic pyloric stenosis.
J. Clin. Pathol.; 32 : 625 .

- Bebiak, D.M., Miller, E.R. and Husling, R.L.(1979) :
Distribution of PG forming cyclo-
oxygenase in the porcine stomach.
Fed.Proc.; 38: 884 Qouted from Henderson
et al., 1986.
- Belding, H.H. and Kernohan, J.W. (1953) :
A morphological study of the myenteric
plexus and musculature of the pylorus
with special reference to the changes in
the hypertrophic stenosis.
Surg. Gynecol. Obstet.; 97 : 322 .
- Bell, M.J. (1963) :
Infantile pyloric stenosis : experience
with 305 cases at Louisville children's
hospital.
Surgery; 64 (5) : 983 .
- Bennett, A. and Posner, J. (1971) :
Studies on prostaglandin antagonists.
Br. J. Pharmacol.; 42 : 584.
- Benson, C.D. (1970) :
Infantile pyloric stenosis. Historical
aspects and current surgical concepts.
Prog. Paediatr. Surg.; 1 : 63 .
- Benson, C.D. (1986) :
Infantile hypertrophic pyloric stenosis.
In : Pediatric Surgery .
ed. Benson, C.D., welch, K.J. and
Synder, J.W., P 811 .
Year Book Medical Publisher, INC,
Chigaco .
- Blumhagen, J.D. and Coombs, J.B. (1981) :
Ultrasound in the diagnosis of
hypertrophic pyloric stenosis.
J. Clin. Ultrasound; 9 : 289 .

- Blumhagen, J.D. and Noble, H.G.S. (1983) :
Muscle thickness in hypertrophic pyloric
stenosis : sonographic determination.
AJR; 140 : 221 .
- Blumhagen, J.D. (1986) :
The role of ultrasonography in the
evaluation of vomiting in infants.
Pediatr. Radiol.; 16 : 267 .
- Bourchier, D., Dawson, K.P. and Kennedy, J.C. (1985) :
Pyloric stenosis : a postoperative
ultrasonic study.
Aust. Pediatr. J.; 21 : 189 . Quoted
from Haller and Cohen, 1986 .
- Bristol, J.B. and Bolton, R.A. (1981) :
The results of Ramstedt's operation in a
district general hospital.
Br. J. Surg.; 68 : 590 .
- Burghard, F.F. (1907) :
Contribution to a meeting of the
clinical society of London :
Br. Med. J.; 1 : 627. Quoted from
Spicer, 1982.
- Carter, C.O. and Evans, K.A. (1969) :
Inheritance of congenital pyloric
stenosis.
J. Med. Genet.; 6 : 233.
- Carver, R.A., Okorie, M., Steiner, G.M. and Dickson,
J.A.S. (1987) :
Infantile hypertrophic pyloric
stenosis : diagnosis from the pyloric
muscle index.
Clin. Radiol.; 38 : 625 .

- Chimenes, H., Gauter, D., Bon, R. and Formantin, M. (1980) :
Abnormalities of glucose tolerance as a late consequence of hypertrophic pyloric stenosis surgically treated in neonates. Diabetologia; 18 : 513 .
- Collicott, P.E., Chappell, J.S. and Bill, A.H. (1973) :
Allergy and infantile pyloric stenosis. Pediatrics; 49 : 768 .
- Coran, A.G. and Bernstine, R.L. (1971) :
The secretory function of the stomach in the canine fetus : the use of an experimental model to test the response to gastric stimulants. J.Pediatr. Surg.; 6 : 324 .
- Craig, W.S. (1955) :
Palpable contractile pyloric tumours in the newly born. Arch. Dis. Child.; 30 : 484 .
- Debas, H.T., Kenturek, S.J., Walshe, J.H. and Grossman, M.I. (1974) :
Proof of pyloro-oxynitic reflex for stimulation of acid secretion. Gastroenterology; 66 : 526 .
- Decker, G.A.G., Plessis, D.J. and Myburgh, J.A. (1986):
The stomach . In :
Lee MC Gregor's Synopsis of Surgical Anatomy.
ed. Decker, G.A.G., Plessis, D.J., and Myburgh, J.A.
12 th ed. P 10.
Wright, Bristol.

Dent, C.T. (1904) :

On congenital hypertrophic stenosis of the pylorus.

Br. J. Child. Dis.; 1 : 16. Quoted from Spicer, 1982.

Dodge, J.A. (1970) :

Production of duodenal ulcers and hypertrophic pyloric stenosis by administration of pentagastrin to pregnant and newborn dogs.

Nature; 225 : 284.

Dodge, J.A. (1975) :

Infantile hypertrophic pyloric stenosis in Belfast 1957 - 1969.

Arch. Dis. Child.; 50 : 171.

Drake, D. (1988) :

Infantile hypertrophic pyloric stenosis. Postgraduate doctor; 11 : 386.

Dryburgh, J.R. and Brown, J.C. (1975) :

Radioimmunoassay for motilin.

Gastroenterology; 68 : 1169.

Ebers, D.W., Smith, D.I. and Gordon, E.G. (1956) :

Gastric acidity on the first day of life.

Pediatrics; 18 : 800.

Eckenfels, A. and Vane, J.R. (1972) :

Prostaglandins, Oxygen tension and smooth muscle tone.

Br. J. Pharmacol.; 45 : 451.

Eppenberger, M.E., Eppenberger, H.M. and Kaplan, N.O.
(1967) :
Evolution of creatine kinase.
Nature; 214 : 239.

Franken, E.A. and Saldino, R.M. (1969) :
Hypertrophic pyloric stenosis
complicating oesophageal atresia with
traceoesophageal fistula.
Am. J. Surg.; 117 : 647.

Freund, H., Berlatzky, Y. and Katznelson, R. (1976) :
Diagnosis of pyloric stenosis.
Lancet; 2 : 473.

Friesen, S.R., Boley, J.O. and Miller, D.R. (1956):
The myenteric plexus of the pylorus :
its early normal development and its
changes in hypertrophic pyloric
stenosis. Surgery ; 31 : 1.

Friesen, S.R. and Pearse, A.G.E. (1963) :
Pathogenesis of congenital pyloric
stenosis : histochemical analysis of
pyloric ganglion cells.
Surgery; 53 : 5.

Ganong, W.F. (1989) :
Regulation of gastrointestinal function.
In : Review of Medical Physiology.
ed. Ganong, W.F.
14 th ed. P. 408.
Lange Medical Book, London, Sydney,
Toronto.

Gellis, S.S. (1991) :
Ancient technique of olive detection.
Pediatrics; 88 (3) : 655.

Gerrard, J.W., Waterhouse, J.A.H. and Maurice, D. G.
(1955) :
Infantile pyloric stenosis.
Arch. Dis. Child.; 30 : 493.

Gobbel, W.G. and Adkins, R.B. (1967) :
Production of duodenal ulcers by
exogenous gastrin. An experimental
model.
Am. J. Surg.; 52 : 959.

Graif, M., Itzchak, Y. and Avigad, I. (1984) :
The pylorus in infancy : overall
sonographic assessment.
Pediatr. Radiol.; 14 : 17.

Gray, D.W., Gear, M.W. and Stephens, D.W. (1984) :
The results of Ramstedt's operation room
for complacency?
Annals Royal College of Surgeons of
Engl.; 66 : 280 .

Grochowski, J., Szafran, H. and Sztefko, K.(1980):
Blood serum immunoreactive gastrin level
in infants with hypertrophic pyloric
stenosis.
J. Pediatr. Surg.; 15 : 279.

Guyton, A.C. (1986) :
Movement of food through the alimentary
tract and secretory functions of the
alimentary tract. In :
Textbook of Medical Physiology.
ed. Guyton, A.C.
7 th ed. P 486.
W.P. Saunders Company, Philadelphia
London Toronto.

Gyll, C. (1984) :

Horizontal versus vertical, or lying
down is better.

Br. J. Radiol.; 57 : 191.

Haller, J.O. and Cohen, H.L. (1986) :

Hypertrophic pyloric stenosis :
diagnosis using US.

Radiology; 161 : 335.

Hayden, C.K., Boulden, T.F. and Swischuk, L.E. (1984) :

Sonographic demonstration of duodenal
obstruction with midgut volvulus.

AJR; 143 : 9.

Heinishe, H.N. (1967):

Die sog : Pylorishypertrophic in
Tierversuch.

Klin Wochenschr; 45 : 1251. Quoted from
Spitz, 1990.

Henderson, J.L., Mason Brown, J.J. and Taylor, W.C.
(1952) :

Clinical observations on pyloric
stenosis in premature infants.

Arch. Dis. Child.; 27 : 173.

Henderson, B.M., Schubert, W.K., Aug, G. and Martin,
L.W. (1986) :

Hypoglycemia with hepatic glycogen
depletion. A postoperative complication
of pyloric stenosis.

J. Ped. Surg.; 3 : 309.

Herweg, J.C., Middelkamp, J.N and Thornton, H.K. (1962):

A search into the aetiology of hyper-
trophic pyloric stenosis.

J. Pediatr.; 61 : 309.

- High, D.W., Benson, C.D., Philpart, A.I. and Hertzler, J.H. (1981) :
Management of mucosal perforation during pyloromyotomy for infantile pyloric stenosis.
Br. J. Surg.; 90 : 85.
- Hopner, F. and Fendel, H. (1977) :
Long term follow up after pyloromyotomy.
Prog. Ped. Surg.; 10 : 45.
- Jacoby, N.M. (1962) :
Pyloric stenosis : selective medical and surgical treatment.
Lancet; 1 : 119.
- Janik, J.S., Akbar, A.M. and Burrington, J.D. (1978) :
The role of gastrin in congenital hypertrophic pyloric stenosis.
J. Pediatr. Surg.; 13 : 151.
- Jansson, G. (1969) :
Extrinsic nervous control of gastric motility : an experimental study in the cat.
Acta Physiol. Scand.; 326 : 1.
- Joseph, S.J., Nagaraj, H.S. and Lehocky, R. (1982) :
Pyloric stenosis in identical triplets.
Pediatrics; 70 : 282.
- Kay (1988) :
The Stomach. In :
Jamieson and kay's, Textbook of Surgical Physiology.
ed. Ledingham, I. MCA. and Mac Kay, C.
4 th ed. P 271.
Churchil Livingstone, Edinburgh London
Melbourne and New York.

- Keller, H., Waldman, D. and Greiner, P. (1987) :
Comparison of preoperative sonography
with intraoperative findings in
congenital hypertrophic pyloric
stenosis.
J. Pediatr. Surg.; 22 : 950.
- Kelsey, D., Stayman, J.W. and Mc Laughlin, E.D. (1968):
Massive bleeding in a newborn infant
from a gastric ulcer associated with
hypertrophic pyloric stenosis.
Surgery; 64 : 979.
- Keynes, W.M. (1965) :
Simple and complicated hypertrophic
pyloric stenosis in adult.
Gut; 6 - 240.
- Khamapirad, T. and Athey, P.A. (1983) :
Ultrasound diagnosis of hypertrophic
pyloric stenosis.
J. Pediatrics; 102 : 23.
- Klein, A. and Cremin, B.J. (1970) :
Racial significance in pyloric stenosis.
S. Af. Med. J. Quoted from Spicer,
1982.
- Klein, P.S., Forbes, G.B. and Nader, P.R. (1975) :
Effects of starvation in infantile
pyloric stenosis on subsequent learning
abilities.
J. Pediatrics; 87 : 8.
- Kowalewski, K., Bondar, G.F and Urushibara, O. (1967) :
A method of producing pyloric stenosis
in dogs.
Can. J. Surg. Quoted from Spicer,
1982.

Laferla, G., Wartson, J., Fyfe, A.H.B. and Drainer, I.K. (1986) :

The role of prostaglandins E_2 and F_2 in infantile hypertrophic pyloric stenosis. J. Ped. Surg.; 21 (5) : 410.

Leahy, A. and Fitzgerald, R.J. (1982) :

The influence of delayed feeding on postoperative vomiting in hypertrophic pyloric stenosis.

Br. J. Surg.; 29 : 658.

Loh, J.P. (1977) :

Dominantly inherited polycystic kidneys in infants: association with hypertrophic pyloric stenosis.

Pediatr. Radiol.; 6 : 27.

Loutfi, A.H., El-Barbary, M. and Gilane, A.H. (1980)A :

Congenital hypertrophic pyloric stenosis practical consideration.

Gaz. Egypt, Ped. Ass., ; 28 : 71.

Loutfi, A.H., kamel, I., El-Barbary, M., El-Sherif, E. and Gilane, A.H. (1980)B :

Congenital hypertrophic pyloric stenosis. A histopathological study.

Gaz. Egypt Ped. Ass. ; 28 : 75.

Lynn, H.B. (1960) :

The mechanism of pyloric stenosis and its relationship to pre-operative preparation.

Arch. Surg.; 81: 453.

- Marshak, R.H., Lindner, A.E. and Maklansky, D. (1983) :
Radiology of the stomach in infants and
children: Hypertrophic pyloric stenosis.
In : Radiology of the Stomach.
ed. Marshak, R.H., Lindner, A.E. and
Maklansky, D.
2nd ed. p 613.
W.B. Saunders Company Philadelphia
London Toronto Mexico city. Rio de
Janeiro Sydney Tokyo.
- MC Keown, T., Mac Mahon, B. and Record, R.G. (1952) :
Evidence of postnatal environmental
influence in the aetiology of infantile
pyloric stenosis.
Arch. Dis. Child., 27 : 386.
- MC Minn, R.M.H. (1990) :
Gastrointestinal tract. In :
Last's Anatomy.
ed. MC Minn, R.M.H.
8th ed. P 334.
Churchill Livingstone, Edinburgh London
Melbourne and New York.
- Mellin, G.W. and Santulli, T. (1965) :
Congenital pyloric stenosis: a
controlled examination of medical
treatment utilizing methylscopolamine.
J. Ped.; 66 : 649.
- Metrakos, J.D. (1953) :
Congenital hypertrophic pyloric stenosis
in twins,
Arch. Dis. Child.; 28 : 351.
- Meyer, J.H., Way, L.W. and Grossman, M.I. (1970) :
Pancreatic bicarbonate response to
various acids in the duodenum of the
dog.
Am. J. Physiol.; 219 : 964.

- Moazam, F., Rodgers, B.M. and Talbert, J.L. (1978) :
Fasting and postprandial serum gastrin
levels in infants with hypertrophic
pyloric stenosis.
Ann. Surg.; 188 : 623.
- Morley, J.S., Tracy, H.J. and Gregory, R.A. (1965) :
Infantile pyloric stenosis.
Nature; 207 : 1356.
- Morris, T. and Tracey, J. (1977):
Lignocaine: its effect on wound healing.
Br. J. Surg.; 64 : 902.
- Morson, B.C., Dawson, I.M.P. and Spriggs, A.I. (1979) :
Congenital hypertrophic pyloric
stenosis. In :
Gastrointestinal Pathology,
ed. Morson, B.C., Dawson, I.M.P. and
Spriggs, A.I.
2 nd ed. P 78.
Blackwell Scientific Publications Oxford
London Edinburgh Melbourne.
- Mountcastle, V.B. (1980) :
The secretory function of the alimentary
canal and the motility of the alimentary
canal. In :
Medical Physiology.
ed. Mountcastle, V.B.
14 th ed. P 1292.
The C.V. Mosby Company, Toronto, London.
- Mulhausen, R.D. and Blumentals, A.S. (1965) :
Metabolic alkalosis.
Arch. Intern. Med.; 116 : 729.

Nelson, W.E., Behrman, R.E., Kliegman, R.M. and Vaughan III, V.C. (1992) :
Stomach and intestine. In :
Nelson Textbook of Pediatrics.
ed. Nelson, W.E., Behrman, R.E.,
Kliegman, R.M. and Vaughan III, V.C.
14th ed. P 947.
W.B. Saunders Company Philadelphia
London Toronto Montreal Sydney Tokyo.

Nixon, H. and O'Donnell, B. (1992) :
Infantile hypertrophic pyloric stenosis.
In: the Essentials of Pediatric Surgery.
ed. Nixon, H. and O'Donnell, B.
4th ed. P70.
Butterworth Heinemann.

Okamoto, E., Iwasaki, T. and Kakutani, T. (1967):
Selective destruction of the myenteric
plexus : its relation to Hirschsprung's
disease, achalasia of the oesophagus and
hypertrophic pyloric stenosis.
J. Pediatr. Surg.; 2 : 444.

Okorie, M., Dickson, J.A.S., Carver, R.A. and Steiner,
G.M. (1988) :
What happens to the pylorus after
pyloromyotomy.
Arch. Dis. Child.; 63 : 1339.

Peter, G., Fitzgerald, R.J. and Cameron, S. (1990) :
Umbilical fold incision for
pyloromyotomy.
J. Ped. Surg.; 25 (11) : 1117.

Polacek, M.A. and Ellison, E.J. (1966) :
Gastric acid secretion and parietal cell
mass in the stomach of a new born
infant.
Am. J. Surg.; 3 : 777.

- Pollock, W.F., Norris, W.J. and Gordon, H.E. (1957) :
The management of hypertrophic pyloric
stenosis at the Los Angelis children's
hospital.
Am. J. Surg.; 94 : 335.
- Pollock, W.F. and Norris, W.J. (1957) :
Dr. Conrad Ramstedt and pyloromyotomy.
Surgery; 42 : 966.
- Prosser, R. (1965) :
Infantile hypertrophic pyloric stenosis.
Surgery; 58 : 881.
- Quinby, W.C., (1966) :
Complete pyloromyotomy without duodenal
perforation.
Surgery ; 59 : 627.
- Raffensperger, J.G. (1980) :
Pyloric stenosis. In :
Swenson's Pediatric Surgery.
ed. Raffensperger, J.G.
4 th ed. P 181.
Appleton - Century - Crofts/New York.
- Randolph, J.G. (1966) :
The evolution of an ideal surgical
incision for pyloric stenosis.
Arch. Surg.; 93 : 849.
- Rasmussen, L., Hansen, L.P. and Pedresen, S.A. (1987) :
Infantile hypertrophic pyloric
stenosis : the changing trend in
treatment in a Danish County.
J. Ped. Surg.; 22 : 953.

- Ratcliffe, J.F. (1984) :
The use of laxaglate in the paediatric gastrointestinal tract : a report of 25 cases.
Clin. Radiol.; 34 : 579.
- Ravitch, M.M. (1960) :
The story of pyloric stenosis.
Surgery; 48 : 1117.
- Reyna, T.M., Otero, C. and Weir, M.R. (1987) :
Epidemiological survey of years' federal health service experience of pyloric stenosis.
Clinical Pediatrics; 26 : 412.
- Riggs, W.J. and Long, L. (1971) :
The value of the plain film roentgenogram in pyloric stenosis.
AJR; 112 : 77.
- Rogers, I.M., Drainer, I.K., Moore, M.R. and Buchanan, K.D. (1975) :
Plasma gastrin in congenital hypertrophic pyloric stenosis. A hypothesis disproved ?
Arch. Dis. Child.; 50 : 467.
- Rogers, I.M., Drainer, I.K., Dougal, A.J., Black, J. and Logan, R. (1979) :
Serum cholecystokinin, basal acid secretion, and infantile pyloric stenosis.
Arch. Dis. child.; 54 : 773.
- Sauerbrei, E.E. and Paloschi, G.G.B. (1983) :
The ultrasonic features of hypertrophic pyloric stenosis, with emphasis on the postoperative appearance.
Radiology; 147 : 503.

- Scharli, A.F. and Leditschke, J.F. (1968) :
Gastric motility after pyloromyotomy in
infants a reappraisal of postoperative
feeding.
Surgery; 64 : 1133.
- Scharli, A., Sieber, W.K. and Kiesewetter, W.B. (1969):
Hypertrophic pyloric stenosis at the
children's hospital of Pittsburgh from
1912 to 1967.
J. Pediatr. Surg.; 4 : 108.
- Schuster, M.M. and Smith, V.M. (1970) :
The pyloric "cervix sign" in adult
hypertrophic pyloric stenosis.
Gastrointestinal Endosc.; 16 : 210.
- Senquiz, A.L. (1991) :
Use of decubitus position for finding
the "olive" of pyloric stenosis.
Pediatrics; 87 : 266.
- Shim, W., Campbell, A. and Wright, S. (1970) :
Pyloric stenosis in the racial groups of
Hawaii.
J. Pediatr.; 78 : 89.
- Shuman, F.I., Darling, D.B. and Fisher, J.H. (1967) :
The radiographic diagnosis of congenital
hypertrophic pyloric stenosis.
J. Pediatrics; 71 : 70.
- Smith, C.P.W., Williams, P.L. and Treadgold, S. (1987):
Embryology of the gut. In :
Basic Human Embryology.
ed. Smith, C.P.W., Williams, P.L. and
Treadgold, S.
3rd ed. P 86.
English Language Book Society/Churchill
Livingstone.

- Speidel, B. (1978) :
Adverse effects of routine procedures in
preterm infants.
Lancet; 1 : 664.
- Spicer, R.D. (1982) :
Infantile hypertrophic pyloric stenosis:
a review.
Br. J. Surg.; 69 : 128.
- Spicer, R.D. (1991) :
Infantile hypertrophic pyloric stenosis.
Surgery Middle Eastern Edition ; 14 :
2239.
- Spitz, L. (1974) :
Congenital hypertrophic pyloric stenosis
in triplets.
Arch. Dis. Child.; 49 : 325.
- Spitz, L. (1979) :
Vomiting after pyloromyotomy for
infantile hypertrophic pyloric stenosis.
Arch. Dis. Child.; 54 : 886.
- Spitz, L. (1990) :
Infantile pyloric stenosis and mucosal
diaphragm. In :
Maingot's Abdominal Operations
ed. Schwartz, S.I., Ellis, H. and
Husser, W.C.
9 th ed. P 567
Prentice - Hall International Inc.

Starer, F. (1987) :

The gastrointestinal tract. In:
A Textbook of Radiology and Imaging
ed. Sutton, D.
4th ed. P 1057.
Churchill Livingstone
Edinburgh London Melbourne and New York.

Stevenson, R.J. (1985) :

Hypertrophic pyloric stenosis.
Surg. Clin. North. Am.; 65 : 1223.

Strauss, S., Itzchak, Y., Manor, A., Heyman, Z. and
Graif, M. (1981) :

Sonography of hypertrophic pyloric
stenosis.
AJR; 136 : 1057.

Stunden, R.J., Lequesne, G.W. and Ket, L. (1986) :

The improved ultrasound diagnosis of
hypertrophic pyloric stenosis.
Pediatr. Radiol.; 16 : 200.

Tan, K.C. and Bianchi, A. (1986):

Circumbilical incision for pyloromyotomy.
Br.J.Surg.; 73 : 399.

Tanner, M.S., Smith, B. and Lloyd, J.K. (1976):

Functional intestinal obstruction due to
deficiency of argyrophil neurones in the
myenteric plexus.
Arch. Dis. Child.; 51 : 837.

Taylor, S. (1959) :

Pyloric stenosis before and after
Ramstedt.
Arch. Dis. Child.; 34 : 20.

Teele, R.L. and Smith, E.H. (1977) :
Ultrasound in the diagnosis of
idiopathic hypertrophic pyloric
stenosis.
N. Engl. J. Med.; 296 : 1149. Quoted
from Haller and Cohen, 1986.

Van der Horst, R., Frankel, J. and Grace, J. (1971):
Congenital hypertrophic pyloric stenosis
in phenotypic female twins with X/XX
mosaicism.
Arch. Dis. Child.; 46 : 554.

Von Berger, L., Henrichs, I. and Rapits, S. (1976):
Gastrin concentration in plasma of the
neonates at birth and after the first
feeding.
Pediatrics; 58 : 264.

Wangel, A.G. and Callender, S.T. (1968) :
Hypertrophic pyloric stenosis.
Gut; 9 : 249.

Werlin, S.L., Grand, R.J. and Drum, D.E. (1978):
Congenital hypertrophic pyloric
stenosis: the role of gastrin re-
evaluated.
Pediatrics; 61 : 883.

Westra, S.J., Groot, C.J., Smits, N.J. and Stoelman,
C.R. (1989) :
Hypertrophic pyloric stenosis : use of
pyloric volume measurement in early US
diagnosis.
Radiology; 172 : 615.

Williams, P.L., Warwick, R., Dyson, M. and Banister, L.H. (1989) :
Splanchnology : Abdominal viscera. In :
Gray's Anatomy
ed. Williams, P.L., Warwick, R., Dyson, M. and Banister, L.H.
37 th ed. P 1347.
Churchill Livingstone, Edinburgh London
Melbourne and New York.

Wilson, D.A. and Vanhoutte, J.J. (1984) :
The reliable sonographic diagnosis of
hypertrophic pyloric stenosis.
J. Clin. Ultrasound; 12 : 201.

Woodburne, R.T. (1983) :
The abdomen : The stomach . In :
Essentials of Human Anatomy.
ed. woodburne, R.T.
7 th ed. P 400.
Oxford University press, New York
Oxford.

Wooley, M.M., Felsher, B.F. and Asch, J. (1974) :
Jaundice, hypertrophic pyloric stenosis
and hepatic glucoronyl transferase.
J. Ped. Surg.; 9 : 359.

Yamashiro, Y., Mayama, H., Yamamoto, K, Sato, M.
and Nawate, G. (1981) :
Consumptive management of infantile
pyloric stenosis by nasoduodenal
feeding.
Eur. J. Ped.; 136 : 187.

Zeidan, B., Wyatt, J., Mackersie, A. and Brereton, J.R. (1988) :
Recent results of treatment of infantile
hypertrophic pyloric stenosis.
Arch. Dis. Child.; 6 : 1060.