

REFERENCES

- 1- Allexander-Williams, J. and Haynes, I.G. (1985):
Conservative operations for Crohn's disease of the small
intestine. World J. Surg. 9:945.
- 2- Banský, G.(1991) : Inflammatory bowel diseases!
conervative therapy. Ther-Umsch. Jul; 48(7) : 464-70.
Abstract.
- 3- Barton, J.R., Gillon, S. and Ferguson, A. (1989):
Incidence of inflammatory bowel disease in Scottish
children between 1963 and 1983; Marginal fall in
ulcerative colitis, three fold rise in Crohn's disease.
Gut; 30 :618-22.
- 4- Becker, J.M. and Moody, F.G. (1991) : Ulcerative
colitis in Sabiston, D.C. textbook of surgery. W.B.
Saunders's Company. Philadelphia, 14th edition pp 927-940.
- 5- Beeken, W. (1973): Absorptive defects in young people
with regional enteritis. Pediatrics; 52 : 60-74.
- 6- Berry, A.R., De Campos, R.and Lee, E.C.G. (1986) :

Prineal and pelvic morbidity following perimuscular excision of the rectum for inflammatory bowel disease. Br. J. Surg. 73 : 675-677.

- 7- Brandtzaeg, P., Baklien, K., Fausa, O. and Hoel, P.S. (1974) : Immunohistochemical characterization of local immunoglobuline formation in ulcerative colitis . Gastroenterology, 66:1123
- 8- Caprilli, R., Vernia, P., Catella, G., et al (1987) : Early recognition of toxic megacolon. J. Clin. Gastroenterol, 9:160
- 9- de Dombal, F.T., Watts, J., Watkinson, G. and Golligher, J.C. (1966): Local complications of ulcerative colitis; stricture, pseudopolyposis and carcinoma of the colon and rectum. Br. Med,J., 1 : 1142. Quoted by sabiston, D.C. textbook of surgery (1981) W.B. Saunders Company. Philadelphia 12 th edition.pp 1004-1108.
- 10- Dehn, T.C.B., Kettelewell, M.G.W and Mortensen, N.J.Mc

- C et al (1989): Ten years experience of stricturoplasty for obstructive Crohn's disease. Br.J. Surg., 76:339
- 11- de Silva, H.J., Ketelewell, M., Mortensen, N.J., Jewell, D.P. (1991); Acute inflammation in ileal pouches (pouchitis)- a mode to study ulcerative colitis Eur.J. Gastro. Hepatol (in press). Quoted by O'Kelly, T.J. and Mortensen, N.J. McC (1992) in recent advances in surgery. Churchill livingstone Edinburgh, London, 15 : 23-37.
- 12- Dozois, R.R., Goldberg, S.M., Rothenberger, D et al.(1986) :Symposium; restorative proctocolectomy with ileal reservoir. Int.J. Colorect. Dis 1:2 - 19.
- 13- Driscoll, R.H.Jr and Rosenberg, I.H. (1978) : Total parenteral nutrition in inflammatory bowel disease. Med. Clin. North. Am.62 : 185.
- 14- Drucker, W.R. and Wright, H.K. (1964): Physiology and pathiology of gastrointestinal fluids. Curr. Probl. Surh; May.
- 15- Dudley, H.A.F., Johnstone, J.M.S., Macleod, I.B. and

Rintoul, R.F. (1986) : Operations on the intestines in Farquharson's textbook of operative surgery. Churchill Livingstone, Medical division of Long man Group Limited, New York, 7th edition pp 417-479.

16- Duthie, H.L. and Gairns, F.W. (1960) : Sensory nerve endings and sensation in the anal region in man. Br J Surg. 47 : 585-595. Quoted by O'Kelly, T.J., and Mortensen, N.J.McC. (1992) in recent advances in surgery. Churchill Livingstone, Edinburgh, London, 15 : 23 : 37.

17- Editorail .(1982). Life with an ileostomy. Lancet ii :1079-1080.

18- Engle, G.L. (1955) : Studies of ulcerative colitis III. The nature of physiological process. Am.J. Med,19:231. Quoted by Sabiston, D.C.(1981) in Davis-Christopher textbook of surgery. W.B. Saunders Company. Philadelphia 12th edition pp 1004-1108.

19- Evans,C.M, Walker- Smith. J.A.(1989): Recording growth

and development in children with inflammatory bowel disease .Br. Med.J.,298:1312-13.

20- Farthing, M.J.G.,Campbell, C.A.,Walker-smith, J.A.,Edwards , C.R.W.,Rees, L.H. and Dawson, A.M. (1981): Nocturnal growth hormon and gonadotrophine secretion in growth retarded children with Crohn's disease Gut,22; 933-8.

21- Fazio , V.W.(1986) : Toxic megacolon. Natural history and management in Jagelman, D.G.(Ed):Mucosal ulcerative colitis.New York.Future publishing pp.159-175.

22- Fazio,V.W. (1990): The role of ileo-rectal anastomosis for ulcerative colitis in Allan, R.W., Keighley, M.R.B., Allexander- Williams,J. et al (eds). Inflammatory bowel disease. Churchill Livingstone, Edinburgh, P433.

23- Ferguson, A., Rifkind, E.A., Doig, C.M.(1986): Prevalence of inflammatory bowel disease in British children. Front. Gastrointestinal Res. 11:68-72.

- 24- Foker, J.E, Simmons, R.L and Najarian, J. (1981) :
Principles of immunosuppression in Davis-Christopher
textbook of surgery. W.B. Saunder's Company. Philadelphia.
12th edition pp 496-500.
- 25- Fonkalsrud, E.W., and Ament, M.E. (1978); Endorectal
mucosal resection without proctectomy as an adjunct to
abdominoperineal resection for non-malignant conditions.
Ann.Surg., 188:245.
- 26- Fonkalsurd, E.W.(1984) : Endorectal ileo-anal
anastomosis with isoperistaltic ileal reservoir after
colectomy and mucosal proctectomy. Ann.Surg; 199:151-157.
- 27- Goligher, J.C., de Dombal, F.T., and Barton, I.(1972)
: Crohn's disease with special refrence to surgical
management. Prog.Surg. 10:1.
- 28- Goligher, J.C. (1977) : Surgical aspect of ulcerative
colitis and Crohn's disease of the large bowel. Adv.Surg.,
11:71.

- 29- Goligher, J.C. (1979): The outcome of excisional operations for primary and recurrent Crohn's disease of the intestine. Surg.Gynecol. October. 148:1.
- 30- Goligher, J.C. (1980) : Ulcerative colitis in Goligher, J.C. (Ed). Surgery of the anus, Rectum and Colon. New York, Macmillan. pp 689-826.
- 31- Gyde, S.N., Prior, P., Thompson, H. et al (1984) : Survival of patients with colorectal cancer complicating ulcerative colitis. Gut, 25 : 228.
- 32- Hanauer, S.B. (1992) : Inflammatory bowel disease in Cecil textbook of medicine W.B. Saunders Company. Philadelphia, 19th edition pp 699-708.
- 33- Heald, R.J. and Allan, D.R. (1986) : Stapled ileo anal anastomosis; a technique to avoid mucosal proctectomy in ileal pouch operation. Br.J. Surg 73:371-572.
- 34- Hughes, L.E. (1978) : Surgical pathology and management of anorectal Crohn's disease. J.R.Soc.Med, 71:644.

- 29- Goligher, J.C. (1979): The outcome of excisional operations for primary and recurrent Crohn's disease of the intestine. Surg.Gynecol. October. 148:1.
- 30- Goligher, J.C. (1980) : Ulcerative colitis in Goligher, J.C. (Ed). Surgery of the anus, Rectum and Colon. New York, Macmillan. pp 689-826.
- 31- Gyde, S.N., Prior, P., Thompson, H. et al (1984) : Survival of patients with colorectal cancer complicating ulcerative colitis. Gut, 25 : 228.
- 32- Hanauer, S.B. (1992) : Inflammatory bowel disease in Cecil textbook of medicine W.B. Saunders Company. Philadelphia, 19th edition pp 699-708.
- 33- Heald, R.J. and Allan, D.R. (1986) : Stapled ileo anal anastomosis; a technique to avoid mucosal proctectomy in ileal pouch operation. Br.J. Surg 73:371-572.
- 34- Hughes, L.E. (1978) : Surgical pathology and management of anorectal Crohn's disease. J.R.Soc.Med, 71:644.

- 35- Hulten, L. and Svaninger, G. (1984): Facts about the continent ileostomy. Dis Colon. Rect; 27:553-557.
- 36- James, S.P. (1988): Cellular immune mechanisms in the pathogenesis of Crohn's disease, In Vivo. Jan-Feb ; 2(1); 1-7. Abstract.
- 37- Janowitz, H.D. and Sachar, D.B. (1976): New observations in Crohn's disease. Ann.Rev.Med; 27:269.
- 38- Jewell, D.P. (1988) : Medical management of severe ulcerative colitis. Int. J. colorectal Dis; 3:186-189.
- 39- Kanof, M., Lake, A. and Bayless, T. (1988): Decreased height velocity in children and adolescents before the diagnosis of Crohn's disease. Gastroenterology; 95 : 1523-7.
- 40- Kelly, K.A. and Wolff, B.G. (1991): Crohn's disease in Sabiston, D.C. textbook of surgery. W.B. Saunders's Company. Philadelphia 14th edition. pp 843-851.
- 41- Kern, F. (1980): Extraintestinal complications of

- Chronic ulcerative colitis and Crohn's disease of the colon in Kirsner, J.B. and Shorter, R.G. (Eds): inflammatory bowel disease. Philadelphia, Lea & Febiger pp 217-240.
- 42- Ketelewell, M.G.W. (1990): Proctocolectomy for ulcerative colitis in Allan, R.N., Keighley, M.R.B., Alexander-Williams, J. et al. Inflammatory bowel disease. Churchill Livingstone. Edinburgh. p 440.
- 43- King, D.W., Lubowski, D.Z. and Cook, T.A. (1989): Anal canal mucosa in restorative proctocolectomy for ulcerative colitis. Br.J.Surg.76 : 970-972.
- 44- Kirsner, J.B. (1991): Inflammatory bowel disease. Part 1 : Nature and pathogenesis. Dis-Mon, Oct, 37(10): 705-66. Abstract.
- 45- Kmiot, W.A. and Keighley, M.R.B. (1990): Surgical operations in ulcerative colitis : the role of ileo-anal anastomosis. In Allan R.N., Keighley, M.R.B., Alexander-

- williams, J. et al(eds). Inflammatory bowel disease.
Churchil Livingstone. Edinburgh. p 446.
- 46- Kock, N.G. (1971): Ileostomy without external
appliances; a survey of 25 patients provided with intra-
abdominal intestinal reservoir. Ann.Surg.173:545-550.
- 47- Kock, N.G. (1973): Continent ileostomy. Prog.Surg;12 :
180.
- 48- Kraft, S.C. and Kirsner, J.B. (1966): Present status
of immunological mechanisms in ulcerative colitis
Gastroenterology; 51:788.
- 49- Last, R.J. (1962): Aids to anatomy. Bailliere, Tindall
& Cassell. London. 12th edition pp.333-338.
- 50- Madden, M.V., Farthing, M.J.G. and Nicholls. R.J.
(1990): Inflammation in ileal reservoirs "pouchitis".
Gut;31 : 246-249.
- 51- Martine, L.W., Coultre, R.E.C. and Schubert, W.K.
(1977): Total colectomy and mucosal proctectomy with

preservation of continence in ulcerative colitis.

Ann.Surg; 186 : 477-480.

- 52- Mayer, L. and Janowitz, H. (1988): Extraintestinal manifestation of inflammatory bowel disease. In Kirsner, J.B. and Shorter, R.G. (eds). Inflammatory bowel disease. Philadelphia. Lea and Febiger. 299-317.
- 53- Mc Ilrath, D.C., van Heeden, J.A., Edis, A.J. et al (1976): Closure of abdominal incisions with subcutaneous catheters. Surgery; 80:411.
- 54- Miller, R., Bartol, D.C.C., Cervero, F. et al (1988): Anorectal sampling: a comparison of normal and incontinent patients. Br.J.Surg; 75:44-47.
- 55- Miura, S., Yoshioka, M., Tanaka, S., Serizawa, H., Tashiro, H., Asakura, H. and Tsuchiya, M. (1991): Fecal clearance of alpha -1 antitrypsine reflects disease activity and correlates with rapid turn over proteins in chronic inflammatory bowel disease. J. Gastroenterol.

- Hepatol, Jen-Feb; 6(1) : 49-52.
- 56- Montiero, E., Fossey, J., Shiner, J.M., Drasar, B and Allission.A.. (1971): Antibacterial antibodies in rectal and colonic mucosa in ulcerative colitis. Lancet 1:249
- 57- Moody, F.G (1981): Ulcerative colitis in Sabiston, D.C., Davis-Christopher textbook of surgery.W.B. Saunders Company, Philadelphia 12th edition.p. 1102.
- 58- Mortensen, N.J.McC.(1988): Progress with pouch restorative proctocolectomy for ulcerative coolitis. Gut;29:561-565.
- 59- Mortensen, N.J.McC. (1989): Emergency surgery for inflammatory bowel disease. Northerlands. J.Med 35-(S) 35-(S)39.
- 60- Motil,K.J., Grand. R.J. , Maletskos, C.J. and Young V.R.(1982): The effect of the disease, drug, and diet on whole body protin metabolism in adolescents with Crohn's disease and growth failure. J.Pediatric,; 101:345-51.

- 61- Naysmith, D.G., Johnston, D., Godwin, P.G.R. et al
(1986): Factors influencing bowel function after ileal
pouch-anal anastomosis .Br.J.Surg. 73:469-473.
- 62- Nicholls, R.J. and Lubowski, D.Z. (1987): Restorative
proctocolectomy. The four loop (W) reservoir. Br.J.Surg;
74:564-566.
- 63- Nicholls, R.J., Belliveau, P. Neill, M. et al (1981):
Restorative proctocolectomy with ileal reservoir : a
pathophysiological assessment. Gut;22:462-468.
- 64- Nicholls, R.J., Pescatori, M., Motson, R.W. et al
(1984): Restorative proctocolectomy with three loop ileal
reservoir for ulcerative colitis and familial adenomatous
polyposis. Ann.Surg.199: 383-388.
- 65- O'Connell, P.R. and Williams, N.S. (1991): Mucosectomy
in restorative proctocolectomy. Br.J.Surg; 78:129-130.
- 66- O'Connell, P.R., Rankin, D.R. and Weiland, L.H. (1986):
Enteric bacteriology, absorption. morphology , and

- emptying after ileal pouch anastomosis. Br.J.Surg.
;73:903-914.
- 67- O'Kelly, T.J. and Mortensen, N.J.McG. (1992):Surgical
management of ulcerative colitis in Jonson, C.D.and
Taylor, I.(eds). Recent advances in surgery. Churchill
Livingstone Medical division of Longman group .U.K.
Limited; 15:23-37.
- 68- Parks, A.G. and Nicholls, R.J. (1978): Proctocolectomy
without ileostomy for ulcerative colitis Br. Med.J. ii :
85-88.
- 69- Pennington,L., Hamilton, S.R.,Bayless, T.M. et al
(1980):Surgical management of Crohn's disease : influence
of the disease at margin of resection. Ann. Surg.;
192:311.
- 70- Pezim, M.E. and Nicholls, R.J. (1985) : Quality of
life after restorative proctovolectomy with pelvic ileal
reservoir .Br.J.Surg. ;72:31-33.

- 71- Powell, F.C. , Schroeter, A.L., Su, W.P.D. and Perry, H.O. (1985): Pyoderma gangrenosum: a review of 86 cases. Q.J.Med. ; 55:173-86.
- 72- Ravitch, M.M.(1948): Anal ileostomy with sphincter preservation in patients requiring total colectomy for benign conditions. Surgery 24:170-187. Quoted by O'Kelly T.J. and Mortensen, N.J.McG.(1992). Surgical management of ulcerative colitis in Jonson, C.D. and Taylor, I.(eds). Recent advances in surgery. Churchill Livingstone Medical division of longman group U.K. Limited; 15:23-37.
- 73- Roediger, W.E. (1991): A new hypothesis for etiology of Crohn's disease-evidence from liquid metabolism and intestinal tuberculosis. Postgrad. Med.J.Jul;67 (789) : 666-71.Abstract.
- 74- Sabiston, D.C. (1981): Davis-Christopher textbook of surgery. W.B.Saunders Company. Philadelphia 12th edition pp 1004-1104.

- 75- Sagar, P.M., Holdworth, P.J., King, R.F. et al (1990):
Single lumen ileum with myectomy : A possible alternative
to pelvic reservoir in restorative proctocolectomy.
Br.J.Surg.; 77:1030-1035.
- 76- Samuelsson, S.M., Ekbom, A., Zack, M., Helmick, C.G.,
Adami, H.O. (1991): Risk factors for extensive colitis and
ulcerative proctitis, a population based case-control
study. Gut . Dec; 32(12) pp 1526-30
- 77- Schoetz, D.J., Collier, J.A. and Viedenheimer, M.C.
(1983): Pyoderma gangrenosum and Crohn's disease. Eight
cases and a review of literature. Dis. Colon. Rectum.;
26:155-8.
- 78- Schwartz, S.I. (1988): Principles of surgery. Mc Graw-
Hill Information Services Company. New York 5th edition pp
1237-1260.
- 79- Scott, A.D. and Phillips, R.K.S. (1989) : Ileitis and
pouchitis after colectomy for ulcerative colitis.

Br.J.Surg.; 76:668-669.

- 80- Senju,M.,Wu-Kc, Mahida, Y.R. and Jewell. D.P. (1991):
Two-color immunofluorescence and flow cytometric analysis
of lamina propria lymphocyte subsets in ulcerative colitis
and Crohn's disease .Dig.Dis.Sci. October ; 36(10):1453-8.
- 81- Sheyte,J., Rubio, C.A. and Mellstedt,H. (1988):
Detection of dysplasia in ulcerative colitis by a
monoclonal antibody. In vivo, Non-Dec; 2(6) : 403-7.
- 82- Sinclair, T.S., Brunt, B.W. and Mowat, N.A.G. (1983):
Non-specific proctocolitis in Northern Scotland; A
community study. Gastro enterology : 85:1.
- 83- Snell, R.S. (1984): Clinical and functional histology
for medical students. Little, Brown (inc). 1st
edition.pp.444-456.
- 84- Szabo, V. and Feher, E.(1991) : Ultrastructural
changes in the nerve elements in Crohn's disease. Acta-
Chir-Hung. 32(1); 25-32. Abstract.

- 85- Talbot, R.W., Ritchie, J.K. and northover, J.A.M.(1989): Conservative proctocolectomy: a dubious option in ulcerative colitis. Br.J.Surg; 76:738-739.
- 86- Taylor, B.M., Beart, R.W. , Dozios, P.R. et al (1983): Straight ileoanal anastomosis versus ileal pouch-anal anastomosis after colectomy and mucosal proctectomy. Arch.Surg.; 118:696-701.
- 87- Truelove, S.C. and Marks, C.G.(1981): Toxic megacolon. Gastroenterol. 1:107.
- 88- Utsonomiya, T. , Iwama, M., Imajo, M. et al, (1980) : Total colectomy, mucosal proctectomy and ileo-anal anastomosis. Dis. Colon. Rectum. 23:459-466.
- 89- Watt, J. Mck., de Dombal, F.T. and Goligher, J.C. (1966): Longterm complications and prognosis following major surgery for ulcerative colitis. Br.J.Surg. 53 pp 1014-1023.
- 90- Way, L.W.(1988) : Current surgical diagnosis and

- treatment. Appleton & Lange. California. 8th edition pp 561-622.
- 91- William, R. and Drucker, M.D. (1981) : Regional enteritis in Davis-Christopher textbook of surgery W.B. Saunders Company. Philadelphia 12th edition pp.1004-1014.
- 92- Willams, N.S. (1989): Restorative proctocolectomy is the first choice elective surgical treatment for ulcerative colitis. Br.J.Surg. 76:1109-1110.
- 93- Williams, N.S. and , Johnston ,D. D.(1985): The current status of mucosal proctectomy and ileo-anal anastomosis in surgical treatment of ulcerative colitis and adenomatous poyposis. Br.J.Surg. 72 : 159-168.
- 94- Willaims, N.S., Hallan, R.I. , Koeze T.H. et al,(1989): Construction of a neo-rectum and a neo-anal sphincter following previous proctocolectomy. Br.J.Surg. 76:1191-1194.
- 95- Wolff, B.G., Beart, R.W.Jr., Dozois, R.R.et al (1988):

- A new bowel preparation for elective colon and rectal surgery. Arch.Surg. 123:895.
- 96- Wolff, B.G., Beart, R.W.Jr.Frydenberg, H.B. et al (1983): The importance of disease-free margins in resections for Crohn's disease. Dis.colon.Rectum 26:239.
- 97- Work Group VIII (1975): Colonic and inflammatory bowel disease.Gastroenterology 96:1140.
- 98- Yoeng, M.L., Bethwait, P.B., Presad,J. and Isbister, W.H.(1991): Lymphoid follicular hyperplasia-a distinctive feature of diversion colitis. Histopathology. Jul. 19(1): 55-61. Abstract.