

References

1. **Adent JP, Bluth F, Jacquemind (1998):** Reconstruction Of Neck burns, Along term comparative study between skin grafts, skin expansion and free Flaps. J. of plastic surg. vol. 98,ch: (1):5-9.
2. **Agrawal Pawan, (2009):** Safe method for release of sever post-burn neck contracture. under tumescent local anaesthesia and Ketamine . Indian J. Plast. Surg. cited Feb 24; Vol.37, ch: 1, 51-54.
3. **Amal Chandra paul, K.B. Swapan, Ces A. Spronk, Rob P.E Niemmijer Paul H.M Spauwen(2008):** Postburn contracture treatment: A healthcare project in Bangladesh; J. Plast. Surg. Vol 34 ch (5); 181-184.
4. **Angrigiani C. (1994):** Aesthetic microsurgical reconstruction of anterior neck burn deformities. Plast Reconstr Surg J. Plast. Surg. Vol 93, Ch (8):507-18.
5. **Aranmolate S and Attah AA. (1989):** Bilobed flap in the release of postburn rnentosternal contracture. Plast Reconstr Surg; J. Plast. Surg. Vol 83; Ch(2): 356-61.
6. **Argenta LC, Van Der Kolk CA. (1987):** Tissue expansion in craniofacial surgery. Clin Plast Surg; J. Plast. Surg. Vol 14 Ch (3): 143-53.
7. **Ariyan S. (1980):** Pectoratis major, sternomastoid, and other muslcu-locutaneous flaps for head and neck reconstruction. *J Plast Surg* Vol ;7 Ch (1)75-89.

8. **Ariyan S. (1983):** One stage reconstruction for defects of mouth using a sternomastoid myocutaneous flap, plastic reconstructive surgery, J. Plast. Surg. Vol 50; No (6); 272- 312.
9. **Ariyan S. (1998):** Sternomastoid muscle and musculocutaneous flap, Grabb's encyclopedia, 2nd edition. J. Plast. Surg. Vol (30) chapter (17) 179-692.
10. **Atkinson RS, Rushman GB, Davies NJH.(1993):** Tracheal intubation. In: Atkinson RS, Rush-man GB, Davies NJH, eds. *Lee's Synopsis of Anaesthesia*. 11th ed. Oxford, England: Butterworth-Heinemann J. Plast. Surg. Vol 15, Ch(5); 222-228.
11. **Badran HA.(1988):** Lateral intercostal microvascularflap for release of neck scar. In: Strauch B, Vasconez LO, Hall-Findlay EJ, eds. *Grab's Encyclopaedia of Flaps*, 2nd ed. Philadelphia, Pa: Lippincott-Raven J. Plast. Surg. Vol 7 Ch (2):481-484.
12. **Bakamjian V-Y. (1998):** Grabb's encyclopedia of flaps, deltopectoral flap 2 edition, J. Plast. Surg. Vol 12, chapter 119 ; 444-446.
13. **Bannasch H, Fohn M, Unterberg T (2003):** Skin tissue engeneering. J. Plast Surg Vol 30 Ch (8):573–9.
14. **Barron J.N., Saad M.N. and Vasconez L.D (1999):** Platysmal flaps, in Grabb's encyclopedia of flaps, 2nd edition J. Plast. Surg. Vol 6, chapter 117; 233-245.
15. **Baudet J. Nassif T., Bovet J. L and Panconi B. (1998):** Grabb's encyclopedia of flaps, 2nd edition, scapular and Para scapular flaps J. Plast. Surg. vol. II, chapter 288, 1130-1132.

16. **Bishara S, Atiyeh A, Shady N,. Hayek A, William Gunn S. (2005):** New technologies for burn wound closure and healing burns J. Plast. Surg. Vol 31, Ch (20); 944-956
17. **Braye F, Pascal P, Bertin-Maghit M (2000):** Advantages of using a bank of allogenic keratinocytes for the rapid coverage of extensive and deep second degree burns. J. Plast. Surg. Vol 38, Ch (18): 248–52.
18. **Broz L, Vogtova D, Konigova R.(1999):** Experience with banked skin in the prague burn center. Acta Chir Plast Vol 41, Ch (21):54-8.
19. **Caeman J.J. Jurkie Wize M.J. Nahai F. and Mathes S.J.(1983):**The platysina musculocutaneous flap, plastic and reconstructive surgery. Vol 72, Ch (5);310- 315.
20. **Casasco A, Cornaglia AI, Riva F, Casasco M, Calligaro A.(2005):** Cell kinetic analysis in artificial skin using immunochemical methods. Methods Mol Biol; Vol 289, Ch (50): 229-38.
21. **Chick LR, Lister GD, Sowder L. (1992):** Early free flap coverage of electrical and thermal burns. *Plast Reconstr Surg* vol 89 Ch (30): 10-13.
22. **Converse, JM (1987):** Introduction to Plastic surgery JM(ed): reconstructive plastic surgery 2nd ed. Ch. I Philadelphia, W .B saunders company . Vol (3), Chapter 1; 35 -76.
23. **Cormack G.C. and Lamberty B.C. (1994):** The vascular territories and the clinical applications to the planning of flaps

- In The arterial anatomy of the skin flaps 2nd ed. *J. Ptast Reconstr Surg* . Vol 50, Ch (12); 485
- 24.**Cribbs RK, Luquette MH, Besner GE.(1998):** Acceleration of partial-thickness burn wound healing with topical application of heparin-binding EGF-like growth factor (HB-EGF). *J Burn Care Rehabil*; Vol 19, Ch (13): 95–101.
 25. **Cronin D. Thomas (1979):**Reconstructive plastic surgery, Converse, vol.11, chapter 34, 1643.
 - 26.**Cronin T.D. and Bonera (1990):** Deformities of cervical region in plastic surgery. *J. vol. 3, Ch(1): 2957-2093.*
 - 27.**Cronin TD. (1980):** The use of a molded splint to prevent contracture alter split skin grafting on the neck. *Plast Reconstr Surg*; Vol 30 , Ch (12); 27:7.
 - 28.**Daya M. (2008):** clinical experience and analysis of length gain with the use of seven-flap plasty in burn contractures. *J. Vol 30, Ch (15); 1022-1026.*
 - 29.**Dayakov R.,(2000):** Complex treatment and prophylaxis of post-burn cicatrisation in childhood. *Annals of burn and fire disasters*, vol 13, Ch (4); 15-20.
 - 30.**Eldad A, Weinberg A, Breiterman S. (1998):** Early nonsurgical removal of chemically injured tissue enhances wound healing in partial thickness burns. *Burns* Vol 24, Ch (15):166-72.
 - 31.**ElOtefy M.A(1981):** A versatile methods for the release of burn scar contracture. *Br. J. Plast. Surg.* Vol 34, Ch (12):326-335
 - 32.**Engrav LH, Donelan MB.(1997):** Face burns: acute care reconstruction. In: *Operative Techniques in Plastic and*

- Reconstructive Surgery, No. 2. Philadelphia, PA: WB Saunders. V 4 Ch (1) ;225-233
- 33.**Fan J, Yang P. (1997):** Versatility of expanded forehead flaps for facial reconstruction. Scand J Plast Reconstr Surg Hand Surg; Vol 31, Ch (16):537-540.
- 34.**Feldman J.(1990):** Facial burns. In; McCarthy JG, ed. Plastic Surgery, Vol 3. Philadelphia, PA: WB Saunders, Ch(2) :153-236.
- 35.**Feng-Chou Tsai, Sainir Mardini , Da-Jeng Chen, Jui-yung Yang Ming-Shium Hsieh (2006):** The classification and treatment algorithm for post-burn cervical contractures reconstructed with free flaps. J. Plast. Surg. Vol 18, Ch (32); 626-633
- 36.**Fricke NB, Omnell U Dutcher KD, et al.,(1996):** Skeletal and dental disturbances after facial burns and pressure garments. *J Burn Care Rehabil*; Vol 17, Ch (14): 338-45.
- 37.**Gajiwala K, Gajiwala AL.(2004):** Evaluation of lyophilised, gamma-irradiated amnion as a biological dressing. Cell Tissue Bank; Vol 5, Ch (2): 73–80.
- 38.**Galeano M, Deodato B, Altavilla D.(2003):** Effect of recombinant adeno-associated virus vector-mediated vascular endothelial growth factor gene transfer on wound healing after burn injury. Crit Care Med; Vol 31, Ch (22):1017–25.
- 39.**Garfein ES, Orgill DP, Pribaz JJ.(2003):** Clinical applications of tissue engineered constructs. Clin Plast Surg; Vol 30, Ch (15) :485-98.
- 40.**Gerding RL, Imbembo Al, Fratianne RB. (1988):** Biosynthetic skin substitute vs. 1% silver sulfadiazine for treatment of inpatient

- partial-thickness thermal burns. *J Trauma*; Vol 28, Ch (18): 1265-9.
41. **Glasse N. (2004):** Physiotherapy for burns and plastic reconstruction of the hand. London/Philadelphia: Whurr publishers; Vol 30, Ch (15);124-126.
42. **Gobel P, Schubert W.(1990):** Personal experiences with covering burns in children with amnion. . *J Burn Care Rehabil*; vol 37, Ch (16):495–8.
43. **Greenleaf G, Cooper ML, Hansbrough JF.(1991):** Microbial contamination in allografted wound beds in patients with burns. *J Burn Care Rehabil*; Vol 12, Ch (10):442–5.
44. **Greenstein Bruce, Wilson G. DeMoura, JR., and Kerish Strauch. (2001):** Pedicled cutaneous flaps, *Atlas of head and neck surgery*, Vol 2 Ch (3); 48-70.
45. **Hall B. (2005):** Wound care for burn patients in acute rehabilitation settings. . *J Burn Care Rehabil*; Vol 11 Ch (8) 112-120.
46. **Hallock GG. (1995):** Safety of clinical over-inflation of tissue expanders. *Plast. Reconstr Surg*; Vol 96, Ch (40):153-7.
47. **Harden NG, Luster SH. (1991):** Rehabilitation considerations in the care of the acute burn patient. *Grit. Care. Nursing. Clin. N Am*; Vol 3 Ch (2):245-53.
48. **Harris PA, Di Francesco F, Barisoni D, Leigh IM, Navsaria HA.(1999):** Use of hyaluronic acid and cultured autologous keratinocytes and fibroblasts in extensive burns. *Lancet*; Vol 50,Ch (49); 353-356.

- 49.**Herndon N David (2003):** total burn care second edition. John. Remensnyder, Matthias. Donelan; Vol. (2). Chapter 50. 679- 689.
- 50.**Heslop BF, Shaw JH.(1986):** Early vascularization of syngeneic, allogeneic and xenogeneic skin grafts. Aust N Z J Surg; Vol 56, Ch (30) :357–62.
- 51.**Hiroaki O, Kosaku S, Takahiko M, (2004):** clinical trials with allogeneic cultured dermal substitutes for the treatment of burns and skin ulcers (regenerating medical millennium project of the ministry of health, labor and welfare). Wound Repair Regen; Vol 12 Ch (8): 9-12.
- 52.**Hoffman, W. Y. Barton R.M. and Vasconez L.O.,(1998):** Latissmus dorsi musculocutaneous flap to the head, neck, check and scalp, Grabb's encyclopedia, 2nd edition, Vol 119, chapter 122, 458-460.
- 53.**Horch RE, Jeschke MG, Spliker G. (2005):** Treatment of second degree facial burns with allografts-preliminary results. Burns: Vol 31, Ch (20):597-602.
- 54.**Horch RF, Stark GB, (2000):** The contralateral bilobcd trapezius myocutaneous flap for closure of large detects of the dorsal neck permitting primary donor site closure. Head neck; Vol 22, Ch (5): 513- 9.
- 55.**Hudson DA.(2000):** Some thoughts on choosing a Z-plasty: the Z made simple. Plast Reconstr Surg; Vol 106, Ch (100):665-71.
- 56.**Hunt JA, Moisisdis E, Haertsch P. (2000):** Initial experience of Integra in the treatment of, post-burn anterior cervical neck contracture. Br J Plast Surg; Vol 53, Ch (8):652-8.

- 57.**Hurlin FK, Doyle B, Paradise P. (2002):** Use of an improved Watusi collar to manage pediatric neck burn contractures. *J Burn Care Rehabil* May-Jun;23, Ch(3): 220-234.
- 58.**Hyakusoku H, Ogawa R. In: Blondeel, Hallock, Morris, Neligan, Editors. (2005):**The Subdermal Vascular Network Flap-The concept of the "Super-thin Flap" "Perforator Flaps". St Louis, Missouri: Quality Medical Publishing Inc;Vol 33, Ch (15) 1002-27.
- 59.**Ifeanichukwu Igwilo AN AH, Fwacs (2005):** A classification System post burn contractures. July. American Medical Association Arch surg. J. Vol 140 Ch (120):671-675.
- 60.**Jackson T. Ian (2004):** Operative plastic surgery, vol.,36, Chapter 7, 143-165.
- 61.**Janezic TF.(1999):** Then and now: 25 years at the ljubljana burns unit skin bank. *Burns*; Vol 25, Ch (12):599–602.
- 62.**Jeschke MG, Richter G, Hofstadter F.(2002):** Non-viral liposomal keratinocyte growth factor (KGF) cDNA gene transfer improves dermal and epidermal regeneration through stimulation of epithelial and mesenchymal factors. *Gene Therapy*; Vol 9, Ch (2): 1065-74.
- 63.**Jia C, Chen B, Wang D.(1999):** Effects of PCMV4-hTGF beta 1 as nucleic acid vaccine on II burn wound healing and postburn scarring in rats. *Zhonghua Zheng Xing Shao Shang WaiKe Za Zhi*; Vol 15, Ch (8): 170–72.
- 64.**Jian-Hua Gao, Rei Ogawa Hiko Hyakusoku, Fenglu, Zhi-Qihu, Ping Jiang, Ling Yang, Chuanbo Feng (2007):** Reconstruction of

the face and neck scar contractures using staged transfer of expanded "super-thin flaps" Vol 33, Ch (15);760- 763.

- 65.**Kadry M, Hassan A, Tewfik O, Ismail M. (1989):**Recent fasciocutaneous flaps for repair of post-burn neck, axillary and elbow contractures. *Ann Burns Fire Disasters*. Vol 3, Ch(2):89-97,53-66.
- 66.**Karacaoglan N and Uysal A.(1994):** The seven flap-plasty. *Br J Plast Surg*; Vol 47, Ch (22):372-4.
- 67.**Karacaoglan N and Uysal A.(1996):** Use of seven flap-plasty for the treatment of axillary and groin post-burn contractures. *Burns*; Vol 22, Ch (10) :69-72.
- 68.**Klein MB, Hunter S, Heimbach DM. (2005):** The Versajet water dissector: a new tool for tangential excision. *J Burn Care Rehabil*; Vol 26, Ch (15):483-7.
- 69.**Koshima I, Fukuda H, Utumomiya R, Soeda S. (1989):** The anterolateral thigh flap: variations in its vascular pedicle. *Br J Plast Surg*; Vol 42 , Ch (18):260-2.
- 70.**Kuran I, Turan T., Sadikoglu, JS. and Ozcan H. (1999):** Treatment of a neck burn contracture with a super-thin occipito cervico-dorsal flap: a case report. *J. Plast Surg* Vol 30, Ch (12);88-92.
- 71.**Lamberty BGH. (1979):** The supraclavicular axial patterned flap, fir *J. Plast. Surg* Vol 32, Ch (14):207-12.
- 72.**Ley-Chavez E, Martinez-Pardo ME, Roman R, Oliveros-Lozano Fde J, Canchola-Martinez E.(2003):** Application of biological dressings from radiosterilized amnios with cobalt 60 and serologic

- studies on the handling of burns in pediatric patients. *Ann Transplant*; Vol 8, Ch (4):46-9.
- 73.**Lopez, C.E, Ferro A.. (2005):** Primary reconstruction of anterior neck burns with free flaps,*B. J Plast Surg.* Vol 58, Ch (30);102-105.
- 74.**Lorson Duance, Ted Hung, Hugo Linares, Paul Baw and Donald Parks, (1989):** Burns,, a team approach, prevention and early treatment of scar contracture, Vol 20, chapter 32; 468-469.
- 75.**Maas-Szabowski N, Fusenig NE, Stark HJ.(2005):** Experimental models to analyze differentiation functions of cultured keratinocytes in vitro and in vivo. *Methods Mol Biol*; Vol 289, Ch (120) :47–60.
- 76.**Mac Minn R. M. H.(1990):** last's anatomy regional and applied 8th edition, Chapter 5, 256-277.
- 77.**Mackie D.(2002):** Postal survey on the use of glycerol-preserved allografts in clinical practice. *Burns. Methods Mol. Biol.* Vol 28, Ch (10): 40-4.
- 78.**Manders EK, A.U., V.K., R.K.. et al. (1987):** Scalp expansion for male pattern baldness. *Clin Plast Surg* Vol 50, Ch (20); 14:469.
- 79.**Mao J, Zhao L, De Yao K, Shang Q, Yang G, Cao Y.(2003):** Study of novel chitosan-gelatin artificial skin in vitro. *J Biomed Mater Res A*; Vol 64, Ch (30):301–8.
- 80.**Martin D. Pascal and J.F. Bandet (J993):** The submental island flap, anatomy and clinical applications as free or pedicled flap. *plastic and reconstructive surgery*, vol 92,ch(2) 887.

81. **Mathes S. and Nahai F. (1997):** Clinical atlas of muscle and musculocutaneous flaps, Vol.23, Chapter 5, 245-67.
82. **Mayou Whitby D. and Jous B.M.,(1982):** The scapular flap, anatomical and clinical study, Br. J. of plastic surgery.vol 32,Ch(6); 35-38.
83. **McCarty JG, May JR JW, Littler JW. (1990)** Plastic surgery. Saunders; Br. J. of plastic surgery Vol 21, ch (9); 89-95.
84. **Mikrochir Handchir (1991):** Plast uhir Clinico-Anatomic study for constructing pedicled myocutaneous trapezius flaps; Vol 23 Ch(2); 102-6.
85. **Miller M.J., Reece G.P., Marchi M. and Baldwin B.J.(1995):** Lateral thigh flap in head and neck reconstruction Plast. Reconst. Surg. Vol 50 ,Ch (20); 96:334
86. **Motamed S, Kalantar Hormozi AJ, Marzban S. (2003):** Expanded occipito-cervico-pectoral flap for reconstruction of burned cervical contracture. Burns; Vol 40 Ch (13); 29:842.
87. **Motamed S., Niazi F., Atarian S., Motamed A. (2008):** Post-burn head and neck reconstruction using tissue expanders; Vol 34, Ch (16); 878-884.
88. **Motamed Sadrallah, Babak Davami, Hamid Daghighaleh (2004):** Trapezius musculocutaneous flap in severe shoulder and neck burn. J. Plast Reconstr Surg .vol 30, Ch (12); 476-480.
89. **Moustafa M.F Borhan A.M and Abd El-Fattah A.M(1978):** Burn contractures of the neck. Plast. Reconst. Surg. Vol 80, Ch (55); 62:66

90. **Muhlbauer W, Henckel von Donnersmarck G, Hoefter E, et al.,(1995):** Keratinocyte culture and transplantation in burns Chirurg; Methods .Mol. Biol. Vol 3, Ch (66): 271–76
91. **Muhlbauer W.H, Herndl E. and Stock W. (1982):** The forearm flap. Plast. Reconst. Surg Vol 30, Ch (15);70:336.
92. **Murakami and-Nishioka G.Y.(1996):** Essential concepts in the design of local skin flaps, facial surgery clinics of north America, Vol 40 Ch (13)455-464.
93. **Nath, S. Eningotsian K. and Simonade, S. (1994):** Management of post-burn neck contracture of the neck, burn, vol.20, Ch (4) 60-75.
94. **Neale H.W. , Kurtzman I.C. , Goh K.B. Billmire D.A., Yakuboff K.P. and Warden G . (1993):** Tissue expanders in the lower face and anterior neck in pediatric burn patient, limitations and pitfalls Plast .Reconst. Surg. vol. 98, ch: (1); 91 : 624.
95. **Neumann C. (1957):** The expansion of an area of skin by progressive distension of a subcutaneous balloon. Plast Reconstr Surg; Vol 93, Ch (19):127.
96. **Ninkovic M, Moser-Rumer A, Ninkovic M, Spanio S, Rainer C, Gurunluoglu R. (2004):** Anterior neck reconstruction with pre-expanded free groin and scapular flaps. Plast Reconstr Surg; Vol 33, Ch 109 :61-8.
97. **Noordenbos J, Dore C, Hansbrough JF. (1999):** Safety and efficacy of TransCyte for the treatment of partial thickness burns. J Burn Care Rehabil; Vol 20, Ch (14):275-81.

98. **Obeng MK, McCauley RL, Barnett JR, Heggers JP, Sheridan K, Schutzler SS.(2001):** Cadaveric allograft discards as a result of positive skin cultures. *Burns* vol 30, Ch(27):267–71.
99. **Ogawa R, Hyakusoku H, Murakami M, et al. (2004):** Clinical and basic research on occipito-cervico-dorsal (OCD) flaps-including a study of the anatomical territories of dorsal trunk vessels-. *Plast Reconstr Surg.*vol 32,Ch(113):1923-33.
100. **Ohkubo E,. Kobarashi S. Sekiguchi J and Ohmori K. (1991):** Restoration of the anterior neck surface in burned patient by free groin flap. *Plast .Reconst .Surg.*vol 50 Ch(22) 87:276
101. **Okhovation, F. Zoubine, N (2007):** A comparison between two burn rehabilitation *Plast .Reconst .Surg* vol 33,Ch(24):429-434.
102. **Olbrisch RR.(1991):** Running Y-V plasty. *Ann Plast Surg*;vol 36,Ch(26):52-6.
103. **Ortiz Laredo,. C, Valverde Carrasco. A, Novo Torres .A, Navarro. Sempere. L. Marquez .Mendoza. M. (2007):** supraclavicular bilobed fasciocutaneous flap for post brun cervical contractures *Vol 33, Ch (13);770-775.*
104. **Palao R, Gomez P, Huguet P.(2003):** Burned breast reconstructive surgery with Integra dermal regeneration template. *Br J Plast Surg*;vol 56,Ch(22):252–9.
105. **Pallua N, Kunsebeck HW, Noah EM. (2003):** Psychosocial adjustment 5 years after burn injury. *Burns.*vol29,Ch(6):143-52.
106. **Pallua N, Noah EM. (2000)** The tunneled supraclavicular island flap: an optimized technique for head and neck reconstruction. *Plast Reconstr Surg.* vol 33.Ch(7)105:842.

107. **Pallua N., Muchens H.G Oliver R., Becker M. and Berger A.,(1999):** The fasciocutaneous supraclavicular artery island flap for releasing post burn retrosternal contractures, plastic and reconstructive surgery, vol 32.ch(14):878:1689.
108. **Parks D.H, Baur P.S and Larson D.L.(1977):** Late problems in burns. Clin. Plast. Surg.vol 31,Ch(4):547.
109. **Pcakash J. and Gupta A.K.,(2001):** The subscapular approach in head and neck reconstruction with pedicled latissimus dorsi flap, British journal of plastic surgery,vol 33,Ch(54), 680-683.
110. **Pellegrini G, Ranno R, Stracuzzi G (1999):** The control of epidermal stem cells (holoclones) in the treatment of massive full-thickness burns with autologous keratinocytes cultured on fibrin. Transplantation; methods mol.bio.vol 45,Ch (68):868–79.
111. **Pertoltli JA. (1980):** Trapezius musculocutaneous island flap in the repair of major head and neck cancer, Plast Reconstruct Surg vol 65,Ch 40: 16.
112. **Piek J, Oertel J, Gaab MR. (2002):** Water-jet dissection in neurosur-gical procedures: clinical results in 35 patients. J Neurosurg. vol 96, Ch(22):690-6.
113. **Place J. Michclle, Steven C. Herber and Robert. A. Hardesty. (1997):** Basic techniques and. principles in plastic surgery, Grabb and Smith's plastic surgery, 5th edition, Vol 3, chapter 2: 15-20.
114. **Ponten B.,(1981):** Fasciocutaneous Haps, Britch J. of plastic surgery, vol 34,ch(18) 215-220.

115. **Posnick J.C. and McCraw,(1987):** Useful arterialized flaps for head and neck reconstruction, plastic surgery, vol. 19,Ch (8):359.
116. **Radovan C. (1978):** Reconstruction of the breast after radical mastectomy using a temporary expander. Plast. Surg. Forum Vol 1, Ch (3) 1:41
117. **Radovan C. (1982):** Breast reconstruction after mastectomy using a temporary expander. Plast Reconstr Surg .vol 69,Ch(17):195-208.
118. **Rana Das Gupta, Christian Bang (2006):** Anterolateral thigh perforator flap from previously burned skin for secondary reconstruction of neck with post burn sequelae, new limits explored. Plast Reconstr Surg .vol 59 Ch (20),628-630.
119. **Ranelli S, Forsythe S, Nanchahal J. (2000):** Principles of rehabilitation in reconstructive surgery in the upper limb. Br Hand Ther; Vol 5, Ch (1):5-9.
120. **Rashid Mamoon, Muhammad Zia-ul-Islam, Saad-ur-Rahman Sarwar, Ahsan Manzoor Bhatti (2006):** The expansile supraclavicular artery flap for release of post-burn neck contractures. J. Plast Surg. Vol 59, Ch (14);1094-1101.
121. **Ravishanker R, Bath AS, Roy R.,(2003):** Amnion bank—the use of longterm glycerol preserved amniotic membranes in the management of superficial and superficial partial thickness burns. Burns; vol 29,Ch(12): 369–74
122. **Rejzek A, Weyer F, Eichberger R, Gebhart W.(2001):** Physical changes of amniotic membranes through glycerolization for the use as an epidermal substitute. Light and electron microscopic

- studies. Cell Tissue Bank; J. Plast Reconstr Surg .vol 2, Ch (11):95-102.
123. **Rennekampff HO, Kiessig V, Loomis W, et al. (1996):** Growth peptide release from biological dressings: a comparison. J Burn Care Rehabit; Vol 17, Ch (9):522-7.
 124. **Rennekampff HO, Wisser D, Schaller HE, et al. (2006):** Debridement of burn wounds with a water jet tool. Burns; Vol 32, Ch (12): 64-9.
 125. **Rudolph R , Donald L. and Ballantyne J .((1990):** Skin grafts In Plastic Surgery, Me Carthy J.(ed) 1st ed. Vol 1, Ch (7) ;221.
 126. **Russell, Norman R.C.G. and Christopher S. Bulstrode J.K. (2004):** plastic and reconstructive surgery in Bailey and Love's, short practice surgery, 24 edition, Vol 1 chapter 21,258-284.
 127. **Serghiou M, Huang T. (2006) :** Bum rehabilitation made thrifty and affordable. J. Plast Reconstr Surg .vol 9, chapter 10 ;228-229
 128. **Serghiou MA, Holmes CL, McCauley RL. (2004):** A survey of current rehabilitation trends for burn injuries to the head and neck. J Burn Care Rehabil; Vol 25, Ch (6):513.
 129. **She-Kou and China P.R (1998):** Psychological morbidity in patients with facial and neck burns J. Plast Reconstr Surg .vol,7 Ch (15); 646-648.
 130. **Singh R, Chouhan US, Purohit S, Gupta P, Kumar P, Kumar A, (2004):** Radiation processed amniotic membranes in the treatment of nonhealing ulcers of different etiologies. Cell Tissue Bank; method mol boil. Vol 5, Ch (9): 129–34.

131. **Sinsel NK, Opdebeeck H, Lesaffre E, et al. (1997):** Maxitlofacial growth after neck burn injury at a young age: an experimental study in the rabbit. *Plast Reconstr Surg* Mar; Vol 99 Ch(3):918.
132. **Smet H.T. (1989):** Transfer of tissue In Tissue transfer in reconstructive surgery. *J. Ptast Reconstr Surg* . Vol 50, Ch (12); 41
133. **Song R., Gao Y. and Song Y. (1982):** The forearm flap Clin . *Plast. Surg.* Vol 20,Ch (4); 9:21
134. **Steinstraesser L, Fohn M, Klein RD, (2001):** Feasibility of biolistic gene therapy in burns. *Shock; J. Plast Reconstr Surg.* Vol 15, Ch (3):272–7.
135. **Strauch B, Vasconez. L, Findlay HJH. (1998):** Grabb's knyclopedia of flaps head and neck. 2nd ed. Lippincott-Raven;. *J. Plast Reconstr Surg* .vol 3, Ch (10); 461-6.
136. **Suliman MT. (2004):** Experience with the seven flap-plasty for the release of burns contractures. *Burns J. Plast Reconstr Surg* . Vol 30, Ch (9);:374-9.
137. **Takushima A, Harii K, Asato H. (2002):** Expanded latissimus dorsi free flap for the treatment for extensive post-burn neck contracture. *J Reconstr Microsur* .Vol 33, Ch(18):373.
138. **Talaat H.A (1971):** One stage cervicoplasty for burn contractures of extensive scar contracture of the neck. *Kasr El-Aini J. Surg.* Vol 23 Ch (8):121.
139. **Tenenhaus M., Bhavsar D., Rennekampff H.-O.,(2007):** Treatment of deep partial thickness and indeterminate depth

facial burn wounds with water-jet debridement and a biosynthetic dressing; Vol 38, Ch (60); 538-544.

140. **Theogaraj S.D., Merritt W.H., Acharya G. And Cohen I.K(1980):** the pectoralis major musculocutaneous island flap in single stage reconstruction of the pharyngoesophageal region. *Plast. Reconst. Surg.* Vol 10, Ch (2); 65:267.
141. **Tobin, (1985):** Pectoralis major segmental anatomy, plastic and reconstructive surgery, Vol 32, Ch (16); 814.
142. **Tremblay PL, Hudon V, Berthod F, Germain L, Auger FA.(2005):** Inosculation of tissue-engineered capillaries with the host's vasculature in a reconstructed skin transplanted on mice. *Am J Transplant*; Vol 5, Ch (1):1002–10
143. **Tsai FC, Yang JY, Mardini S, Chuang SS, Wei FC. (2004):** Free split-cutaneous perforator flaps procured using a three-dimensional harvest technique for the reconstruction of postburn contracture defects. *Plast Reconstr Surg*; Vol 33, Ch(17):185-93.
144. **Tsukada S. (1980):** Transfer of free skin grafts with a preserved subcutaneous vascular network. *Ann Plast Surg*; Vol 33, Ch (4): 500-6.
145. **Uccioli L.(2003):** A Clinical Investigation on the characteristics and outcomes of treating chronic lower extremity wounds using the tissuetech autograft system. *Int J Low Extrem Wounds*; Vol 30,Ch (2):140–51.
146. **Ueta M, Kweon MN, Sano Y, (2002):** Immunosuppressive properties of human amniotic membrane for mixed lymphocyte reaction. *Clin Exp Immunol*; Vol 29, Ch (3):464–70.

147. **Vanderkolk CA, Mccan JJ, Mitchell GM, et al. (1988):**
Changing area and thickness of expanded and unexpanded axial pattern skin in pig. *Br J Ptast Surg*; Vol 59, Ch (19);41:284.
148. **Vegter F, Hage JJ.(1995):** The seven flap-plasty (letter). *Br J Plast Surg*; Vol 48, Ch (22):54-5.
149. **Vuola J, Pipping D.(2002):** Maintaining a glycerolized skin bank-a practical approach. *Br. Ptast Surg* . Vol 28, Ch (16): 31-3.
150. **Wang Jiaqi, Zuojun Zhao, Li Yu, Qiang Li, Kerning QI (2006):**
The extra-long artery-pedicled back fascia skin flap for treatment of cervical contractive scar. *J. Plast Surg*. Vol 59. Ch (30);331-336.
151. **Warwick R, and Williams (1980):** Gray's anatomy, 36th edition, Vol 25, Chapter 6,243-250.
152. **Wei FC, Jain V, Celik N, Chen HC, Chuang DC, Lin CH. (2002):** Have we found the ideal soft tissue flap? An experience with 672 anterolateral thigh flaps *Plast Reconstr Surs*; Vol 19, Ch (5): 2219 26.
153. **William H and, Jean, M (2006):** Reconstruction/ of burned neck. Achauer and sood *Burn surgery reconstruction and rehabilitation*. Vol 15, Ch (6):254-265.
154. **Woo H. and J.H. Seul (2001):** pre-expanded arterialized free flaps for burn contracture of cervicofacial region. *British journal of plastic surgery*. Vol 54, Ch (13) 390-395.
155. **Yang J.Y, Tsai F.C, Ghana J.S, et al. (2002):** Use of free thin anterolat-eral thigh flaps combined with cervicoplasty for

- reconstruction of postburn anterior cervical contractures. *Plast Reconstr Surg* Jul; Vol 110, Ch(1):39-46
156. **Yilmaz S, Yenidunya O, Ercocen AR, Saydam M, Seven E, Sezer H, et al.,(2003):** The seven flap Z-plasty revisited. *Burns Plast Reconstr Surg* .Vol 29, Ch (3):849-53.
157. **Zhi Hui, Nishao, Yangjiayi, et al. (1990):** Trapezius myocutaneous flap for repairing scar of the neck. *Chin J Plast Burn Surs*. Vol 6, Ch (3):185.
158. **Zhongguo Xiu FU chong Jian Wai Ke Za Zh. (1999):** Musculocutaneous flap containing upper part of bilateral trapezius muscles in the treatment of cicatricial contracture deformity of neck.; Vol 13, Ch (4):232-4.
159. **Zhonghua Zheng Xing Shao Shang Wai Ke Za Zhi. (1990)** Repair of cicatricial deformities in neck region with trapezius musculocutaneous flap, Vol 6, Ch (3): 185-6, 237.
160. **Zhou G, Qiao Q, Chen GY, Ling YC, Swift R. (1991):** Clinical experience in surgical anatomy of 32 free anterolateral thigh flap transplantations. *Br J Plast Surs*; Vol 44, Ch (23):91-6.