

References

- * **Abelson TI and Tucker HM (1981).**
Laryngeal findings in superior laryngeal nerve paralysis.
Otolaryngol Head & Neck surgery 89: 463-470.
- * **Ackermann M.,Tennvall J. and Biorklund A. (1985):.**
Sensitivity and specificity of fine needle aspiration cytology
in the diagnosis of tumors of the thyroid gland. Acta Cytol
29:850.
- * **Ackermann U.W.E., (1992) :**
Physiology of the thyroid gland. Essentials of Human
Physiology pp 219 - 230.
- * **Adler L.P. and Bloom A.D (1993):**
Positron emission tomography of thyroid masses. Thyroid 3:
195-200.
- * **Aldinger K.A., Samman N.A. and Hill U.S. (1978) :**
Anaplastic carcinoma of the thyroid, a review of 84 cases of
spindle and giant cell carcinoma of the thyroid. Cancer. 41:
2267.
- * **Alfonso A., Christoudias and G. Amaruddin Q. (1981) :**
Tracheal or esophageal compression due to benign thyroid
disease. Am. J. Surg. 142:350.
- * **Allen D., Bloom M.D., and Leep P. (1993) :**
Determination of malignancy of thyroid nodules with positron
emission tomography. Surgery. 114:728-35 .
- * **American Cancer Society (1988):**
Cancer statistics. Cancer J. Clin 38(1):14-15.
- * **Anderson James E (Ed) (1978) :**
Anatomy of the thyroid gland In: Grant's Atlas of Anatomy
7th Ed. Published by The Williams & Wilkins company.
Baltimore, Ch .9 .
- * **Anderson JB and Webb A.J (1987):**

FNA biopsy and diagnosis of thyroid cancer . Br. J. Surg., 74:292 .

*** Andreoli E., Bennett J. and Carpenter CJ. (1993):**

The thyroid In: Cecil essentials of Medicine 3rd ed. Published by WB Saunders Company, Ch 66 pp 470-480.

*** Anscombe A.M. and Wright D.H (1985) :**

Primary malignant lymphoma of thyroid, a tumor of mucosa associated lymphoid tissue . Review of 76 cases, Histopathology 9 : 81 .

*** Aozasa K. Inoue A. and Kuma K. (1986) :**

Malignant lymphomas of the thyroid gland. Analysis of 79 patients with emphasis on histology & prognostic factors. Cancer 58 : 100 (1986).

*** Arnott Rd, White R and Jerums G . (1982) :**

Effect of thyroid status on ouabain binding to human lymphocytes. J Clin Endocrinol Metab 54:1150.

*** Attie J N and Khafif R.A. (1975) :**

Preservation of Parathyroid glands during total thyroidectomy. Am J. Surg 130 : 399 - 404 .

*** Bain J. and walfish P.G. (1978) :**

The assessment of thyroid function and structure. Otolaryngologic Clinics of North America 11 (2) : 419 .

*** Bantle JP., Seeling S., Marriash CN., Ulstrom RA and Oppenheimer JH. (1982) :**

Resistance to thyroid hormones: a disorder frequently confused with Graves' disease. Arch intern Med 142 : 1867 .

*** Bartalena L., Brogioni S., Grasso L., Rago T., Paolo V., Pinchera A and Martino E. (1994):**

Interleukin-6: A marker of thyroid destructive processes? J clin Endocrinol Metab 79: 1424-1427.

*** Beahrs OH and Vandertoll DJ . (1963):**

Complications of thyroid Surgery J.Clin Endocrinol Metab 16: 1456-69 .

*** Bergholm U., Adama H-O., and Bergström R., (1990) :**

Long-term survival in sporadic and familial medullary thyroid carcinoma with special reference to clinical characteristics and prognostic factors. *Acta Chir Scand* 156: 37-46 .

*** Bertheau P., De La Rosa A., Steeg PS. and Merino MJ. (1994):**

Short communication: NM23 protein in neoplastic and non-neoplastic thyroid tissues. *Am J. Pathol* 145: 26-31.

*** Binder H. (1987) :**

Congenital muscular torticollis: Results of conservative management with long-term follow-up in 85 cases. *Arch Phys Med Rehabil* 68: 222 .

*** Black BM, YaDeau RE and Woolner L.B. (1974):**

Surgical treatment of thyroidal carcinoma. *Arch. Surg* 88: 610

*** Bocker W., Dralla H., Koch G., Dehear k., and Hagemann J. (1987) :**

Immunohistochemical and electron-microscope analysis of adenomas of the thyroid gland, virchows arch. "Pathological Anatomy", 380: 205.

*** Boey J., Hsu C. and Collins R.J. (1986) :**

False negative errors in fine needle aspiration biopsy of dominant thyroid nodules: a prospective follow -up study. *World. J. Surg.* 10: 623 - 630 .

*** Bray GA, Melvin KEW and Chopra I.J. (1973) :**

Effect of triiodothyronine on some metabolic responses of obese patients. *Am J clin Nutrition* 26: 715 .

*** Breaux EP and Guillaumondegui O.M. (1980) :**

Treatment of locally invasive carcinoma of the thyroid: how radical? *Am. J.Surg* 140: 514-7 .

*** Burke J.S., Butter J.J. and Fuller L.M. (1977) :**

Malignant lymphomas of the thyroid, a clinico-pathologic study of 35 patients including ultrastructural observations.

Cancer, 39: 1587.

- * **Burr WA, Black EG, and Griffiths R.S. (1975) :**
Serum triiodothyronine and reverse triiodothyronine concentrations after surgical operation. *Lancet* 2:1277-9 .
- * **Cady B and Rossi R . (1988) :**
Expanded view of risk group definition in differentiated thyroid carcinoma. *Surg* 104: 947-53 .
- * **Carcangiu M.L., Zampi G., and Pupi A. (1985) :**
Papillary carcinoma of the thyroid; a clinicopathologic study of 241 cases treated at the university of Florence, Italy. *Cancer* 55: 805 .
- * **Carney J.A., Ryan J., and Goellner J.R. (1987) :**
Hyalinizing trabecular adenoma of the thyroid . *Am.J. Surg. pathol.* 11: 583 -591 .
- * **Caruso D., and Mazzaferri E.L (1991) :**
Fine needle aspiration biopsy in the management of thyroid nodules. *Endocrinologist* 1:194-202 .
- * **çelik I, Akalin S and Erbas T. (1995) :**
Serum levels of interleukin - 6 and tumor necrosis factor- α in hyperthyroid patients before and after propylthiouracil treatment. *Eur J Endocrinol* 132; 668-72 .
- * **Cerasoli S. B. Tabarri G. Lanzanovd G. and Martinelli N.(1991) :**
Hyalinizing trabecular adenoma of the thyroid, *Pathol, Respract.*, 187, 66 - 68 .
- * **Cernea CR, Ferraz Ar and Fulani J. (1992) :**
Identification of the external branch of the superior laryngeal nerve during thyroidectomy. *Am J Surg* 164: 634-638 .
- * **Charles V.M., and Russell R.C.G. (1992) :**
The thyroid gland and the thyroglossal tract, In *Bailey & Love's short practice of surgery* 21st ed., published by Chapman & Hall. London Ch 63. pp. 733 - 768 .

- * **Chen H, Nicol T:L and Udelsman R. (1995) :**
Follicular lesions of the thyroid: Does frozen section evaluation alter operative management ? Ann Surg 222,1, pp 101-106 .
- * **Christopher R, Mc Henry M.D., and Irving B. (1993) :**
Influence of fine needle aspiration biopsy and frozen section examination on the management of thyroid cancer. Am. J Surg 166 : 353-355 .
- * **Clark O.H. (1991) :**
The thyroid gland. In : Current surgical diagnosis and treatment. Prentice Hall international Inc.,Ch 17.pp 240-247.
- * **Coburn M., Teates D. and Wanebo H.J. (1994) :**
Recurrent Thyroid cancer. Role of surgery versus radioactive Iodine (I ¹³¹) Ann Surg 219:587-595 .
- * **Compagno J., and Ortel J.E. (1980) :**
Malignant lymphoma and other lymphoproliferative disorders of the thyroid gland. Am.J. Pathol, 74 :1 .
- * **Crile G.J.r. and Hazard J.B. (1962) :**
Incidence of cancer in struma lymphomatosa Surg. Gynecol Obstet 115:101 .
- * **Crile G., Antunez AR, and Esselstyn C.B. (1985) :**
The advantages of subtotal thyroidectomy and suppression of TSH in the primary treatment of papillary carcinoma of the thyroid. Cancer 55:269-277 .
- * **Cunliffe W.J., Black M.M. and Hall R. (1968) :**
A calcitonin secreting carcinoma. Lancet, 2:63-6 .
- * **Dailey W.E., Lindsay S. and Skahen (1955) :**
Relation of thyroid neoplasms to Hashimoto's disease of the thyroid gland . Arch Surg 70:29 .
- * **Damiani S., Fratamico F. and Lapertosa G. (1991) :**
Alcian blue and epithelial membrane antigen are useful markers in differentiating benign from malignant papillae in

thyroid lesions Virchows Arch A 419: 131 -135 .

*** Date J., Blichert-toft M., and Feldt-Rasmussen (1988) :**

Lacking evidence for the release of thyroid hormones from circulating thyroglobin during subtotal thyroidectomy Acta Endocrinol (Copenh) 117: 219-24 .

*** David E, Rosen IB, and Bain J. (1995) :**

*** Management of the hot thyroid nodule Am. J. Surg, Vol 170 .Davidson B.R. , Saws V.R. and Styles J. (1989) :**

*** Comparative study of carcinoembryonic antigen and epithelial membrane antigen expression in normal colon, adenomas and adenocarcinomas of the colon and rectum. Gut 30: 1260-1265 .Davis L.P. , Gaylord G.M. and Baker S.R. (Ed) (1989) :**

Thyroid Imaging In: Diagnostic and interventional radiology.
WB Saunders Company 256-266 .

*** De Los santos E.T., Keyhani-Rofagha S., and Cunningham J.J. (1990) :**

Cystic thyroid nodules: The dilemma of malignant lesions.
Arch. Intern. Med. 150: 1422-7 .

*** Derubertis F.R., Michelles F.M., Bloom M.E., Mintz D.H., Field J.B. and David B.B. (1971) :**

Impaired water excretion in myxedema. Am J. Med 51: 41 .

*** Devine R.M. , Edis A.J. and Banks P.M. (1981) :**

Primary lymphoma of the thyroid : A review of the Mayo clinic experience through 1978. World J Surg 5: 33-8 .

*** Dickersin G.R., Vickery A.L. Jr and Smith S.B. (1980) :**

Papillary carcinoma of the thyroid, oxyphil cell type, "clear cell" variant. A light and electron-microscopic study. Am.J. Surg. Pathol. 4:501 .

*** Donis K. Dou S and Chi D. (1993) :**

Mutation in the RET Protooncogene are associated with MEN 2A and FMTC . Hum Mol Genet 1: 1430-1442 .

- * **Doss S. (1993) :**
Anatomy of the thyroid in : Anatomy hand out 1st ed. pp 117-120.
- * **Duh O.Y. , Gum E.T., Gerend P.L., Raper SE and Clark O.H. (1985) :**
Epidermal growth factor receptors in normal and neoplastic thyroid tissue. Surg. 98: 1000-1005 .
- * **Dulgeroff A.J. and Hershman, M. (1994) :**
Medical therapy of differentiated thyroid carcinoma Endocr. Rev 15: 500-15 (1994).
- * **Eisele D.W. and Goldstone A.C. (1991) :**
Electrophysiologic identification and preservation of the superior laryngeal nerve during thyroid surgery. Laryngoscope 101: 313-315 .
- * **Eklom M., Valimaki M., Pelkonen R., Jansson R., and Fraussilla K. (1987) :**
Familial and sporadic medullary thyroid carcinoma . Clinical and immunohistological findings: J. Med 65: 899-910 .
- * **Elnhorn D. (1991) :**
The diagnosis and treatment of thyroid disease Modern Med Vol: No 1 .
- * **Enio Martino, Murtas., and Loviselli (1992) :**
Percutaneous intranodular ethanol injection for treatment of autonomously functioning thyroid nodules. Surg, 112: 1161-5
- * **Erikson M., Rubenfield ES., and Garber A.J. (1977) :**
Propranolol does not prevent thyroid storm. N Engl.J. Med., 290:263-4 .
- * **Farid N.R. (1995) :**
Towards understanding the molecular basis of thyroid cancer Ann Saudi Med 15 : 252 - 268 .
- * **Farrar W.B. (1983) :**
Complications of thyroidectomy. Surg Clin North Am 63; :

1353 - 1361 .

*** Faure P., Chittal S., and Delsol G. (1988) :**

Diagnostic features of primary malignant lymphomas of thyroid with monoclonal antibodies.

Cancer 61 : 1852.

*** Fernandes C.M., Samuel J. and Stein berg J.L. (1987) :**

Nerve / muscle pedicle graft for bilateral vocal cord palsy. J. otolaryngol 101 : 471 .

*** Figg D.M., Bratt H.J., and Van Vliet P.D. (1978) :**

Thyroid cancer : Diagnòsis and Management based on a Review of 142 cases. Am. J. Surg vol. 135 : 671 - 674 .

*** Flynn M.B., Lyons K.J., and Tarter J.W. (1994) :**

Local complications after surgical resection for thyroid carcinoma. Am J Surg 168 : 404 - 407 .

*** Foster R.S. (1978) :**

Morbidity and Mortality after thyroidectomy. Surg Gynecol Obstet. 146 : 423 - 429 .

*** Frandon J.R. , Leight G.S.,and Dilley W.G. (1986) :**

Familial medullary thyroid carcinoma without associated endocrinopathies : a distinct clinical entity . Br. J. Surg 73 : 278 - 281 .

*** Franklyn J.A. (1993) :**

Hyperthyroidism . Med - Intenat 21 : 5 .

*** Franssila K.O. (1971) :**

Value of histologic classification of thyroid cancer., Acta. Pathol. Microbiol. (A) 225 : 1.

*** Franssila K.O. (1990) :**

The thryoid gland In : Anderson's pathology, edited by Kissane J.M., 9th ed., published by the C.V. Mosby company, pp. 1544 - 1569.

- * **Friedman M. and Toriumi D.M. (1986) :**
Functional identification of the external laryngeal nerve during thyroidectomy. Laryngoscope 96 : 1291 - 1292 .
- * **Friedman M., Shimaoka K., and Getaz P. (1979) :**
Needle aspiration of 310 thyroid lesions. Acta Cytol 23 : 194.
- * **Friedman M., Toriumi D.M., Mafee M.F. (1988) :**
Diagnostic imaging techniques in thyroid cancer. Am. J. Surg. 155 : 215.
- * **Ganong W.F. (Ed) (1995) :**
The thyroid gland In : Review of Medical physiology 16th ed. published by Appleton & Lange. Connecticut Ch. 18 pp. 287 - 301.
- * **Gardener L. (1995) :**
Hürthle cell tumours of thyroid. Arch pathol. 59 : 372.
- * **Geddie W.R., Bedard R.C. and Strawbridge H.T.G. (1984):**
Medullary carcinoma of the thyroid in FNA biopsies. Am. J. Clin. pathol., 82 : 552 .
- * **Gentile R.D., Miller R.H. and Woodson G.E. (1986) :**
Vocal cord paralysis in children and younger age. Ann. otol. Rhinol, laryngol 95 : 622 .
- * **Ghali V.S., Jimenez E.J.S. and Garcia R.L. (1992) :**
Distribution of Leu-7 antigen in thyroid tumors . Hum Pathol 23 : 21 - 25 .
- * **Gharib H. (1984) :**
Fine - needle aspiration biopsy of the thyroid Ann intern Med 101 : 25 .
- * **Gilson W.E. (1959):**
Achilles - reflex recording with a simple photomonograph N. Engl. J. Med 260 : 1027 .
- * **Goeliner J.R. and Johnson D.A. (1982):**
Cytology of cystic papillary carcinoma of thyroid. Act Cytol

26 : 797 .

*** Goldberger A. L. and Goldberger E. (Ed.) (1990) .**

Clinical Electrocardiography : A simplified approach 4th ed.
ch. 10 pp. 133 - 134.

*** Granberg P.O., Hamberger B., and Lundell G. (1983) :**

Preoperative evaluation of solitary thyroid nodule in Kaplan
E.I. (ed). Surgery of thyroid and parathyroid glands.
Churchill livingstone, Edinburgh, pp. 3 - 17 .

*** Grant C. S., Hay I. D., and Gough I. R. (1988) :**

Local recurrence in papillary thyroid carcinoma : Is extent of
surgical resection important ? Surg 104 : 954 - 962 .

*** Grant C. S., Hay I D., and Gough I R.(1989) :**

Long term follow up of patients with benign thyroid fine
needle aspiration cytologic diagnosis. Surgery 106 : 986.

*** Gray S.W. and Skandalakis J.E. (1993) :**

Embryology for surgeons. 2nd Baltimore, Williams and
Wilkins .

*** Grebe S.K. and Hay I.D. (1995) :**

Management of well differentiated thyroid cancer postgrad,
doct. Vol. 18, N° 9.

*** Greenspan F.S. and Dong B.J. (1995) :**

Thyroid & Antithyroid drugs In : Basic & clinical
pharmacology edited by Katzung B.G. 6th ed. published by
Appleton and lange. Ch. 37 pp. 578 - 590 .

*** Guyton A. (Ed) (1991) :**

The thyroid metabolic hormones. Textbook of medical
physiology, 8th edition, pp 831 - 850 .

*** Hales M.S., and Hsu F.S.F. (1990) :**

Needle tract implantation of papillary carcinoma of the
thyroid following aspiration biopsy. Acta. Cytol., vol. 34 No.
6, 801 - 804.

*** Hall T.I. , Layfield L.J. and philippe A. (1989) :**

Fine needle aspiration : proper sampling key to diagnosis. Cancer 63 : 718 - 25.

*** Hamburger J.L. (1975) :**

Solitary autonomously functioning thyroid lesions. Am. J. Med., 58 : 740 .

*** Hamberger B., Ghareb H., and Melton L.J. (1982) :**

Fine needle aspiration biopsy of thyroid nodules. impact on thyroid practice and cost of care. Am. J. Med, 73 : 381.

*** Hamburger J.I., and Hamburger S.W. (1985) :**

Declining role of frozen section in surgical planning for thyroid nodules. Surgery 98 : 307 - 12 .

*** Hamberger J.I. (1987) :**

*** Consistency of sequential needle biopsy findings for thyroid nodules management implications. Arch. Intern Med. 147 :97**

.Hamby L. S. McGrath P. C. , and Schwarts R.W. (1992) :

Management of local recurrence in well-differentiated thyroid carcinoma. J Surg Res 52 : 113 - 117 .

*** Hammer M, Wortsman J and Folse R. (1982) :**

Cancer in cystic lesions of the thyroid. Arch Surg, 117; 1020 - 1023 .

*** Hamming J.F, Goslings B.M., Vansteen G.J. (1990) :**

The Value of fine - needle aspiration biopsy in patients with nodular thyroid disease divided into groups of suspicion of malignant neoplasms on clinical grounds. Arch. Intern. Med 150 : 113 - 116 .

*** Hay I. and Morris J. (1991) :**

Autonomously functioning thyroid nodules In : Braverman L. and Utiger R. (eds). The thyroid. New York : JB Lippincott, 689 - 704 .

*** Hay I.D. (1993) :**

Thyroid nodules and thyroid cancer. Med Internat. 21 : 5 .

- * **Hayashi N., Tamaki N., and Yamaoto K. (1986) :**
 Ultrasonography of thyroid nodules, Acta. Radiol. 22 : 403 .
- * **Hazard J.B. (1977) :**
 The C-cells (parafollicular cells of thyroid gland and medullary carcinoma) , a review. Am, J. Pathol., 88 : 218 .
- * **Hazard J.B., Hawk W. H., and Crile G. J.r. (1959) :**
 Medullary (solid) carcinoma of the thyroid - A clinicopathologic entity. J. Clin. Endocrinol. Metab., 19 : 152.
- * **Hermann M., Richter B., and Roka R., (1994) :**
 Thyroid surgery in untreated severe hyperthyroidism : Perioperative Kinetics of free thyroid hormones in the glandular venous effluent and peripheral blood.
 Surg., Vol. 115, No. 2.
- * **Hirabayashi R. N. and Lindsays (1965) :**
 The relation of thyroid carcinoma and chronic thyroiditis Surg Gynecol Obstet 121 : 243 - 52 .
- * **Horace K.L. (1984) :**
 Cancer metastatic to the thyroid, a diagnostic problem. Mayo Clin. Prac., 59 : 856.
- * **Howe J.R., Norton J.A. and Wells S.A. (1993) :**
 Prevalence of pheochromocytoma and hyperparathyroidism in multiple endocrine neoplasia type 2 A : results of long - term follow-up Surg 114 : 1070 - 1077 .
- * **Huang S. and Mcleish W. A. (1968) :**
 Pheochromocytoma and medullary carcinoma of the thyroid cancer 21 : 302 .
- * **Ishihara T., Kikuchi k., and Ikeda T., (1978) :**
 Resection of thyroid carcinoma infiltrating the trachea . Thorax 33 : 378 - 86 .

- * **Ishihara T. Yamazaki S., and Kobayashi K. (1982) :**
Resection of trachea infiltrated by thyroid carcinoma Ann Surg 195 : 496 - 500 .
- * **Ishihara T., Kobayashi K., and Kikuchi K. (1991) :**
Surgical treatment of advanced thyroid carcinoma invading the trachea. J Thorac Cardiovasc Surg 102; 717 - 20 .
- * **Ito J., Noguchi S., and Murakami S. (1980) :**
Factors affecting the prognosis of patients with carcinoma of the thyroid. Surg Gynecol Obstet 150; 539 - 544 .
- * **Jacobs. J. K., Aland J. W., and Balling J. F. (1983) :**
Total thyroidectomy: A review of 213 patients. Am Surg. 197; 542-9 .
- * **Jatzko G. R., Lisborg P. H., and Møller, M. G. (1994) :**
Recurrent nerve palsy after thyroid operations - principal nerve identification and a literature review. Surg 115: 139-144 .
- * **Jayaram G. (1985) :**
Fine - needle aspiration cytologic study of the solitary thyroid nodule. Acta. Cytol. 29:967.
- * **Joensuu, H., Klemi P. J., and Paul R. (1986) :**
Survival and prognostic factors in thyroid carcinoma. Acta Radiol., 25:243.
- * **John, M. (1982) :**
The Solitary thyroid nodule. In: Principles of thyroid surgery, pp 119-132.
- * **John., M. K. (1990) :**
Pathology of the thyroid gland. In: Anderson's pathology. Ninth edition, edited by John M. Kissane, p. 1546.
- * **Johnson K. E. (1992) :**
The thyroid gland, In: Histology and cell biology. 2nd ed. Published by Harwal company, Pennsylvania. Ch. 21, pp 259-261.

*** Kaminsky D.B. (1984):**

Aspiration biopsy in the context of the new medicare fiscal policy. Acta Cytol. 28 : 333.

*** Kaplan E.L. (1983) :**

Thyroid and parathyroid In: Schwartz, Shires, Spencer and Storer (eds) principles of surgery chapter 35 th 4th ed McGraw. Hillbook company, New York .

*** Katlic M.R., Grillo H.C. and Wang C. (1985) :**

Substernal goitre Analysis of 80 patients from Massachusetts General Hospital. Am. J. Surg. 149 : 283 - 7.

*** Katz J.F., Kane R.A., and Reyes J. (1984) :**

Thyroid nodules : sonographic - pathologic correlation.
Radiology 151 : 241.

*** Kenneth L.T.C. and Warren F. (1995) :**

Cystic medullary thyroid cancer. Surg 5 :356 .

*** Kimler S. C. and Muth W. E. (1987) :**

Primary malignant teratoma of the thyroid: case report and literature review of cervical teratomas in adults. Cancer 42:311.

*** Kini S.R., Miller J.M. and Hamburger J.I. (1981) :**

Cytopathology of Hürthle cell lesions of thyroid gland by FNA.

Acta Cytol. (Baltimore) 25 : 647 .

*** Kraemer B.B. (1987) :**

Frozen - section diagnosis and the thyroid. Semin. Diagn. Pathol. 4 : 169 - 98 .

*** Kristofferson A. Sandzen B. and Järhult J. (1986) :**

Drainage in uncomplicated thyroid and parathyroid surgery
Br. J. Surg 73 : 121 - 122 .

*** La Rosa G. L., Belfiore A., Giuffrida D., Sicurella C., Ippolito O. and Russo G. (1991) :**

Evaluation of fine needle aspiration biopsy in the preoperative selection of cold thyroid nodules. *Cancer* 67 : 2137 - 41 .

* **Lambrecht R.M., Woodhouse N. and Phillips R. (1988) :**

Investigational study of iodine - 124 with a positron camera.

Am. J. physiol. Imaging, 3 : 197 - 200 .

* **Landas S.k. and Huston B.M. (1994) :**

An unusual cases of synchronous thyroid and parathyroid adenomas . *Head & Neck* 16 : 372 - 374 .

* **Landenson P.W., Goldenheim P.D., Cooper D.S. and Miller M.A. (1982) :**

Early peripheral responses to intravenous L- thyroxine in primary hypothyroidism. *Am J Med* 73 : 467 .

* **Lang W., Georgii A., Stauch G. and Kienzle E. (1980) :**

The differentiation of atypical adenomas and encapsulated follicular carcinomas in the thyroid gland *Virchows Arch, Pathol. Anat.* 385 : 195.

* **Lawson V. G. (1983) :**

The management of airway involvement in thyroid tumors.

Arch Otolaryngol 109 : 86 - 90 .

* **Layfield L.J. and Lones M.A. (1991) :**

Necrosis in thyroid nodules after fine needle aspiration biopsy, Report of two cases. *Acta. Cytol.* vol. 35. pp. 427 - 430.

* **Lekacos N.L., Miligos N.D., and Tzardis P.J. (1987) :**

The superior laryngeal nerve in thyroidectomy. *Am Surg* 53 : 610 - 612 .

* **Lennquist S., Cahlin C. and Smds S. (1987) :**

The superior laryngeal nerve in thyroid surgery. *Surg* 102 : 999 - 1008 .

- * **Lennquist S. (1986) :**
Surgical strategy in thyroid carcinoma : a clinical review.
Acta Chir Scand 152 : 321 - 338.
- * **Lida Y. Hidaka A. and Hatabu (1991) :**
Follow up study of postoperative patients with thyroid cancer by the Ilium-201 scintigraphy and serum thyroglobulin measurement . J. Nucl Med 32 : 2098 - 2100 .
- * **Lima J.B. and Dunlap P. (1971) :**
Sipple's syndrome (pheochromocytoma and thyroid carcinoma) with bilateral Breast carcinoma. Am J Surg 121 : 732 - 735 .
- * **Lim V.S., Zavala D.C., Flanigan M.J. and Freeman R.M. (1986) :**
Basal oxygen uptake : A New technique for an old test.
J Clin Endocrinol Metab 62 : 863 - 867.
- * **Lipton R.J. McCaffrey T.V. and Van Heerden J.A. (1987) :**
Surgical treatment of invasion of the upper aerodigestive tract by well -differentiated thyroid carcinoma . Am. J. Surg 154 : 363 - 7 .
- * **Livolsi V.A., Merino M. J. and Brooks S.J. (1992) :**
Endocrine system in : Pathology 2nd ed.published by Harwal company, pennsyl vania, ch. 19 pp. 359 - 380 .
- * **Livraghi T., Festi D., Monti F. and Salmi A. (1986) :**
Ultrasound - guided percutaneous alcohol injection of small hepatic and abdominal tumours. Radiology 161 : 309 - 12.
- * **Ljunberg O. (1972) :**
On medullary carcinoma of thyroid. Acta pathol microbiol. Scand (A) 231 , 1 - 57 .
- * **Lore J.M., Kim D.J. and Elias S. (1977) :**
Preservation of the laryngeal nerves during total thyroid lobectomy. Ann Otol Rhinol laryngol 86 : 777 - 788 .

- * **Lovett E.J., Schnitzer B., Keran D.F. (1984) :**
Application of flow cytometry to diagnostic pathology. Lab Invest 50 : 115 - 140.
- * **Lowhagen T., Granberg P.O. and Lundell G. (1979) :**
Aspiration biopsy cytology (ABC) in tumors of the thyroid gland suspected to be malignant. Surg. Clin. North Am., 59 :3 .
- * **Lowhagen T., Willwms J.S. and Lundell G. (1981) :**
Aspiration biopsy cytology in diagnosis of thyroid cancer world J. Surg. 5 : 61 .
- * **Lucas A.L. Hatjós M., Salinas I., Reverter J., Pizarro E. and Sanmarti A. (1995) :**
Fine - needle aspiration cytology of benign nodular thyroid disease, value of re-aspiration. EUR J Endocrinol 132 : 677 - 80 .
- * **Lukacs G.L., - Nagy I., and Lustyike G.Y. (1983) :**
Microfluorimetric and X Ray microanalytic studies on the DNA content and $\text{Na}^+ : \text{K}^+$, rations of the cell nuclei in various types of thyroid tumors. J. Cancer. Res. Clin. Oncol. 105 : 280 - 284.
- * **Lukomsky G.I., Ivanova N.A. and Kabanova G.M. (1984) :**
Preoperative treatment of patients with thyrotoxicosis.
Am. J. Surg vol. 147.
- * **Mafee M.F., Rasouli F, and Spigos D.G. (1986) :**
Magnetic resonance imaging in the diagnosis of Non squamous tumors of the head and neck. Otolaryngol. Clin. North, Am, 19 : 523.
- * **Mallin W.H., E.L. - Gazzar A.H. and Maxon H.R. (1994) :**
Imaging modalities in the follow-up of non-iodine Avid thyroid carcinoma . Am J Otolaryngol 15 : 417 - 422 .
- * **Mansberger A.R. and Wei J. (1993) :**
Surgical embryology and anatomy of the thyroid and parathyroid glands. Surgical clinics of North America vol. 73

Number 4, pp. 707 .

*** Mariano F., and Harry R.M. (1989) :**

The thyroid gland In : Clinical chemistry - theory, analysis and correlation, edited by Kaplan L.A., and Pesce AJ. ch 41 pp. 620 - 638.

*** Mariotti S., Martino E., Francesconi M. (1986) :**

Serum thyroid autoantibodies as a risk factor for development of hypothyroidism after radioactive iodine therapy for single thyroid "hot". nodule. Acta Endocrinol., 113 : 500 - 7.

*** Martensson H. and Terins J. (1985) :**

Recurrent laryngeal nervpalsy in thyroid gland surgery related to operations and nerves at risk Arch Surg 120 : 475 - 7 .

*** Martin B., Goran W. and Gert A. (1987) :**

Fine-needle biopsy cytology and DNA analysis their place in the evaluation and treatment of patients with thyroid neoplasms. Surg. Clin North Am Vol. 67 : 197 .

*** Mary R. Schwartz (1990) :**

Pathology of the thyroid and parathyroid glands. Otolaryngologic Clinics of North America, vol 23 No.2 .

*** Massin J., Sacoie J.C. and Leger F.A. (1984) :**

Pulmonary metastases in differentiated thyroid carcinoma study of 58 cases with implication for primary tumor treatment. Cancer 53 : 982 .

*** Matheson N.A. (1986) :**

The diagnosis of thyroid swellings In : Russell R.C.G. (ed).

Recent advances in surgery 12 Churchill Livingstone, Edinburgh. pp. 178 - 197 .

*** Mathew C.P.G., Easton D.F., Nakamura Y. and Pander B.A.J. (1991) :**

Presymptomatic screening for multiple endocrine neoplasia type 2 A with linked DNA markers Lancet 337 : 7 - 11 .

*

Mazzaferri E. L. (1991) :

Treating differentiated thyroid carcinoma : where do we draw the line ? Mayo Clin. prac. 66 : 105 - 11 .

*** MC Dougall (1991) :**

Thyroid Scintigraphy. In : Braverman L. and Utiger R. (eds).

The thyroid. New York. JB Lippincott 445 - 462 .

*** Mc Minn R.M.H. (1990) :**

Anatomy of the thyroid gland. Laster's Anatomy, Regional and applied. 8th edition pp. 430.

*** Mellire D.J.M., Ben Yahia N.E. and Becquemin J.P. (1993):**

Thyroid carcinoma with tracheal or esophageal involvement limited or maximal surgery ? Surg 113 : 166 - 72 .

*** Michie W. Duncan T. and Hamer-Hodgos D.W. (1971) :**

Mechanisms of hypocalcemia after thyroidectomy for thyrotoxicosis. Lancet I, 508 - 14 .

*** Miller J.M., Melvin K.E. and Gibson J.M. (1972) :**

Surgical approach to Early familial Medullary carcinoma of the thyroid gland. Am. J. Surg. vol 123 .

*** Miller J.M., Zafar S. and Kare J. J. (1974) :**

The cystic thyroid nodule, recognition and management Radiol 110 : 257 - 261.

*** Miller J.M. (1982) :**

Needle biopsy of the thyroid: Methods and recommendations. Thyroid Today 5 : 1.

*** Miller J.M., Kini S.R. and Hamburger J.I. (1985) :**

The diagnosis of malignant follicular neoplasms of the thyroid by needle biopsy. Cancer 55 : 2812 .

*** Minura T., Hameda N. and Ban Y. (1982) :**

Anterior pituitary, thyroid, parathyroid and adrenal responses to subtotal thyroidectomy in patients with Graves' disease .

Japn J Surg 12 : 235 - 43 .

- * **Monazani F., Goletti O., and Caraccio N. (1992) :**

Percutaneous ethanol injection treatment of autonomous thyroid adenoma: hormonal and clinical evaluation. Clin. Endocrinol, 36 : 491 - 7.

- * **Moore K. (1988) :**

Anatomy of the thyroid gland and parathyroid. Clinically Oriented Anatomy pp. 817 3rd ed.

- * **Murray R.K., Granner D.K. and Mayes P.A (1993) :**

Thyroid hormones In : Harper's Biochemistry 23rd ed. published by Appleton & Lange ch. 46 pp. 509 - 515 .

- * **Nakao K., Miyata M. and Izukura M. (1984) :**

Radical operation for thyroid carcinoma invading the trachea. Arch Surg 119 : 86 - 90 .

- * **Nakashima M., Ohtsuru A., Luo W.T., Nakayama T., Enomoto H., Kiriya T. and Sekine I. (1995) :**

Expression of Parathyroid hormone - related paptide in human thyroid tumors. Pathol 175 : 227 - 236 .

- * **Nassani S.N., and Bard R. (1978) :**

Evaluation of solid thyroid neoplasms by ultrasonography (The halo sign) ultrasound Med. Biol., 4 : 323.

- * **Nemec J., Zamrazil and Pihun Kova D. (1984) :**

The rationale use of 201 TI scintigraphy in the evaluation of differentiated thyroid cancer, Eur. J. Nucl. Med., 9 : 261.

- * **Nesland J.M., Holm R and Sambade M.C. (1985) :**

HArthle - cell lesions of thyroid . A combined study using transmission electron microscopy, scanning election microscopy and immunocytoc-hmistry. Ultrastruct, pathol 8 : 269 .

- * **Nomori H., Kobasyashi K., and Ishihara T. (1990) :**

Thyroid carcinoma infiltrating the trachea : clinical, histologic and morphometric analysis J Surg Oncol. 44 : 78 -

*** Nowell P.C. (1974) :**

Chromosome changes and the clonal evaluation of cancer. In German I. (ed.) : chromosomes and cancer. New York John Wiley and Sons, pp. 267 - 285 .

*** Noyek A. M., Geryson N.D., and Steinharott M.I. (1983) :**

Thyroid tumor imaging. Arch. Otolaryngol., 109 : 205.

*** Oates G.D., and Grimley R.P. (1980) :**

The natural history of malignant lymphoma Br.J. Surg. 67 : 475.

*** O'Brien T., Gharib H. and Suman V. (1992) :**

Treatment of toxic solitary thyroid nodule : surgery versus radioactive iodine. Surg 12 : 1166 - 1172 .

*** Ophir D. (1989) :**

Classification among thyroid carcinomas. Ear Nose Throat J. 68 : 636.

*** Ott RA., Calandra D.B. and McCall A. (1985) :**

The incidence of thyroid carcinoma in patients with Hashimoto's thyroiditis and solitary cold nodule. vol 98 No. 6pp. 1202 - 1205.

*** Ozaki O., Sugino K. and Mimura T. (1995) :**

Surgery for patient with thyroid carcinoma invading the trachea : Circumferential sleeve resection followed by end - to - end anastomosis. Surg . 117 : 268 - 71 .

*** Ozata M., Suzuki S. and Miyamoto T. (1994) :**

Serum thyroglobulin in the follow - up of patients with treated differentiated thyroid cancer.

J. Clin Endocrinol Metab 79 : 98 - 105 .

*** Painter T.A. (1986) :**

Extracranial carotid aneurysms : Report of 6 Cases and review of the Literature. J. Vasc. Surg 3 : 312 .

- * **Park C.S., Suh K.W. and Soh E.Y. (1992) :**
The Cartilage shaving procedure for thyroid carcinoma invading the tracheal cartilage : is it an appropriate treatment?
Endocr. Surg 9 : 257 - 60 .
- * **Pedreson W.C., Johnson C.L. and Gaskill H.V. (1984) :**
Operative management of thyroid disease, technical consideration in residency training program. Am. J. Surg., 148 : 350 .
- * **Pellegrini C.A. (1991) :**
Postoperative Care In : Current Surgical diagnosis and treatment edited by way LW 9th ed published by Prentice - Hall international inc. ch.3, pp. 15 - 26 .
- * **Peppard S.B., Dickens J.H. and Michigan D. (1983) :**
Laryngeal injury following short term intubation. Ann. Otol Rhinol. Laryngol 92 : 327 .
- * **Peters L.L. and Gardner R.J. (1972) :**
- * **Repair of recurrent laryngeal nerve injuries Surg. 71 : 865 - 7**
* **Phade V.R., Lawrence W.R. and Max M.H. (1981):**
Familial papillary carcinoma of the thyroid. Arch, Surg. 116 : 836 - 837.
- * **Pickardt R. (1990) :**
Iodine and thyroid autonomy In : Rein wein D. and Scriba P, (eds.) The various types of Hyperthyroidism. Vienna : Urbann and Schwarzenberg; 57 - 69 .
- * **Pinkus G.S. and Kurtin P.J. (1985) :**
Epithelial menbrain antigen - a diagnostic discriminant in surgical pathology. Hum pathol 16 : 929 - 940 .
- * **Pinto A., Grant L.H. and Hayes F.A. (1989) :**
Immunohistochemical expression of neuron - specific enolase and Leu - 7 in Ewing's sarcoma of bone cancer 64 : 1266 - 1273.

- * **Rae P. and Beckett G. (1993) :**
Thyroid function tests. Med international 21 : 155 - 160 .
- * **Rasbash D.A., Mondschein M.S. and Harris N.L. (1985) :**
Malignant lymphoma of thyroid gland, a clinical and pathological study of 20 cases. Surgery 98 : 1166 .
- * **Rebuck A.S. and Campbell E.J.M. (1974) :**
A clinical method for assessing the ventilatory response to hypoxia Am Rev Respir Dis 109 : 345 .
- * **Retetoff S. (1982) :**
Syndromes of thyroid hormone resistance Am J Physiol 243 : E 88 .
- * **Riddle V.H. (1970) :**
Thyroidectomy : Prevention of bilateral recurrent nerve palsy
Br. J Surg 57 : 1 - 11 .
- * **Rifaat M.A., (Ed) (1979) :**
The thyroid gland In : Surgical note-taking and diagnosis 2nd ed. published by scientific book center ch. 20 pp. 275 - 288 .
- * **Rintoul R.F. (1986) :**
Operations on the neck and salivary glands. Farquharson's textbook of operative surgery 7th ed. p. 256 .
- * **Roa R.A., Carey T.E. and Passamani P.P. (1985) :**
DNA content of human squamous cell carcinoma cell lines. Arch Otolaryngol III : 565 - 575.
- * **Robbins J., Merino M.J., and Bioce J.D. (1991) :**
Thyroid cancer : A lethal endocrine neoplasm. Ann intern Med 115 : 133 - 47 .
- * **Robbins S.L., Cotran R.S. and Kumar (1984) :**
Pathologic Nature of Disease. 3rd ed Philadelphia. London, Toronto : WB Saunders Company : 1221 .
- * **Romanes G.J. (1979) :**
Anatomy of thyroid gland. Cunningham's Manual of

Practical Anatomy. 14th ed. vol. 3 p. 53 .

*** Ronga G., Fiorentino A., and Paserio E. (1990) :**

Can iodine - 131 whole body scan be replaced by thyroglobulin measurement in the post surgical follow-up of differentiated thyroid carcinoma ? J Nucl Med 31 : 1766 - 1771 .

*** Rosai J. and Carcangiu M.L. (1987) :**

Pitfalls in the diagnosis of thyroid neoplasms. Pathol Res Pract 182 : 169 - 179 .

*** Rosai M.D. (1989) :**

Pathology of the thyroid gland. Ackerman's surgical pathology. 7th pp. 391 ed.

*** Rosin I.B., Wallase C., Strawbridge H. G. and Walfish P.G. (1981) :**

Re-evaluation of needle aspiration cytology in detection of thyroid cancer. Surg. 90 : 747 .

*** Rosen I.B., Palmer J.A., Bain J., Strawbridge H. and Walfish P.G. (1983) :**

Efficacy of needle biopsy in postradiation thyroid disease. Surgery, 94 (6) : 1002 .

*** Ross D.S. (1990) :**

Long-term management of differentiated thyroid cancer. Endocrinol Metab Clin North . Am. 19 : 719 - 739 .

*** Roth R.N. and McAuliffe M.J. (1989) :**

Hyperthyroidism and thyroid storm. Emerg Med Clin North Am 7 : 873 - 83 .

*** Roth K.A., Bensch K.G., and Hoffman A.R. (1994) :**

Characterization of opioid peptides in human thyroid medullary carcinoma. Cancer 59 .

*** Rowe L.D. (1991) :**

Otolaryngology In : Current surgical diagnosis and treatment edited by way LW, Prentice Hall international Inc. ch 40 pp.

869 - 870 .

*** Rubin E. and Farber J.L. (Ed) (1994) :**

Endocrine system In : Pathology 2nd ed. published by lippincott company, Pennsylvania. ch.21 pp. 1108 - 1123 .

*** Russell C.F.J. (1994) :**

The managment of the solitary thyroid nodule In : Recent advances in surg 17 : Churchill Livingstone, Edinburgh 2 : 33 .

*** Russell R.C.G. and Matheson N.A. (1986) :**

The diagnosis of thyroid swellings. In : Recent advances in surg.(11), 12 : 129-197.

*** Sadek S.A., Nassar W. Y. and Tobias M.A. (1987) :**

Teflon injection of the vocal cords under general anaesthesia : Review of 262 cases. J Otolaryngol 101 : 695 .

*** Sako K., Marchetta F.C. and Razack M.S. (1985) :**

Modified radical neck dissection for metastatic carcinoma of the thyroid. Am. J. Surg 150 : 500 - 502 .

*** Sanada S., Ando A. and Ando I. (1984) :**

Study of distribution of tumor affinity metal compounds and alkaline metal compounds in the tumor tissues by macroautoradiography. Int J Nucl Med Biol 11 : 195 - 201 .

*** Sanchez R.B., D. Agostino H.B., O'Laoide R., Fundell L. and Robbins T. (1994) :**

Ultrasound guided biopsy of nonpalpable and difficult to palpate thyroid masses. J. Am Coll Surg 178 : 33 - 37 .

*** Sand M.E., Laws H.L. and Mc Elvein R.B. (1983) :**

Substernal and intrathoracic goitre. Reconsideration of surgical approach. Am. Surg 49 : 196.

*** Sawyers J.S.A., Kellett H.A. and Brown N.S. (1982) :**

Does calcitonin cause hypocalcemia after thyroidectomy?

Br. J Surg 69 : 456 - 8 .

- * **Schimke R.N., Hartmann W.H. and Prout T.E. (1968) :**
 Syndrome of bilateral pheochromocytoma, medullary thyroid carcinoma, and multiple neuromas. A possible regulatory defect in the differentiation of chromaffin tissue. *New Eng J Mrd* 279 : 1 .
- * **Schlumberger M., Tubiana M. and De Vathaire (1986) :**
 Long-term results of treatment of 283 patients with lung and bone metastases from differentiated thyroid carcinoma. *J Clin Endocrinol Metab* 63 : 960 - 967 .
- * **Schmid K.W., Hofstadter F., and propst A. J.R. (1986) :**
 A 14 year practice with the fine-needle aspiration biopsy of the thyroid in an endemic area., *pathol, Res. pract.*, 181 : 308.
- * **Schroder S. and Kloppel G. (1987) :**
 Carcino-embryonic antigen and non specific cross reacting antigen in thyroid cancer, an immunocytochemical antigen in thyroid cancer. An immunochemical study using polyclonal and monoclonal antibodies. *Am. J. Surg. pathol* 11 : 100 .
- * **Scopa C.D., Mastorakos G., Friedman T.C., Melachrinou M., Merino M.J. and Chrousos G.P. (1994) :**
 Presence of Immunoreactive-corticotropin releasing hormone in thyroid lesions. *Am J Pathol* 145 : 1159 - 1165 .
- * **Selzer G., Kahan L.B. and Albertyn L. (1977) :**
 Primary malignant tumors of thyroid, a clinicopathologic stydy of 254 cases. *Cancer* 40 : 1501 .
- * **Shaha A., Alfonso A. and Jaffe B.M. (1987) :**
 Acute airway distress due to thyroid pathology. *Surgery* (102) 6 : 1068 .
- * **Shigesama C., Adachi T., and Igawa O. (1988) :**
 Sequential change in serum thyroglobulin, triiodothyronine and thyroxine following partial thyroidectomy for non toxic noduler goitre. *Metab* 37 : 677 - 82 .
- * **Shimoka K., Sokal J.E. and Pickren J.W. (1962) ;**
 Metastatic neoplasms in the thyroid gland, pathological and

- clinical finding. *Cancer*, 15 : 557 .
- * **Si L. and Whiteside T.L. (1992) :**
Tissue distribution of human NK cells studied with anti-Leu - 7 monoclonal antibody. *J Immunol* 130 : 2149 - 2155 .
 - * **Simeone J.F., Daniels G.H., and Muller P.R. (1982) :**
High resolution real-time sonography of the thyroid. *Radiol*, 145 : 431.
 - * **Siminoski K. (1994) :**
Differential movement during swallowing as an aid in the detection of thyroid pseudonodules. *Head & Neck* 16 : 21 - 24 .
 - * **Simpson W.J. (1990) :**
Radioiodine and radiotherapy in the management of thyroid cancer. *Otolaryngol Clin North Am* 23 : 509 - 521 .
 - * **Sizemore G.W., Carney J.A., Heath H. I.I.I. (1977) :**
Epidemiology of medullary carcinoma of thyroid gland : a five year experience (1971 - 1976). *Surg. Clin, North. Am.* 57 : 633 - 649.
 - * **Skandalakis S.E., Gray S.W. and Rowe J.S. (1983) :**
Thyroid gland. Anatomical complications in general surgery pp. 1 - 30 .
 - * **Smith R.F., Shetty P.C. and reddy D.J. (1988) :**
Surgical treatment of carotid paraganglioma presenting unusual technical difficulties. *J Vasc Surg* 7 : 631 .
 - * **Snell R. (1975) :**
Embryology of the thyroid gland. *Embryology for medical student*. 2nd ed. pp. 266 - 280 .
 - * **Söderström N. (1952) :**
Punctures of goitres for aspiration biopsy. *Acta Med Scand CXLIV* : 237 - 44 .
 - * **Solbiati L., Giangrande A., and Depra L. (1985) :**
Percutaneous ethanol injection of parathyroid tumors under

ultrasound guidance : treatment for secondary hyperparathyroidism. Radiology 155 : 607 - 610 .

*** Spies W.G., Wojtowicz C.H. and Spies S.M. (1989) :**

Value of Post-therapy whole body ^{131}I imaging in the evaluation of patients with thyroid carcinoma having undergone high dose ^{131}I therapy. Clin Nucl Med 14 : 793 - 800 .

*** Sprenger E., Lowhagen T., and Vogt-Schaden M. (1977) :**

Differential diagnosis between follicular adenoma and follicular Carcinoma of the thyroid by nuclear DNA determination. Acta Cytol. 21 : 528 - 530.

*** Steinfield C.M., Moertal C.G. and Woolner L.B. (1973) :**

Diarrhea and medullary carcinoma of thyroid. Cancer 31 : 1237 .

*** Sukkar M.Y., El Munshid H.A. and Ardawi M.S.M. (1993)**

Physiology of thyroid gland. Concise Human physiology, pp 244 - 260 .

*** Tan R.K., Finely R.K., and Driscoll D. (1995) :**

Anaplastic carcinoma of the thyroid : A24 - year experience.

Head & Neck 17 : 41 - 48 .

*** Telenius - Berg M., Berg B. and Hambeger B. (1984) :**

Impact of screening on prognosis in the multiple endocrine neoplasia type 2 syndromes natural history and treatment results in 105 patients. Henry. Ford. Hosp. Med. J. : 32; 225 - 32.

*** Teitelbaum B. J. and Wenig B.I. (1995) :**

Superior laryngeal nerve injury from thyroid surgery. Head & Neck 17 : 36 - 40 .

*** Thompson N.W. and Harness J.K. (1970) :**

Complications of total thyroidectomy for carcinoma. Surg Gynecol Obstet 131 : 861.

- * **Thompson N.W., Dunn E.L., and Batsakis J. G. (1974) :**
Hürthle cell lesion of thyroid gland. Surg. Gynecol. Obstet., 139 : 555 .
- * **Toft A.D., Irvine W.J. and Sinclair J. (1978) :**
Thyroid function after surgical treatment of thyrotoxicosis : A report of 100 cases treated with propranolol before operation. N.Engl. J. Med., 298 : 643-682.
- * **Toft A. (1993) :**
Mistakes I hate to see made. Med. international 21 : 5 pp. 172 .
- * **Tollefsen H.R. and DeCosse J.J. (1963) :**
Papillary Carcinoma of the thyroid Recurrence in the thyroid gland after initial surgical treatment. Am. J. Surg 106 : 728.
- * **Tollefsen H.R. Decosse J.J. and Hutter R.V.P. (1964) :**
Papillary carcinoma of the thyroid : a clinical and pathological study of 70 fatal cases. Cancer 17 : 1035 - 44 .
- * **Tov Y.S., Straus M., Talmi Y.P., Wolfsom L.R., Zohar Y. and Gal R. (1994) :**
Nucleolar organizer regions in follicular tumors of the thyroid. Head & Neck 16 : 420 - 423 .
- * **Tsue T.T., Wood D.E. and True L.D. (1995) :**
Male presenting with hoarseness and a thyroid mass. Am. J. otolaryngol 16; 158 - 164 .
- * **Tsumori T., Nakao K. and Miyata M. (1985) :**
Clinico pathologic study of thyroid carcinoma infiltrating the trachea. Cancer 56; 2843 - 8 .
- * **Turner J.W., and Spencer R.P. (1976) :**
Thyroid carcinoma presenting as a pertechnetate "hot" nodule but without I^{131} uptake : case report., J. Nucl. Med., 17 : 22.
- * **Udelsman R. (1992) :**
Thyroid cancer, In Cameron J.L. Current Surgical therapy 4th ed, St. Louis :Mosby - Year Book Inc. pp568 - 572 .

- * **Van Herle A.J., Rich P. and Ljung B.M.E. (1982) :**
The thyroid nodule. *Ann. Intern. Med*, 96 : 221.
- * **Van Heerden A.J., Croh M.A. and Grant C.S. (1987) :**
Early postoperative morbidity after surgical treatment of thyroid carcinoma. *Surgery* (101) 2 : 224 .
- * **Venuta S., Ferraiuolo R. and Morrone G. (1979) :**
The uptake of TI - 201 in normal and transformed thyroid cell lines. *J. Nucl Med. Allied Sci.* 23 : 163 - 166 .
- * **Wade J.S.H. (1955) :**
Vulnerability of recurrent laryngeal nerves at thyroidectomy. *BrJ Surg* 43 : 164 - 79 .
- * **Walfisf P.G., Strawbridge H.T., and Rose I.B. (1985) :**
Management implications from routine needle biopsy of hyperfunctioning thyroid nodules, *Surge.* 98 : 1179.
- * **Walfish P.G., Hazani E., Strawbridge H.T. (1977) :**
Combined ultrasound and needle aspiration cytology in the assessment and management of the hypofunctioning thyroid nodule. *Ann intern. Med.* 87 : 270.
- * **Ward P.H., Berci G. and Calcaterra T.C. (1977) ;**
Superior laryngeal nerve paralysis : an often overlooked entity. *Trans Am Acad Ophthalmol Otolaryngol* 84 : 77 - 89 .
- * **Wartofsky L. and Burman K.D. (1982) :**
Alterations in thyroid function in patients with systemic illness: the euthyroid sick syndrome. *Endocer Rev* 3 : 164 .
- * **Watson C.G. , Steed D.L., and Robinson A.G. (1981) :**
The role of calcitonin and parathyroid hormone in the pathogenesis of post-thyroidectomy hypocalcemia. *Metab* 30 : 588 - 9 .
- * **Weirsinga W.M. (1995) :**
Is repeated fine - needle aspiration cytology indicated in (benign) thyroid nodules ? *EUR J Endocrinol* 132 : 661 - 2 .

- * **Wells S.A., -Chi D., Toshima K., Dehner L.P., Coffin C. Downton B. and Ivanovich J.L. (1994) :**

Predictive DNA testing and prophylactic thyroidectomy in patients at risk for multiple endocrine neoplasia type 2 A

Ann Surg. 220 : 237 - 250 .

- * **Wilkin T.J., Paterson C.R. and Isles T.E. (1977) :**

Post-thyroidectomy hypocalcemia : a feature of the operation or the thyroid disorder ? Lancet 1 : 621 - 3 .

- * **William A., Meissner and Shields Warren (1982) :**

Tumors of thyroid in atlas of tumor pathology. Eds. Harlan I. and Firminger p. 11 .

- * **Williams E.D. (1965) :**

A review of 17 cases of carcinoma of the thyroid and pheochromocytoma. J Clin Path 18 : 288 .

- * **Wilson N.W., Pambakian H. and Richardson T.C. (1986) :**

Epithelial markers in thyroid carcinoma : an immunoperoxidase study. Histopathology 10 : 815 - 879 .

- * **Wingert D.J., Friese S.R. and Pierce G.E. (1986) :**

Post-thyroidectomy hypocalcemia, incidence and risk factors.

Am. J. Surg., 152 : 606 .

- * **Woltring E.A., Dumo D. and Ferrara W.B. (1984) :**

A method of intraoperative identification of the recurrent laryngeal nerve. Am. J. Surg., 148 : 438 .

- * **Wong T.H., Ong C.L., Tan W T. and Rauff A. (1993) :**

The solitary thyroid nodule, revisited abstract. Ann - Acad, Med, Singapore 22 (4) : 593 .

- * **Wool S. (1978) :**

Clinical diagnosis of thyroid cancer. Thyroid cancer. In : Greenfield L.D. West palm Beach, C.R.C. press .

- * **Woolf P.D. (1980) :**

Transient painless thyroiditis with hyperthyroidism : A

variant of lymphocytic thyroiditis ? Endocr. Rev., 1 : 411 - 420.

*** Woolner L.B., McConaley W.M., and Beahrs O.H. (1959) :**

Struma lymphomatosa (Hashimoto's thyroiditis) and related thyroid disorders. J.Clin Endocrinol Metab 19 : 53 .

*** Xu XC, EL Naggar A.K. and Lotan R. (1995) :**

Differential expression of Galectin -1 and Galectin-3 in thyroid tumors : Potential diagnostic implications. Am. J. Path 147; 815 - 820 .

*** Young R.T., Van Herle A.J. and Rodbard D. (1976) :**

Improved diagnosis and management of hyper - and hypothyroidism by timing the arterial sounds. J. Clin Endocrinol Metab 42 : 330 .

*** Zimmerman R.S., Brennau M.D., and McConahey W.M. (1986):**

Hashimoto's thyroiditis : An uncommon cause of painful thyroid unresponsive to corticosteroid therapy., Ann. Intern. Med. 104 : 355.

*** Zonszein J.I., Santangelo R.P. and Mackin J.F. (1979) :**

Propranolol therapy in thyrotoxicosis : A review of 84 patients undergoing thyroid surgery. Am. J. Med., 66 : 411 - 416.