

REFERENCES

- Abdollahi M, Ranjbar A, Shadnia S, et al. (2004):** Pesticides and oxidative stress: a review. *Med Sci Monit*, 10: 141-7.
- Abi-Gerges N, Philp K, Pollard C, et al. (2004):** Sex differences in ventricular repolarization: from cardiac electrophysiology to Torsades de Pointes. *Fundam Clin Pharmacol*, 18: 139-51.
- Abou-Donia MB (1992):** Triphenyl phosphate: A type II organophosphorus compound - induced delayed neurotoxic agent. In *Organophosphates: Chemistry, Fate and Effects*. By: Chambers JE and Levi PE (Eds.). Academic Press, New York, USA, PP: 327- 351.
- Adham KG, Khairalla A, Abu-Shabana M, et al. (1997):** Environmental stress in Lake Maryut and physiological response of *Tilapia zilli* Gerv. *J Environ Sci Health A*, 32: 2585–2598.
- Adler M, Moore DH and Filbert MG (1992):** Effects of anticholinesterase on airway smooth muscle. In: *Clinical and Experimental Toxicology of Organophosphate and Carbonates*. By: Ballantyne B and Mars TC (Eds.). Butterworth-Heinemann, Oxford, England, pp: 149-155.
- Adnet F, Borron SW, Finot MA, et al. (1998):** Intubation difficulty in poisoned patients: association with initial Glasgow Coma Scale score. *Acad Emerg Med*, 5: 123-7.
- Agarwal SB (1993):** A clinical, biochemical, neurobehavioral, and sociopsychological study of 190 patients admitted to hospital as a result of acute organophosphorus poisoning. *Environ Res*, 62: 63-70.
- Agostini M and Bianchin A (2003):** Acute renal failure from organophosphate poisoning: a case of success with haemofiltration. *Hum Exp Toxicol*, 22: 165-7.

- Ahmed RS, Seth V, Pasha T, et al. (2000):** Influence of dietary ginger (*Zingiber officinales* Rosc) on oxidative stress induced by malathion in rats. *Food Chem Toxicol*, 38: 443–450.
- Akgur S A, Veral A and Ege B (2008):** Adult respiratory distress syndrome in human organophosphate poisoning cases. *Toxicol Environ Chem*, 90: 493-499.
- Akhtar N, Kayani SA, Ahmad MM and Shahab M (1996):** Insecticide-induced changes in secretory activity of the thyroid gland in rats. *J Appl Toxicol*, 16: 397-400.
- Al-Jahdali M and Bin Bisher AS (2007):** Testicular histopathological alterations in rats treated with sumithion, NP 25/2.5 EC, Insecticide. *J Biol Sci*, 7: 520-525.
- Altuntas I and Delibas N (2002):** The effects of fenthion on lipid peroxidation and some liver enzymes: the possible protective role of vitamins E and C. *Turk J Med Sci*, 32: 293–7.
- Altuntas I, Delibas N, Demirci M, et al. (2002):** The effects of methidathion on lipid peroxidation and some liver enzyme: role of vitamins E and C. *Arch Toxicol*, 76: 470–3.
- Amr MM, Halim ZS and Moussa SS (1997):** Psychiatric disorders among Egyptian pesticide applicators and formulators. *Environ Res*, 732:193-9.
- Arima H, Sobue K, So M, et al. (2003):** Transient and reversible parkinsonism after acute organophosphate poisoning. *J Toxicol Clin Toxicol*, 41: 67-70. 
- Aron CK (2006):** Organophosphates and Carbamates. In: clinical management of poisoning and drug over dose. By: Shannon MS, Borron SW and Burns M (Eds.). 4th ed., Elsevier, New york, pp: 968-999.
- Ashani Y (2000):** Prospective of human butyrylcholinesterase as a detoxifying antidote and potential regulator of controlled-release drugs. *Drug Dev Res*, 50: 298-308.

- Aslan R, Sekeroglu M, Gultekin F, et al. (1997):** Blood lipoperoxidation and antioxidant enzymes in healthy individuals: Relation to age, sex, habits, life style and environment. *J Environ Sci Health A*, 32: 2102-9.
- Ateia MM, Zaki AA and Korayem WI (1990):** Toxic effect of dieldrin on gonadotrophin levels (FSH and LH) in serum of mature female albino rats. *Arch Exp Veterinar med*, 44: 357-60.
- Atis S, Comelekoğlu U, Coskun B, et al. (2002):** Electrophysiological and histopathological evaluation of respiratory tract, diaphragm, and phrenic nerve after dichlorvos inhalation in rats. *Inhal Toxicol*, 14: 199-215.
- Aygun D (2004):** Diagnosis in an acute organophosphate poisoning: report of three interesting cases and review of the literature. *Eur J Emerg Med*, 11: 55-8.
- Aygun D, Doganay Z, Altintop L, et al. (2002):** Serum acetylcholinesterase and prognosis of acute organophosphate poisoning. *J Toxicol Clin Toxicol*, 40: 903-10.
- Bachowski S, Kolaja K, Xu Y, et al. (1997):** Role of oxidative stress in the mechanism of dieldrin's hepatotoxicity. *Ann Clin Lab Sci*, 27: 196-209.
- Balali-Mood M and Balali-Mood K (2008):** Neurotoxic disorders of organophosphorus compounds and their managements. *Arch Iran Med*, 11: 65-89.
- Balali-Mood M and Shariat M (1998):** Treatment of organophosphate poisoning. Experience of nerve agents and acute pesticide poisoning on the effects of oximes. *J Physiol Paris*, 92: 375-8.
- Balali-Mood M, Ayati MH and Ali-Akbarian H (2005):** Effect of high doses of sodium bicarbonate in acute organophosphorus pesticide poisoning. *Clin Toxicol*, 43: 571-4.

- Banerjee BD, Seth V, Bhattacharya A, et al. (1999):** Biochemical effects of some pesticides on lipid peroxidation and free-radical scavengers. *Toxicol Lett*, 107: 33–47.
- Barceloux D, McGuigan M, Hartigan K, et al. (2004):** Position paper: cathartics. *J Toxicol Clin Toxicol*, 42: 243-53.
- Bardin PG and Van Eeden SF (1990):** Organophosphate poisoning: grading the severity and comparing treatment between atropine and glycopyrrolate. *Crit Care Med*, 18: 956-60.
- Bardin PG, Van Eeden SF, Moolman JA, et al. (1994):** Organophosphate and carbamate poisoning. *Arch Intern Med*, 154: 1433-41.
- Beekley MD, Cullom DL and Brechue WF (2003):** Hypercapnic impairment of neuromuscular function is related to afferent depression. *Eur J Appl Physiol*, 91: 105–10.
- Behan PO (1996):** Chronic fatigue syndrome as a delayed reaction to low dose organophosphate exposure. *J Nut Environ Med*, 6: 341- 350.
- Bentur Y, Raikhlin-Eisenkraft B and Singer P (2003):** Beneficial late administration of obidoxime in malathion poisoning. *Vet Hum Toxicol*, 45: 33–35.
- Betrosian A, Balla M, Kafiri G, et al. (1995):** Multiple systems organ failure from organophosphate poisoning. *J Toxicol Clin Toxicol*, 33: 257-60.
- Bhatt MH, Elias MA and Mankodi AK (1999):** Acute and reversible parkinsonism due to organophosphate pesticide intoxication: five cases. *Neurol*, 52: 1467-71.
- Bhuiyan A, Nesa B and Nessa O (2001):** Effects of Sumithion on the histological changes of spotted murrel, *Channa punctatus* (Bloch). *Pak J Biol Sci*, 4: 1288-1290

- Bilgin TE, Camdeviren H, Yapici D, et al. (2005):** The comparison of the efficacy of scoring systems in organophosphate poisoning. *Toxicol Ind Health*, 21: 141-6.
- Bird SB, Gaspari RJ and Dickson EW (2003):** Early death due to severe organophosphate poisoning is a centrally mediated process. *Acad Emerg Med*, 10: 295–8.
- Bird SB, Sutherland TD, Gresham C, et al. (2008):** OpdA, a bacterial organophosphorus hydrolase, prevents lethality in rats after poisoning with highly toxic organophosphorus pesticides. *Toxicol*, 247: 88-92.
- Bisogno T, Ligresti A and Di Marzo V (2005):** The endocannabinoid signaling system: biochemical aspects. *Pharmacol Biochem Behav*, 82: 224–38.
- Bissbort SH, Vermaak WJ, Elias J, et al. (2001):** Novel test and its automation for the determination of erythrocyte acetylcholinesterase and its application to organophosphate exposure. *Clin Chim Acta*, 303: 139-45.
- Black RM, Harrison JM and Read RW (1999):** The interaction of sarin and soman with plasma proteins : the identification of a novel phosphorylation site. *Arch Toxicol*, 73: 123–126.
- Blakley BR, Yole MJ, Brousseau P, et al. (1999):** Effect of chlorpyrifos on immune function in rats. *Vet Hum Toxicol*, 41: 140-4. 
- Bloch-Shilderman E and Levy A (2007):** Transient and reversible nephrotoxicity of sarin in rats. *J Appl Toxicol*, 27: 189-94.
- Borgeest C , Miller KP, Tomic D, et al. (2004):** Ovarian toxicity caused by pesticides. In: *Ovarian Toxicology (Target Organ Toxicology Series)*. By: Hoyer PB (ED.). CRC Press, England, pp: 40-80.
- Bosco C, Rodrigo R, Diaz S, et al. (1997):** Renal effect of chronic exposure to malathion in *Octodon degus*. *Comp Biochem Physiol*, 118 : 247–253.

References

- Bowls BJ, Freeman Jr, Luna JM, et al. (2003):** Oral treatment of organophosphate poisoning in mice. *Acad Emerg Med*, 10: 286–288.
- Bradley EL and Allen K (1991):** A prospective longitudinal study of observation versus surgical intervention in the management of necrotizing pancreatitis. *Am J Surg*, 161: 19-24.
- Brahmi N, Gueye PN, Thabet H, et al. (2004):** Extrapyramidal syndrome as a delayed and reversible complication of acute dichlorvos organophosphate poisoning. *Vet Hum Toxicol*, 46: 187-9. 
- Brahmi N, Mokline A, Kouraichi N, et al. (2006):** Prognostic value of human erythrocyte acetyl cholinesterase in acute organophosphate poisoning. *Am J Emerg Med*, 24: 822-7.
- Bretveld RW, Thomas CM, Scheepers PT, et al. (2006):** Pesticide exposure: the hormonal function of the female reproductive system disrupted. *Reprod Biol Endocrinol*, 4: 30.
- Brill DM, Maisel AS and Prabhu R (1984):** Polymorphic ventricular tachycardia and other complex arrhythmias in organophosphate insecticide poisoning. *J Electrocardiol*, 17: 97–102.
- Brooks SM, Weiss MA and Bernstein IL (1985):** Reactive airways dysfunction syndrome (RADS). Persistent asthma syndrome after high level irritant exposures. *Chest*, 88: 376-84.
- Brown JH and Taylor P (2001):** Muscarinic receptor agonists and antagonists. In: Goodman and Gilman's the pharmacological basis of therapeutics. Hardman JG, Limbind LE and Gilman AG (Eds.). 10th ed. McGraw-Hill, New York, pp: 155-73.

- Buckley NA, Karalliedde L, Dawson A, et al. (2004):** Where is the evidence for the management of pesticide poisoning-is clinical toxicology fiddling while the developing world burns. *J Toxicol Clin Toxicol*, 42: 113- 6.
- Burrue VR, Raabe OG, Overstreet JW, et al. (2000):** Paternal effects from methamidophos administration in mice. *Toxicol Appl Pharmacol*, 165: 148-57.
- Camacho PM and Dwarkanathan AA (1999):** Sick euthyroid syndrome. What to do when thyroid function tests are abnormal in critically ill patients. *Postgrad Med*, 105: 215-9.
- Carpentier P, Foquin A, Rondouin G, et al. (2000):** Effects of atropine sulphate on seizure activity and brain damage produced by soman in guinea-pigs: ECG correlates of neuropathology. *Neurotoxicol*, 21: 21–40.
- Casida JE and Quistad GB (2004):** Organophosphate toxicology: safety aspects of nonacetylcholinesterase secondary targets. *Chem Rev Toxicol*, 17: 983–98.
- Chan B , Gaudary P, Grattan-Smith TM, et al. (1993):** The use of Glasgow coma scale in poisoning. *J Emerg Med*, 11: 579-82.
- Chang FC, Foster RE, Beers ET, et al. (1990):** Neurophysiological concomitants of soman-induced respiratory depression in awake, behaving guinea pigs. *Toxicol Appl Pharmacol*, 102: 233–50.
- Chen JG (2004):** The therapeutic effects of obidoxime chloride on intermediate syndrome following acute organophosphate poisoning. *Zhonghua Xiandai Zhong Xi Yi Za Zhi (Chin J Curr Tradit West Med)*, 2: 945-6.
- Cherian AM, Peter JV, Samuel J, et al. (1997):** Effectiveness of P2AM (PAM-pralidoxime) in the treatment of organophosphorus poisoning. A randomized, double blind placebo controlled trial. *J Assoc Physicians India*, 45: 22-4.

- Chew LS, Chee KT, Yeeo JM, et al. (1971):** Continuous atropine infusion in the management of organophosphorus insecticide poisoning. Singapore Med J, 12: 80-5.
- Choi PT, Quinonez LG, Cook DJ, et al. (1998):** The use of glycopyrrolate in a case of intermediate syndrome following acute organophosphate poisoning. Can J Anaesth, 45: 337-40.
- Chuang FR, Jang SW, Lin JL, et al. (1999):** QTc prolongation indicates a poor prognosis in patients with organophosphate poisoning. Am J Emerg Med, 14: 451-3.
- Clark RF (2006):** Insecticides: organophosphorus compounds and carbamates. In: Goldfrank's Toxicologic Emergencies. By: Goldfrank LR (Ed.). 8thed., McGraw-Hill, New York, pp: 1346–1365.
- Clothier B, Johnson MK and Reiner E (1981):** Interaction of some trialkyl phosphorothiolates with acetylcholinesterase. Characterization of inhibition, aging and reactivation. Biochim Biophys Acta, 660: 306-16.
- Cocker J, Mason HJ, Garfitt SJ, et al. (2002):** Biological monitoring of exposure to organophosphate pesticides. Toxicol Lett, 134: 97-103.
- Colosio C, Tiramani M and Maroni M (2003):** Neurobehavioral effects of pesticides: state of the art. Neurotoxicol, 24: 577-91.
- Cordoba D, Cadavid S, Angulo D, et al. (1983):** Organophosphate poisoning: modifications in acid-base equilibrium and use of sodium bicarbonate as an aid in the treatment of toxicity in dogs. Vet Hum Toxicol, 25: 1 -3.
- Costa LG (2006):** Current issues in organophosphate toxicology. Clin Chim Acta, 366: 1-13.

- Costa LG, Cole TB and Furlong CE (2003b):** Polymorphisms of paraoxonase (PON1) and their significance in clinical toxicology of organophosphates. *J Toxicol Clin Toxicol*, 41: 37-45.
- Costa LG, Cole TB, Vitalone A, et al. (2005):** Measurement of paraoxonase (PON1) status as a potential biomarker of susceptibility to organophosphate toxicity. *Clin Chim Acta*, 352: 37-47.
- Costa LG, Li WF, Richter RJ, et al. (1999):** The role of paraoxonase (PON1) in the detoxication of organophosphates and its human polymorphism. *Chem Biol Interact*, 119: 429-38.
- Costa LG, Richter RJ, Li WF, et al. (2003a):** Paraoxonase (PON1) as a biomarker of susceptibility for organophosphate toxicity. *Biomarkers*, 8: 1-12.
- Costa LG, Schwab BW and Murphy SD (1982):** Tolerance to anticholinesterase compounds in mammals. *Toxicol*, 25: 79–97.
- Coye MJ, Barnett PG and Midtling JE (1987):** Clinical confirmation of organophosphate poisoning by serial cholinesterase analyses. *Arch Intern Med*, 147: 438-42.
- Cravatt BF, Giang DK, Mayfield SP, et al. (1996):** Molecular characterization of an enzyme that degrades neuromodulatory fatty-acid amides. *Nature*, 384: 83–7.
- Da Costa A, Chalvidan T, Belounas A, et al. (2000):** Predictive factors of ventricular fibrillation triggered by pause-dependent torsades de pointes associated with acquired long QT interval: role of QT dispersion and left ventricular function. *J Cardiovasc Electrophysiol*, 11: 990-7.
- Dandapani M, Zachariah A, Kavitha MR, et al. (2003):** Oxidative damage in intermediate syndrome of acute organophosphorus poisoning. *Ind J Med Res*, 117: 253-9.

References

- Davies J, Roberts D, Eyer P, et al. (2008b):** Hypotension in severe dimethoate self-poisoning. Clin Toxicol, 46: 880-4.
- Davies JO, Eddleston M and Buckley NA (2008a):** Predicting outcome in acute organophosphorus poisoning with a poison severity score or the Glasgow coma scale. QJM, 101: 371-9.
- Davis KL, Yesavage JA and Berger PA (1978):** Single case study. Possible organophosphate-induced parkinsonism. J Nerv Ment Dis, 166: 222-5.
- Davis SL, Tanaka Jr D, Aulerich RJ, et al. (1999):** Organophosphate- induced neurotoxicity in the absence of neuropathy target esterase inhibition : The effects of triphenyl phosphine in the European ferret. Toxicol Sci, 48: 78–85.
- Dawson RM (1994):** Review of oximes available for treatment of nerve agent poisoning. J Appl Toxicol, 14: 317-31.
- De Blaquiere GE, Waters L, Blain PG, et al. (2000):** Electrophysiological and biochemical effects of single and multiple doses of the organophosphate diazinon in the mouse. Toxicol Appl Pharmacol ,166: 81–91.
- De Bleecker J, Willems J, VanDen Neucker K, et al. (1992):** Prolonged toxicity with intermediate syndrome after combined parathion and methyl parathion poisoning. J Toxicol Clin Toxicol, 30: 333-45.
- De Bleecker JL (1995):** The intermediate syndrome in organophosphate poisoning: an overview of experimental and clinical observations. J Toxicol Clin Toxicol, 33: 683-6.
- Dementi B (1994):** Ocular effects of organophosphates: a historical perspective of Saku disease. J Appl Toxicol, 14: 119-29.

Desai SN and Desai PV (2008): Changes in renal clearance and renal tubular function in albino mice under the influence of Dichlorvos. *Pest Biochem Physiol*, 91: 160–169.

Dheranetra W, Keeadtisuke S, Swatek FE, et al. (1988): Renal effects in the delayed toxicity of O,S,S,-trimethyl-phosphorodithioate. *Pest Biochem Physiol*, 30: 95–100.

Dhondup P and Kaliwal BB (1997): Inhibition of ovarian compensatory hypertrophy by the administration of methyl parathion in hemicastrated albino rats. *Reprod Toxicol*, 11: 77-84.

Dinsdale D (1992): Pulmonary toxicity of anticholinesterase. In: *Clinical and Experimental Toxicology of Organophosphates and Carbonates*. By: Ballantyne B and Marrs TC (Eds.). Butterworth- Heinemann, Oxford, England, pp: 156-166.

Dressel TD, Goodale RL , Zweber B, et al. (1982): The effect of atropine and duct decompression on the evolution of Diazinon-induced acute canine pancreatitis. *Ann Surg*, 195: 424-34.

Dressel TD, Goodale RL, Arneson MA, et al. (1979): Pancreatitis as a complication of anticholinesterase insecticide intoxication. *Ann Surg*, 189: 199-204.

Dunnick JK, Gupta BN, Harris MW, et al. (1984): Reproductive toxicity of dimethyl methylphosphate in the male fisher 344 rat. *Toxicol Appl Pharmacol*, 72 : 379-387.

Eaton DL (2000): Biotransformation enzyme polymorphism and pesticide susceptibility. *Neurotoxicol*, 21: 101-11.

Ecobichon DJ (2001): Toxic effect of pesticides. In: *Casarett and Doull's Toxicology. The Basic Science of Poisons*. By: Klaassen CD (Ed.). McGraw- Hill, New York, pp: 763–810.

- Eddleston M (2000):** Patterns and problems of deliberate self-poisoning in the developing world. QJM, 93: 715-31.
- Eddleston M, Buckley NA, Eyer P, et al. (2008b):** Management of acute organophosphorus pesticide poisoning. Lancet, 371: 597-607.
- Eddleston M, Dawson A, Karalliedde L, et al. (2004):** Early management after self-poisoning with an organophosphorus or carbamate pesticide-a treatment protocol for junior doctors. Crit Care, 8: 391-7.
- Eddleston M, Eyer P, Worek F, et al. (2005):** Differences between organophosphorus insecticides in human self-poisoning: a prospective cohort study. Lancet, 366: 1452-9.
- Eddleston M, Eyer P, Worek F, et al. (2008a):** Predicting outcome using butyrylcholinesterase activity in organophosphorus pesticide self-poisoning. QJM ,101: 467-74.
- Eddleston M, Haggalla S, Reginald K, et al. (2007):** The hazards of gastric lavage for intentional self-poisoning in a resource poor location. Clin Toxicol, 45: 136-43.
- Eddleston M, Karalliedde L, Buckley N, et al. (2002c):** Pesticide poisoning in the developing world: a minimum pesticides list. Lancet, 360: 1163–67.
- Eddleston M, Mohamed F, Davies JO, et al. (2006a):** Respiratory failure in acute organophosphorus pesticide self-poisoning. QJM , 99: 513-22.
- Eddleston M, Rajapakshe M, Roberts D, et al. (2002a):** Severe propanil [N-(3,4-dichlorophenyl) propanamide] pesticide self-poisoning. J Toxicol Clin Toxicol, 40: 847-54.
- Eddleston M, Singh S and Buckley N (2006b):** Organophosphorus poisoning (acute). Clin Evid, 15: 1-13.

- Eddleston M, Szinicz L, Eyer P, et al. (2002b):** Oximes in acute organophosphorus pesticide poisoning: a systematic review of clinical trials. *QJM*, 95: 275–83.
- Ehrich M (2005):** Organophosphates. In: *Encyclopedia of Toxicology*. By: Wexler P (Ed.). 2nd Edn. Oxford, Elsevier, Ltd, pp: 308-311.
- Ehrich M and Jortner BS (2001):** Organophosphorus-induced delayed neuropathy. In: *Handbook of Pesticide Toxicology*. By: Krieger R (Ed.). San Diego, Academic Press, pp: 987-1012.
- Eizadi-Mood N, Saghaei M and Jabalameli M (2007):** Predicting outcomes in organophosphate poisoning based on APACHE II and modified APACHE II scores. *Hum Exp Toxicol*, 26: 573-8.
- Eken C (2008):** Acidosis is a life-threatening condition regardless of the underlying condition. *Am J Emerg Med*, 26: 721.
- Eldelfrawi ME and Eldelfrawi AT (1983):** Neurotransmitter receptors as targets for pesticides. *J Environ Sci Health B*, 18: 65–88.
- El-Naggar AE, Abdalla MS, El-Sebaey AS, et al. (2008):** Clinical findings and cholinesterase levels in children of organophosphates and carbamates poisoning. *Eur J Pediatr*, 168: 951-6.
- Emerman CL, Connors AF and Burma GM (1987):** Level of consciousness as a predictor of complications following tricyclic overdose. *Ann Emerg Med*, 16: 326-30.
- Epstein HM, Jarzemsky D, Zuckerman L, et al. (1980):** Plasma cholinesterase activity in bank blood. *Anesth Analg*, 59: 211-4.
- Erdman AR (2004):** Pesticides. In: *Medical toxicology*. By: Dart RC (Ed.). Williams & Wilkins, Baltimore, USA, PP: 1475-96.

Eskenazi B, Marks AR, Bradman A, et al. (2007): Organophosphate pesticide exposure and neurodevelopment in young Mexican-American children. *Environ Health Perspect*, 115: 792-8.

Eyer F, Meischner V, Kiderlen D, et al. (2003): Human parathion poisoning. A toxicokinetic analysis. *Toxicol Rev*, 22: 143-163.

Eyer P (2003): The role of oximes in the management of organophosphorus pesticide poisoning. *Toxicol Rev*, 22: 165-90.

Falcon M, Vinas P, Perez-Carceles MD, et al. (2003): Placental cadmium and lipid peroxidation in smoking women related to newborn anthropometric measurements. *Arch Environ Contam Toxicol*, 45: 278-82.

Feliu-Frasnedo E, Aguilar-Bascompte JL, Woessner-Casas S, et al. (2000): Principios generales de la exploracion del enfermo con una homopatia. In: *Medicina Interna*. Fundado por A. von Domarus. By Farreras VP and Rozman C (Eds.). 14th ed., Harcourt, Madrid, PP: 1831-1864. adapted from: **Sogorb MA, Vilanova E and Carrera V (2004):** Future applications of phosphotriesterases in the prophylaxis and treatment of organophosphorus insecticide and nerve agent poisonings. *Toxicol Lett*, 151: 219-33.

Fengsheng H Haibing X, Fukuang, et al. (1998): Intermediate myasthenia syndrome following acute organophosphates poisoning- an analysis of 21 cases. *Hum Exp Toxicol*, 17: 40-5.

Fonseka MM, Medagoda K, Tillakaratna Y, et al. (2003): Self-limiting cerebellar ataxia following organophosphate poisoning. *Hum Exp Toxicol*, 22: 107-9.

Formela LJ, Galloway SW and Kingsnorth AN (1995): Inflammatory mediators in acute pancreatitis. *Br J Surg*, 82: 6-13.

Forsythe SM and Schmidt GA (2000): Sodium bicarbonate for the treatment of lactic acidosis. *Chest*, 117: 260-7.

- Freed VH, Haque R, Schmedding D, et al. (1976):** Physicochemical properties of some organophosphates in relation to their chronic toxicity. *Environ Health Perspect*, 13: 77-81.
- Friedman LS, Brautbar N, Barach P, et al. (2003):** Creatine phosphate kinase elevations signaling muscle damage following exposures to anticholinesterases: 2 sentinel patients. *Arch Environ Health*, 58: 167–171.
- Fryer AD, Lein PJ, Howard AS, et al. (2004):** Mechanisms of organophosphate insecticide-induced airway hyperreactivity. *Am J Physiol Lung Cell Mol Physiol*, 286: 963-9.
- Furlong CE, Holland N, Richter RJ, et al. (2006):** PON1 status of farmworker mothers and children as a predictor of organophosphate sensitivity. *Pharmacogenet Genomics*, 16: 183-90.
- Gainetdinov RR, Premont RT, Bohn LM, et al. (2004):** Desensitization of G protein-coupled receptors and neuronal functions. *Annu Rev Neurosci*, 27: 107-44.
- Galloway T and Handy R (2003):** Immunotoxicity of organophosphorus pesticides. *Ecotoxicol*, 12: 345-63.
- Garcia-Repetto R, Martinez D and Repetto M (1994):** The influence of pH on the degradation kinetics of some organophosphorus pesticides in aqueous solutions. *Vet Hum Toxicol*, 36: 202-4.
- Garfitt SJ, Jones K, Mason HJ, et al. (2002):** Exposure to the organophosphate diazinon: data from a human volunteer study with oral and dermal doses. *Toxicol Lett*, 134: 105-13.
- Gauna HF, Domenechi C and Orias R (1982):** Effect of parathion on renal water electrolytes excretion in dog. *Pest Biochem Physiol*, 18: 271–279.

- Gaustad R, Johnsen H and Fonnum F (1991):** Carboxylesterases in guinea pig. A comparison of the different isoenzymes with regard to inhibition by organophosphorus compounds in vivo and in vitro. *Biochem Pharmacol*, 42: 1335-43.
- Geffray L, Dao T, Cevallos R, et al. (1995):** Retrobulbar optic neuritis caused by disulfiram (Espéral): a case(letter). *Rev Med Interne*, 16: 973.
- Gibel W, Lohs K, Wildner D, et al. (1971):** Animal experimental studies on hepatotoxic and carcinogenic activity of organophosphorus compounds. I Trichlorphon *Arch Geschwulstforsch*, 37: 303–12.
- Goel A, Joseph S and Dutta TK (1998):** Organophosphate poisoning: predicting the need for ventilatory support. *J Assoc Physicians India* ,46: 786-90.
- Gokalp O , Buyukvanl B, Cicek E, et al. (2005):**The effects of diazinon on pancreatic damage and ameliorating role of vitamin E and vitamin C. *Pest Biochem Physiol*, 81: 123–128.
- Gokel Y, Gulalp B and Acikalin A (2002):** Parotitis due to organophosphate intoxication. *J Toxicol Clin Toxicol*, 40: 563-5.
- Gomes J, Dawodu AH, Lloyd O, et al. (1999):** Hepatic injury and disturbed amino acid metabolism in mice following prolonged exposure to organophosphorus pesticides. *Hum Exp Toxicol*, 18: 33-7.
- Gordon CJ (1994):** Thermoregulation in laboratory mammals and humans exposed to anticholinesterase agents. *Neurotoxicol Teratol*, 16: 427-53.
- Gordon CJ, Herr DW, Gennings C, et al. (2006):** Thermoregulatory response to an organophosphate and carbamate insecticide mixture: testing the assumption of dose-additivity. *Toxicol*, 217: 1-13.

- Gossel TA and Bricker JB (1994):** Pesticides. In: Principles of clinical toxicology. 3rd ed., Raven Press, New York, pp: 147-178.
- Goswamy R, Chaudhuri A and Mahashur AA (1994):** Study of respiratory failure in organophosphate and carbamate poisoning. Heart Lung, 23: 466-72.
- Grandjean P, Harari R, Barr DB , et al. (2006):** Pesticide exposure and stunting as independent predictors of neurobehavioral deficits in Ecuadorian school children. Pediatr, 117: 546-56.
- Grmec S, Mally S and Klemen P (2004):** Glasgow Coma Scale score and QTc interval in the prognosis of organophosphate poisoning. Acad Emerg Med, 11: 925-30.
- Gu YL, Wan WG, Xu ML, et al. (2004):** Gastric lavage for organophosphate pesticides poisoning patients. Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi, 22: 388-90.
- Guadarrama-Naveda M, Cabrera LC and Matos-Bastidas S (2001):** Intermediate syndrome secondary to ingestion of chlorpiriphos. Vet Hum Toxicol, 43: 34.
- Gulalp B, Gokel Y, Gumurdulu D, et al. (2007):** The effect of parathion-methyl and antidotes on parotid and pancreatic glands: a pilot experimental study. Int J Toxicol, 26: 383-8.
- Gupta RC (2005):** Organophosphate Poisoning, Intermediate Syndrome. In: Encyclopedia of Toxicology. By: Wexler P (Ed.). 2nd Edn. Oxford, Elsevier, Ltd, pp: 306-308.
- Guyen M, Dogukan A, Taskapan H, et al. (2000):** Leukocytosis as a parameter in management of organophosphate intoxication. Turk J Med Sci, 30: 499-500.
- Guyen M, Bayram F, Unluhizarci K, et al. (1999):** Endocrine changes in patients with acute organophosphate poisoning. Hum Exp Toxicol ,18: 598-601.

- Guven M, Sungur M, Eser B, et al. (2004):** The effects of fresh frozen plasma on cholinesterase levels and outcomes in patients with organophosphate poisoning. *J Toxicol Clin Toxicol*, 42: 617-23.
- Handy RD, Abd-El Samei HA, Bayomy MF, et al. (2002):** Chronic diazinon exposure : pathologies of spleen, thymus, blood cells and lymph nodes are modulated by dietary protein or lipid in the mouse. *Toxicol*, 172: 13-34.
- Hanke W and Jurewicz J (2004):** The risk of adverse reproductive and developmental disorders due to occupational pesticide exposure : an overview of current epidemiological evidence. *Int J Occup Med Environ Health*, 17: 223-243.
- Hantson P, Hainaut P, Vander Stappen M, et al. (1996):** Regulation of body temperature after acute organophosphate poisoning. *Can J Anaesth*, 43: 755.
- Harputluoglu MM, Kantarceken B, Karıncaoglu M, et al. (2003):** Acute pancreatitis: an obscure complication of organophosphate intoxication. *Hum Exp Toxicol*, 22: 341-3.
- Hassan GA, Salem MH, Abd-Allah GA, et al. (1988):** Effect of organophosphorus (dimethoate) and pyrethroid (decamethrin) pesticides on plasma levels of cortisol and thyroxine, and on some haematological characteristics in growing male rabbits. *Indian J Anim Sci*, 58: 1395–1401.
- Hayes WJ (1982):** Organic phosphorus pesticides. In: *Pesticides Studied in Man*. By: Hayes WJ (Ed.). Williams & Wilkins, Baltimore, USA, pp: 284-435.
- Haywood PT and Karalliedde L (2000):** Management of poisoning due to organophosphorus compounds. *Curr Anesth crit care*, 11: 331-337.
- Hazarika A, Sarkar SN, Hajare S, et al. (2003):** Influence of malathion pretreatment an the toxicity of anilofos in male rats: a biochemical interaction study. *Toxicol*, 185: 1–8.

- He F, Xu H, Qin F, et al. (1998):** Intermediate myasthenia syndrome following acute organophosphates poisoning-an analysis of 21 cases. *Hum Exp Toxicol*, 17: 40-5.
- Heath AJ and Meredith T (1992):** Atropine in the management of anticholinesterase poisoning. In: *Clinical and Experimental Toxicology of Organophosphates and Carbonates*. By: Ballantyne B and Marrs TC (Eds.). Butterworth-Heinemann, Oxford, England, pp: 543-554.
- Hernandez AF, Amparo Gomez M, Perez V, et al. (2006):** Influence of exposure to pesticides on serum components and enzyme activities of cytotoxicity among intensive agriculture farmers. *Environ Res*, 102: 70-6.
- Heymann E, Hoppe W, Krusselmann A, et al. (1993):** Organophosphate sensitive and insensitive carboxylesterases in human skin. *Chem Biol Interact*, 87: 217-226.
- Hilmas CJ, Adler M and Baskin SI (2006):** Pulmonary toxicity of cholinesterase inhibitors. In: *Toxicology organophosphate and carbamate compounds*. By: Gupta RC (Ed.). 1st ed., Elsevier, San Diego, California, pp: 389-399.
- Hirshfield AN (1991):** Development of follicles in the mammalian ovary. *Int Rev Cytol*, 124: 43-101.
- Hollis GJ (1999):** Organophosphate poisoning versus brainstem stroke. *Med J Aust*, 170: 596-7.
- Hsiao CT, Yang CC, Deng JF, et al. (1996):** Acute pancreatitis following organophosphate intoxication. *J Toxicol Clin Toxicol*, 34: 343-7.
- Hsieh BH, Deng JF, Ger J, et al. (2001):** Acetylcholinesterase inhibition and the extrapyramidal syndrome: a review of the neurotoxicity of organophosphate. *Neurotoxicol*, 22: 423-7.
- Huang NC, Lin SL, Hung YM, et al. (2003):** Severity assessment in acute paraquat poisoning by analysis of APACHE II score. *J Formos Med Assoc*, 102: 782-7.

- Huff RA, Corcoran JJ, Anderson JK, et al. (1994):** Chlorpyrifos oxon binds directly to muscarinic receptors and inhibits cAMP accumulation in rat striatum. *J Pharmacol Exp Ther*, 289: 329–35.
- Humes HD (1986):** Role of calcium in pathogenesis of acute renal failure. *Am J Physiol*, 250: 579-89.
- Idson B (1983):** Vehicle effects in percutaneous absorption. *Drug Metab Rev*, 14: 207-22.
- Ishihara A, Nishiyama N, Sugiyama S, et al. (2003):** The effect of endocrine disrupting chemicals on thyroid hormone binding to Japanese quail transthyretin and thyroid hormone receptor. *Gen Comp Endocrinol*, 134: 36-43.
- Jablonska J and Brzezinski J (1996):** The acute toxic effects of chlorfenvinphos (CHF) on rat kidney. *Toxicol Lett*, 88: 32.
- Jaga K and Dharmani C (2003):** Sources of exposure to and public health implications of organophosphate pesticides. *Rev Panam Salud Publica*, 14: 171-85.
- Jamal GA (1997):** Neurological syndromes of organophosphorus compounds. *Adverse Drug React Toxicol Rev*, 16: 133-70.
- Jamal GA, Hansen S, Pilkington A, et al. (2002):** A clinical neurological, neurophysiological, and neuropsychological study of sheep farmers and dippers exposed to organophosphate pesticides. *Occup Environ Med*, 59: 434-41.
- Janatpour K and Holland PV (2002):** Noninfectious serious hazards of transfusion. *Curr Hematol Rep*, 1: 149-55.
- Jang SW, Lin JL and Chuang FR (1995):** Electrocardiographic findings of organophosphate intoxication in emergency department as predictors of prognosis: a retrospective analysis. *Changeng Yi Xue Za Zhi*, 18: 120-5.

References

- Jeevarathinam K, Ghosh AK, Srinivasan A, et al. (1988):** Pharmacokinetics of pralidoxime chloride and its correlation to therapeutic efficacy against diisopropyl fluorophosphate intoxication in rats. *Pharmazie*, 43: 114–5.
- Jin YH, Jeong TO and Lee JB (2008):** Isolated bilateral vocal cord paralysis with intermediate syndrome after organophosphate poisoning. *Clin Toxicol*, 46: 482-4.
- John M, Oommen A and Zachariah A (2003):** Muscle injury in organophosphorus poisoning and its role in the development of intermediate syndrome. *Neurotoxicol*, 24: 43-53.
- John S, Kale M, Rathore N, et al. (2001):** Protective effect of vitamin E in dimethoate and malathion induced oxidative stress in rat erythrocytes. *J Nutr Biochem*, 12: 500-504.
- Johnson MK (1990):** Organophosphates and delayed neuropathy-is NTE alive and well. *Toxicol Appl Pharmacol*, 102: 385-99.
- Johnson MK and Glynn P (1995):** Neuropathy target esterase (NTE) and organophosphorus-induced delayed polyneuropathy (OPIDP): recent advances. *Toxicol Lett*, 82: 459-63.
- Johnson MK and Glynn P (2001):** Neuropathy target esterase. In: *Handbook of pesticide Toxicology*. Krieger R (Ed.). San Diego, Academic Press, pp: 953- 965.
- Johnson MK, Jacobson D, Meredith TJ, et al. (2000):** Evaluation of antidotes for poisoning by Organophosphorus pesticides. *Emerg Med*, 12: 22-37.
- Johnson PS and Michaelis EK (1992):** Characterization of organophosphate interactions at N-methyl-D-aspartate receptors in brain synaptic membranes. *Mol Pharmacol*, 41: 750-6.

- Jokanovic M (2001):** Biotransformation of organophosphorus compounds. *Toxicol*, 166: 139–160.
- Jokanovic M and Stojiljkovic MP (2006):** Current understanding of the application of pyridinium oximes as cholinesterase reactivators in treatment of organophosphate poisoning. *Eur J Pharmacol* , 553: 10-7.
- Joshi SC, Mathur R, Gajraj A, et al. (2003):** Influence of methyl parathion on reproductive parameters in male rats. *Environ Toxicol Pharmacol*, 14: 91–98.
- Joubert J and Joubert PH (1988):** Chorea and psychiatric changes in organophosphate poisoning. A report of 2 further cases. *S Afr Med J*, 74: 32-4.
- Kalender S, Kalender Y, Durak D, et al. (2007):** Methyl parathion induced nephrotoxicity in male rats and protective role of vitamins C and E. *Pest Biochem Physiol*, 88 : 213–218.
- Kalender S, Kalender Y, Ogutcu A, et al. (2004):** Endosulfan-induced cardiotoxicity and free radical metabolism in rats: the protective effect of vitamin E. *Toxicol*, 202: 227–235.
- Kalender S, Ogutcu A, Uzunhisarcikli M, et al. (2005):** Diazinon-induced hepatotoxicity and protective effect of vitamin E on some biochemical indices and ultrastructural changes. *Toxicol*, 211: 197–206.
- Kamath V and Rajini PS (2007):** Altered glucose homeostasis and oxidative impairment in pancreas of rats subjected to dimethoate intoxication. *Toxicol*, 231: 137-46.
- Kami J, Soma K, Uchimiya H, et al. (1999):** A case of serious organophosphate poisoning treated by percutaneous cardiopulmonary support. *Vet Hum Toxicol*, 41: 326-328.

- Kanikkannan N, Kandimalla K, Lamba SS, et al. (2000):** Structure-activity relationship of chemical penetration enhancers in transdermal drug delivery. *Curr Med Chem*, 7: 593-608.
- Kappers WA, Edwards RJ, Murray S, et al. (2001):** Diazinon is activated by CYP2C19 in human liver. *Toxicol Appl Pharmacol*, 177: 68–76.
- Karalliedde L (1999):** Organophosphorus poisoning and anaesthesia. *Anaesth*, 54: 1073-88.
- Karalliedde L and Senanayake N (1999):** Organophosphorus insecticide poisoning. *J Int Fed Clin Chem*, 11: 4–9.
- Karalliedde L and Szinicz L (2001):** Management of organophosphorus compound poisoning. In: organophosphates and health. By: Karalliedde L, Feldman S, Henry J, et al. (Eds.). Imperial College Press, London, England, pp:257-94.
- Karalliedde L, Eddleston M and Murray V (2001):** The global picture of organophosphate insecticide poisoning. In: Organophosphates and health. By: Karalliedde L, Feldman F, Henry J, et al. (Eds.). Imperial College Press, London, England, pp: 432–471.
- Karalliedde LD, Edwards P and Marrs TC (2003):** Variables influencing the toxic response to organophosphates in humans. *Food Chem Toxicol*, 41: 1-13.
- Karen DJ, Li W, Harp PR, et al. (2001):** Striatal dopaminergic pathways as a target for the insecticides permethrin and chlorpyrifos. *Neurotoxicol*, 22: 811-7.
- Karki P, Ansari JA, Bhandary S, et al. (2004):** Cardiac and electrocardiographical manifestations of acute organophosphate poisoning. *Singapore Med J*, 45: 385-9.
- Kassa J (2002):** Review of oximes in the antidotal treatment of poisoning by organophosphorus nerve agents. *J Toxicol Clin Toxicol*, 40: 803–816.

- Katz KD (2009):** Organophosphate toxicity. accessible on line at <http://emedicine.medscape.com/article/816221>.
- Kawabe K, Ito T, Arrta Y, et al. (2006):** pancreatic pseudocyst after acute organophosphate poisoning. *Fukuoka Igaku Zasshi*, 97: 123-9.
- Kehrer JP (1993):** Free radicals as mediator of tissue injury and disease. *Crit Rev Toxicol*, 23: 21–48.
- Kelly SS, Ferry CB and Bamforth JP (1990):** The effects of anticholinesterases on the latencies of action potentials in mouse skeletal muscles. *Br J Pharmacol*, 99: 721-6.
- Kharoub MA and Elsharkawy SA (2008):** Cardiotoxicity of acute organophosphate poisoning. *Benha M J*, 25 : 9 – 24.
- Kidd D, Liu Y and Cravatt BF (2001):** Profiling serine hydrolase activities in complex proteomes. *Biochem*, 40: 4005-4015.
- Kiss Z and Fazekas T (1979):** Arrhythmias in organophosphate poisonings. *Acta Cardiol*, 34: 323-30.
- Kling D (1981):** Total atresia of the ovaries of *Tilapia leucosticta* (Cichlidae) after intoxication with the insecticide Lebaycid. *Experientia*, 37: 73-4.
- Klingelhofer J and Sander D (1997):** Cardiovascular consequences of clinical stroke. *Baillieres Clin Neurol*, 6: 309-35.
- Knaus WA, Draper EA, Wagner DP, et al. (1985):** APACHE II: a severity of disease classification system. *Crit Care Med*, 13: 818-29.
- Kolodkin VM and Ruck W (eds.) (2006):** Ecological risks associated with the destruction of chemical weapons, pp: 297-303.

- Kossmann S, Cierpka E and Szwed Z (1997a):** Biochemical evaluation of the liver function in workers employed at the production of chlorfenvinphos. *Przegl Lek*, 54: 712-5.
- Kossmann S, Magner-Krezel Z, Sobieraj R, et al. (1997b):** The assessment of nephrotoxic effect based on the determination of the activity of some selected enzymes in urine. *Przegl Lek*, 54: 707–711.
- Kowng TC (2002):** Organophosphate pesticides : biochemistry and clinical toxicology. *Ther Drug Monit*, 24: 144-149.
- Krieger RI and Dinoff TM (2000):** Malathion deposition, metabolite clearance, and cholinesterase status of date dusters and harvesters in California. *Arch Environ Contam Toxicol*, 38: 546-53.
- Kropp TJ, Glynn P and Richardson RJ (2004):** The mipafox-inhibited catalytic domain of human neuropathy target esterase ages by reversible proton loss. *Biochem*, 43: 3716-22.
- Kventzel I, Berkovitch M, Reiss A, et al. (2005):** Scopolamine treatment for severe extrapyramidal signs following organophosphate (chlorpyrifos) ingestion. *Clin Toxicol*, 43: 877-9.
- Lankisch PG, Muller CH, Niederstadt H, et al. (1990):** Painless acute pancreatitis subsequent to anticholinesterase insecticide (parathion) intoxication. *Am J Gastroenterol*, 85: 872-5.
- Lee EY, Hwang KY, Yang JO, et al. (2002):** Predictors of survival after acute paraquat poisoning. *Toxicol Ind Health*, 18: 201-6.
- Lee P and Tai DY (2001):** Clinical features of patients with acute organophosphate poisoning requiring intensive care. *Intensive Care Med*, 27: 694-9.

- Lees KR, Dyker AG, Sharma A, et al. (2001):** Tolerability of the low-affinity, use-dependent NMDA antagonist AR-R15896AR in stroke patients: a dose-ranging study. *Stroke*, 32: 466-72.
- Leikin JB, Thomas RG, Walter FG, et al. (2002):** A review of nerve agent exposure for the critical care physician. *Crit Care Med*, 30: 2346–2354.
- Lenz DE, Yeung D, Smith JR, et al. (2007):** Stoichiometric and catalytic scavengers as protection against nerve agent toxicity: a mini review. *Toxicol*, 233: 31-9.
- Levin HS, Rodnitzky RL and Mick DL (1976):** Anxiety associated with exposure to organophosphate compounds. *Arch Gen Psychiatry*, 33: 225-8.
- Levy-Khademi F, Tenenbaum AN, Wexler ID, et al. (2007):** Unintentional organophosphate intoxication in children. *Pediatr Emerg Care*, 23: 716-8.
- Li WF, Furlong CE and Costa LG (1995):** Paraoxonase protects against chlorpyrifos toxicity in mice. *Toxicol Lett*, 76: 219-26.
- Li WF, Costa LG, Richter RJ, et al. (2000):** Catalytic efficiency determines the in-vivo efficacy of PON1 for detoxifying organophosphorus compounds. *Pharmacogenetics*, 10: 767-79.
- Li Y, Yu X, Wang Z, et al. (2006):** Gastric lavage in acute organophosphorus pesticide poisoning (GLAOP)--a randomised controlled trial of multiple vs. single gastric lavage in unselected acute organophosphorus pesticide poisoning. *BMC Emerg Med*, 6:10.
- Lin TJ, Jiang DD, Chan HM, et al. (2007):** Prognostic factors of organophosphate poisoning between the death and survival groups. *Kaohsiung J Med Sci*, 23: 176-82.

References

- Little M and Murray L (2004):** Consensus statement: risk of nosocomial organophosphate poisoning in emergency departments. *Emerg Med Australas*, 16: 456-8.
- Liu J and Pope CN (1996):** Effects of chlorpyrifos on high affinity choline uptake and [3H] hemicholinium-3 binding in rat brain. *Fundam Appl Toxicol*, 34: 84– 90.
- Liu JH, Chou CY, Liu YL, et al. (2008):** Acid-base interpretation can be the predictor of outcome among patients with acute organophosphate poisoning before hospitalization. *Am J Emerg Med*, 26: 24-30.
- Liu WF(1991):** A symptomatological assessment of organophosphate-induced lethality in mice: comparison of atropine and clonidine protection. *Toxicol Lett*, 56: 19-32.
- Liu Y, Patricelli MP and Cravatt BF (1999):** Activity-based protein profiling: The serine hydrolases. *Proc Natl Acad Sci USA*, 96 : 1469–1474.
- Lockridge O (2002):** Gene and protein therapy for poisoning by organophosphorus agents. Annual rept. 1 Sep 2001-31 Aug 2002. accessible on line at <http://www.stormingmedia.us/22/2237/A223704.html>
- Lockridge O, Duysen EG, Voelker T, et al. (2005):** Life without acetylcholinesterase: the implications of cholinesterase inhibition toxicity in AChE-knockout mice. *Environ Toxicol Pharmacol*, 19: 463– 9.
- Lotti M (2001):** Clinical toxicology of anticholinesterase agents in humans. In: *Handbook of Pesticide Toxicology*. By: Krieger RI (Ed.). San Diego, Academic Press, pp: 1043-85.
- Lotti M and Moretto A (2005):** Organophosphate-induced delayed polyneuropathy. *Toxicol Rev*, 24: 37-49.

- Lovejoy FH and Linden C (1991):** Acute poison and drug over dosage. In: Harrison's principles of internal medicine. By: Wilson JD, Braunwald E, Isselbacher KJ, et al. (Eds.).12th edn. McGraw-Hill, New York, pp: 2178-82.
- Lucic A, Bradamante V, Radic B, et al. (2002):** The effect of dichlorvos treatment on butrylcholinesterase activity and lipit metabolism in rats. Arh Hig Rada Toksikol, 53: 275–282.
- Ludomirsky A, Klein H, Sarelli P, et al. (1982):** Q-T prolongation and polymorphous (torsade de pointes)ventricular arrhythmias associated with organophosphorus insecticidepoisoning. Am J Cardiol, 49: 1654-8.
- Luty S, Latuszynska J, Obuchowska-Przebirowska D, et al. (2000):** Subacute toxicity of orally applied alpha-cypermethrin in Swiss mice. Ann Agric Environ Med, 7: 33–41.
- M McCord J and Fridovich I (1969):** Superoxide dismutase an enzymatic function of erythrocytic hemoglobin (hemocyanin). J Biol Chem, 244: 6049–6055.
- Mahgoub AA and El-Medany AH (2001):** Evaluation of chronic exposure of the male rat reproductive system to the insecticide methomyl, Pharmacol Res, 44: 73–80.
- Mahjoubi-Samet A, Fetoui H and Zeghal N (2008):** Nephrotoxicity induced by dimethoate in adult rats and their suckling pups. Pest Biochem Physiol, 91: 96–103.
- Mahjoubi-Samet A, Fetoui H, Boujelben G, et al. (2005b):** Effects of dimethoate on bone maturation of young rats during the suckling period. Pest Biochem Physiol, 83 : 132–139.
- Mahjoubi-Samet A, Fetoui H, Soussia L, et al. (2005a):** Dimethoate effects on thyroid function in suckling rats. Ann Endocrinol, 66: 96–104.

- Maibach HI, Feldman RJ, Milby TH, et al. (1971):** Regional variation in percutaneous penetration in man. *Pesticides. Arch Environ Health*, 23: 208-11.
- Maleck WH, Kern N, Beha U, et al. (2002):** Intravenous L-lactate application in minipigs partially protects acetylcholinesteratic but not butylcholinesteratic activity in plasma from inhibition by paraoxon. *Crit Care Med*, 30: 1547– 52.
- Mansour SA (2004):** Pesticide exposure-Egyptian scene. *Toxicol*, 198: 91-115.
- Marrs TC (2003):** Diazepam in the treatment of organophosphorus ester pesticide poisoning. *Toxicol Rev*, 22: 75-81.
- Mason HJ, Waine E, Stevenson A, et al. (1993):** Aging and spontaneous reactivation of human plasma cholinesterase activity after inhibition by organophosphorus pesticides. *Hum Exp Toxicol*, 12: 497-503.
- Matin MA and Siddiqui RA (1982):** Modification of the level of acetylcholinesterase activity by two oximes in certain brain regions and peripheral tissues of paraoxon treated rats. *Pharmacol Res Commun*, 14: 241-6.
- Matsumiya N, Tanaka M, Iwai M, et al. (1996):** Elevated amylase is related to the development of respiratory failure in organophosphate poisoning. *Hum Exp Toxicol*, 15: 250-3.
- Mattingly JE, Sullivan JE, Spiller HA, et al. (2003):** Intermediate syndrome after exposure to chlorpyrifos in a 16-month-old girl. *J Emerg Med*, 25: 379-81.
- Meredith TJ (1999):** Mechanisms of toxicity of organophosphorus insecticides. EAPCCT XIX International congress, pp: 366.
- Michotte A, Van Dijck I, Maes V, et al. (1989):** Ataxia as the only delayed neurotoxic manifestation of organophosphate insecticide poisoning. *Eur Neurol*, 29: 23-6.

- Minette PA and Barnes PJ (1988):** Prejunctional inhibitory muscarinic receptors on cholinergic nerves in human and guinea pig airways. *J Appl Physiol*, 64: 2532-7.
- Mohssen M (2001):** Biochemical and histopathological changes in serum creatinine and kidney induced by inhalation of Thimet (Phorate) in male Swiss albino mouse, *Mus musculus*. *Environ Res*, 87: 31-6.
- Montoya-Cabrera MA, Escalante-Galindo P, Rivera-Rebolledo JC, et al. (1999):** Acute methyl parathion poisoning with extrapyramidal manifestations not previously reported. *Gac Med Mex*, 135: 79-82.
- Moretto A (1999):** Testing for organophosphate delayed neuropathy. In: *Current protocols in Toxicology*. By: Maines MD, Costa LG, Reed DJ, et al. (Eds.). John Wiley & Sons, New York, pp: 1151-1154.
- Moretto A and Lotti M (2001):** Monitoring occupational exposures to organophosphorus compounds. In: *Organophosphates and Health*. By Karalliedde L, Feldman S, Henry J, et al. (Eds.). Imperial College Press, London, England, pp: 407-430.
- Morowati M (1997):** Inhalation toxicity studies of thimet (phorate) in male swiss albino mouse, *Mus musculus*. I. Hepatotoxicity. *Environ Pollut*, 96: 283–288.
- Moser VC and Padilla S (1998):** Age- and gender-related differences in the time course of behavioral and biochemical effects produced by oral chlorpyrifos in rats. *Toxicol Appl Pharmacol*, 149: 107-19.
- Moss DW and Henderson AR (1999):** Clinical Enzymology. In: *Tietz Textbook of Clinical Chemistry*. By: Burtis CA and Ashwood (Eds.). 3rd ed., Philadelphia, WB Saunders, pp: 708-711.
- Moussa TA and Hafez MM (1995):** The effect of dimethoate on the mitochondria of the guinea pig. *Egypt J Histol*, 10: 101–106.

References

- Muller-Vahl KR, Kolbe H and Dengler R (1999):** Transient severe parkinsonism after acute organophosphate poisoning. *J Neurol Neurosurg Psychiatry*, 66: 253-4.
- Mutch E, Blain PG and Williams FM (1999):** The role of metabolism in determining susceptibility to parathion toxicity in man. *Toxicol Lett*, 107: 177-87.
- Nagano N, Yagi M and Nishikori K (1992):** Protective effects of antioxidants on paraquat-induced acute renal failure in mice. *Jpn J Pharmacol*, 59: 481-3.
- Nakagawa M, Kobayashi H and Katsuya M (1982):** Effect of organophosphates pesticides on the activities of lecitin-cholesterol acyltransferase and cholinesterase in rat serum. *Chem Pharm Bull*, 30: 214-218.
- Nakagawa Y and Moore G (1999):** Role of mitochondrial membrane permeability transition in p-hydroxybenzoate ester-induced cytotoxicity in rat hepatocytes. *Biochem Pharmacol*, 58: 811-816.
- Namba T, Greenfield M and Brob D (1970):** Malathion poisoning: A fetal case with cardiac manifestations. *Arch Environ Health*, 21: 533-541.
- Namba T, Nolte CT, Jackrel J, et al. (1971):** Poisoning due to organophosphate insecticides: Acute and chronic manifestations. *Am J Med*, 50: 475-492.
- Nanda N and Kaliwal BB (2003):** Effect of edifenphos on compensatory ovarian hypertrophy, follicular kinetics and estrous cycle in hemicastrated rats. *J Basic Clin Physiol Pharmacol*, 14: 373-86.
- Narayana K, Prashanthi N, Nayanatara A, et al. (2006):** An organophosphate insecticide methyl parathion (0-0- dimethyl 0-4-nitrophenyl phosphorothioate) induces cytotoxic damage and tubular atrophy in the testis despite elevated testosterone level in the rat. *J Toxicol Sci*, 31: 177-189.

- Nava ME, Roman PP, Robles SH, et al. (1999):** Sintomatologia persistente en trabajadores industrialmente expuestos a plaguicidas organofosforados. *Salud Publica Mex*, 41: 55-61.
- Navarro HA, Basta PV, Seidler FJ, et al. (2001):** Neonatal chlorpyrifos administration elicits deficits in immune function in adulthood: a neural effect. *Brain Res Dev Brain Res*, 130: 249-52.
- Neishabouri E, Hassan Z, Azizi E, et al. (2004):** Evaluation of immunotoxicity induced by diazinon in C57b1/6 mice. *Toxicol*, 196: 173-179.
- Nel L, Hatherill M, Davies J, et al. (2002):** Organophosphate poisoning complicated by a tachyarrhythmia and acute respiratory distress syndrome in a child. *J Paediatr Child Health*, 38: 530-2.
- Ng V, Koh D, Wee A, et al. (2009):** Salivary acetylcholinesterase as a biomarker for organophosphate exposure. *Occup Med*, 59: 120-2.
- Nouira S, Abroug F, Elatrous S, et al. (1994):** Prognostic value of serum cholinesterase in organophosphate poisoning. *Chest*, 106: 1811-4.
- Ochi G, Watanabe K, Tokuoka H, et al. (1995):** Neuroleptic malignant-like syndrome: a complication of acute organophosphate poisoning. *Can J Anaesth*, 42:1027-30.
- Ogutcu A, Suludere Z and Kalender Y (2008):** Dichlorvos-induced hepatotoxicity in rats and the protective effects of vitamins C and E. *Enviro Toxicol Pharmacol*, 26: 355-361.
- Okazaki K, Okazaki S, Nishimura S, et al. (2001):** A repeated 28-day oral dose toxicity study of methoxychlor in rats, based on the 'enhanced OECD test guideline 407' for screening endocrine-disrupting chemicals. *Arch Toxicol*, 75: 513-21.

References

- Oral B, Guney M, Demirin H, et al. (2006):** Endometrial damage and apoptosis in rats induced by dichlorvos and ameliorating effects of antioxidant vitamins E and C. *Reprod Toxicol*, 22: 783-790.
- Pach J, Persson H, Sancewicz-Pach K, et al. (1999):** Comparison between the poisoning severity score and specific grading scales used at the Department of Clinical Toxicology in Krakow. *Przegl Lek*, 56: 401-8.
- Padilla S, Wilson VZ and Bushnell PJ (1994):** Studies on the correlation between blood cholinesterase inhibition and 'target tissue' inhibition in pesticide-treated rats. *Toxicol*, 92: 11-25.
- Padilla SS, Grizzle TB and Lyerly D (1987):** Triphenyl phosphite: in vivo and in vitro inhibition of rat neurotoxic esterase. *Toxicol Appl Pharmacol*, 87: 249-56.
- Padungtod C, Lasley BL, Christiani DC, et al. (1998):** Reproductive hormone profile among pesticide factory workers. *J Occup Environ Med*, 40: 1038-47.
- Pajoumand A, Shadnia S, Rezaie A, et al. (2004):** Benefits of magnesium sulfate in the management of acute human poisoning by organophosphorus insecticides. *Hum Exp Toxicol*, 23: 565-9.
- PAN (Pesticide Action Network) (2001):** The List of the Lists: A Catalogue of Lists of Pesticides Identifying those Associated with Particularly Harmful Health or Environmental Impacts, pp: 9.
- Panieri E, Krige JE, Bornman PC, et al. (1997):** Severe necrotizing pancreatitis caused by organophosphate poisoning. *J Clin Gastroenterol*, 25: 463-5.
- Paudyal BP (2008):** Organophosphorus poisoning. *JNMA J Nepal Med Assoc*, 47: 251-8.

Pawar KS (2003): Effectiveness of higher doses of pralidoxime (2PAM), 24 grams in a day in the treatment of organophosphorus poisoning. A randomized controlled trial. Indian J Crit Care Med, 7: 173.

Peebles E, Schopfer LM, Duysen E, et al. (2005): Albumin, a New Biomarker of Organophosphorus Toxicant Exposure, identified by Mass Spectrometry. Toxicol Sci, 83: 303–312.

Peiris- John RJ, Ruberu DK, Wickremasinghe AR, et al. (2004): Effects of low level exposure to organophosphates on motor nerve conduction and neuromuscular transmission. J Neurochem, 40: 84-95.

Peiris-John RJ and Wickremasinghe R (2008): Impact of low-level exposure to organophosphates on human reproduction and survival. Trans R Soc Trop Med Hyg, 102: 239-45.

Peiris-John RJ, Ruberu DK, Wickremasinghe AR, et al. (2005): Low-level exposure to organophosphate pesticides leads to restrictive lung dysfunction. Respir Med, 99: 1319-24.

Pelkoknen O, Vah akagas K and Gupta RC (2006): Placental toxicity of organophosphate and carbamate pesticides. In: Toxicology organophosphate and carbamate compounds. By: Gupa RC (Ed.). 1st ed., Elsevier, San Diago, California, PP: 463-479.

Peng A, Meng FQ, Sun LF, et al. (2004): Therapeutic efficacy of charcoal hemoperfusion in patients with acute severe dichlorvos poisoning. Acta Pharmacol Sin, 25: 15-21.

Persson HE, Sjoberg GK, Haines JA, et al. (1998): Poisoning severity score. Grading of acute poisoning. J Toxicol Clin Toxicol, 36: 205-13.

Peter JV and Cherian AM (2000): Organic insecticides. Anaesth Intensive Care, 28: 11-21.

- Peter JV and Moran JL (2004):*** Role of oximes in human organophosphate poisoning- a critical look at the evidence. Critical Care Update 2004. New Delhi, Jaypee, pp: 153-63.
- Peter JV, Moran JL and Graham P (2006):*** Oxime therapy and outcomes in human organophosphate poisoning: an evaluation using meta-analytic techniques. Crit Care Med, 34: 502–10.
- Peter JV, Prabhakar AT and Pichamuthu K (2008):*** Delayed-onset encephalopathy and coma in acute organophosphate poisoning in humans. Neurotoxicol, 29: 335-42.
- Petrikovics I, Hong K, Omburo G, et al. (1999):*** Antagonism of paraoxon intoxication by recombinant phosphotriesterase encapsulated within sterically stabilized liposomes. Toxicol Appl Pharmacol, 156: 56-63.
- Petrikovics I, McGuinn WD, Sylvester D, et al. (2000):*** In vitro studies on sterically stabilized liposomes (SL) as enzyme carriers in organophosphorus (OP) antagonism. Drug Deliv, 7: 83-9.
- Petroianu G, Toomes LM, Petroianu A, et al. (1998):*** Control of blood pressure, heart rate and haematocrit during high-dose intravenous paraoxon exposure in mini pigs. J Appl Toxicol, 18: 293-8.
- Petroianu GA, Missler A, Zuleger K, et al. (2004):*** Enzyme reactivator treatment in organophosphate exposure: clinical relevance of thiocholinesteratic activity of pralidoxime. J Appl Toxicol, 24: 429-35.
- Pisters PW and Ranson JH (1992):*** Nutritional support for acute pancreatitis. Surg Gynecol Obstet, 175: 275-84.
- Poovala VS, Huang H and Salahudeen AK (1999):*** Role of reactive oxygen metabolites in organophosphate-bidrin-induced renal tubular cytotoxicity. J Am Soc Nephrol, 10: 1746–1752.

- Poovala VS, Kanji VK, Tachikawa H, et al. (1998):** Role of oxidant stress and antioxidant protection in acephate-induced renal tubular cytotoxicity. *Toxicol Sci*, 46: 403-9.
- Pope C, Karanth S and Liu J (2005):** Pharmacology and Toxicology of Cholinesterase inhibitors: Uses and misuses of a common mechanism of action. *Enviro Toxicol Pharmacol*, 19: 433-446.
- Prashad DN, Chamber D and Beadle DJ (1981):** Renal function associated with paraquat dichloride toxicity in domestic fowl. *Gen Pharmacol*, 12: 291–293.
- Prendergast MA, Terry AV and Buccafusco JJ (1998):** Effects of chronic, low-level organophosphate exposure on delayed recall, discrimination, and spatial learning in monkeys and rats. *Neurotoxicol Terato*, 20: 115-22.
- Proudfoot AT, Krenzelok EP and Vale JA (2004):** Position Paper on urine alkalization. *J Toxicol Clin Toxicol*, 42: 1-26.
- Quistad GB, Nomura DK, Sparks SE, et al. (2002):** Cannabinoid CB1 receptor as a target for chlorpyrifos oxon and other organophosphorus pesticides. *Toxicol Lett*, 135: 89–93.
- Quistad GB, Sparks SE and Casida JE (2001):** Fatty acid amide hydrolase inhibition by neurotoxic organophosphorus pesticides. *Toxicol Appl Pharmacol*, 173: 48–55.
- Racke KD (1992):** Degradation of organophosphorus insecticides in environmental matrices. In: *Organophosphates: Chemistry, Fate and Effects*. By: Chambers JE and Levi PE (Eds.). Academic Press, New York, USA, pp: 47-78.
- Rahimi R and Abdollahi M (2007):** A review on the mechanisms involved in hyperglycemia induced by organophosphorus pesticides. *Pest Biochem Physiol*, 88: 115-121.
- Rajpal S, Mittal G, Sachdev R, et al. (2008):** Development of atropine sulphate nasal drops and its pharmacokinetic and safety evaluation in healthy human volunteers. *Env Toxicol Pharm*, 1146: 1-6.

- Ramesh N, Murthy PB and Pillai KS (1996):** In vivo and in vitro effect of an organophosphorous pesticide, monocrotophos on acetylcholinesterase activity in Wistar rats. *J Environ Biol*, 17: 235–238.
- Ranjbar A, Pasalar P and Abdollahi M (2002):** Induction of oxidative stress and acetylcholinesterase inhibition in organophosphorous pesticide manufacturing workers. *Hum Exp Toxicol*, 21: 179–182.
- Rao RP and Kaliwal BB (2002):** Monocrotophos induced dysfunction on estrous cycle and follicular development in mice. *Ind Health*, 40: 237-44.
- Rattner BA, Sileo L and Scanes CG (1982):** Oviposition and the plasma concentrations of LH, progesterone and corticosterone in bobwhite quail (*Colinus virginianus*) fed parathion. *J Reprod Fertil*, 66: 147-55.
- Raushel FM (2002):** Bacterial detoxification of organophosphate nerve agents. *Curr Opin Microbiol*, 5: 288-95.
- Raveh L, Grauer E, Grunwald, et al. (1997):** The stoichiometry of protection against soman and VX toxicity in monkeys pretreated with human butyrylcholinesterase. *Toxicol Appl Pharmacol*, 145: 43-53.
- Rawlings NC, Cook SJ and Waldbillig D (1998):** Effects of the pesticides carbofuran, chlorpyrifos, dimethoate, lindane, triallate, trifluralin, 2,4-D, and pentachlorophenol on the metabolic endocrine and reproductive endocrine system in ewes. *J Toxicol Environ Health A*, 54: 21-36.
- Ray DE and Richards PG (2001):** The potential for toxic effects of chronic, low-dose exposure to organophosphates. *Toxicol Lett*, 120: 343-51.
- Recio R, Ocampo-Gomez G, Moran-Martinez J, et al. (2005):** Pesticide exposure alters follicle-stimulating hormone levels in Mexican agricultural workers. *Environ Health Perspect*, 113: 1160-1163.

- Recio R, Robbins WA, Borja-Aburto V, et al. (2001):** Organophosphorus pesticide exposure increases the frequency of sperm sex null aneuploidy. *Environ Health Perspect*, 109: 1237-40.
- Rice D and Barone S (2000):** Critical periods of vulnerability for the developing nervous system: evidence from humans and animal models. *Environ Health Perspect*, 108: 511-33.
- Richards PG, Johnson MK and Ray DE (2000):** Identification of acylpeptide hydrolase as a sensitive site for reaction with organophosphorus compounds and a potential target for cognitive enhancing drugs. *Mol Pharmacol*, 58: 577– 83.
- Richardson RJ (2005):** Organophosphate poisoning, delayed neurotoxicity, In: *Encyclopedia of Toxicology*. By: Wexler P (Ed.). 2nd Edn. Oxford, Elsevier, Ltd, pp: 302- 306.
- Rickett DL, Glenn JF and Beers ET (1986):** Central respiratory effects versus neuromuscular actions of nerve agents. *Neurotoxicol*, 7: 225–36.
- Rigo A, Stevanato R, Finazzi AA, et al. (1977):** An attempt to evaluate the rate of Haber Weiss reaction by OH radical scavengers. *FEBS Lett*, 80: 130–132.
- Roberts D and Buckley NA (2005):** Alkalinisation for organophosphorus pesticide poisoning. *Cochrane Database Syst Rev*, 1: CD004897.
- Roberts DM, Karunaratna A, Buckley NA, et al. (2003):** Influence of pesticide regulation on acute poisoning deaths in Sri Lanka. *Bull World Health Organ*, 81: 789–98.
- Rochu D, Chabriere E and Massona P (2007):** Human paraoxonase: A promising approach for pre-treatment and therapy of organophosphorus poisoning. *Toxicol*, 233: 47-59.
- Rodrigo L, Hernandez AF, Lopez-Caballero JJ, et al. (2001):** Immunohistochemical evidence for the expression and induction of paraoxonase in rat liver, kidney,

lung and brain tissue implications for its physiological role. *Chem Biol Interact*, 137: 123–137.

Rosenberg Y, Luo C, Ashani Y, et al. (2002): Pharmacokinetics and immunologic consequences of exposing macaques to purified homologous butyrylcholinesterase. *Life Sci*, 72: 125-4.

Rosenstock L, Keifer M, Daniell WE, et al. (1991): Chronic central nervous system effects of acute organophosphate pesticide intoxication. The Pesticide Health Effects Study Group. *Lancet*, 338: 223-7.

Roth A, Zellinger I, Arad M, et al. (1993): Organophosphates and the heart. *Chest*, 103 :576-582.

Rupa DS, Reddy PP and Reddi OS (1991): Reproductive performance in population exposed to pesticides in cotton fields in India. *Environ Res*, 55: 123-8.

Rusyniak DE and Nanagas KA (2004): Organophosphate Poisoning. *Semin Neurol*, 24: 197-204.

Saadeh AM, Farsakh NA and Al-Ali MK (1997): Cardiac manifestations of acute carbamate and organophosphate poisoning. *Heart*, 77: 461-4.

Sabatino M, Cromwell HC, Cepeda C, et al. (1999): Acetylcholine receptor activation enhances NMDA-mediated responses in the rat neostriatum. *Neurophysiol Clin*, 29: 482-9.

Salam MT, Li YF, Langholz B, et al. (2004): Early-life environmental risk factors for asthma: findings from the Children's Health Study. *Environ Health Perspect*, 112: 760-5.

Salvi RM, Lara DR, Ghisolfi ES, et al. (2003): Neuropsychiatric evaluation in subjects chronically exposed to organophosphate pesticides. *Toxicol Sci*, 72 : 267-71.

- Sam KG, Kondabolu K, Pati D, et al. (2009):** Poisoning severity score, APACHE II and GCS: effective clinical indices for estimating severity and predicting outcome of acute organophosphorus and carbamate poisoning. *J Forensic Leg Med*, 16: 239-47.
- Sams C and Mason HJ (1999):** Detoxification of organophosphates by A-esterases in human serum. *Hum Exp Toxicol*, 18: 653-8.
- Sams C, Cocker J and Lennard MS (2003):** Metabolism of chlorpyrifos and diazinon by human liver microsomes. *Toxicol Lett*, 147: 253-60.
- Samuel J, Thomas K, Jeyaseelan L, et al. (1995):** Incidence of intermediate syndrome in organophosphorous poisoning. *J Assoc Physicians India*, 43: 321-3.
- Sanborn MD, Cole D, Abelsohn A, et al. (2002):** Identifying and managing adverse environmental health effects: 4. Pesticides. *CMAJ*, 166: 1431-1436.
- Sanchez-Amate MC, Flores P and Sanchez-Santed F (2001):** Effects of chlorpyrifos in the plus-maze model of anxiety. *Behav Pharmacol*, 12: 285-92.
- Sanotskaya N, Kurambaev K, Matsievskii D, et al. (1994):** effects of an organophosphorus compounds on pulmonary and systemic circulations. *Bull Exp Biol Med*, 117: 14-20.
- Santamaria J (1990):** Acute Pancreatitis. In: *Intensive care Manual*. By: Oh TE (Ed.). 3rd ed., Butterworths, Sydney, pp: 225-30.
- Satar D, Satar S, Mete Uo, et al. (2008):** Ultrastructural changes in rat thyroid tissue after acute organophosphate poisoning and effects of antidotal therapy with atropine and pralidooxime: A single- Blind, Ex Viro study. *Curr Ther Res*, 69: 334-342.
- Satar S, Satar D, Kirim S and Leventerler H (2005):** Effects of acute organophosphate poisoning on thyroid hormones in rats. *Am J Ther*, 12: 238-42.

References

- Savage EP, Keefe TJ, Mounce LM, et al. (1988):** Chronic neurological sequelae of acute organophosphate pesticide poisoning. Arch Environ Health, 43: 38-45.
- Saxena A, Sun W, Luo C, et al. (2006):** Bioscavenger for protection from toxicity of organophosphorus compounds. J Mol Neurosci, 30:145-8.
- Schricket JW, Lewalter T, Luderitz B, et al. (2008):** Recovery from ultra-high dose organophosphate poisoning after "in-the-field" antidote treatment: Potential lessons for civil defense. J Emerg Med. (Epub ahead of print).
- Sellstrom A (1992):** Anticonvulsants in anticholinesterase poisoning. In: Clinical and Experimental Toxicology of Organophosphates and Carbonates. By Ballantyne B and Marrs TC (Eds.). Butterworth-, Oxford, England, pp: 578-586.
- Senanayake N and Karalliedde L (1987):** Neurotoxic effects of organophosphorus insecticides: an intermediate syndrome. New Engl J Med, 316: 761-3.
- Senanayake N and Karalliedde L (1988):** Pattern of acute poisoning in a medical unit in central Sri Lanka. Forensic Sci Int, 36: 101-4.
- Senanayake N and Sanmuganathan PS (1995):** Extrapyramidal manifestations complicating organophosphorus insecticide poisoning. Hum Exp Toxicol, 14: 600-4.
- Senanayake N, De Silva HJ and Karalliedde L (1993):** A scale to assess severity in organophosphorus intoxication: POP scale. Hum Exp Toxicol, 12: 297-9.
- Shadnia S, Darabi D, Pajoumand A, et al. (2007):** A simplified acute physiology score in the prediction of acute organophosphate poisoning outcome in an intensive care unit. Hum Exp Toxicol, 26: 623-7.
- Shahar E and Andraws J (2001):** Extra-pyramidal parkinsonism complicating organophosphate insecticide poisoning. Eur J Paediatr Neurol, 5: 261-4.

- Shahar E, Bentur Y, Bar-Joseph G, et al. (2005):** Extraparamidal parkinsonism complicating acute organophosphate insecticide poisoning. *Pediatr Neurol*, 33: 378-82.
- Sherman JD (1995):** Chlorpyrifos (Dursban)–associated birth defects: a proposed syndrome, report of four cases and discussion of the toxicology. *Int J Ac Med Tox*, 4: 417–431.
- Shih TM and McDonough JH (1997):** Neurochemical mechanisms in soman-induced seizures. *J Appl Toxicol*, 17: 255-64.
- Shishido T, Usui K and Fukami J (1972):** Oxidative metabolism of diazinon by microsomes for rat liver and cockroach fat body. *Pest Biochem Physiol*, 2: 27-38.
- Sidell FR (1997):** Nerve agents. In: the textbook of Military Medicine: Medical aspects of chemical and Biological warfare, part I. By: Sidell FR, Takafuji ET and Franz DR (Eds.). Borden Institute, Washington, DC. pp: 129- 179.
- Sikka SC and Gurbuz N (2006):** Reproductive toxicity of organophosphate and carbamate pesticides. In: Toxicology of organophosphate and carbamate compounds. By: Gupta RC (Ed.). 1st ed., Elsevier, San Diego, California, pp: 447-507.
- Singh G, Avasthi G, Khurana D, et al. (1998):** Neuro-physiological monitoring of pharmacological manipulation in acute organophosphate (OP) poisoning. The effects of pralidoxime, magnesium sulphate and pancuronium. *Electroencephalogr Clin Neurophysiol*, 107: 140-8.
- Singh H and Singh TP (1981):** Effect of parathion and aldrin on survival, ovarian ³²P-uptake and gonadotrophic potency in a freshwater catfish, *heteropneustes fossilis* (Bloch). *Endocrinol*, 77: 173-8.

- Singh S (2004):*** Organophosphorus poisoning: an Evidence Based Approach. MJAFI, 60: 2-4.
- Singh S and Sharma N (2000):*** Neurological syndromes following organophosphate poisoning. Neurol India, 48: 308-13.
- Singh S, Bhardwaj U, Verma SK, et al. (2007):*** Hyperamylasemia and acute pancreatitis following anticholinesterase poisoning. Hum Exp Toxicol, 26: 467-71.
- Sivapiriya V, Jayanthisakthisekaran J and Venkatraman S (2006):*** Effects of dimethoate (O,O-dimethyl S-methyl carbamoyl methyl phosphorodithioate) and ethanol in antioxidant status of liver and kidney of experimental mice. Pest Biochem Physiol, 85: 115–121.
- Sofer S, Tal A and Shahak E (1989):*** Carbamate and organophosphate poisoning in early childhood. Pediatr Emerg Care, 5: 222-5.
- Sogorb MA and Vilanova E (2002):*** Enzymes involved in the detoxification of organophosphorus, carbamate and pyrethroid insecticides through hydrolysis. Toxicol Lett, 128: 215-28.
- Sogorb MA, Pla A and Vilanova E (1996):*** Las esterasas que hidrolizan compuestos organofosforados: un mecanismo eficaz de destoxificación. Rev Toxicol, 13: 43-48.
- Sogorb MA, Vilanova E and Carrera V (2004):*** Future applications of phosphotriesterases in the prophylaxis and treatment of organophosphorus insecticide and nerve agent poisonings. Toxicol Lett, 151: 219-33.
- Solberg Y and Belkin M (1997):*** The role of excitotoxicity in organophosphorus nerve agents central poisoning. Trends Pharmacol Sci, 18: 183-5.
- Solomon GM and Moodley J (2007):*** Acute chlorpyrifos poisoning in pregnancy: a case report. Clin Toxicol, 45: 416-9.

- Soltaninejad K, Shadnia S, Afkhami-Taghipour M, et al. (2007):** Blood beta-glucuronidase as a suitable biomarker at acute exposure of severe organophosphorus poisoning in human. *Hum Exp Toxicol*, 26 : 963-6.
- Sonmez Ergun S, Ozturk K, Su O, et al. (2009):** Delayed Neuropathy Due to organophosphate insecticide injection in an attempt to commit suicide. *Hand*, 4: 84-87.
- Srinivas Rao Ch, Venkateswarlu V, Surender T, et al. (2005):** Pesticide poisoning in south India: opportunities for prevention and improved medical management. *Trop Med Int Health*, 10: 581-8.
- Srivastava MK and Raizada RB (1999):** Assessment of the noobserved-effect level (NOEL) of quinalphos in pregnant rats. *Food Chem Toxicol*, 37: 649–653.
- Stallones L and Beseler C (2002):** Pesticide poisoning and depressive symptoms among farm residents. *Ann Epidemiol*, 12: 389-394.
- Stevens RC, Suzuki SM, Cole TB, et al. (2008):** Engineered recombinant human paraoxonase 1 (rHuPON1) purified from *Escherichia coli* protects against organophosphate poisoning. *Proc Natl Acad Sci USA*, 105:12780-4.
- Street JC and Sharma RP (1975):** Alteration of induced cellular and humoral immune responses by pesticides and chemicals of environmental concern: quantitative studies of immunosuppression by DDT, aroclor 1254, carbaryl, carbofuran, and methylparathion. *Toxicol Appl Pharmacol*, 32: 587-602.
- Sulak O, Altuntao I, Karahan N, et al. (2005):** Nephrotoxicity in rats induced by organophosphate insecticide methidathion and ameliorating effects of vitamins E and C. *Pest Biochem Physiol*, 83: 21–28.
- Sunder RJ, Kumar SS, Jayarajan A, et al. (1999):** Continuous infusion of high doses of atropine in the management of organophosphorus compound poisoning. *J Assoc Physicians India*, 39: 190-3.

- Sungur M and Guven M (2001):** Intensive care management of organophosphate insecticide poisoning. Crit Care, 5: 211-5.
- Sungurtekin H, Gürses E and Balci C (2006):** Evaluation of several clinical scoring tools in organophosphate poisoned patients. Clin Toxicol, 44: 121-6.
- Sutcu R, Altuntas I, Yildirim B, et al. (2006):** The effects of subchronic methidathion toxicity on rat liver: Role of antioxidant vitamins C and E. Cell Biol Toxicol, 22: 221–227.
- Swan SH, Kruse RL, Liu F, et al. (2003):** Semen quality in relation to biomarkers of pesticide exposure. Environ Health Perspect, 111: 1478-84.
- Tafari J and Robert J (1987):** Organophosphate poisoning. Ann Emerg Med, 16: 193-202.
- Taira K, Aoyama Y and Kawamata M (2006):** Long QT and ST-T change associated with organophosphate exposure by aerial spray. Environ Toxicol Pharmacol, 22: 40-5.
- Tarbah FA, Mahler H, Temme O, et al. (2001):** An analytical method for the rapid screening of organophosphate pesticides in human biological samples and foodstuffs. Forensic Sci Int, 121: 126-33.
- Tarkowski M, Lutz W and Birindelli S (2004):** The lymphocytic cholinergic system and its modulation by organophosphorus pesticides. Int J Occup Med Environ Health, 17: 325-37.
- Taylor P (1996):** Anticholinesterase. In Goodman and Gilman's the pharmacological Basis of therapeutics. By: Hardman JG (Ed.). 9th ed. Mc Graw- Hill, New York, pp: 161- 178.
- Taylor P (2001):** Anticholinesterase agents. In : Goodman and Gilman's The pharmacological Basis of Therapeutics. By: Hardman JG, Limbird LE and Gilman AG (Eds.).10th ed. McGraw Hill, New York, pp: 175- 191.

References

- Teimouri F, Amirkabirian N, Esmaily H, et al. (2006):** Alteration of hepatic cells glucose metabolism as a non- cholinergic detoxification mechanism in counteracting diazinon-induced oxidative stress. *Hum Exp Toxicol*, 25: 697-703.
- Thiermann H, Szinicz L, Eyer P, et al. (2007):** Lessons to be learnt from organophosphorus pesticide poisoning for the treatment of nerve agent poisoning. *Toxicol*, 233: 145-54.
- Thompson CM and Richardson RJ (2004):** Anticholinesterase Insecticides. In: *Pesticide Toxicology and international regulation*. By: Marrs TC and Ballantyne B (Eds.). 1st ed., John Wiley & sons, Ltd, Chichester, pp: 89-28.
- Thrasher JD, Heuser G and Broughton A (2002):** Immunological abnormalities in humans chronically exposed to chlorpyrifos. *Arch Environ Health*, 57: 181-7.
- Tsao TC, Juang YC, Lan RS, et al. (1990):** Respiratory failure of acute organophosphate and carbamate poisoning. *Chest*, 98: 631-6.
- Tuomisto J and Mannisto P (1985):** Neurotransmitter regulation of anterior pituitary hormones. *Pharmacol Rev*, 37: 249-332.
- USEPA (United States Environmental Protection Agency) PJ (2000):** The use of data on cholinesterase inhibition for risk assessments of organophosphorus and carbamate pesticides. Wash (DC): USEPA, p.50 accessible on line at <http://www.epa.gov/pesticides/trac/science/cholin.pdf>.
- Uzunhisarcikli M, Kalender Y, Dirican K, et al. (2007):** Acute, subacute and subchronic administration of methyl parathion-induced testicular damage in male rats and protective role of vitamins C and E. *Pest biochem physiol*, 87: 115-122.
- Van den Berghe G (2000):** Novel insights into the neuroendocrinology of critical illness. *Eur J Endocrinol*, 143: 1-13.

- Van Helden HP and Bueters TJ (1999):** Protective activity of adenosine receptor agonists in the treatment of organophosphate poisoning. *Trends Pharmacol Sci*, 20: 438-41.
- Vasconcellos LF, Leite AC and Nascimento OJ (2002):** Organophosphate-induced delayed neuropathy: case report. *Arq Neuropsiquiatr*, 60: 1003-7.
- Videira RA, Antunes-Madeira MC, Lopes VI, et al. (2001):** Changes induced by malathion methylparathion and parathion on membrane lipid physicochemical properties correlate with their toxicity. *Biochem Biophys Acta*, 1511: 360–368.
- Vidyasagar J, Karunakar N, Reddy MS, et al. (2004):** Oxidative stress and antioxidant status in acute organophosphorus insecticide poisoning. *Indian J Pharmacol*, 36: 76–79.
- Vilanova E and Sogorb MA (1999):** The role of phosphotriesterases in the detoxication of organophosphorus compounds. *Crit Rev Toxicol* , 29: 21-57.
- Weizman Z and Sofer S (1992):** Acute pancreatitis in children with anticholinesterase insecticide intoxication. *Pediatr*, 90: 204-6.
- Wessels D, Barr DB and Mendola P (2003):** Use of biomarkers to indicate exposure of children to organophosphate pesticides: implications for a longitudinal study of children's environmental health. *Environ Health Perspect*, 111: 1939-46.
- West JB (1995):** Respiratory physiology-The Essentials, 5th ed. Williams & Wilkins, Baltimor.
- WHO (1986):** Metabolism and mode of action. In: *Organophosphorus Insecticides: A General Inroduction*. WHO, Geneva, pp: 39 -48.
- WHO (2001):** The WHO Recommended Classification on Pesticides by Hazard and Guidelines to Classification 2000–2002. World Health Organization Programme on Chemical Safety, Geneva. WHO/PCS/01.4.

References

- Williams MK, Barr DB, Camann DE, et al. (2006):** An intervention to reduce residential insecticide exposure during pregnancy among an inner-city cohort. *Environ Health Perspect*, 114: 1684-9.
- Wilson BW (2005):** Cholinesterase Inhibition. *Encyclopedia of Toxicology*, pp: 588-599.
- Wong A, Sandron CA, Magalhaes AS , et al. (2000):** Comparative efficacy of pralidoxime vs sodium bicarbonate in rats and humans severely poisoned with O-P pesticide. *J Toxicol Clin Toxicol*, 38: 554-5.
- Woo SH, Lee WJ, Kyong YY, et al. (2008):** Ipsilateral parotitis due to organophosphate intoxication: A case Report. *J Korean Soc Emerg*, 19: 139-141.
- Worek F, Backer M, Thiermann H, et al. (1997):** Reappraisal of indications and limitations of oxime therapy in organophosphate poisoning. *Hum Exp Toxicol*, 16: 466-472.
- Worek F, Szinicz L and Thiermann H (2005):** Estimation of oxime efficacy in nerve agent poisoning: a kinetic approach. *Chem Biol Interact*, 157: 349-52.
- WRI (World Resources Institute) (1996):** Pesticides and the Immune System: The Public Health Risks., Washington, DC.
- Wu X, Tian F, Okagaki P, et al. (2005):** Inhibition of N-methyl-D-aspartate receptors increases paraoxon-induced apoptosis in cultured neurons. *Toxicol Appl Pharmacol*, 208: 57-67.
- Yang CC and Deng JF (2007):** Intermediate syndrome following organophosphate insecticide poisoning. *J Chin Med Assoc*, 70: 467-72.
- Yang YL, Ni CF, Lin WJ, et al. (2001):** Intermediate syndrome following acute organophosphate poisoning: a clinical analysis of 36 cases. *Chin J Emerg Med*, 10: 127.