




References

References

****Adalberth-G, Bystrom-S, kolstad-K, Mallmin-K, and Milbrink-J (1998):***

- Postoperative drainage of knee arthroplasty is not necessary.
- Acta-orthop-scond. 69(5): 475-8.

****Aha-R; Douglas-JG and Watson-HG (1998):***

- Transfusion associated graft-versus-host-disease in an immunocompetent individual following coronary bypass grafting
- Heart , 80(3) : 299-300.

****Aksoy-MC and Tokgozoglu-AM (2001):***

- Erythropoietin for autologous blood donation in total hip arthroplasty patients .
- Arch-Orthop-Trauma-Surg. 212(3): 162-5.

****Almeida-MF (1999):***

- Preoperative normovolemic hemodilution in aesthetic plastic surgery.
- Aesthetic-plast-surg. 23 (6): 445-9 .

****Athale-UH; Patil-PS; Chintu-C and Elem-B (1995):***

- Influence of HIV epidemic on the incidence of kaposi's sarcoma in Zambian children .
- J-Acquir-Immune-Defic-Sydr-Hum-Retrovirol. 8(1): 96-100.

****Avall-A; Hyllner-M; Bengtson-JP; Carlsson-L; Bengtsson-A, (1997):***

- Postoperative inflammatory response after autologous and allogenic blood transfusion.
- Anaesthesiology. 87(3): 511-6.

***Barrett-PN; Meyer-H and Wachtel-I (1997):**

- Inactivation of hepatitis A virus in plasma products by vapour heating .
- Transfusion . 37:215-20.

***Berdel-WE; Koenigsnmann-M , and Papadimitrion-CA, (1994):**

- Effects of erythropoitin without or in combination with II-3, -GM-CSF or G-CSF on the growth of human non hematopoitic tumour cells in vitro .
- Clin-Invest. 72:B 70 .

***Beris -P (1997):**

- Epoetin alfa as an adjuvant to autologous blood donation .
- Semin Hematol. 33 (2 suppl 2) : 27-9.

***Beutler -E (1996):**

- Liquid preservation of red cells.
- Cited in: Rossi-EC, Simon-TL, Moss-GS, Gould-SA, editors. Principles of transfusion medicine, 2nd ed.
- Baltimore: Williams & Wilkins,PP:51-60.

***Biesma-DH; Kraaijen -hagen -RJ; and Poortman-J, (1994):**

- The effect of oral iron supplementation on erythropoiesis in autologous blood donors .
- Transfusion. 32:162-5.

***Birkmeyer-JD, Goodnough-LT, and AuBuchan (1993):**

- The cost effectiveness of preoperative autologous blood donation for total hip and knee replacement .
- Transfusion 33:544-51.

***Blajchman-MA; Goldman-M; Friedman-II and Sher-GD (2001):**

Proceeding of consensus conference: prevention of post-transfusion CMV in the era of universal leukoreduction transfusion
-Med-Rev. 15(1) : 1-20 .

***Blumberg-N (1997):**

-Allogenic transfusion and infection economic and clinical implications.

-Semin-Hematol. 34(3 suppl 2): 34-40.

***Blumberg-N; Kirkely -SA; Heal-JM (1996):**

-A cost analysis of autologous and allogenic transfusion in hip replacement surgery.

-Am-J-Surg- 171: 324-330.

***Blundell-J (1818):**

-Experiments on the transfusion of blood with a syringe.

-Medico-chir-trans.9:56-9 [cited in Guerra-JJ and Cukler-IM(1995): cost effectiveness of intraoperative autotransfusion in total hip arthroplasty surgery.Clin- Ortho-Rel-Res. 315:212-22.]

***Boo-NY and Chan-BH (1998):**

-Blood transfusion reaction in Malaysian newborn infants

-Med-J- Malaysia. 53(4): 358-64.

***Bowden-RA; Slichter-SJ; Sayers-M; Weisdorf-D; Cays-M; Schoch-G; Bamaji-M; Haake-R; Welk-K and Fisher-L (1995):**

A comparison of filtered leukocyte-reduced and cytomegalovirus (CMV) seronegative blood products for the prevention of transfusion associated CMV infection after marrow transplant.

Blood. 86(9): 3598-603.

***Brojer-E; Gloskowska-Moraczewska-Z; Kaperska-E; Medynska-J;
Cianciara-J; Loch-T and Flieger-J (1996):**

-Hepatitis C virus genotypes in blood donors and patients with chronic hepatitis C.

-Vox-sang. 71(1): 51-4:

***Buffington-J; Bowel-R; Hinman-J; sharp-K and Choi-S (2001).**

Lack of awareness of hepatitis C risk among persons who received blood transfusions before 1990.

Am-J- Public Health. 91(1):47-8.

***Buntain-SG and Pabari-M (1999):**

-Massive transfusion and hyperkalemic cardiac arrest in craniofacial surgery in a child.

-Anaesth-Intensive-Care. 27 (5): 530-3.

***Busch-M; Chamberland-M; Epstein-J; Kleiman-S; Khabbaz-R and
Nemo-G(1999):**

-Oversight and monitoring of blood safety in the united states.

-Vox-sang. 77 (2): 67-76.

***Capon-SM and Gold finger-D(1995):**

-Acute hemolytic transfusion reaction; new insight into pathophysiology and treatement .

-Transfusion. 35(6): 513-20.

***Card-RT (1988):**

-Rod cell membrane changes during storage.

-Trans-Med-Rev. 2:40.

***Catania-G; Petralia-G; Catalano-F and Marzullo-B (1995):**

-Surgery and blood transfusion.

-G-Chir 16 (3): 132-6 .

***Chan-AC, Blumgart-LH, Wuest-SL, and frong-Y (1998):**

- Use of preoperative autologous blood donation in liver resection for colorectal metastases
- Am-J-Surg. 175:461-65.

***Chan-PK; Chik-KW; To-KF; Li-CK; Hui M; Shing-MM; Yuen-PM; Tam-JS and Cheng-AF (2001):**

- Clearance of TT virus after allogenic bone marrow transplantation.
- J-Pediatr-haematol-Oncol. 23(1):57-8.

***Cash-KL; Brown-T; Savsais-L; Vehlinger-J and Reed-LJ (1999):**

- Severe delayed hemolytic transfusion reaction secondary to anti A1(a).
- Transfusion 39(8) : 834-7.

***Cazenave-JP, Irrmann-C, Waller-C, sondag-D, Bandoux-E, Dupont-E, sundal-E, and stocker-H (1997):**

- Epoetin alfa facilitates presurgical autologous blood donation in non-anomic patients schoduled for orthopedic or cardiovascular surgery.
- Europ-J-Anesthiol. 14:432-42.

***Cecil (1990):**

- Essentials of Medicine, Anemia, 2nd ed.
- El-sevier. PP:343 -7

***Chambers-AJ and Lord-RS (2001):**

- Documented prevelnace of HIV and hepatitis C infection in patients with penetrating trauma.
- Aust-N-Z-J-Surg. 71(1): 21-3.

***Chattorjee-R and Katz-M (2000):**

- Reversible hypogonadotrophic hypogonadism in sexually infantile male thalassemic patients with transfusion iron overload
- Clin-Endocrinol-Oxf. 53(1): 33-42.

***Cliville-X, Bofill-C, Joven-J, Manasterio-J and Sous-T (1998):**

- Hemorheological, coagulative and fibrinolytic changes during autologous blood donation .
- Cl-Hemorheol-Microcirul. 18:265-72.

***Colwell-CW; Beutler-E; West-C; Hardwick-ME; and Morns-BA, (2002):**

- Erythrocyte viability in blood salvaged during total joint arthroplasty with cement.
- J-Bone-Joint-surg-Am. 84-A(1): 23-5.

***Comar-M; Ansoldi-F; Morandi-L; Dal-Mdin-G; Faschini-PM Croce-SL; Banin-S; and Campello-C (2002):**

- In situ polymerase chain reaction (PCR) detection of TTV in liver Biopsy.
- J-Virol-Hepat. 9 (2): 123-7 .

***Conrad-ME (2001):**

- Iron deficiency anemia
- Medicine 2(9): 27-40.

***Cossart-y (2000):**

- TTV-a virus searching for a disease
- J-Clin-Virol. 17(1) : 1-3.

***Cowell-HR and Swickard-JW (1974):**

- Autotransfusion in children's orthopedics.
- J-Bone-Joint-Surg. 56A: 908-12.

****Dalrymple-Hay-MJ, Pack-L, Deakin CD, Shephard-S, Ohri-SK, How-MP, and Monro-JL (1999):***

-Autotransfusion of washed shed mediastinal fluid decrease the requirement for autologous blood transfusion following cardiac surgeons.

-Eur-J- Cardiothorac-Surg. 15(6) : 830-4.

****Das-A; Strup-S; Canfield-S; Mulholland-SG and Gomella-LG (1998):***

-Utilization of autologous blood donation during radical retropubic prostatectomy

-Tech-Virology. 4(3): 131-5.

****Das-PC; de-Vries-AH; Mc Shine-RL and Sibirga-CT (1996):***

-Dried sera for confirming blood-borne virus infection (HCV, HTLV-I, HIV & HbsAg).

-Transfus-Med-6(4):319-23.

****Davenport-RD (1995):***

-The role of cytokines in hemolytic transfusion reactions

-Immunol-Investi 24 (1-2): 319-31.

****Davies -JR (2000):***

Hyperkalemia and rapid blood transfusion

Anaesthesia. 55(9): 928-9.

****Denis-J (1665):***

-Letter to the publishers

-Phil-trans.32:617[Cited in Mollison-PL(1979) :Blood Transfusion in Clinical Medicine 6th ed. Blackwell Scientific Publication; Oxford] .

****de-Pree-C, Mermillod-B, Hoffnover-P, and Beris-P (1997):***

-Recombinant human erythropoitin as adjuvant treatment for autologous blood donation in elective surgery with large blood needs (> or = 5units): a randomized study .

-Transfusion 37 (7): 708-14 .

****Dias-J and Schofield-C (1999):***

-The evolution of Chagas' disease control after 90 years since Carlos Chagas discovery.

Mem -Inst-Oswaldo-Cruz. 94 suppl 1: 103-21.

****Dockrell-DH; Prada-J; Jones-MF; Patel-R; Badley-AD, Hormsen-WS- strup DM; wiesner-RH, Krom-RA; smith-IF and Paya-CV (1997):***

-Sero-conversion to human herpovirus 6 following liver transplantation is a marker of cytomegalo-virus disease.

-J-Infect-Dis.176(5):1135-40 .

****Domachowske-JB (1996):***

-Pediatric human immunodeficiency virus infection

-Clin-Microbiol-Rev. 9(4):448-68.

****Dumont-LJ and Schuyler-R (1996):***

-Prevention of transfsuion associated cytomegalovirus infection [letter, comment]

-Blood. 88(4) : 1515.

****Duncan-J (1886):***

-On re-infusion of blood in primary and other amputations.

-Br-Med-J. 1:192-3 [Cited in Guerra-JJ and Cuckler-JM (1995): cost effectiveness of intraoperative autotransfusion in total hip arthroplasty surgery. Clin- Ortho-Rel-Res- 212-22].

****Dupuis-JY; Bart-B; Bryson-G and Tobblee-J (1999):***

- Transfusion practice among patients who did and did not predonate autologous blood before elective cardiac surgery
- CMAJ 160(7): 997-1002.

****Durand-PY; Chanliav-J; Gamborani-J; Hestin-D and Kessler (1996):***

- Prevalence and epidemiology of hepatitis C infection in patients on peritoneal dialysis in France.
- Adv-Perit-Dial. 12 : 167-70.

****Erb-T; Moller-R; Christen P; singer-E, and Frei-FJ (2000):***

- Increased withdrawal volume per deposit for pre-operative autologous blood donation in adolescents.
- Vox-sang. 78 (4): 231 -4.

****Erceg-S; Fabri-M; Belic-B; Jovanovic-R and Veselinovic-V (1996):***

- Transfusion aspect of viral hepatitis C.
- Transplantation. 62(11): 697-9.

****Farrer-A, Spark-JI, and Scott-DZ (1997):***

- Autologous blood transfusion: the benefits to the patient undergoing abdominal aortic aneurysm repair.
- J-Vasc-Nurs 15(4): 111-5 .

****Feldman -JM, Roth-JV, and Bjorakor-DG (1995):***

- Maximum blood saving by autotransfusion normovolemic hemodilution.
- Anesth-Analg. 80:108-13.

****Finegan -BA (1999):***

- Leukocyte reduction filter problems (letter)
- Can-J- anaesth. 46(10): 100 .

***Finucane-ML; Slovic-P and Mertz-CK (2000):**

- Public perception of the risk of blood transfusion .
- Transfusion. 40 (8): 1017-22.

***Flecknoe-Brown-SC; Ross-PJ; and Fox-JS, (1995):**

- Optimizing collection of autologous blood Apilot study of the use of recombinant human erythropoitin and parenteral iron
- Med-J-Aust. 2: 163(7): 352-4.

***Flam-Halvarsen-HI, Ovrum-E, Tangen-G, Brosstad-F, and Oystese-R (1999) :**

- Autotransfusion in coronary artery bypass grafting disparity in laboratory tests and clinical performance.
- J-Thorac-Cardiovasc- Surg 118 (4): 610-7 .

***Flordal -P and Bergqvist-D (1997):**

- Possible benefit of preoperative blood deposit for abdominal surgery.
- World-J- Srug. 21 : 349-52 .

***Fouchier-RA and Schuitemaker-H (1996):**

- Molecular determinants of human immunodeficiency virus type I phenotype variability.
- Eur-J-Clin-Invest. 26(3):175-85.

***Friedman-HD and Noonan-M (1996):**

- Actue gram-negative urosepsis mimicking an acute hemolytic transfusion reaction .
- Transfusion 36(5): 460-2 .

***Fukunaga-K, Shimoyama-T, Sowada-K, and Nose-Y (2000) :**

- In vitro evaluation study of the membrane autotransfusion system. Experimental prototype.
- Artif-Organs . 42 (2) : 95-102 .

***Gallo-RC and Wong-Stall-F. (1985):**

- A human T-lymphotropic retrovirus (HTLV-II) as the cause of the acquired immunodeficiency syndrome
- Ann-Intern-Med. 103:679.

***Gandini-G; Franchini-M; Bertuzzo-D; Olzer-D; Crocco-I. De-Gironcoli-M and Aprili-G (1999):**

- Preoperative autologous blood donation by 1073 elderly patients undergoing elective surgery:a safe and effective practice.
- Transfusion. 39(2): 174-8.

***Gargano-G, Polignano-G, De Lena-M, Brandi-M, Lonsso-U, and Fanizza-G (1998):**

- The utility of a growth factor :r-HuEPO a treatment for preoperative autologous blood donation in gynecological tumour sugery .
- Int-J- Oncol 14 : 157 –60 .

***Gelly-KJ; Kerr-R; Rawlinson-S; Norris-A, and Bowen-DT (2000):**

- Transfusion associated graft versus host disease in a patient with high grade B-cell lymphoma-should cellular products for patients with non-Hodgkin's lymphoma be irradiated
- Br-J-Haematol 110(1): 228-9 .

***Gilgen-D and Mascie-Taylor –CG(2001):**

- The effect of weekly iron supplementation on anemia and on iron deficiency among female tea pluckers in Bangladesh.
- J-Hum-Nutr-Diet 14(3): 185-90 .

***Gillon-J (1994):**

- Acute normovolemic hemodilution in elective major surgery: conference.
- Transfusion . 34 : 269-71.

***Gitnick-G (1998):**

- Hepatitis C: controversies, strategies and challenges
- Eur-J-Surg-Suppl. (582): 65-70.

***Glomestein-A (1995):**

- Self-sufficiency and blood transmitted diseases .
- Blood-Coagul-Fibrinolysis. 6 suppl 2 :523-6.

***Goh-M, Kleer-GG; Kielczewski-R; Wonjo-KJ; Kim-K, and Oesterling JE (1997) :**

- Autologous blood donation prior to anatomical radical retropubic prostatectomy: it is necessary
- Urology. 49:569-74.

***Goldberg-MA, (1995):**

- Erythropoiesis, erythropoietin, and iron metabolism in elective surgery: preoperative strategies for avoiding allogenic blood exposure.
- Am-J-Surg 170:370-43

***Goodnough-LT and Brittenham-GM (1990):**

- Limitations of the erythropoietic response to serial phlebotomy: implication for autologous blood donor programs.
- Journal of Laboratory and Clinical Medicine . 115:28-35.

***Goodnough-LT, Price-TH, Friedman-KD, Vogler-WR, Khon-N and Ciavarella-D (1994):**

- Erythropoietin response to anemia is not altered by surgery or recombinant human erythropoietin therapy .
- Br-J-Haematology 87 : 695-99 .

***Goodnough-LT, Despotis-GJ, Merkel-K, and Monk-TG (2000):**

-A randomized trial comparing autotransfusion and preoperative autologous blood donation in total hip arthroplasty.

-Transfusion 40 (9) 1054-7

***Goya-N; Toda-F; Nishino-S; ToKumoto-T; Kihara-T; Nakazawa-H; and Toma-H (1998):**

-Autotransfusion supported by erythropoietin therapy in transurethral resection of the prostate

-Scand-J- Urol-Nephrol 32(6)L: 383-7.

***Graham-ID, Fergusson-D, Dokainish-H, Biggs-J and Laupacis-A (1999):**

-Autologous versus allogenic transfusion patients perceptions and experiences.

-CMAJ. 160 : 989-95.

***Grant-FC (1921):**

-Autotransfusion (Abstract).

-Ann-Surg. 74:253 [Cited in Das A; Strup-S; Canfield-S; Mulholland-SG and Gamella-LG (1998): Utilization of autologous blood donation during radical retropubic prostatectomy. Tech-Urology. 4(3):131-5].

***Gromb-S; Quinton-A and Salamon-R (2000):**

-The contribution of statistics in the forensic appraisal of post-transfusion contamination by hepatitis C virus.

-Forensic-Sci-Int. 110(1) : 29:34.

***Habib-M; Mohamed-MK, Abdel-Aziz-F; magder-LS, Abdel-Hamid-F;Madkour-S; anwar-W and Sallam-I (2001):**

-Hepatitis C virus infection in a community in the Nile Delta: risk factors for seropositivity.

-Hepatology. 33(1): 248-53.

***Hans-P, Collin-V, Bonhomme-V, Damas-F, and Lamy-M (2000):**

-Evaluation of acute normovolemic hemodilution for surgical repair of craniostenosis.

-J-Neuro -Surge-Anesthesiol- 12(1): 33-6 .

***Hausen-E,Knuechel-R, Altmeyden-J, and Taeger-K (1999):**

-Blood irradiation for intraoperative autotransfusion in cancer surgery: demonstration of efficient elimination of contaminating tumour cells.

-Transfusion 39(6) 608-15.

***Harmening-DM (1999):**

-Modern Blood Banking and Transfusion Practice; 4th ed,

-F.A. Davis Compny. Philadelphia PP: 382-416.

***Hazra-BR; Saha-SK; Mazumder-AK; Deb-A and Sinha-S (1998):**

-Incidence of hepatitis B virus (HBV) infection amongst clinically diagnosed acute viral hepatitis cases and relative risk of development of HBV infection in high risk group in Calcutta.

-Indian-J- Public-Health. 42(2):56-8.

***Heddle-NM (1999):**

-Pathophysiology of febrile non-hemolytic transfusion reactions.

-Curr-Opin-Haematol. 6(6): 420-6.

***Holland-PV.(1996):**

-Viral infections and the blood supply.

-N-Eng-J-Med. 334 (26): 1685-90.

-Heut-C, Salmi-LR, Fergusson-D, Rubens-F, and Laupacis-A (1999):

-A meta-analysis of the effectiveness of cell salvage to minimize perioperative allogenic blood transfusion in cardiac and orthopedic surgery

-Anesth- Analg 89(4): 86-9.

****Huggins-C (1985):***

-Preparation and usefulness of frozen blood

-Ann-Rev-Med. 36 : 499 .

****Huston-CJ (1996):***

-Emergency ! hemolytic transfusion reaction.

-Am-J-Nurs. 96(3): 47.

****Imbach-P and Kuhne- T (1998):***

-Immune thrombocytopenic purpura (ITP)

-Vox-sang. 74 suppl 2 309-14 .

****Inaba-S; Okochi-K; Sato-H; Fukada-K; Kinukawa-N; Nakata-H;***

Kinjo-K; Fujii-F and Maeda-Y (1999):

-Efficacy of donor screening for HTLV-I and the natural history of transfusion-transmitted infection.

-Transfusion . 39 (10): 1104-10

****Innerhofer -P; Luz -G, Spötl -L, Hobisch-Hagen-P, Schobersberger-W, Fischer-M, Lochs-A and Irschick-E. (1999):***

-Immunologic changes after transfusion of autologous or allogeneic buffy coat-poor versus white cell-reduced blood to patients undergoing arthroplasty.I. proliferative T-cell responses and the balance of helper and suppressor T cells.

-Transfusion. 39(10): 1089-96.

- *Innerhofer –P, Tilz –G, Fuchs-D, Luz-G, Schobersberger-W, Nussbaumer-W, Lochs-A, and Irschick-E (2000):**
 -Immunologic changes after transfusion of autologous or allogeneic buffy coat-poor versus WBC-reduced blood transfusions in patients undergoing arthroplasty-II.
 -Transfusion. 40 (7) :821-7.
- *Ismay-SL; Thomas- S; Fellow-A, Keller- As Kenrick-KG; Archer-GT; Wylie-BR and Cossart-YE (1995):**
 -Post-transfusion hepatitis revisited
 -Med-J-Aust. 165(2) : 74-7.
- *Jacobi-KE, Wanke-C, Jacobi-A, Wersboch-V, and Hemmerling- TM (2000):**
 -Determination of eicosanoid and cytokines production in salvaged blood, stored red cell concentrate and whole blood.
 -J-Clin-Anesth 12(2): 94-9.
- *Jacobs-K, Shoemaker-C, Rudersdorf-R, Neill-SD, and Mufson-A(1985):**
 -Isolation and characterization of genomic and cDNA clones of human erythropoietin.
 -Nature. 313:806-10
- *Jacobs-LB; Shirey-RS and Ness-PM (1996):**
 -Hemolysis due to the simultaneous occurrence of passenger lymphocyte syndrome and a delayed hemolytic transfusion reaction in a liver transplant patient.
 -Arch-Pathol-Lab-Med. 120(7):684-6.
- *Jamal-R; Fadzillah-G; Zulkiffi-SZ and Yasmin-M (1998):**
 -Sero prevalence of hepatitis B, hepatitis C, CMV and HIV in multiply transfused thalassemia patients
 -Southeast-Asian-J- Trop-Med-Public-Health 29(4): 792-4
- *Jennechian –V (1998):**
 -Guidelines for appropriate prescribing of blood transfusion.
 -Postgrad-Doct-Mid-East 21(2): 77-80.

***Kajikawa-M; Nonomi-T; and Kurakowa-T, (1994):**

-Autologous blood transfusion for hepatectomy in patients with cirrhosis and hepatocellular carcinoma: use of recombinant human erythropoitin.

-Surgery. 115: 727-34.

***Kalyanaraman-M; Heidemann-SM; Sarnaik-AP; Meert-MZ and Sarnaik-SA(1999):**

-Anti-S antibody associated delayed hemolytic reaction in patients with sickle cell anemia

-J-Pediatr-Hematol-Oncol 21 (1): 70-3.

***Kasper-SM, Lazansky-H, Stark-C, Klimek-M, and Borner-U (1998):**

-Efficacy of oral iron supplementation is not enhanced by additional intravenous iron during autologous blood donation.

-Transfusion 38 : 764-70.

***Kemotsu-H, Joe-K, Nakomura-H and Yamashita-M (1995):**

-Predeposited autologous blood transfusion for surgery in infants and children

-J- Ped-Surg 30(5): 659-61 .

***Kicker-T.S. and Spivak-JL (1988):**

-Effect of repeated whole blood donation on serum immunoreactive erythropoitin levels in autologous donors.

-J-Am-Med-Assoc. 260:65-7,

***Kinoshita-Y; Udagawa-H; Tsutsumi-K; Masanori-U; Nakamura-T; Akiyama-H; Akiyama-H; Takahashi-K and tsurumara-M, (2000):**

-Usefullness of autologous blood transfusion for avoiding allogenic transfusion and infections complications after esophageal cancer resection.

- Surgery. 127 : 185-92 .

***Kirkwood-M.J.(1989):**

- Medical Statistics. A common sense approach. 2nd Ed.
- John Wiley& Sons. New York; Chichter; Brisbane; Toronto&Singapore.

***Kitagawa-K; Taniguchi-A; and Yamagishi-H(2001):**

- Safety and advantages of pre-operative autologous blood transfusion in hepatic resection for hepatocellular carcinoma.
- Anticancer-Res 21(5):3663-7.

***Kiyama-H,Ohshima-N; Inazek; T and Yamada-T (1999):**

- Autologous blood donation with recombinant human erythropoitin in anemic patients
- Ann-Thorac-Surg 68:1652-6.

***Kiyama-H; Ohshima-N; and Imazeki- T (2000):**

- Safety and efficacy of blood donation prior to elective cardiac surgery in anemic patients
- Jpn-J- thorac- cardiovasc- Surg 48(2): 101-5.

***Kiyosawa-K and Tanaka-E (1999):**

- GB virus C / Hepatitis (G) virus
- Intervirolgy. 42 (2-3): 185-95.

***Klein-HG; editor (1996):**

- Standards for blood bank, and transfusion services 17th ed.
- Besthada: American Association of Blood Banks.

***Kleinman-S (1996):**

- Blood donor screening: principles and policies .
- Gited in : Petz-LD, Swicher-SN,Kleinman, et al., editors. Clinical practice of transfusion medicine 3rd ed . New York Churchill Living stone, P: 245-269.

***Koch-MO and Smith- JA (1996):**

- Blood loss during radical retropubic prostatectomy is preoperative autologous blood donation indicated?
- The -J -of - Urol. 156: 1077-80.

****Kopko-PM; Fernando-LP; Bonny-EN; Freeman-JL; and Holland-PV, (2001):***

- HIV transmission from a window-period platelet donation.
- Am-J-Clin-Pathol 116(4): 562-6.

****Krause-E and Mohan-G (1984):***

- Food, Nutrition and Diet therapy 7th ed.
- Churchil Livingstone PP: 585-95.

****Kroll-H; Kiefel-V and Soutoso-S (1998):***

- Clinical aspects and typing of platelet alloantigens
- Vox-song. 74 suppl 2:342-54.

****Ladow-EM; Kanter-M and petz-LD (1996):***

- Safety of filtered leukocyte-reduced blood products for prevention of transfusion-associated CMV infection.
- Blood- 87(11): 910.

****Lane-TA (1998):***

- Leukocyte depletion of cellular blood components
- Curr-opin-Haematol. 1 (6): 443-51.

****Lange-EG and Hertzfield -L (1995):***

- Hemolytic transfusion reaction.
- Nursing 25 (7): 23 .

****Larsson-S; Soderberg-Naucler-C; Wang-FZ and Ndler-E (1998):***

- Cytomegalovirus DNA can be detected in peripheral blood mononuclear cells from all sero-positive and most sero-negative health blood donors overtime.
- Transfusion 38(3):271-8.

***Learmont-J; Tindall-B; Evans-L; Caningham-A; Cunningham-P;
Wells-J and cooper-D-A(1993):**

- Long term symptomless HIV infection in recipients of blood products from a single donor.
- Lancet. 29 (341): 607-8.

***Lee-CA (1996):**

- Transfusion-transmitted diseases .
- Baillieres-Clin-Haematol 9(2): 369-94.

***Lee-GR;Foerster-J;Lukens-J;Grear-JP and Rodgers-GM(editors),(1998):**

- Wintrobe's Clinical Haematology, 10th edition, Vol.2.
- Williams & Wilkins Comp. Baltimore, Maryland. PP: 847-61.

***Lin-FK,Suggs-S, Lin-CH,Browne-JK,smalling-R and Egrie-JC (1985)**

- Cloning and expression of the human erythropoitin gene.
- Proc-Natl-Acad-Sci-USA. 82:7580-4

***Linden-JV (1999):**

- Errors in transfusion medicine. Scope of the problems.
- Arch-Pathol-Lab-Med-123(7):563-5.

***Liu-Z; Luo-K; Zheng-R; Hu-Js and He-H, (2002):**

- Novel TTV variants isolated in an epidemic of hepatitis of unknown etiology
- J- Med-Virol 67(1): 113-7.

***Lower-R., (1665):**

Coted from Mollison, (1967): Blood transfusion in Clinical Medicine 4th ed.Blackwell scientific Publication, Oxford. P: 3: 7.

***Luban-NL and Jubran -RF (2001):**

- The transfusion transmitted viruses in blood transfusion.
- Adv-Exp-Med-Biol. 489:1-12.

***Machave-YU (2001):**

- Autologous blood transfusions
- Indian- J- pediatr 68(2): 141-4

***Manuelides-L (1994):**

- The dimensions of Creutzfeldt-Jakob disease
- Transfusion 34 : 915 .

***Mateos-ML; Camarero-C; Lasa-E; Teruel-JL; Mir-N and Baquero-F. (1998).**

- Hepatitis E virus: relevance in blood donors and other risk groups.
- Vox-sang. 75 (4): 267-9 .

***Matsumoto-K; Sinsuke-H, Ishizawa-M, Chano-T; and Dkabe-H (1996):**

- Use of preoperative autologous blood donation and erythropoitin for treatment of giant cell tumour of the ischium.
- Clin-Orthop-Rel-Res. 326:246-49.

***Melief- CJM and Goudsmith-J (1986):**

- Transmission of lymphotropic retrovirus (HTLV-I and LAV/HTLV-III) by blood transfusion and blood products.
- Vox-sang. 50:1.

***Milbrink-J; Birgegard-G; Daner sund-A, Helmers-C, and Sand hagen-B (1997):**

- Preoperative autologous donation of 6 units of blood during rh-EPO treatment .
- Can -J- Anaesth. 44(21) 1315-8.

***Mitsunaga-S; Fujmura-K; Matsumoto-Shiozawa R; Hirakawa-S and Juje-T, (2002).**

- High throughout HBV DNA and HCV RNA detection system using a nucleic acid purification robot and real time detection PCR: its application to analysis of post transfusion hepatitis
- Transfusion 42(1): 100-6.

- *Mittermaier-C, Kruz-M, Rosskope-K, Gangl-A, and Gasche-C (1999):**
 -Autologous blood donation for surgery in inflammatory bowel disease-a report of six cases.
 -Z-Gastroenterol 37:1169-73.
- *Miyake-T, Kurg-CK, and Gold wasser-E (1977):**
 -Purification of human erythropoitin.
 -J-Biol-Chem; 252:5558-64.
- *Moir-MS, Samy-RN, Honasono-MM, and Terris-DJ (1999):**
 -Autologous and heterologous blood transfusion in head and neck cancer surgery.
 -Arch-Otolaryngol-Head-Neck-Surg . 125: 864-68.
- *Mollison-PL (1967):**
 -Blood transfusion in Clinical Medicine 4th ed.
 -Blackwell scientific Publication, Oxford.PP:3-7.
- *Mollison-PL; Engelfriet-CP and contreras M ,(editors) (1993):**
 -Blood Transfusion in Clinical Medicine 9th ed.
 -Blackwell Scientific Publication, Oxford PP:231-43.
- *Monk-TG and Goodnough-LT (1998):**
 -Acute normovolemic hemodilution
 -Cl-Orth-Rel-Res. 357:74-81.
- *Monk-TG; Goodnough-LT; Brecher-ME; colerg-JW; Andriole-GL; and catalona-WJ (1999):**
 -Aprospective randomized comparison of three blood conservative strategies for radical prostatectomy
 -Anesthesiology : 91:24-33.
- *Morrison-A (2000):**
 -Warming up to safe infusions.
 -Nursing 30 (7): 78.

****Mott-LS and Jones-MJ (1995):***

- Autologous blood donation in a small general acute-care hospital
- J-Natl-Med-Assoc. 87:549-552.

****Mott-LS; Bechinski- J; and Jones-MJ (1997):***

- Autologous blood collection in anemic patients using low-dose erythropoietin therapy
- J-Natl-Med. Assoc. 89:381-4.

****Myhre-BA and McRuer-D (2000):***

- Human error-a significant cause of transfusion mortality.
- Transfusion. 40 (7): 879-85.

****Naoumov-NV; Petrova-EP and Williams-R (1998):***

- Presence of a newly described human DNA virus (TTV) in patients with liver disease .
- Lancet 352: 195-97 .

****Nash-PA, Schrepferman- RG, Young-RJ, Foster-RS, and Donohue-JP(1996):***

- The impact of pre-donated autologous blood and intra-operative isovolemic hemodilution on the outcome of transfusion in patients undergoing radical retropubic prostatectomy
- Br-J- Urology. 77:856-60.

****Nemethova-S, Sroller-V, Kunke-D, Krystofova-J and Kutinova-L (1996):***

- Hepatitis B virus core-pre S2 particles expressed by recombinant vaccinia virus.
- Acta-Virol. 39(3):158-64.

****Newman-JH; Bowers M, Murphy-J (1997):***

- The clinical advantages of autologous transfusion .
- J-Bone-Joint-Surg-Br. 79(4): 640-2 .

***Noda-Y, Yoshihara-H, Suzuki-K, Kasahara-A, Yamada-Y, Hoyashi-N, Fusamoto-H and Kamada-T. (1996):**

-Progression of type C chronic hepatitis to liver cirrhosis and hepatocellular carcinoma- its relationship to alcohol drinking and the age of transfusion

-Alcohol-Clin-Exp-Res 20 (1 suppl): 95A-100A.

***Nozoe-T;Miyazaki; Saeki-H ;and Ohga-T (2001):**

-Significance of allogenic blood transfusion on decreased survival in patients with esophageal carcinoma.

-Cancer 92(7): 1913-8.

***Obonyo-Co, Steyerberg-EW, Oloo-AJ and Habbema-JD (1998):**

-Blood transfusion for severe malaria-related anemia in Africa a decision analysis

-Am-J-Trop-Med-Hyg. 59 (5): 808-12.

***Oishi-M, Machizuki-Y, Hara-M, Vryu-H, Osaka-S, Maejima-M, Sawada-S and Takasu-T (1995):**

-Human T- lymphotropic virus type I associated myelopathy treated effectively with lymphocytapheresis using a leukocyte removal filter.

-Intern-Med. 34 (12): 1215-9.

***Perkins-J, Kaminer-L, Kruskall-M, cannon-M, Uhl-L, Dzik-W, Silver-H, O'Neill-S, Popovsky-M, King-K, Ness-P and Petz-LD (2000):**

-Should the FDA mandate that autologous units drawn and transfused within a single institution be tested for markers of infectious disease?

-Transfusion 40 (6) : 752-4.

***Pike-J and Hollingsworth (1995):**

Audit of post-operative auto-transfusion of shed blood in hip arthroplasty.

-J-R-Soc-Med. 88: 522P-523P.

****Pinkerton-PH, Coevadia-AS, and Dowine-H (1995):***

- Transfusion practice in support of surgery during introduction of a hospital-based autologous pre-surgical blood donor program.
- Can-J- Surg 38(2): 154-161.

****Politis –C and Richardson-C (2001):***

- Autologous blood donation and transfusion in Europe.
- Vox-Sang 81 (2): 119-23.

****Poulsen-AG, Aaby-P, Jensen-H , and Dias-F (2000):***

- Risk factors for HIV-2 seropositivity among older people in Guinea-Bissau, A search for the early history of HIV-2 infection.
- Scond-J-Infect-Dis 32 (2): 169-75.

****Qutaishat-S (1995):***

- Autologous blood transfusion evaluation of an alternative strategy in reducing exposure to allogenic blood transfusion
- Immunol. Invest. 24(182):435-41.

****Raife-TJ. (1997):***

- Adverse effects of transfusion caused by leukocytes.
- J-Intraven- Nurs. 20(5):238-44.

****Rau-B; Schlag-PM; Willeke-F, Stephan-P, and Franke-W (1998):***

- Increased autologous blood donation in rectal cancer by recombinant human erythropoietin
- Eur-J- cancer 37(7): 992-8.

****Reents-W, Babin-Ebell-J, Misoph-MR, and Elert-O (1999):***

- Influence of different autotransfusion devices on the quality of salvaged blood
- Ann-Thorac-Surg. 68:58-62.

***Resenack-JW, Schlayer-HJ, Hettler-F, Peters-T, Preisler-Adoms- S and Gerok-W. (1995):**

- Hepatitis B virus infection without immunological markers after open-heart surgery
- Lancet 345 (8946): 355-7 :

***Roberts-W, Kirkley-SA, and Newby-M (1996):**

- A cost comparison of allogenic and preoperatively or intra operatively donated autologous blood
- Anesth-Analg. 83:129-33.

***Rosen-HR, Chou-S, Sasaki-AW and Gretch-DR (1999):**

- Molecular epidemiology of hepatitis C infection in U-S liver transplant recipients. .
- Am-J- Gastroenterol. 94(10): 3015-9.

***Rosenblatt-MA, Cantos -EM, and Mohandas-K (1997):**

- Intraoperative hemodilution is more cost-effective than preoperative autologous donation for patients undergoing procedures associated with a low risk for transfusion
- J-Clin-Anesth 9 (1): 26-9.

***Rosolski-T, Matthey-T, Frick-V, and hachenberg-T (1998):**

- Blood separation with two different autotransfusion devices: effects on blood cell quality and coagulation variables
- Int-J- Artif-Organs-21(12)820-4.

***Rossi-EC, Simon-TL, Moss GS and Could-SA (editors), (1996):**

- Principles of Transfusion Medicine 2nd ed.
- Baltimore: Willams & Wilkins. PP: 613 - 7

***Rous-D & Turner-R, (1916):**

-Coted from Mollison (1967): Blood transfusion in Clinical Medicine 4th ed. Blackwell scientific Publication, Oxford. P :3:7.

***Sabino-EC, Salles-N, Saaz-Alquezer- A, Ribeiro-dos-sant's-G, Chamone-DF, and Busch-MP. (1999):**

-Estimated risk of transfusion –transmitted HIV infection in San Paulo, Brazil (letter).

-Transfusion 39 (10): 1152-3.

***Sans-T; Bofil-C; Joven-J; Cliville-X; Simo-JM and Galbany-J (1996):**

-Effectiveness of very low doses of subcutaneous r-HEPO in facilitating autologous donation before orthopedic surgery.

-Transfusion 36(9): B22-6.

***Sansom –A (1993):**

-What is autologous blood transfusion?

-Br-J-theatre-Nurs . 3:22-25.

***Saraswat-S, Banerjee-K, Chaudhurg-N, Mahant-T, khandekar-P, Gupta-RK, and Naik-S (1996):**

-Post-transfusion hepatitis typs B following multiple transfusion of HbsAg- negative blood

-I-Hepatol 25 (5): 639-43.

***Saxena-S, Rabinowitz-AP, Johnson-C, and Shulman-IA(1993):**

-Iron deficiency anemia: a medically treatable chronic anemia as a model for transfusion overuse.

-Am-J-Med 94:120-3.

***Saxena-R, Ihakur-V, Sood-B, Guptan-RC, Gururaja-S, and Sarin-SK (1999):**

-Transfusion associated hepatitis in a tertiary referral hospital in India. A prospective study.

-Vox-song. 1999, 77(1) : 6-10.

***Scheig-T (1998):**

- Acute and chronic viral hepatitis
- Lippincotts-Prim -Care-Pract. 2(4) :390-7.

***Schennach-H, Schonitzer-D, Wahter-H, and Fuchs-D (1997):**

- Blood donation and viruses [letter; Comment].
- Lancet. 1997, 349 (9061): 1327,8 .

***Schindler-E; Scholz-S; Boldt-J; Zickmann-B; Knoth-C and Hempelmann-G (1994):**

- Effectiveness of oral versus parenteral iron substitution in autologous blood donors
- Infusionthe-Transfusionmed 21 (4): 236-41 .

***Schreiber-GB, Busch-MP, Kleinman-SH, Korelitz-JJ. (1996):**

- The risk of transfusion-transmitted viral infection. The Retrovirus Epidemiology Donor Study.
- N-Eng-J. Med. 334(26): 1685-90 .

***Shepherd- LL (1992):**

- The risk of transfusion associated AIDS: offering patients an active role in their care
- Am-J-Med. 7:207-9 .

***Shinozuka-N, Koyama-I, Arai, T, Watanabe-T, Nageshima-N, Anazi, H and Omoto-R (2000):**

- Autologous blood transfusion in patients with hepatocellular carcinoma undergoing hepatectomy.
- Am-J- Surg. 179:42-45.

- *Simmonds-P, Dovidson: F, Lyatt-C, Prescott-LE, Mae Donolad-DM, Ellender-J, Yap.PL, Ladlam. GA, and Gillan. Jarus-LM., (1998).**
 - Detection of a novel DNA virus (TTV) in blood donors and blood products.
 - Lancet 1998, 352:191-95.
- *Sivakumaran-M (2000):**
 - Universal leucodepletion to reduce the risk of transmission of new variant Creutzfeldt- Jakob disease.
 - Br-J- Haematl- 2000, 110(1): 234 .
- *Sloand – FM, (1997):**
 - Viral risk associated with blood transfusion
 - Photochem- Photobiol. 65(3): 428-31.
- *Sloop-FG and Friedberg-RC(1995):**
 - Complications of blood transfusion. How to recognize and respond to non-infectious reactions
 - Postgrad-Med. 98 (1): 159-62,166,169-72.
- *Soldan-K and Barbara-J. (1999):**
 - The newly discovered non A-E hepatitis viruses
 - J-Clin-Pathol. 52(6) : 405-8.
- *Songsivilai-S, and Dharakul-T (1996):**
 - The newly discovered non A-E hepatitis viruses .
 - Southeast-Asian-J- Trop-Med-Public-Health, 27(1): 75-9.
- *Sonzogni-V; Crupi-G, Poma-R; Annechino-F; Ferri-F, and Bellavita-P (2001):**
 - Erythropoitin therapy and preoperative autologous blood donation in children undergoing open heart surgery.
 - Br-J-Anesth. 87(3):429-34.

****Stehling-L; Zauder-HL; and Vertress-R (1996):***

- Alternatives to allogenic transfusion .
- Cited in: Petz-LD, Swisher-SN; Kleinman-S, editors: Clinical Practice of Transfusion Medicine 3rd ed. New York: Churchill Livingstone Inc. PP:532-561.

Strupp-A, Cash-K, and Vehlinger-J, (1998):

- Difficulties in identifying antibodies in the dombrack blood group system in multiply alloimmunized patients.
- Transfusion-38(11-12): 1022-5.

****Sugai-Y; Sugia-K; and Fuse-A, (2001):***

- Current states of bacterial contamination of autologous blood for transfusion
- Transfus-Apheresis-Sci : 24(3): 255-9.

****Szalay-D, Wong-D, and Lindsay-T (1999):***

- Impact of red cell salvage on transfusion requirements during elective abdominal aortic aneurysm repair
- Ann- vasc-surg 13(6): 576-81.

****Takahashi-K, Iwasa -Y, Hijikata-M, and Mishiro-S. (2000):***

- Identification of a new human DNA virus (TTV-like/mini virus TLMV) intermediately related TTV and chicken anemia virus
- Arch-virol, 2000, 145(5): 979-93.

****Tengia-Kessy-A, Msamanga-GI, and Moshiro-CS. (1998):***

- Assessment of behavioural risk factors associated with HIV infection among youth in Moshi rural district, Tanzania.
- East-Afr-Med-J-75(9): 528-32.

****Toy-PT; Strauss-RG; Stehling-LG, Sears-R, price-TH, Goodnough-LT, Greenwalt-TJ, Kennedy-MS, Lenes-BA and westphal-RG(1987):***

- Predeposited autologous blood for elective surgery
- N-Engl-J-Med 316(9): 517-20.

****Valeri-CR; Khabbaz-K; Feinglod-H; Groy-AD, Tango-G; Khuri-SF and Marguardt-C (1989):***

- The safety and therapeutic effectiveness of human red cells stored at 80°C for as long as 21 years.
- Transfusion 29:429

****Van-Besouw-NM; Van-der-Mast-BJ; de-Kuiper-P; Vaessen-Lenard-MB; and Van-Gelder-T, (2002):***

- Down-regulated donor-specific-T-cell reactivity during successful tapering of immunosuppression after kidney transplantation.

****Vengelen-Tyler-V; editor, (1996):***

- Technical manual 12th ed.
- Bethesda American Association of Blood Banks. P P : 425 - 92

****Von-Zabern-I, Ehlers-M, Gruwald-V, Mauermann-K, and Greinachar – A. (1998):***

- Release of mediators of systemic inflammatory response syndrome in the course of severe delayed hemolytic transfusion reactions could by anti-D.
- Transfusion. 38(5) :459-68.

****Vrieling-H, and Reesink-HW; (1998):***

- Transfusion – transmissible infections.
- Curr-Opin-Hematol-5(6): 395-405.

***Wang-C; Lau-W; Herst-R; Drutz-H, and Fernandes -B, (1998):**

-Preoperative autologous blood deposition in support of gynecological repair procedures

-Transfus-Med 8 (1): 23-7.

***Wang-JT, Lee-CZ, Kao-JH, Sheu-JC, Wong-TH, and Chen-DS; (2000):**

-Incidence and clinical presentation of post-transfusion TTVirus infection in prospectively followed transfusion recipients: emphasis on its relevance to hepatitis.

-Transfusion 40(5): 596-601.

***Wein-H, (1915):**

Coted from Mollison (1967): Blood transfusion in Clinical Medicine 4th ed. Blackwell scientific Publication, Oxford. P:3:7.

***Weisback-V and Eckstein -R, (1996):**

-Iron homeostasis in preoperative autologous blood donation

-Infusionsther –transufsionmed. 23:161-70.

***Weisbach-V, Skoda-P, Ripped-R, laver-G, Glaser-A, and Eckstein-R -(1999):**

-Oral or intravenous iron as an adjuvant to autologous blood donation in elective surgery

-Transfusion 39 (5) 465-72.

***Wendel-TD (2000):**

-The beneficial effect of donar- specific transfusion : a review of existing explanation and a new hypothesis based on a relatively unapplied theory of T-cell immunoregulation. A regulatory hypothesis in progress.

-Medi-Hypotheses-54(6): 922-43 .

****Westman-P, Hashemi-Tavoularis- S, Blanche-N , He-V, Kekmaki-S, Leas-M, Borcelijn- L and Kekomaki R, (1997):***

-Maternal DRB1. 1501, DQAI. 0102, DQB₁ 0602 haplotype in fetomaternal alloimmunization against human platelet alloantigen HPA. 66.

-Tissue-Antigens. 1997;50 (2) 113-8 .

****Williamson- LM (1998):***

-Screening programs for foeto-maternal alloimmune thrombocytopenia

-Vox-sang 71 suppl 2: 309-14.

****Williamson-RC and Waxman-BP (1998):***

-An Aid to clinical surgery 6th ed.

-Churchil Livingstone . . 64-71

****Yamaguchi-K, Matsuoka- Matsuoka-M- Takemoto- S, Etoh-K and Takatsuki-K (1996):***

-DNA diagnosis of HTLV-I.

-Intervirology. 39 (3):158-64.

****Yamane-K, Yagihashi-A, Sasaki-K, Kuwasguna-K, Morio-A and Watanabe- N. (1998):***

-A delayed hemolytic transfusion reaction (DHTR) with multiple alloantibodies (Anti-E, JK, FY, Di and S) induced by E-antigen negative, crossmatched compatible blood.

-Immunopharmacol- Immunotoxicol 20(4): 531-9

****Yasuura-K, Okamoto-H and Matsuura-A (2000):***

-Transfusion-associated graft-versus-host-disease with transfusion Practice in cardiac surgery.

-J-Cardio -Vas-Surg-Torino-41(4):377-80.

***Yoshiba-M, Okamoto-H and Mishiro-S (1995):**

- Detection of the GBV-C hepatitis virus genome in serum from patients with fulminant hepatitis of unknown aetiology.
- Lancet. 346:1131-2.

***Zehender-G, Manzin-A, De-Maddalenn-C, Colasanto-C, Salforosi-L, Corsi-F, Girotto-M, Swchirru-I and Russo-V(2001).**

- Molecular epidemiology of TTVirus in Italy and phylogenesis of viral isolates from subjects at different risk for parenteral exposure
- J-Med-Virol. 63(1): 76-84.

***Zhang-X, Shinzawa-H, Shao-L, Ishibashi-M, Jiang-Q, saito-K, Misawa-H, Togashi-H, Takakahashi-T. (1998):**

- Epidemiological study and genetic analysis of GB virus C in general population from an area endemic for hepatitis C.
- J-Med-Virol. 54(2): 560-5.

***Zupanska-B, Uhrynowska-M-and konopka-L (1999):**

- Transfusion related acute lung injury due to granulocyte agglutinating antibody in a patient with paroxysmal nocturnal hemoglobinemia.
- Transfusion 39(9) : 944 –7.