

REFERENCES

- Abramson, D.; Scalea, T.; Hitchcock, R.; et al. [1993]:**
Lactate clearance and survival following trauma. *J. Trauma*, 35: 584.
- Al-Gari, Mohammed, A.; and Hussein, Sherif, R. [2002]:**
Trends in the management of blunt liver trauma. *Saud. Med. J.*, 23(5): 513.
- Bakker, F.C.; Wille, F.; Patka, P.; et al. [1995]:** Surgical treatment of liver injury with an absorbable mesh: An experimental study. *J. Trauma*, 38: 891.
- Baracco-Gandolfo, V.; Vidarate, O.; Baracco-Miller, V.; and Del Castillo, M. [1986]:** Prolonged closed liver packing in severe hepatic trauma: Experience with 36 patients. *J. Trauma*, 26: 756.
- Battistella, F.D.; and Wisner, D.H. [2001]:** Combined haemorrhagic shock and head injury: Effects of hypertonic saline (7.5%) resuscitation. *J. Trauma*, 31: 182.
- Beal, S.L. [1990]:** Fatal hepatic hemorrhage: An unresolved problem in the management of complex liver injuries. *J. Trauma*, 30: 163.
- Becker, C.D.; Imre, G.; Baer, H.U.; and Vock, P. [1996]:** Blunt hepatic trauma in adults: Correlation of C.T. injury grading with outcome. *J. Radiol*, 201: 215.
- Biffi, W.L.; Moore, E.E.; and Franciose, R.J. [2000]:**
Veno-venous bypass and hepatic vascular isolation as

adjuncts in the repair of destructive wounds to the retrohepatic inferior vena cava. *J. Trauma*, 45: 400.

Bismuth, H.; Castaing, D.; Kunstlinger, F. [1984]:
L'échographie peropératoire en chirurgie hépatobiliaire. *Presse Med.*, 13: 1919.

Blalock, A. [1934]: Acute circulatory failure as exemplified by shock and haemorrhage. *J. Surg. Gynecol. Obstet.*, 58: 551.

Bode, P.J.; Niezen, R.A.; Van-Vugt, A.B.; et al. [1992]:
Abdominal ultrasound as a reliable indicator for conclusive laparotomy in blunt abdominal trauma. *J. Trauma*, 34: 27.

Boone, D.C.; Federle, M.; Billiar, T.R.; et al. [1995]:
Evolution of management of major hepatic trauma: Identification of patterns of injury. *J. Trauma*, 39: 344.

Brasel, K.J.; Delisle, C.M.; Olson, C.J.; and Borgstorm, M. [1997]: Trends in the management of hepatic injury. *Am. J. Surg.*, 174: 677.

Buckman, R.F.; Piano, G.; Dunhan, C.M.; et al. [1988]:
Major bowel and diaphragmatic injuries associated with blunt spleen or liver rupture. *J. Trauma*, 28: 1317.

Bynoe, R.P.; Bell, R.M.; Miles, W.S.; et al. [1992]:
Complications of non-operative management of blunt hepatic injuries. *J. Trauma*, 32: 308.

Calne, R.Y.; McMaster, P.; and Pentlow, B.D. [1979]:

The treatment of major liver trauma by primary packing with transfer of the patient to definitive treatment. *Br. J. Surg.*, 66: 338.

Cannon, W.; Fraser, J.; and Cowell, E. [1918]: Preventive treatment of wound shock. *JAMA*, 70: 618.

Carmona, R.H.; Lim, R.C. Jr.; and Clark, G.C. [1982]: Morbidity and Mortality in hepatic trauma: A 5-year study. *Am. J. Surg.*, 144: 88.

Carrillo, E.H.; Platz, A.; Miller, F.B.; et al. [1998]: Non-operative management of blunt hepatic trauma. *Br. J. Surg.*, 85: 461.

Champetier, J.; Haouari, H.; and Le Bas, J.F.; et al. [1993]: Large inferior right hepatic vein. *J. Surg. Radiol. Anat.* 15: 21.

Chang, M.C.; Blinman, T.A.; Rutherford, E.J.; et al. [1996]: Preload assessment in trauma patients during large-volume shock resuscitation. *J. Arch. Surg.*, 131: 728.

Chevallier, J.M. [1988]: Anatomic basis of vascular exclusion of the liver. *J. Surg. Radiol. Anat.*, 10: 187.

Clark, C.L.; Vassalo, M.T. [1991]: Major trauma: A district general hospital experience. *Br. J. Surg.*, 78: 230.

Coimbra, R.; Hoyt, D.; Junger, W.; et al. [1997]: Hypertonic saline resuscitation decreases susceptibility to sepsis after hemorrhagic shock. *J.*

Trauma, 42: 602.

Colbourne, F.; and Buchan, A.M. [1999]: Indefatigable CAI sector neuroprotection with mild Hypothermia induced 6 hours after severe forebrain ischaemia in rats. *J. Cereb. Blood Flow Metab.*, 19: 742.

Couinaud, C. [1954]: Bases anatomiques des hepatectomies gauche et droite reglees: Techniques qui en decoulet. *J Chir (Paris)*, 70: 933.

Couinaud, C. [1955]: Principes directeurs de exereses hepatiques atypiques du foie. *Presse. Med.*, 63: 412.

Couinaud, C. [1957]: Le Foie. In: *Etudes Anatomiques et chirurgicales*. Paris, Masson, pp321.

Croce, M.A.; Fabian, T.C.; Menke, P.G.; et al. [1995]: Non-operative management of blunt hepatic trauma is the treatment of choice for haemodynamically stable patients: Results of a prospective trial. *J. Ann. Surg.*, 221: 744.

Dahn, M.S.; Lucas, C.E.; Ledgerwood, A.M.; et al. [1979]: Negative inotropic effects of albumin resuscitation for shock. *J. Surg.*, 86: 235.

David, A.H.; Delaney, L.M.; and Dip, S.R. [1997]: A chi-square automatic interaction detection (CHAID) analysis of factors determining trauma outcome. *J. Trauma*, 42: 1.

Davis, J.; Shackford, S.; MacKersie, R.; et al. [1988]: Base-deficit as a guide to volume resuscitation. *J. Trauma*, 28: 1467.

- Defore, W.W.; Mattox, K.L.; Jordan, G.L.; and Beal, A.C. [1976]:** Management of 1590 consecutive cases of liver trauma. *J. Arch. Surg.*; 111: 493.
- Delattre, J.F.; Avisse, C.; and Flament, J.B. [2000]:** Anatomic bases of hepatic surgery. *J. Surg. Clin. North Am.*, 80: 345.
- Delattre, J.F.; Hernigou, A.; Palot, J.P.; et al. [1987]:** Comment rechercher les vaisseaux du foie par l'échographie peropératoire? *J. Echocardiogr. Med. Ultrason.*, 8: 63.
- Delattre, J.F.; Plainfosse M.C.; Alexandre, J.H.; et al. [1984]:** *Anatomica. Clinica.*, 6: 229.
- Delony, H.M.; and Jason, R.S. [1981]:** Abdominal trauma. Springer Nerlag, New York. p123.
- Denton, J.R.; Moore, E.E.; and Cildwell, D.M. [1997]:** Multimodality treatment for grade V hepatic injuries: Perihepatic packing, arterial embolization, and venous stenting. *J. Trauma.* 42: 964.
- Dickerman, R.M. Dunn, E.L. [1981]:** Splenic, pancreatic and hepatic injuries. *J. Surg. Clin. North Am.*, 61: 3.
- Driscoll, P.; and Skinner, D. [2001]:** Initial assessment and management of trauma patient. In: Skinner, D.; Driscoll, P.; and Earlam, R. (eds.): *ABC Trauma*. 1st Ed. Br. Med. J., London, p1.
- Durhan, R.M.; Buckley, J.; Keegan, M.; et al. [1992]:** Management of blunt hepatic injuries. *Am. J. Surg.*, 164: 477.

- Erb, R.E.; Mirvis, S.E.; Shanmuganathan, K. [1994]:**
Gall bladder injury secondary to blunt trauma: C.T.
findings. *J. Comput. Assist. Tomogr.*, 18: 778.
- Estensen, M.; Ralls, P.W.; Colletti, P.; and Halls, J.
[1983]:** Post-traumatic intrahepatic biloma:
Sonographic diagnosis. *AJR Am. J. Roentgenol.*, 140:
303.
- Fabian, T.C.; Croce, M.A.; Stewart, R.M.; et al. [1993]:**
Prospective analysis of diagnostic laparoscopy in
trauma. *J. Ann. Surg.*, 217: 557.
- Fagarasona, C.; Lonescu B.; Aloman, D.; and Albu, E.
[1972]:** Injuries of the liver. In: *Surgery of the Liver
and Intrahepatic Bile Ducts*. p104.
- Falk, J.L.; O'Brien, J.F.; and Kerr, R. [1992]:** Fluid
resuscitation in traumatic hemorrhagic shock. *J. Crit.
Care Clin.*, 8: 323.
- Farnell, M.B.; Spencer, M.P.; Thompson, E.; et al.
[2001]:** Non-operative management of blunt hepatic
trama in adults. *J. Surg.*, 104: 748.
- Federico, J.A.; Horner, W.R.; Clark, K.; et al. [1990]:**
Blunt hepatic trauma: Non-operative management in
adults. *J. Arch. Surg.*, 125: 905.
- Federle, M.P.; Goldberg, H.I.; Kaiser, J.A.; et al. [1989]:**
Evaluation of abdominal trauma by computed
tomography. *J. Radiol.*, 138: 637.
- Feliciano, D.V. [1989]:** Surgery for liver trauma. *J. Surg.
Clin. North Am.*, 69(2): 273.

Feliciano, D.V. [1991]: Diagnostic modalities in abdominal trauma, peritoneal lavage, ultrasonography, computed tomography scanning, and arteriography. *J. Surg. Clin. North Am.*, 71: 241.

Feliciano, D.V.; and Pachter, H.L. [1989]: Hepatic trauma revisited. *J. Curr. Probl. Surg.*, 26: 453.

Feliciano, D.V.; Mattox, K.L.; Burch, J.M.; Bitondo, C.G.; and Cruse, P.A. [1986]: Management of 1000 consecutive cases of hepatic trauma (1979-1984). *J. Ann. Surg.*, 204: 438.

Fischer, R.P.; Miller-Crotchett, P.; and Reed, R.L. [1988]: Gastrointestinal disruption: The hazard of non-operative management in adults with blunt abdominal injury. *J. Trauma*, 29: 1445.

Flament, J.B.; Delattre, J.F.; Kidden, G. [1982]: The mechanisms responsible for stabilizing the liver. *Anatomica Clinica.*, 4: p125.

Flint, S.F. ; Mays, E.E.; Aaron, W.S.; et al. [1977]: Selectivity in the management of hepatic trauma. *J. Ann. Surg.* 185: 613.

Foley, D.W.; Cates, J.D.; Kellman, S.; et al. [1987]: Treatment of blunt hepatic injuries: Role of C.T., *J. Radiol.* 164: 635.

Forti, D.; Tommasini-Degna, C.; Baticci, F.; et al. [1992]: Prognostic criteria in liver injury. Proceedings of XXVIII World Congress of the International College of Surgeons, Cairo, Egypt. Nov. 1992, p327.

- Frank, S.M.; Higgins, M.S.; Breslow, M.J.; et al. [2000]:**
The catecholamine, cortisol, and haemodynamic responses to mild perioperative hypothermia. *Anesthesiol.* 82: 83.
- Gadzizeu, E.M.; Ravnik, D.; Stanisavljevic, C.; et al. [1997]:** Venous drainage of the dorsal sector of the liver: Differences between segments I and IX. *J. Surg. Radiol. Anat.*, 19: 79.
- Garillo, E.H.; and Richardson, J.D. [2002]:** The current management of hepatic trauma., *Adv. Surg.*, 35: 39.
- Gates, J.D. [1995]:** Delayed hemorrhage with free rupture complicating the non-surgical management of blunt hepatic trauma. *J. Trauma*, 36: 542.
- Gentilello, L.M.; Jurkovich, G.J.; Stark, M.S.; et al. [1997]:** Is hypothermia in the victim of major trauma protective or harmful? *J. Ann. Surg.*, 226: 439.
- Gillmore, D.; McSwain, N.E.; and Browder, I.W. [1987]:** Hepatic trauma: To drain or not to drain? *J. Trauma*, 27: 898.
- Greenfield, R.H.; Bessen, H.A.; and Hentieman, I. [1989]:** Effect of crystalloid infusion on haematocrit, and intravascular volume in healthy non-bleeding subjects. *J. Ann. Emerg. Med.*, 18: 51.
- Gregory, J.S.; Flancbaum, L.; Townsend, C.; et al. [2001]:** Incidence and timing of hypothermia in trauma patients undergoing operations. *J. Trauma*, 31: 795.

- Griffel, M.I.; and Kaufman, B.S. [2002]:** Pharmacology of colloids and crystalloids. *J. Crit. Care Clin.*, 8: 235.
- Gross, D.; Landau, E.H.; Klin, B.; et al. [1990]:** Treatment of uncontrolled shock with hypertonic saline solution. *J. Surg. Gynecol. Obstet.*, 170: 106.
- Gubler, K.D.; Gentillo, L.M.; Hassantish, S.A.; et al. [1994]:** The impact of hypothermia on dilutional coagulopathy. *J. Trauma*, 36: 847.
- Halvorsen, L.; Gunther, R.A.; Dubick, M.A. [1991]:** Dose response characteristics of hypertonic saline dextran solutions. *J. Trauma*, 31: 785.
- Hamilton, W.J.; Boyd, J.D.; Mossman, H.W. [1976]:** Human Embryology. New York, MacMillan, p339.
- Haupt, M.T.; Kaufman, B.S.; and Carlson, R.W. [1992]:** Fluid resuscitation in patients with increased vascular permeability. *J. Crit. Care Clin.*, 8: 341.
- Healey, J.E.; Schroy, P.C. [1953]:** Anatomy of the biliary ducts within the human liver: Analysis of the prevailing pattern of branching and the major variation of the biliary ducts. *Arch. Surg.*, 66: 599.
- Heaney, J.P.; Stanton, W.K.; Halbert, D.S.; et al. [1966]:** An improved technique for vascular isolation of the liver: Experimental study and case reports. *J. Ann. Surg.*, 163: 237.
- Hennes, H.M.; Smith, D.S.; Schneider, K.; et al. [1990]:** Elevated liver transaminase levels in children with blunt abdominal trauma: A predictor of livery injury.

J. Pediatr., 86: 87.

Henry, S.; and Scalea, T.M. [1999]: Resuscitation in the new millennium. In: Rodriguez, A.; Maull, K.I.; and Feliciano, D.V. (eds.): *Trauma Care in the New Millenium*. Surg. Clin. North Am., 79: p1259.

Hjartsjo, C.H. [1983]: The topography of the intrahepatic duct systems. J. Acta. Anat., 11: 599.

Holland, M.J.; and Little, J.M. [1990]: The role of hepatic resection in the management of blunt liver trauma. World J. Surg., 14: 478.

Holland, M.J.; and Little, J.M. [1994]: Non-operative management of blunt liver injuries. Br. J. Surg., 78: 968.

Hollands, M.J.; and Little, J.M. [2001]: Non-operative management of blunt liver injuries. Br. J. Surg., 78: 968.

Ivatury, R.; Simon, R.; Islam, S.; et al. [1996]: Global oxygen transport indices versus organ-specific gastric mucosal pH. J. Am. Coll. Surg., 183: 145.

Jacobes, I.A.; Kelly, K.; Valenziano, C.; Power, J.; and Jones, C. [2001]: Nonoperative management of blunt splenic and hepatic trauma. Am. Surg., 67(2): 149.

Jacobson, L.E.; Kirton, O.C.; and Gomez, G.A. [1992]: The use of an absorbable mesh wrap in the treatment of major liver injuries. J. Surg., 111: 455.

Jamieson, G.G. [1992]: The Anatomy of General Surgical

Operations. Churchill-Livingston, Edinburgh. p321

Jeffrey, R.B.; Olcott, E.W. [1991]: Imaging of blunt hepatic trauma. *J. Radiol. Clin. North Am.*, 29: 1299.

Karp, M.P.; Cooney, D.R.; Pros, G.A.; et al. [1983]: The non-operative management of pediatric hepatic trauma. *J. Pediatr. Surg.*, 18: 512.

Knudson, M.M.; Lim, R.C.; Oakes, D.D.; and Jeffrey, R.B. [1990]: Non-operative management of blunt liver injuries in adults: The need for continued surveillance. *J. Trauma*, 30: 1454.

Kowalenko, T.; Stern, S.; Dronen, S.; et al. [1992]: Improved outcome with hypotensive resuscitation of uncontrolled hemorrhagic shock in a swine model. *J. Trauma*, 33: 349.

Krige, J.E.; Bornman, P.C.; Terblanche, J. [1997]: Liver trauma in 446 patients. *South Afr. J. Surg.*, 35: 10.

Lassau, J.P.; Bastian, D. [1983]: Organogenesis of the venous structures of the human liver: A hemodynamic theory. *Anatomica. Clinica.*, 5: 97.

Launois, B.; and Jamieson, G.G. [1993]: Surgical anatomy of the liver and associated structures. *Surg. Clin. North Am.*, 75: 3.

Leone, R.J.; and Hammond, J.S. [2001]: Nonoperative management of pediatric blunt hepatic trauma. *Am. Surg.* 67(2): 138.

Letoublon, C.; and Arvieux, C. [2002]: Nonoperative

management of blunt hepatic trauma. *Minerva Anestesiologica*, 68(4): 132.

Lewis, F. [1996]: Pre-hospital intravenous fluid therapy. *J. Trauma*, 26: 804.

Lewis, M.; Flint, J.R.; Hiram, C.; and Polk, J.R. [1988]: Liver injury. Chapter 27: Liver, gall bladder and biliary tract. In: Hardy, J.D. (ed.): *Hardy's Textbook of Surgery*, 2nd Ed. J.B. Lippincott Company, Philadelphia, p637.

Lim, R.C.; and Crass, R.A. [1987]: Trauma to the liver. Chapter 48: Liver. In: Davis, J. (ed.): *Clinical Surgery*, 1st Ed., C.V. Mosby Company, St. Louis. p753.

Lowell, J.A.; Schifferdecker, C.; Driscoll, D.F.; et al. [2000]: Post-operative fluid overload: Not a benign problem. *J. Crit. Care Med.*, 18: 193.

MacRander, S.J.; Lawson, T.L.; Foley, W.D.; et al. [1989]: Periportal tracking in hepatic trauma: C.T. features. *J. Comput. Assist. Tomogr.*, 13: 952.

Malhotra, A.K.; Fabian, T.C.; Croce, M.A.; et al. [2000]: Blunt hepatic injury: A paradigm shift from operative to non-operative management in the 1990s. *J. Ann. Surg.*, 231: 804.

Mallick, Mohammed, S.; Al-Bassam, Abulrahman, A.; Boukai, Ahmed, A. [2002]: Nonoperative management of blunt bile duct injuries in children. *Saud. Med. J.*, 23(3): 341.

- Market, D.J.; Shanmuganathan, K.; Mirvis, S.E.; et al. [1997]:** Budd-Chiari syndrome resulting from intrahepatic IVC compression secondary to blunt hepatic trauma. *J. Clin. Radiol.*, 52: 384.
- Masselot, R.; and Leborgne, J. [1978]:** Etude anatomique des veines sus hepatiques. *Anatomica. Clinica.* 1: 109.
- Matsouka, T.; and Wisner, D. [1996]:** Resuscitation of uncontrolled liver hemorrhage: Effects on bleeding, oxygen delivery, and oxygen consumption. *J. Trauma*, 41: 439.
- McAnena, O.J.; Moore, E.E.; and Marx, S.A. [1990]:** Initial evaluation of the patient with abdominal trauma. *J. Surg. Clin, North Am.*, 70: 495.
- McAnena, O.J.; Moore, E.E.; and Moore, F.A. [1989]:** Insertion of a retrohepatic vena cava balloon shunt through the saphenofemoral junction. *Am. J. Surg.*, 158: 463.
- McClelland, et al. [1974]:** Management of liver trauma. *J. Ann. Surg.*, 179: 522.
- McKenney, M.G.; Martin, L.; Lentz, K.; et al. [1996]:** "1000 consecutive ultrasounds for blunt abdominal trauma". *J. Trauma*, 40: 607.
- McKinley, B.; Ware, D.; Marvin, R.; et al. [1998]:** Skeletal muscle pH, PCO₂ and PO₂ during resuscitation of severe hemorrhagic shock. *J. Trauma*, 45: 633.
- Mehta, A.B. [1999]:** Haematological assessment and blood

component therapy. In: Kirk, R.M.; Mansfield, A.O.; and Cochrane, J. (eds.). 2nd Ed. Clinical Surgery in General. Churchill Livingstone, New York, p83.

Meredith, J.W.; Young, J.S.; Bowling, J.; and Robboussin, D. [1994]: Non-operative management of blunt hepatic trauma. *J. Trauma*, 36: 529.

Metilidi, L.A.; Shackford, S.R.; Virgilio, R.W.; et al. [1984]: Crystalloid vs colloid in fluid resuscitation of patients with severe pulmonary insufficiency. *J. Surg. Gynecol. Obstet.*, 158: 207.

Meyer, A.A.; Crass, R.A.; Lim, R.C.; et al. [1985]: Selective non-operative management of blunt liver injury using computed tomography. *J. Arch. Surg.*, 120: 550.

Miele, V.; Andreoli, C.; De-Cicco, M.L.; Buffa, V.; Adami, E.A.; et al. [2002]: Isolated blunt hepatic traumas: Role of emergency CT in therapeutic choice. *Radiol. Med.*, 103(4): 360.

Mikulaschek, A.; Henry, S.; Donovan, R.; et al. [1996]: Serum lactate is not predicted by anion gap or base excess after trauma resuscitation. *J. Trauma*, 40: 218.

Miller, B.K.; Kou, D.; Sivit, C.; et al. [1998]: Pediatric hepatic trauma: Does clinical course support intensive care unit stay? *J. Pediat. Surg.*, 33: 1459.

Mirvis, S.E.; and Dunham, C.M. [1992]: Abdominal / pelvic trauma. In: Mirvis, S.E. and Young, J.W. (eds.): *Imaging in Trauma and Critical Care*. Baltimore, Williams & Wilkins, p148.

Moore, E.E.; Cogbill, T.H.; Jurkovich, G.J.; et al. [1995]: Organ injury scaling: Spleen and liver (1994 revision). *J. Trauma*, 38: 324.

Moorey, G.; and David, P. [2002]: Multiple trauma: Liver and spleen injury. *Curre. Opin. Pediatr.*, 14(4): 482.

Morris, J.A.; MacKenzie, E.J.; Domiano, A.M.; et al. [1990]: Mortality in trauma patients: The interaction between host features and severity of trauma. *Am. J. Surg.*, 30: 1476.

Nishida, T.; Fujita, N.A.; and Nakao, K. [1996]: A multivariant analysis of the prognostic factors in severe liver trauma. *J. Surg. Today*, 26: 389.

Norman, E.; McSwain, S. Jr. [1987]: Abdominal trauma. In: *Evaluation and Management of Trauma*. Appleton-Century-Crofts, Norwalk, Connecticut, p520.

Ochsner, M.G.; Jaffin, J.H.; Golocovsky, M.; et al. [1993]: Major hepatic trauma. *J. Surg. Clin. North Am.*, 73: 337.

Oldham, K.T.; Guice, K.S.; Ryckman, F.; et al. [1986]: Blunt liver injury in childhood: Evaluation of therapy and current perspective. *J. Surg.*, 100: 542.

Olsen, W.R. [1992]: Late complications of central liver injuries. *J. Surg.*, 92: 733.

Pachter, H.L.; and Feliciano, D.V. [1996]: Complex hepatic injury. *J. Surg. Clin. North Am.*, 76(4): 763.

Pachter, H.L.; and Hofstetter, S.R. [1995]: The current

status of non-operative management of adult blunt hepatic injuries. *Am. J. Surg.*, 169: 442.

Pachter, H.L.; Knudson, M.M.; Esrig, B.; et al. [1996]: Status of non-operative management of blunt hepatic injuries in 1995: A multicenter experience with 404 patients. *J. Trauma*, 40: 31.

Pachter, H.L.; Spencer F.C.; Hofstetter, S.R.; et al. [1992]: Significant trends in the treatment of hepatic trauma. *J. Ann. Surg.*, 215: 492.

Parks, R.W.; Chrysos, E.; and Diamond, T. [1999]: Management of liver trauma. *Br. J. Surg.*, 86: 1121.

Patrick, E.L.; Turner, B.I.; Atkinson, G.O.; and Winn, K.J. [1992]: Pediatric blunt abdominal trauma: Periportal tracking at C.T., *J. Radiol.*, 183: 689.

Perry, J.F. [1965]: Acute abdominal injuries. *J. Trauma*, 5: 57.

Plainfosse, M.C.; Alexandre, J.H.; Hernigou, A.; et al. [1984]: Apport deechographie Per-operatoire. *Presse Med.*, 13: 1815.

Pringle, J.H. [1988]: Notes on the arrest of hepatic hemorrhage due to trauma. *J. Ann. Surg.*, 48: 541.

Pryor, J.P.; Stafford, P.W.; and Nance, M.L. [2001]: Severe blunt hepatic trauma in children. *J. Pediatr. Surg.*, 36(7): 979.

Rackow, E.C.; Fein, I.A.; Falk, J.L.; et al. [1983] Fluid resuscitation in circulatory shock: A comparison of

the cardiorespiratory effects of albumin, hetastarch and saline solutions in patients with hypovolaemic and septic shock. *J. Crit. Care Med.*, 11: 839.

Ratner, L.E.; and Smith, G.W. [1993]: Intraoperative fluid management. In: Bender, J.S.; Smith, G.W. (eds.): *Intraoperative problems. Surg. Clin. North Am.*, 73: 229.

Reed, R.L.; Johnston, T.D.; Hudson, J.D.; et al. [1992]: The disparity between hypothermic coagulation and clotting studies. *J. Trauma*, 33: 465.

Renz, B.M. and Feliciano, D.V. [1994]: Gunshot wounds to the right thoraco-abdomin: A prospective study of non-operative management. *J. Trauma*, 37: 737.

Renz, B.M.; Bott, J.; and Feliciano, D.V. [1996]: Failure of non-operative treatment of a gunshot wound of the liver predicted by computed tomography. *J. Trauma*, 40: 191.

Resmicoff, S.A. [1967]: Retroperitoneal rupture of the duodenum due to blunt trauma. *J. Surg. Gyn. Obst.*, 125: 77.

Ringe, B.; Pichlmayr, R.; Ziegler, H.; et al. [1991]: Management of severe hepatic trauma by two-stage total hepatectomy and subsequent liver transplantation. *J. Surg.*, 109: 792.

Robert, E.M. [1990]: Liver trauma. In: McCort, J.J. (ed.): *Liver Trauma. Churchill Livingstone, New York*, p532.

- Rohman, M. [1985]:** The morbidity of injuries of the extrahepatic biliary system. *J. Trauma*, 25: 967.
- Rosner, M.; Rosner, S.; and Johnson, A. [2000]:** Cerebral perfusion pressure: Management protocol and clinical results. *J. Neurosurg.*, 83: 949.
- Rouhana, S.W. [1993]:** Biomechanics of abdominal trauma. In: Nahum, A.M.; and Melvin, J.W. (eds.): *Accidental Injuries: Biomechanics and Prevention*. New York, Springer-Vorlag, p391.
- Rozycki, G.S.; Ochsner, M.G.; Schmidt, J.A.; et al. [1995]:** A prospective study of surgeon performed ultrasound as the primary adjuvant modality for injured patient assessment. *J. Trauma*, 39: 492.
- Rudolf-Ott, R.; Kramer, R.; Martus, P.; et al. [2000]:** Prognostic value of trauma scores in pediatric patients with multiple injuries. *J. Trauma*, 49: 729.
- Safar, P. [2000]:** Resuscitation of ischaemic brain. In: Albin, M.S. (ed.): *Textbook of Neuro-anesthesia with Neurosurgical and Neuroscience Perspectives*. New York, McGraw-Hill, p557.
- Samuel, A.; Hodriguez, A.; and Safar, P. [1999]:** Therapeutic hypothermia in traumatology. In: Rodriguez, A.; Maull, K.I.; and Feliciano, D.V.: *J. Surg. Clin. North Am.*, 79: 1269.
- Savolaine, E.R.; Grecos, G.P.; Howard, J.; and White, P. [2000]:** Evaluation of C.T. findings in hepatic haematoma. *J. Comput. Assist. Tomogr.* 9: 1090.

- Scalca, T.M.; Holman, M.; Fourtes, M.; et al. [1988]:**
Central venous blood oxygen saturation. J. Trauma,
28: 725.
- Schrock, T.; Blaisdell, F.W.; and Mathewson, C. Jr.**
[1968]: Management of blunt trauma to the liver and
hepatic veins. J. Arch. Surg., 96: 698.
- Schwartz, R.A.; Teitelbaum, G.P.; Katz, M.D.; and**
Penetecost, M.J. [1993]: Effectiveness of
transcatheter embolization in the control of hepatic
vascular injuries. J. Vasc. Interv. Radiol., 4: 359.
- Sexton, C.C.; Zeman, R.K. [1983]:** Correlation of
computed tomography, sonography, and gross
anatomy of the liver. AJR Am. J. Roentgenol., 141:
711.
- Shanmuanathan, K. [1995]:** Periportal low density on C.T.
in patients with blunt trauma: Association with
elevated venous pressure. Am. J. Roentgenol., 160:
279.
- Shanmuganathan, K; and Mirvis, S.E. [1998]:** C.T. scan
evaluation of blunt hepatic trauma. Radiol. J. Clin.
North Am., 36: 399.
- Sherlock, D.J.; and Bismuth, H. [1991]:** Secondary
surgery for liver trauma. Br. J. Surg., 78: 1313.
- Sherman, H.F.; Savage, B.A.; Jones, L.M.; et al. [1994]:**
Non-operative management of blunt hepatic injuries:
Safe at any grade? J. Trauma, 37: 616.
- Shires, G.T. et al. [1989]:** Abdominal trauma. In: Schwartz,

S.I.; et al. (ed.): Textbook of Surgery. Mc Graw-Hill Book Company, New York, p1052.

Shires, T.; Barber, A.; and Ilner, H. [1995]: Current status of resuscitation: Solutions including hypertonic saline. J. Adv. Surg., 28: 133.

Shoemaker, W.C.; and Hauser, C.J. [1979]: Critique of crystalloid vs colloid therapy in shock and shock lung. J. Crit. Care Med., 7: 117.

Shuman, W.P. [1997]: C.T. of blunt abdominal trauma in adults. J. Radiol., 205: 297.

Skandalakis, H. [1995]: Aberrant bile ducts: Report of case. World J. Surg., 164: 633.

Smith, J.P.; Bodai, B.I.; Hill, A.S.; et al. [1985]: Prehospital stabilization of critically injured patients. J. Trauma, 25: 65.

Snell, R.S. [1995]: Clinical anatomy for medical students. Little Brown and Company, Boston, p255.

Soucy, D.; Sindlinger, J.; Greene, S.; et al. [1995]: Isotonic saline resuscitation in uncontrolled hemorrhage under various anesthetic conditions. J. Ann. Surg., 222: 87.

Sprung, J.; MacKenzie, C.F.; Barnas, G.M.; et al. [1995]: Oxygen transport and cardiovascular effects of resuscitation from severe haemorrhagic shock using hemoglobin solutions. J. Crit. Care Med., 23: 1540.

- Stalker, H.P.; Kaufman, R.A.; and Towbin, R. [1986]:**
Patterns of liver injury in childhood: C.T. analysis.
AJR Am. J. Roentgenol., 147: 1199.
- Stone, H.H.; and Lamb, J.M. [1975]:** Use of pedicled
omentum as an autogenous pack for control of
hemorrhage in major injuries of the liver. J. Surg.
Gynecol. Obstet., 141: 92.
- Takasaki, K.; Kobayashi, S.; and Tanak, S. [1990]:**
Anatomically systematized hepatic resection with
glissonian sheath Code transection at the hepatic
hilus. Int. Surg., 75: 73.
- Takasu, A.; Corrillo, P.; Stezoski, S.W.; et al. [1999]:**
Mild or moderate hypothermia, prolongs survival
during lethal uncontrolled hemorrhagic shock. J. Crit.
Care Med., 27: 1557.
- Vale, F.L.; Burns, F.; Jackson, A.B.; et al., [1997]:**
Combined medical and surgical treatment after acute
spinal cord injury. J. Neurosurg., 87: 239.
- Vinsant, G.O.; and Fallon, W.F. [2002]:** General
principles in the management of hemorrhagic shock:
Lessons learned in the early care of the trauma
patient. In: Buckman, R.F.; Gervin, A.S.; and Fallon,
W.F. (eds.), Trauma Quarterly, Frederick, Maryland:
Aspen Publishers, p28.
- Vladimir, V.; and Cowley, R. [1971]:** Blood lactate in the
prognosis of various forms of shock. J. Ann. Surg.,
173: 308.
- Walt, A.J.; and Bendor, J.S. [1985]:** Injuries of the liver.

In: Maingot's Abdominal operations, 8th Ed., Chapter 62, Vol. III, p1575.

Watson, C.J. [1991]: Surgical restraint in the management of liver trauma. Br. J. Surg., 78: 1071.

Watson, C.J.; Calne, R.Y.; Padhani, A.R.; et al. [2000]: Surgical restraint in the management of liver trauma. Br. J. Surg., 78: 1071.

Williams, P.L.; Warwick, R.; Dyson, M.; and Bannister, L.H. [1989]: Abdominal Viscera. In: Grays Anatomy, Ed. 37, Churchill Livingstone, p1384.

Wilson, R.H.; and Moorehead, R.J. [1991]: Hepatic trauma and its management. J. Injury, 22: 439.

Wrence, R.G.; Wilson, R.F.; and Demaco, P. [1989]: Outcome of trauma patients who present to the operating room with hypotension. Am. J. Surgeon, 55: 338.

Yates, D.W. [1991]: Trauma. In: Skinner, D.; Driscoll, P.; Earlam, R. (eds.): ABC Trauma, 1st Ed., Br. Med. J., London, p213.

Yellin, A.E.; Chaffee, C.B.; and Donovan, A.J. [1971]: Vascular isolation in treatment of juxtahepatic venous injuries. J. Arch. Surg., 102: 566.

Zarins, C.K.; Rice, C.L.; Peters, R.M.; et al. [1978]: Lymph and pulmonary response to isobaric reduction in plasma oncotic pressure in Baboons. J. Circ. Res., 43: 925.