

REFERENCES

- Abdel Kawy, R.; El Hennawy, M.; Rashed, M.Y.T.; Naga, R.; Amrawy, A. and Kotb, M. (1994) :*
Anorectal varices in patients having schistosomal portal hypertension.
Bull. Alex. Fac. Med., 2 : 360 – 5.
- Alexander Williams, J. (1982) :*
The management of piles.
Br. J. Surg., 285 : 1137 –9.
- Arabie, Y.; Alexander Williams, J. and Keighley, M. (1977) :*
Anal pressure in haemorrhoids and anal fissure.
Am. J. surg., 134 : 604 – 8.
- Arbman, G.; Krook, H. and Haapaniemi, S. (2000):*
Closed vs open haemorrhoidectomy : Is there any differences?
Dis. Colon Rectum, 43 : 31 –4.
- Armstrong, D.N.; Frangum, C.; Schertzer, M.E.; Ambroze, W.L. and Orangio, G.R. (2002) :*
Harmonic scalpel haemorrhoidectomy : five hundred consecutive cases.
Dis. Colon Rectum, 45 : 354 –9.
- Awojobi, O.A. (1983) :*
Modified pile suture in the outpatient treatment of haemorrhoids : A preliminary report.
Dis. Colon Rectum, 26 : 95 – 7.
- Basdanis, G.; Michalopoulos, A.; Papadopoulos, V. et al. (2000) :*
Surgical treatment of haemorrhoids with the use of circular stapler and open haemorrhoidectomy : A comparative study.
Tech. Coloproctol., 4 : 136 – 9.
- Basile, M. (2001) :*
A new dedicated device to perform straight forward circumferential rectal mucosectomy (stapled haemorrhoidectomy) : Abstract on disc.
Annual Meeting of the American society of colon and Rectal surgeons.

Bernstein, W.C. (1983) :

What are haemorrhoids and what their relationships to the portal system?

Dis. Colon Rectum, 26 : 830-5.

Buls, J.G. and Goldberg, S.M. (1978) :

Modern management of haemorrhoids.

Surg. Clin. North Am., 58 : 470 -9.

Campbell, M.J. and Machin, D.M. (1993) :

Biostatistics. In : A foundation for analysis in the health sciences, edited by John Wiley (2nd edition), New York : W.B. Saunders Co., pp. 420 -4.

Capomagi, A.; Cingolani, F.; Mannetta, V. et al. (2000) :

Circular haemorrhoidectomy used a stapler. The ideal solution for the treatment of haemorrhoids : preliminary data regarding 151 consecutive patients.

Minerva Chir. 56 : 771 - 9.

Carapeti, E.A.; Kamm, M.A.; McDonald, P.J.; Chadwick, S.J. and Phillips, P.K. (1999) :

Randomized trial of open vs closed day-case haemorrhoidectomy.

Br. J. Surg., 86 : 612 - 3.

Cataldo, P.A. and Mazier, W.P. (1992) :

Haemorrhoids. In : Current surgical therapy, edited by Cameron, J.L. (4th edition), Louis : Mosby-Year Book, PP. 220-4.

Charles, V.; Mann, G. And Russell, R.C. (1991) :

Haemorrhoids. In : Bailey and Love's short practice of surgery, edited by Fowler, J.E. (21st edition), London, New York, Tokyo : W.B. Saunders Co., pp. 421 - 9.

Chawla, Y. and Dilawari, J.B. (1991) :

Anorectal varices. Their frequency in cirrhotic and non-cirrhotic portal hypertension.

Am. J. Gastroenterol., 32 : 310-2.

Cheetham, M.J. and Phillips, P.K. (2000) :

Evidence-based practice in haemorrhoidectomy.

Dis. Colon Rectum, 3 : 126 -9.

- David, A.; Cherry, M. and David, R. (1988) :*
Pelvic floor physiology.
Surg. Clin. North Am., 68 : 1217 –9.
- David, S.M. and Victor, W.F. (1995) :*
Haemorrhoids during pregnancy.
Surg. Clin. North Am., 75 : 1181 – 3.
- Delco, F. and Sonnenberg, A. (1998) :*
Association between haemorrhoids and other diagnosis.
Dis. Colon Rectum, 41 : 1534 – 9.
- Dennis, M.B. (2000) :*
Doppler-guided haemorrhoidal artery ligation for the
treatment of haemorrhoids : Results in 1415 patients.
Br. J. Surg., 87 : 423 – 8.
- Dennison, A.R.; Wherry, D.C. and Morris, D.L. (1989) :*
Haemorrhoids. Non operative management.
Surg. Clin. North Am., 68 : 1401 –6.
- DeRoover, D.M.; Morris, D.L.; Hoofwijk, G.M. et al. (1989) :*
Lateral internal sphincterotomy in treatment of fourth degree
haemorrhoids.
Br. J. Surg., 76 : 1181-3.
- Drezink, Z.; Ramadan, E. and Petach-Tikva. (2001) :*
Harmonic scalpel haemorrhoidectomy : preliminary results
of a new alternative method. Abstract on disc.
Annual Meeting of the American Society of Colon and
Rectal Surgeons.
- Edmund Leff, J. (1987) :*
Haemorrhoids. Current approaches to an ancient problem.
Br. J. Surg., 70 : 1380 –8.
- Edward Hughes, A.; Alan, M. and Mark, K.L. (1993) :*
Haemorrhoids. In : Colorectal surgery, edited by Hughes, E.
(4th edition), Boston, Tokyo : Churchill living stone Co., PP.
130 –3.
- Farag, A.E. (1978) :*
Pile suture : A new technique for treatment of haemorrhoids.
Br. J. Surg., 65 : 293 – 5.

- Fazio, V.W. and Tjandra, J.J. (1996) :**
The management of perianal diseases.
Adv. Surg. 29 : 51 – 9.
- Ferguson, J.A. and Heaton, J.R. (1959) :**
Closed haemorrhoidectomy.
Dis. Colon Rectum, 2 : 176 –9.
Quoted from Arbman, G.; Krook, H. and Haapaniemi, S.
(2000): Closed Vs open haemorrhoidectomy : It there any
differences? Dis. Colon Rectum, 43 : 31 – 4.
- Francis, J.; William, H.; James, R. and Sabetta, P. (1988) :**
A life threatening complication of haemorrhoidal banding.
World J. Surg., 3 : 383 – 5.
- Ganio, E.; Altomare, D.F.; Gabrielli, F. et al. (2001) :**
Prospective randomized multicentre trial comparing stapled
with open haemorrhoidectomy.
Br. J. Surg., 88 : 670 –5.
- George Parks, T. (1992) :**
The usefulness of tests in anorectal disease.
World J. Surg., 16 : 803 –8.
- Gibbons, C.P.; Bannister, J.J.; Anna, M.F. et al. (1988) :**
Role of constipation and anal hypertonia in pathogenesis of
haemorrhoids.
Br. J. Surg., 75 : 655 – 8.
- Gibbons, C.P.; Trowbridge, E.A.; Herand, A.E. et al. (1986) :**
Role of anal cushions in maintaining continence.
Br. J. Surg., 74 : 827 – 9.
- Goligher, J.C. (1984) :**
Haemorrhoids. In : Surgery of anus, rectum and Colon,
edited by Ballier, T. (4th edition), London, Boston :
W.B. Saunders Co., PP. 242 –6.
- Goligher, J.C. (1975) :**
Haemorrhoids. In : Surgery of anus, rectum and Colon,
edited by Ballier, T. (3rd edition), London, Boston :
W.B. Saunders Co., PP. 380 – 8.

Goligher, J.C. (1967) :

Haemorrhoids. In : Surgery of anus, rectum and Colon,
edited by Ballier, T. (2nd edition), London, Boston :
W.B. Saunders Co., PP. 655 – 8.

Gordon, P.H. and Nivatnongs, S. (1992) :

Haemorrhoids. In : principles and practice of surgery for
colon, rectum and anus, edited by Karen, B. (1st edition),
Boston, Berlin : Academic press, pp. 180 –9.

Grencosmanoghe, R.; Sad, O.; Koc, D. and Incoglu, R. (2002) :

Haemorrhoidectomy : open or closed technique?
Dis. Colon Rectum, 45 : 70 – 5.

Guerrero, P. and Sinert, R. (2001) :

Haemorrhoids.
Emerg. Med. J., 2 : 100 – 9.

Haas, P.A.; Fox, T.A. and Haas, G.P. (1984) :

The pathogenesis of haemorrhoids.
Dis. Colon Rectum, 27 : 442 – 9.

Hamish Thomson, (1982) :

The real nature of peri-anal hematoma.
Br. J. Surg., 28 : 467 – 9.

Hancock, B.D. (1977) :

Measurement of anal pressure and motility.
Dis. Colon Rectum, 17 : 645 –8.

Harry, E.B.; Sturat, T.R.; Iain, M.A. et al. (1983) :

Haemorrhoids.
Proctology, 98 : 185 – 9.

Hayssen, T.K.; Luctefeld, M.A. and Senagore, A.J. (1999) :

Limited haemorrhoidectomy : Results and long-term follow
up.
Dis. Colon Rectum, 42 : 902 – 4.

Heaton, N.D.; Daven, M.P.; Colin, M.J. et al. (1992) :

Haemorrhoids and anorectal varices in children with portal
hypertension.
J. Ped. Surg., 27 : 833 – 5.

Ho, Y.H.; Cheong, W.K. and Tsang, C. (2000) :

Stapled haemorrhoidectomy cost and effectiveness :
Randomized controlled trial.
Dis. Colon Rectum, 43 : 1666 – 9.

Ho, Y.H.; Seow-Cheon, F.A. and Tan, M.F. (1997) :

Randomized controlled trial of opened and closed
haemorrhoidectomy.
Br. J. Surg., 84 : 1724 – 8.

Hosch, S.B.; Knoefel, W.T. and Chlneier, U.F. (1998) :

Surgical treatment of piles : prospective randomized study of
parks VS Milligan- Morgan haemorrhoidectomy.
Dis. Colon Rectum, 41 : 160 –5.

Hugh Dudley, A.; David, C. and Russell, G. (2001) :

Open haemorrhoidectomy. In : Atlas of General Surgery,
edited by Carter, R. (2nd edition), London, Toronto : W.B.
Saunders Co., PP. 556 – 9.

Hussain, J.N. (1999) :

Haemorrhoids. Primary care.
Clinics in office practice, 26 : 35 – 9.

Hussein, A.M. (2001) :

Ligation-anopexy for treatment of advanced haemorrhoidal
disease.
Dis. Colon Rectum, 44 : 1886-9.

Ibrahim, S.; Tsang, C.; Lee, Y. et al. (1998):

Prospective randomized trial comparing pain and
complications between diathermy and scissors for closed
haemorrhoidectomy.
Dis. Colon Rectum, 41 : 1418 – 9.

Jane, J.Y.; Seow, N. and Choen, F. (2001) :

A prospective randomized trial comparing diathermy with
Harmonic Scalpel haemorrhoidectomy.
Dis. Colon Rectum, 44 : 677 – 9.

Jensen, S.L.; Harling, H. and Tang, G. (1988) :

Maintenance bran therapy for prevention of symptoms after
rubber band ligation.
Surg. Clin. North Am., 60 : 1295 – 8.

- John, A.; Murie, I.; Andrew, M. and Sim, J. (1990) :**
Comparison of RBL and haemorrhoidectomy for second and third degree piles : A prospective clinical trial.
Br. J. Surg., 67 : 786 – 8.
- Johnson, J.F. and Sonnenberg, A. (1990) :**
Prevalence of haemorrhoids and chronic constipation : An epidemiologic study.
Gastroenterology, 98 : 380 – 6.
- Keighley, M.R.B. and Williams, N.S. (1993):**
Haemorrhoids. In : surgery of anus, rectum and colon, edited by Ballier, T. (5th edition), London, Boston : W.B. Saunders Co., pp. 295 – 9.
- Keighley, M.R.B.; Henty, M.M.; Colin, M.L. et al. (1989) :**
Anorectal physiology measurement : Report of a working party.
Br. J. Surg., 76 : 356 – 9.
- Kemal Alemdaroglu; Kenan, M. and Norman, S. (1993) :**
Single session ligation treatment of bleeding haemorrhoids.
Surg. Gynaecol. Obstet., 177 : 62 – 3.
- Kerreman, R. (1969) :**
Morphological and physiological aspects of anal continence.
Brussels Arsacia, 80 : 128 – 9.
Quoted from Loder, P.B.; Kamm, M.A.; Nicholls, R.J. and Phillips, R.K.S.
Haemorrhoids : pathology, pathophysiology and aetiology.
Br. J. Surg., 81 : 946 – 9.
- Khan, S.E.; Eggenberger, J.C.; Lee, C.S.; Szilagy, E.J. and Margolin, D.A. (2001) :**
Surgical treatment of haemorrhoids : prospective randomized trial comparing closed excisional haemorrhoidectomy and the harmonic scalpel technique of excisional haemorrhoidectomy.
Dis. Colon Rectum, 44 : 845 – 8.
- Khoury, G.A.; Lake, S.P.; Smith, A. et al. (1989) :**
Randomized trial to compare single with multiple phenol injection treatment of haemorrhoids.
Br. J. Surg., 72 : 741 – 2.

- Khubchandani, I.T. and Reed, J.F. (1989) :***
 Sequelae of internal sphincterotomy for chronic fissure.
 Br. J. Surg., 76 : 431 – 4.
- Khubchandani, I.T.; Trimpi, H.D. and Sheets, J.A. (1972) :***
 Closed haemorrhoidectomy with local anaesthesia.
 Surg. Gynaecol. Obstet., 135 : 955 – 7.
- Kluiber, R.M. and Walff, B.G. (1994) :***
 Evaluation of anemia caused by haemorrhoidal bleeding.
 Dis. Colon Rectum, 37 : 1006 – 7.
- Konsten, J. and Baeten, M.I. (2000) :***
 Haemorrhoidectomy VS Lord's method : 17-year follow-up
 of a prospective randomized trial.
 Dis. Colon Rectum, 43 : 503 – 6.
- Last, R.J. (1984) :***
 Anal canal. In : Anatomy regional and applied, edited by
 Lord, P.H. (7th edition), London : Churchill Livingstone Co.,
 PP. 342 – 8.
- Lestar, B.; Pennincks, F. and Kerremans, R. (1989) :***
 The composition of anal basal pressure : An in vivo and in
 vitro study in man.
 Int. J. Colorect. Dis., 4 : 118 – 9.
- Lewis, A.A.; Rogers, H.S.; Williams, S. et al. (1983):***
 Trial of maximal anal dilatation, cryotherapy and elastic band
 ligation as alternatives to haemorrhoidectomy in treatment of
 large prolapsing haemorrhoids.
 Br. J. Surg., 70 : 54 – 6.
- Lin, J.K. (1989) :***
 Anal manometric studies in haemorrhoids.
 Dis. Colon Rectum, 32 : 834 – 8.
- Loder, P.B.; Kamm, M.A.; Nicholls, R.J. and Phillips, R.K.S. (1994) :***
 Haemorrhoids : pathology, pathophysiology and aetiology.
 Br. J. Surg., 81 : 946 – 9.

Longo, A. (1998) :

Treatment of haemorrhoidal disease by reduction of mucosa and haemorrhoidal prolapse with a circular stapling device : A new procedure.
6th world congress of Endoscopic Surgery.
Mundozzi Editore. 772 –8.

Mario Pescatori; Biagio Ravo and Read, N.W. (1988) :

Diagnostic anorectal functional studies : Manometry, sphincter electromyography and defecography.
Surg. Clin. North Am., 68 : 1231 – 5.

Mattana, C.; Maria, G. and Pescatori, M. (1989):

Rubber band ligation of haemorrhoids.
Dis. Colon rectum, 32 : 372-5.

McCormack, T.T.; Bailey, H.R.; Donald, M. et al. (1984) :

Rectal varices are not piles.
Br. J. Surg., 295 : 163 –8.

McHugh, S.M.; Diamant, N.E. and Maria, G. (1987) :

Anal canal pressure profile : A reappraisal by rapid pull through technique.
Gastro-enterology, 28 : 1234 –9.

McMinn, R.M.H. (1993):

Rectum and perineum. In : Last's anatomy, Regional and applied, edited by lord, P.H. (8th edition), London : Churchill Livingstone Co., PP. 400 – 8.

Medich, D.S. and Fazio, V.W. (1995) :

Haemorrhoids during pregnancy.
Surg. Clin. North Am., 75 : 77 – 9.

Mehigan, B.J.; Monson, J.R. and Hartlay, J.E. (2000) :

Stapling procedure for haemorrhoids VS Milligan-Morgan haemorrhoidectomy : Randomized controlled trial.
Dis. Colon Rectum, 355 : 782 – 5.

Miles, W. (1919) :

Observation upon internal piles.

Surg. Gynaecol. Obstet., 29 : 497 – 8.

Quoted From Haas, P.A.; Fox, T.A. and Hass, G.P. (1984):

The Pathogenesis of haemorrhoids.

Dis. Colon Rectum, 27 : 442 –9.

Miller, R.D.; Bartolo, C.C.; Neil, S. et al. (1989) :

Air-Filled microballon manometry in anorectal physiology.

Br. J. Surg., 76 : 72 –5.

Milligan, E.T.C.; Morgan, C.N. and Jones, L.E. (1937) :

Surgical anatomy of the anal canal and the operative treatment of haemorrhoids. Lancet, 2 : 1120-5.

Quoted From Smith, L.E. (1987) :

Haemorrhoids : A review of current techniques and management.

Gastroenterol. Clin. North Am., 16 : 70 – 9.

Morinaga, K.; Hasuda, K. and Lkeda, T. (1995) :

A novel therapy for internal haemorrhoids : Ligation of haemorrhoidal artery with a newly devised instrument in conjunction with a Doppler flowmeter.

Gastroenterol. Clin. North Am., 90 : 610-3.

Nagle, D. and Rolandelli, R.H. (1996) :

Primary Care office management of peri-anal and anal disease.

Prim. Care, 23 : 600 – 8.

Park, A.G.(1956) :

Surgical treatment of haemorrhoids.

Br. J. Surg., 43 : 337 –9.

Patrick Mazier, W. (1994) :

Haemorrhoids.

Surg. Clin. North Am., 74 : 1272 – 8.

Pernice, L.M.; Bencini, L.B. and Catarzi, S.M. (2001) :

Early and late experience with circular stapler haemorrhoidectomy.

Dis. Colon Rectum, 44 : 836-9.

- Pescatori, M.; Favetta, U.; Dedola, S. and Orsini, S. (1997):**
Transanal stapled excision of rectal mucosal prolapse.
Tech. Coloproct., 1 : 96 – 8.
- Pfenninger, J.L. and Surell, J. (1995) :**
Non-Surgical treatment options for internal haemorrhoids.
Am. Fam. Physician, 52 : 821 – 5.
- Polglase, A.L. (1997) :**
Haemorrhoids : A clinical update.
Med. J. Aust., 167: 85 – 8.
- Read, M.G.; Read, N.W.; Haynes, W.G.; Donnelly, T.C. and Johnson, A.G. (1982) :**
A prospective study of the effect of haemorrhoidectomy on sphincter function and faecal continence.
Br. J. Surg., 69 : 395 – 8.
- Rifaat, M.A. (1988) :**
Rectum and anus. In : A manual of surgery, edited by Rifaat, M.A. (5th edition), Cairo : Academic press, pp. 740 –9.
- Roe, A.M.; Bartolo, C.C.; Roger, R.D. et al. (1987) :**
New Method for assessment of anal sensation in various anorectal disorders.
Br. J. Surg., 73 : 310 –8.
- Rowell, M.; Bello, M. and Hemingway, D. (2000) :**
Stapled haemorrhoidectomy VS conventional haemorrhoidectomy : Randomized controlled trial.
Dis. Colon Rectum, 355 : 773-7.
- Sagar, P.M. and Wolff, B.G. (1999) :**
The use of modified whitehead procedure.
Tech. Colorectol. 3 : 131 –4.
- Seow Choen, F.; Low, C. and Traynor, O. (1995) :**
Prospective randomized study of radical VS four piles haemorrhoidectomy.
Br. J. Surg., 82 : 188 – 9.

Serdey, N. (1990) :

The surgical treatment of haemorrhoids : their suturing ligation without excision.
Tech. Coloproct., 43 : 65 – 8.

Shafik, (1984) :

A new concept of the anatomy of anal sphincter mechanism and the physiology of defecation.
Am. J. Coloproct., 33 : 14 –8.

Shafik, (1975) :

A new concept of the anatomy of anal sphincter and physiology of defecation.
Investigation urology, 18 : 175 – 9.

Singer, M.A.; Fleshman, J.W. and Spitz, I.S. (2002) :

Early experience with stapled haemorrhoidectomy in the united states.
Dis. Colon Rectum, 45 : 360 – 8.

Smith, L.E. (1987) :

Haemorrhoids : A review of current techniques and management.
Gastroenterol. Clin. North Am., 16 : 72 –8.

Stelzner, F.; Standesaud, J. and Machleidt, H. (1962):

Corpus cavernosum recti.
Br. J. Surg., 99 : 302 –8.

Sun, W.M.; Peck, R.J.; Shorthouse, A.J. and Read, N.W. (1992):

Haemorrhoids associated not with hypertrophy of the internal anal sphincter but with hypertension of the anal cushions.
Br. J. Surg., 79 : 592-4.

Sun, W.M.; Read, N.W. and shorthouse, A.J. (1990):

Hypertensive anal cushions as a cause of the high anal canal pressure in patients with haemorrhoids.
Br. J. Surg., 77 : 456 –8.

Teramoto, T.; Parks, A.G. and Swash, M. (1981) :

Hypertrophy of the external anal sphincter in haemorrhoids : A histometric study.
Gut, 22 : 45 – 8.

Thompson, W.H.F. (1982) :

The nature of perianal haematoma.
Br. J. Surg., 70 : 467 – 8.

Thompson, W.H.F. (1975) :

The nature of haemorrhoids.
Br. J. Surg., 62 : 542-6.

Thulesius, O. and Gjores, J.E. (1973) :

Arterio-venous anastomosis in the anal region.
Dis. Colon Rectum, 139 : 476 –8.

Waldron, D.J.; Kumar, D.; Hallan, R.I. and Williams, N.S. (1989):

Prolonged ambulant assessment of anorectal function in
patients with prolapsing haemorrhoids.
Dis. Colon Rectum, 32 : 968-9.

Webster, S.E.; Meier, C.H. and Berry, A.R. (2001):

Randomized prospective study of Ligasure VS standard
Milligan-Morgan.
8th Biennial congress of the European Council of
Coloproctology.

Wexner, S.D. (2001):

Painless surgical treatment of haemorrhoids.
J. Am. Coll. Surg., 193 : 174 –8.