

References

Abramson D, Scalea T, Hitchcock R, et al, 1993 :

Lactate clearance and survival following injury .J Trauma 35: 584.

Al-Quttan M, Zuker R, Weinberg M, et al,1994:

The use of a shunting catheter for a ruptured branchial artery following open elbow dislocation. J Trauma surg (Br) 19: 788-790.

Aprahamian C, Wittmann D, Bergstein J, et al,1990:

Temporary abdominal closure (T A C) for planned relaparotomy (Etappen Lavage) in trauma .J trauma 30: 719.

Aucar J and Hirshberg A,1997:

Planned reoperation.surg. clin. 77:860

Barnes G, Laine G, Giam P, et al1985:

Cardiovascular responses to elevation of intraabdominal hydrostatic pressure.Am J Physiol 248:R208.

Baron B, Scalea T, Scalfani S, Duncan A,1993:

Non-operative management of blunt abdominal trauma. The role of sequential diagnostic peritoneal lavage, Computed topography and Angiography.Ann Emerg Med 22:1556.

Beal SL,1990:

Fatal hepatic hemorrhage: An unresolved problem in the management of complex liver injuries. J Trauma 30: 163.

Ben-Mendahem 4,Coldwell D,1991:

Pelvic fractures: Cause, Diagnosis and Management. Am J Roentgenol 157:1005.

Bernabei A, Levison M, Bender J,1992:

The effects of hypothermia and injury severity on blood loss during trauma laparotomy. J Trauma 33: 835.

Blomfield G, Ridings P, Blocher C, et al,1996:

Effects of increased intraabdominal pressure upon intracranial and cerebral perfusion pressure before and after volume expansion. J Trauma 40:936.

Burch J, Denton J, Nobel R,1997:

Physiologic rationale for damage control surgery. Surg Clin North Am.77: 779 – 782.

Burch J, Ortiz V, Richardson R, et al,1992:

Abbreviated laparotomy and planned reoperation for critically injured patients. Ann surg 215: 476 – 483; discussion 483 – 484.

Postwick J 3d, Stone H,1975:

Trauma to the portal venous system. South Med J 68: 1369 – 1372.

Burgess A,1992:

The management of hemorrhage aggravated with pelvic fractures. Int j orthop Trauma 2:101.

Carillo C, Fogler R, and Shaftan G,1993:

Delayed gastro intestinal reconstruction following massive abd. Trauma.J Trauma 34:233.

Carroll PR, McAninch J,1985:

Operative indications in penetrating renal Trauma.J Trauma 25:587.

Coburn M,1997:

Role of the urologist in abbreviated laparotomy for penetrating trauma: Delayed repair of genito urinary injuries. J trauma, in press

Coburn M,1997:

Damage control for urologic injuries 77:821, 1997.

Coombs H,1920:

The mechanisms of the regulation of the intra abdominal pressure
Am J physiol 61:159.

Cryer H,Johnson E,1996:

Pelvic fractures. In Feliciano DF, moore E, Mattox Kl (eds)
trauma, CT, APP leton and longe PP 635-660.

Cue J, Cryer H, Miller F, et al,1990:

Packing and planned re exploration for hepatic and retroperitoneal
Hemorrhage: critical refinements of a useful technique. J trauma
30:1007.

Cullen D, Covle J, Teplick R, et al,1989:

Cardiovascular, pulmonary, renal effects of massively incresed
intra abd pressure in critically ill patients crit care Med: 17:118.

Dahl B, Anderson A, Anderson M, et al,1995:

Functional and social long term results after free tissue transfer to
the lower extremity. Ann plast surg 34:375-575.

Daly R, Mucha P, Farnell M,1989:

Abdominal reexploration for increased intral abd. Pressure and
acute oliguric renal failure contemp surg 35:11.

Deitrick J, Mc Neill P, posner M, et al,1990:

Traumatic superior mesenteric artery-portal vein fistula. Ann vasc surg 4: 72-76.

Diebel L, saxe J, Dulchavskys,1992:

Effects of intraabd. pressure on abd. Wall Blood Flow . An surg 58: 573

Eddy V,Key S,Morris J,1994:

Abdominal compartment syndrome: Etiology,Detection,and Management.J Tenn Med Assoc 55-57.

Elaslick L, Fogler R, shaftan G , 1990 :

Pancreaticoduodenectomy for trauma: Delayed reconstruction- a case report. J Trauma 30:503.

Fainzilber G, Roy-shpira A, wall M, et al,1995:

Predictors of amputation for popliteal art. injuries . Am J. Surg 170:568-570; discussion 570-571.

Feliciano D, Burch J,1991:

Towel clips, silos, and hepatic forms of wound closure in maull KI (ed). Advances in trauma and critical care, vol 6. Chicago, Mosby-year Book, P 231.

Feliciano D, Burch J, Mattox K, et al,1990:

Balloon catheter tamponade in cardiovascular wounds. An surg 160:583.

Ferrara A,Mac Arther ,Wright H,et al,1990:

Hypothermia and acidosis worsen coagulopathy in the patient requiring massive transfusion.Am J surg 160:515-518

Fig.1 1997: Trauma triad of death Quatted from Rotondo and Zonies

Fig.2 1997 : cellular metabolism in shock stage Quatted from Rotondo and Zonies .

Fischer M, Gustilo R, varecka T,1991:

The timing of flap coverage, bone grafting, and intramedullary nailing in patients who have a fracture of the tibial shaft with extensive soft tissue injury. J Bone joint surg 73 A: 1316-1322.

Fulda G, stickles-fulda E,1994:

Physiologic changes and outcome following surgical decompression for increased intraabd. Pressure crit-care Med 22: A 68.

Ganz R, Kroshell R, jakob R, et al1991:

The anti- shock pelvic clamp. Clin orthop 261:71.

Gentilello L, Cobean R, offner P, et al1992:

Rapid reversal hypothermia in critically ill patients. J Trauma, 32:316-327.

Gentilello L, Jurkovich G, Moujaes S,1991:

Hypothermia and injury: thermodynamic principles of prevention and treatment. persp surg 2: 25.

Gentilello L, Rife W,1991:

Continuous arteriovenous rewarming:report of a new technique for treating hypothermia.J Trauma 31:1151.

Gregory R, Gould R, pecket M , et al,1985:

The mangled extremity syndrome: A severity grading system for multisystem injury of the extremity. J trauma 25: 1147-1150.

Henry S, Tornetta P, Scalea T,1997:

Damage control for devastating pelvic and extremity injuries surg
clinic North. Am 77:879-892.

Hirshberg A, sherr-lurie N, Adar R,1996:

Compartment Haematoma complicating closed fasciotomy. Br J
surg 33:950.

Hirshberg A, wall M, Allen M, et al 1995:

Douple jeopardy: thoraco abdominal injuries requiring surgical
intervention in both chest and abdomen S. trauma 39:225.

Hirshberg A, wall M, Mattox K,1994:

Planned reoperation for traumna a two year experience with 124
consecutive patients. J Trauma 37:365.

Hirshberg A, Mattox K,1993:

Damage control in trauma surg. Br.J. surg 30:1501.

Husain A, Khandeparkar J, Tendolkar A, et al,1992:

Temporary intravascular shunts for peripheral vascular trauma.J
postgrad Med 38(2): 68-69.

Iberti T, kelly K, Gentili D, et al., 1987 :

Simple technique to determine intral abdominal pressure crit care
Med 15:1140.

Ivatuary R, Diebel L, porter, J et al., 1997 :

Intra abdominal hypertensien and abdominal compartment
syndrome 77:796

Jacques T and Lee R,1988:

Improvement of renal function after relief of raised IAH Anaesth.
Intensive care 16:478-482.

Johansen K, Gaines M, Mowey T, Helfet D,1990:

Objective criteria accurately predict amputation following lower
extremity trauma.J trauma 30:568-573.

Jurkovich G, Hoyt D, Moore F, et al,1995:

Portal triad injuries. J trauma 39:426-434.

Just B, Delva E, camus 4, et al,1992:

Oxygen uptake during recovery following naloxone
anaesthesiology 76:60.

Kearney T, Bentt L, Grode M, et al,1992:

Coagulopathy and catecholamines in severe head injury. J trauma
32:608.

Kram H, Nugent P, Reuben B, et al,1988:

Fibrin glue sealing of polytera fuloroethylene vascular graft
anaestomosis: comparison with oxidized cellulose. J vasc surg
8:563-568.

Krige J, Bornman P, terblanche J,1992:

Therapeutic perihepatic packing in complex liver trauma. Br J surg
79:43.

Macho JR. Mark is on RE, Schechter WP 1993 :

Cardiac stapling in the management and decreased risk of personal
contaminations. J trauma 47:711-716.

Martin RR, Byrne M. 1997:

Post operative care and complications of Damage cont. surgery,
North A;77:929-924.

Mattox K,1997:

Introduction, back ground and future projection of damage control
surg. Am 77:753-759.1997.

Mattox KL, Hirshberg A; ,1996:

Vascular trauma in Haimovici H(ed) Haimovici's vascular surg ed
4. Cambridge, MA, Black well science P481

Meldrum D,Moore F,Moore E,et al,1995:

Cardiopulmonary hazards of perihepatic packing for major liver
injuries Am J Surg 170:537-542.

Morre E, Burch J, Franciose R, Offner P, Biffl W; 1997:

Staged physiologic restoration damage control surg. Presented at
the plenary session of the international association of trauma at the
37th world congress of surgery, august 26.

Moore EE ,1996:

Staged laparotomy for the hypothermai, a cidosis and coagulopathy
syndrome. An J surg: 172:405-410.

Morris J, Eddy V, Blinman T, et al,1993:

The staged celiotomy for trauma issues in unpaking and
reconstruction. Ann surg 217:576.

Nichols J G, Svoboda JA, Parks SN 1986 :

Use of temporary intra luminal shunts in selected peripheral art.
injuries. J truma 26:1094-1096.

Ostermann PA, Herny SC, seligson D; 1992:

Timing of wound closure in severe compound fracture, orthopedics
17:397-399.

Patt A, Mc croskey B, Moore E;Hypothermia 1988:

Induced coagulopathies in trauma. Surg clin North Am68 : 775.

Reed R, Bracey A, Hudson J 1990 :

Hypothermia and blood coagulation Diss eiation between enzyme
activit and clotting levels cire shock 32:141.

Reilly PM, Rotando MF, Carpenter JP, et al 1995:

Temporary vascular continuity during damage control: intra
luminal shunting for proximal superior mesentevic art. Injury.J
Trauma 39:757-760.

Richardson R, obeid FN, Richardson JD, et al 1992:

Neurologic consequence of cerebrovascular injury. J Trauma
32:755-758; discussion 758-760,

Robertson PA; 1999 :

Prediction of amputation after severe lower limp trauma- J Bone
joint surg 73B: 816-818.

Rorher M, Natale A 1992:

Effect of hypothermia on the coagulation cascade crit care Med
20:1402.

Rotondo M, and Zonies D 1997:

Damage control sequence and underlying logic 77:770-771 .

Rotondo M, schwab CW, Mc Gonigal M, et al 1993:

“Damage control” An approach for improved survival in exsanguinating penetrating abd. Injuries. j Trauma 35:375.

Rozycki GS, Feliciano DV, schmidt JA, et al1996:

The role of surgeon performed ultrasound in patients with possible cardiac wounds. Ann surg 223:737-746.

Rozycki GS, 1995:

Abdominal ultrasonography in trauma: Review surg clin North Am 75:175-191.

Saueracker AJ, McCroskey BJ, Moore EE, et al 1987 :

Intra operative hypogastric artery embolization for life threatening pelvic Hemorrhage Aprelininary report. J Trauma 27:1127, 1987.

Scalea TM, Henry SM; Missed injuries in Ivatury R, Cayten CG (eds)1996 :

Penetrating trauma. Baltinore, william wilkins, PP 726-740.

Scalea TM, Mann R, Austin R, Hersch Kowitz M; 1994:

Staged operation for exsanguinating lower extremity tramua: An extension of technique. J Trauma 36:291

Scalea TM, Holman M,Fourtes M, et al 1988:

Central venous oxygen saturation: An early accurate measurement of volume during hemorrhage J Trauma 28:725.

Schein M, 1990 :

Intestinal fistulas and the open management of the septic adbomen. Arch surg 125:1516.

Scroeder WE. 1906:

The process of liver hemostasis, Reports of cases surg. gynecol. obstet. 2: 56.

Sharp KW, locicero RJ, 1992 :

Abdominal packing for surgically un controllable hemorrhage. Ann surg 215:467.

Smith PC, Tweddell JS, Bessey PQ 1992 :

Alternative approaches to abd. wound closure in severely injured patients with the massive visceral edema. J Trauma 32:16.

Soltman G, jed E, Burchard K; 1985 :

Adverse effects of hypothermia in postoperative patients. Am J surg 149:495.

Stone H, Strom P, Mullins R.1983:

Management of the major coagulopathy with onset during laparotomy. Ann sur 197:532

Talbert S, Trooskin SZ, scalea T, et al 1992:

Packing and re-exploration with non hepatic injuries. J Trauma 33: 121.

Thomas S, Dulchavsky S, Diebell L;1993:

Ballon tamponade for liver injuries case report. J Trauma 34:448.

Tominaga G.T, waxman K, scannell G, et al 1993:

Emergency thoracotomy with lung resection following trauma : Am surg 59:834-837.

Tornetta P III, Bergman M, watnik N, et al, 1994.:

Treatment of grade III B open tibial fractures. J bone Joint surg 76 B:13-19.

Valeric C, cassidy G, khuri S 1987 :

Hypothermia induced reversal and platelat dysfunction. Ann surg 205:175.

Vitelli CE, scalea TM, Phillips TF, et al 1988:

Atechnique for controlling injuries of the Iliac vein in the patients with trauma. surg Gynecol. Obstet. 166:551.

Walker AJ, Mellor SG, cooper GS 1994:

Experimental experience with atemporary intra luminal heparin-bonded polyurethane art. Shunt. Br J. surg 81 : 195-198.

Wall MJ, Mattox KL, chen CD, Baldwin JC; 1997 :

Acute management of complex cardiac injuries. J trauma in press.

Wall MJ, Hirshberg A, Mattox KI. 1994:

Pulmonary tractotomy with selective vascular ligation for penetrating injuries to the lung. Am J. surg 168: 665-669.

Wall M and Soltero E,1997:

Damage control for thoracic injury.Surg Clin North Am 77:863-876

Wong MS, tsoi M, Henderson J, et al.,1996:

Videothorascocopy. An effective method for evaluating and managing thorxcic trauma patients. surg enxosc 10:118-121.

Yelon YA, scalea TM 1992:

Venous injuries of the lower extremities and pelvis Repair versus Ligation. J Trauma 33:532.

Zimmerman BL, Granger DN; 1994:

Mechanisms of reperfusion injury (review). Am J Med sci 307:284-292.

