

# References

---

## References

**Ahrendt GM , Tantry US, Barbul AC. (1996).**

“Intraabdominal sepsis impairs colonic reparative collagen synthesis.” Am J Surg 171: 102 – 107.

**Akyol AM, McGregor JR , Galloway DJ , et al (1991).**

“Recurrence of colorectal cancer after sutured and stapled large bowel anastomoses.” Br J Surg 78 :1297 – 1300.

**Aste H, Giaccherio A , Secco GB, et al : (1982).**

“Role of colonoscopy in the diagnosis of recurrent neoplasia of anastomotic site.” Minerva chir 37: 1507 – 1512.

**Ballantyne GH. (1983).**

“Intestinal suturing” : review of the experimental foundations for traditional doctrines. Dis colon Rectum 26; 836 – 843.

**Ballantyne GH. (1984).**

“The experimental Basis of intestinal suturing : effect of surgical technique, inflammation and infection on enteric wound healing. Dis colon Rectum 27: 61 – 71.

**Bandettini – L : Gattai – R : Pace – M. (1999).**

“Biofragmentable Anastomosis ring (BAR) in Surgery of the Digestive System.” Minerva-Chir. Oct : 54 (10) : 685 –95.

**Barry A. Levine, M.DJ. Bradley Aust, M.D. Ph.D. (1987).**

Surgical Disorders of the small intestine. “Sabiston Essentials of surgery”. (14<sup>th</sup> ed.) – ch 24, p 424 – 460 W. B. Saunders Company.

**Becker, J, M. , Duff, W. M. , and Moody, F. G. (1981).**

“Myoelectric control of gastrointestinal and biliary motility: A review.” Surgery, 89. 466.

---

**Berry MA, Dipalma JA. (1994).**

“Orthograde gut Lavag for colonoscopy.” *Aliment pharmacol Ther* 8: 391 – 395

**Beynon J , Davies PW, Billings PJ , et al . (1989).**

“perioperative blood transfusion increases the risk of recurrence in colorectal cancer.” *Dis Colon Rectum* 32 : 975 – 979.

**Billroth. (1881).**

Christian Albert Theodor Billroth 1829 – 1894 professor of surgery, vienna, Austria. “Anastomosis.” *Bailey and love’s. short practice of surgery.* 22<sup>nd</sup> ed. Ch 42, pp 629 – 640. 1995. Chapman and hall.

**Bleyaert HF. Madison JB. Bailey JE Johnson CM. (1996).**

“Evaluation of a biofragmentable anastomosis ring for small intestinal anastomosis in ponies”. *Vet Surg.* 25(4) : 327- 35, Jul – Aug.

**Bubrick MP, Corman ML, Cahill CJ, Hardy TG jr, Nance Fc , shatney CH. (1991).**

“Prospective randomized trial of the biofragmentable anastomosis ring.” *Am J Surg;* 161:136-143.

**Buchmann – p. Decurtins. M ; Hoffmann (1992).**


“Initial experience with the Biofragmentable.” *Helv- Chir Acta.* May;58(6): 863 – 9.

**Burch JM, Franciose RJ, Moore EE, Biffi WL, Offner PJ. (2000).**

“Single-layer continuous versus Two-Layer interrupted intestinal anastomosis.” *Ann Surg;* 231 : 832 – 837.

**Cahill Cj, Betzler M, Gruwez JA, Jeek J, potel J – C, zederfldt B. (1989).**

“Suturless large bowel aastomosis : Eurpean experience with the biofragmentable anastomosis ring.” *Br J Surg* 76 : 344 –7.



---

**Copeland EM, Miller LD, Jones RS (1968).**

“prognostic factors in carcinoma of colon and rectum.” Am J Surg  
116 : 875 – 881 , 1968.

**Corman ML, Prager ED , Hardy TG , et al (1989).**

“Comparison of the Valtrac BAR with Conventional suture and  
stapled Anastomosis in colon surgery.” Dis Colon Rectum 32 : 183 –  
187.

**Cossu M. L., M.D., \* Massimiliano Coppola, M.D, \* Enrico Fais,  
M.D., \* Matteo Ruggiu , M.D., \* Claudio Spart , M.D., \* Stefano  
Profili, M.D., \* Vincenzobifulco, M.D., \* Giovanni B. Meloni, M.D., \*  
Giuseppe Noya, M.D. (2000).**

“The Use of the Valtrac Ring in the Upper and Lower  
Gastrointestinal Trac, for Single, Double, And Triple Anastomosis:  
A Report of 50 Cases.” No. 6 Valtrac Biofragmentable Anastomotic  
Ring? The American Surgeon August 2000 Col. 66

**Cottman D., Chendrasekhar, Raymond F, Burt E.T., Moorman D.W.  
, Timberlake G.A. (2002).**

“The effect of peritoneal contamination on the tensile strength of  
small bowel and colonic anastomosis.” The Journal of Applied  
Research. P 1-9.

**Cristin A, Senidero D, Siliotto G, et al. (1994).**

“Le anastomosi coliche: Metodiche A confronto.” Minerva Chir.;  
49: 1295-8. 762 The American Surgeon August 2000 Vol.66

**Cursio-R; Gugenheim-j; Mouiel-J; Saint – Paul-Mc; Ragusa-L :  
Bronsinio-E , Caniono -v.(1999).**

“The Bio-compatibility of suture materials used in colon surgery.  
An experimental study in the Rat.” Minerva – Chir, Jan – Feb; 54 (1-  
2) : 49-55.

---

**Cuschieri, A. Giles , G.R. , Moosa , A.R. (1995).**

Small intestine and vermiform appendix "Essential surgical particle" ch 76. pp. 1297-1301 Bristol . London . Boston.

**Czerny vincenz , 1842 – 1916.**

American Surgeon. "anastomosis". Baily and love's. short practice of surgery. 22<sup>nd</sup> ed. – ch 42 pp 629 – 640. Chapman and hall.

**Davis GR, and Geck. (1990).**

"instruction manual, Valtrac biofragmental anastomosis ring."  
Wayne, New Jersey: 10.

**Davis GR, Santa Ana, Morawisky SG , et al. (1980).**

"Development of a lavage solution associated with minimal water and electrolyte Absorption or secretion." Gastroentrology; 78: 991-995.

**Debus ES, Sailer M, Geiger D. Dietz UA. Fuchs KH. Thied A. (1999).**

"Long-Term results after 75 anastomosis in the upper extraperitoneal rectum with the biofragmentable anastomosis ring."  
Dig. Surg. 16 (1) : 55 – 9.

**Deckelbaum L. I., J. M. Isner, R. F. Donaldson, S. M. Laliberte, R. H. Clarke, and D. N. Salem (1986)**

"Use of pulsed energy delivery to minimize tissue injury resulting from carbon dioxide laser irradiation of cardiovascular , , tissues," *J. Am. Coll. Cardiol.*, vol. 7, pp. 898-908.

**Di Castro – A ; Biancari – F ; Brocato – R ; Adami – FA; Truosolo – B ; Massi G. (1998).**

"Intestinal anastomosis with Biofragmentable anastomosis ring."  
Am – J - Surg. Nov; 176 (5) : 472 – 4

---

**Diana – M ; schettini – M ; Gallucci – M (1999).**

“Intestinal anastomosis in urology, Comparison of methods.” Ann-  
Ital – chir. Jan – Feb: 70 (1) : 91-5

**Dietz –UA; Debus-ES; Hirt-AL; Czeczko-NG; Nassif-PA; Repka –Jc;  
Malafaia-S; Geiger-D; thiede-A (1999).**

“From Murphy’s button to the Valtrac Ring. 100 years in search of  
a paradigm.” Zentralbl – chir. 124 (7) : 653-6.

**Dipalma JA, Brady CE III (1989).**

“Colon cleansing for diagnostic and surgical procedures.”  
polyethylene glycolnelectrolyte Lavage Solution. Am J gastroentrol  
84: 1008 – 1016.

**Enker WE, Laffer UT, Block GE. (1979).**

“Enhanced survival of patients with colon and rectal cancer is based  
upon wide anatomic resection.” Ann Surg 190: 350 –360.

**Erba M.Boneschi M. Giordanengo F. Miani S. (1998).**

“Intestinal anastomosis with biofragmentable ring (BAR) Results in  
comparison with mechanical and manual anastomosis.” Minerva  
Chir. 53(4) : 317 – 22 , Apr.

**Fabin TC, Croce MA: (1998).**

Small and large bowel injuries, in Cameron JL (ed). Current  
Surgical therapy, ed 6. St. Louis, Mo, Mosby, pp957-959.

**Fansler RE, Mero K. , Steinberg SM, et al (1994).**

“Utility of the biofragmentable anastomosis ring in Trumatic small  
bowel injury.” Am. Surg. 60 : 379-383.

**Fantini – C ; Gauthier – P ; Pastore – S ; Leone – C ; Conte – R.  
(1996).**

“Use of compression anastomosis device in digestive surgery.”  
Minerva – Chir – May ; 51 (5) : 265 – 72.

---

**Fmerich – J ; Lukaszuk – K ; Konefka – T ; Dudziak – M.(1997).**

“The use of biodegradable Valtrac – bar ring for intestinal anastomosis in advanced ovarian cancer patients”

Ginekol – Pol. Jul; 68 (7) : 313 – 6.

**Forde KA ; Mclarty –Aj; Tsai-J, Ghalili –K;Delany –HM (1993).**

“Murphy’s Button revisited. Clinical experience with the biofragmentable anastomotic ring.” Ann-Surg. Jan; 217 (1); 78-81.

**Freeman D.E (1997).**

“Surgery of small intestine.” veterinary clinics of North America – equine practice. 13 (2) : 261-301, Aug.

**Galizia G. lieto E. Castellano P. Pelosio L. Imperator V. Confora F. pignatelli C. (1999).**

“Comparison between the biofragmentable anastomosis ring and stabled anastomosis in the extraperitoneal rectum : a prospective , randomized study.” Int J Colorectal Dis. 14(6): 286-90, Dec.

**Gertsch P, Bear HU, Kraft R, et al (1938).**

“Malignant cells are collected on circular staplers.” Dis Colon Rectum 35 :238-241.

**Gonzalez RP, Merloth GJ, Holevar MR (1996).**

“Colostomy in penotrating colon injury: is it necessary?” J truma 41 : 271 – 275.

**Gordon – Watson. C (1938).**

“Origin and spread of cancer of the rectum in relation to surgical treatment.” Lancer 1:239-245.

**Gray, H. (1966).**

“Anatomy of Human Body.” 28<sup>th</sup> ed. In Gross, C.M. (Ed.): is it philadelphia, Lea & Fibrger,

---

**Grinnell RS (1965).**

“Results of ligation of inferior mesenteric artery at the aorta in resections of carcinoma of the descending and sigmoid colon and rectum.” Surg. Gynecol Obstet 120:1031-1036.

**Gschwend -J ; Rosch - A ; de-Petriconi-R; Miller -K; Hautmann-R (1993).**

“The biofragmentable valtrac ring –a reliable concept for enteral anastomosis?” Urologe A. Nov : 32 (6) : 475-9.

**Guis RL (1954).**

“The implantation of cancer cells within a fistula in ano.” Surgery 36:136-139.

**Gulichsen R, (1993).**

“The biofragmentable ring in intestinal surgery.” Eur-J-Surg-Suppl. (569): 1-31.

**Gulichsen R, Havia T, Ovaska J, Rantala A. (1992).**

“Colonic anastomosis with the biofragmentable anastomosis ring and manual suture: a prospective, randomized study.” Br J Surg.; 79: 578-580.

**Gulichsen R, Ovaska J, Havia T, Yrjänä J, Ekfors T.(1993).**

“What happens to the Valtrac anastomosis of the colon? A follow-up study.” Dis Colon Rectum; 36: 362-5.

**Gulichsen R, Ovaska J, Rantala A, Havia T.(1992).**

“Small bowel anastomosis with the biofragmentable anastomosis ring and manual suture : a prospective , randomized study.” World J Surg. 1992; 16:1006 – 1009.

---

**H. W. Popp, M. C. Oz, L. S. Bass, R. S. Chuck, S. L. Trokel, and M. R. Treat. (1989).**

"Welding of gallbladder tissue with a pulsed 2.15/zm thulium-holmium-chromium:YAG laser." *Lasers Surg. Med.*, vol. 9, pp. 155-159,

**Halsted WS. (1887).**

"Circular Suture of the intestine : an experimental study." *Am Med Sci* 94: 36-61.

**Hans S. cui X. Takeshi N. (1996).**

"The Laboratory study on biofragmentable anastomosis ring (BAR) in gastrointestinal tract Reconstruction." *Chung Hua Wai Ko Tsa Chin* 34 (10) : 628-30, Oct.

**Hardy TG Jr, Aguilar Ps, Stewart WR, Katz AR, Maney JW, Costanzo JT, Pace WG (1987).**

"Initial clinical experience with a biofragmentable ring for suturless bowel anastomosis." *Dis colon rectum* Jan ; 30 (1) : 55- 61.

**Hardy TG, Pace WG, Manay Jw, et al. (1985).**

"Biofragmentable ring for suturless bowel anastomosis : an experimental study. *Dis Colon Rectum*. 28 : 484 – 490.

**Havia T.(1992).**

"Gastrointestinal viscerosynthesis with biofragmentable anastomosis ring." *Ann Chirurg Gynaecol*; 81:271-5.

**Havia. T. (1992).**

"Gastrointestinal viscerosynthesis with biofragmentable anastomosis ring." *Ann Chirurg Gynaecol* 81 : 271 – 5.

---

**Hicks-ML; Kim-W; Jenkins-SA (1994).**

“colonic anastomosis using the valtrac biofragmentable anastomosis ring : A new and useful surgical technique in gynecologic oncology.” *Gynecol-oncol.* Oct. ; 55(1); 96-100.

**Huss BT. Payne JT. Johonson GC. Wagner. Mann C C (1994).**

Comparison of a biofragmentable intestinal anastomosis ring with appositional suturing for subtotal colectomy in normal cats. *Veterinary surgery* 23 (6): 466-74, Nov. – Dec.

**Irvin TT, Goligher Jc: (1973).**

“Aetiology of disruption of intestinal anastomosis.” *Br J Surg.* 60 : 461 – 464.

**Ivatury RR, Guadino J, Nallathambi MN, et al : (1993).**

“Defenitive treatment of colonic injuries : Aprospectiv Study.” *Am J Surg.* 59:43-49.

**Joie La; Barofsky A.D. ; Gregory K.W. and Prah S.A. (1995).**

“Welding Artificial Biomaterial With a Pulsed Diode Laser and Indocyanine Green Dye.” *Laser in Surgery : Advanced Characterization, Therapeutics, and systems V*, R.R. Anderson Ed., Proc. SPIE 2395, 508-516.

**Kawahara. M; Kuramoto-S; Ryan P; stillwell-R (1996).**

“First experimental suturless Laser anastomosis of the large bowel ; Long Term study.” *Dis-colon- Rectum* May; 39(5): 556-61.

**Keighley MR, Hall C. (1987).**

“Anastomosis recurrence of colorectal cancer : A biologic phenomenon or an avoidable calamity?” *Gut* 28 : 786 – 791.

**Kenneth P. Ramming. MD. (1987).**

“Diseases of the colon and rectum” (ed 14) ch 26. P. 471 – 474  
philadelphia , WB Saunders Co.

---

**Kerlin, p., Zinsmeister, A, and philips, S. : (1982).**

“Relationship of Motility to flow of contents in the human and intestine.” Gastro Entrology , 82 : 701.

**Kerr and porker. (1907).**

Hary Hyland Kerr, b1881 American surgeon, Edward Mason Parker , 1860-1941 American surgeon. “Anastomosis” Bailey and love’s, Short practice of surgery, 22<sup>nd</sup> ed, ch42 pp 629 – 640. Edited by Charles V. , Mann, R C G Russell and N. S. Williams. Published in 1995 by Chapman & Hall, London.

**Kjaergaard J, Nord Kild P, Sjonotoft E, Hjør Trup A. (1987).**

“Non-sutured fibrin adhesive vs. sutured anastomosis. A comparative intra-individual study in dog colon.” Acta chir scand 1987 Oct. ; 153 (10) : 599 – 601.

**Kocher. (1841).**

E. Theodor Kocher 1841-1917 Swiss surgeon and Nobel Laureate. “Anastomosis” Bailey and love’s, Short practice of surgery, 22<sup>nd</sup> ed, ch42 pp 629 – 640. Edited by Charles V. , Mann, R C G Russell and N. S. Williams. Published in 1995 by Chapman & Hall, London.

**Kockerling F. Schneider I. Schneider C. Hohenberger W. (1996).**

“Laparoscopic intracorporeal anastomosis in the colon using the biofragmentable anastomotic ring.” Int. J Colorectal Dis 11(6):299-302.

**Konishi – F ; Saito Y ; Wgajin – H ; Okada – M ; Kashiwagi – H ; Sato – T; Kanazawa – K (1995).**

“Suturless anastomosis using a biofragmentable anastomosis ring.” Surg- Today. 25 (9) : 783 – 9

---

**Konishi-F; Saito-Y ; Ugajin-H; Okada-M; Kashiwagi-H; Sato-T;  
Kanazawa-K (1995).**

“Suturless anastomosis using a biofragmentable anastomosis ring.”  
Surg. Today 25 (9) : 783 – 9.

**Kurek Jozef E. Kowalski, R. Maciejowski (2000).**

“The application of biofragmentable anastomosis ring Valtrac for  
intestinal anastomosis ring Valtrac for intestinal anastomoses.”  
Wiadomosci Lekarskie, L III : 49

**L. W. Murray, L. Su, G. E. Kopchok, and R. A. White. (1989).**

“Crosslinking of extracellular matrix proteins: a preliminary report  
on a possible mechanism of argon laser welding.” Lasers Surg.  
Med., vol. 9, pp. 490-496.

**Leff EI, Shauer JO, Hoexter B, et al. (1985).**

“Anastomotic recurrence after low anterior resection.” Stapled vs  
hand sewn. Dis colon Rectum 28:164-167.

**Lembert A. (1826).**

“Nouveau procede d’enterorrhaphie. Repertoire general d’anatome et  
de physiologie pathologique.” 1826; 2:3.

**Lewis SJ, Egger M, Sylvester PA, Thomas S. (2001).**

“Early enteral feeding versus “nil by mouth” after gastrointestinal  
surgery.” Br Med J; 325:1-5

**LI Deckelbaum, J. M. Isner, R. F. Donaldson, S. M. Laliberte, R. H.  
Clarke, and D. N. Salem. (1986).**

“Use of pulsed energy delivery to minimize tissue injury resulting  
from carbon dioxide laser irradiation of cardiovascular tissues.” J.  
Am. Coll. Cardiol., vol. 7, pp. 898-908.

---

**Lloyd W-Jones and G.R.Giles (1995)**

“The colon , Rectum and anal canal.” Essential surgical practice  
ch78 p1362-1365. Bristol, London. Boston.

**Lofgren EP, Waugh JM, Docketry MB. (1957).**

“Local recurrence of carcinoma after anterior resection of the  
rectum and the sigmoid : Relationship with the length of normal  
mucosa Excised distal to the length of normal mucosa excised  
distal to the lesion.” Arch Surg 74:825-838.

**Lunstedt B. Sundermann H.(1995).**

“Transanal compression anastomosis in the lower rectum with a  
biofragmentable and initial clinical experience ring (Valtrac).”  
Surgical technique chirurg. 66 (7): 715-8, Jul.

**Luukkonen P, Jarvinen HJ, Haapiainen R. (1990).**

“Early experience with biofragmentable anastomosis ring in colon  
surgery.” Acta chirurgicax 1990; 156:795-9 scandinavica.

**M. Rabaud, J. Y. Elie, F. Lefebvre, D. Ducassou, P. Mettetal, M. L.  
Guillou, D. Collet, J. Perissat, D. Fradin, and F. Fontan. (1992).**

“A new biodegradable elastm-fibrin material; Its use in urological,  
digestive and cardiovascular surgery,” *J. Biomat. Appl.*, vol. 7, pp.  
20-46.

**Maney Jw,katz AR, Lehmann K, et al (1988).**

“Biofragmentable bowel anastomosis ring : comparative efficacy  
studies in dogs.” Surgery. 103:56-62

**Massato Makino, Tetuya Taniguchi, Nariyuki Yamane, Kazuo  
Kurayoshi, Osamu Kimura and Nobuaki Kalbara. (1999).**

“Results of biofragmentable anastomosis ring BAR for intestinal  
Anastomosis.” JPN-J-Gastroentrol Surg. 32:2163-2166.

---

---

**Massi G, Pirozzi G, EA adami, R Man Cini, P sciacc. (1998).**

“Clinical experience with biofragmentable ring for bowel anastomosis.” Dig Surg 15:421:616.

**Massi G. Di Castro A. Brocato R. Adami EA. Biancari F. (1997).**

“Biofragmentable anastomosis ring in emergency surgery” Ann Chir Gynaecol. 86 (4):357-9.

**Mc Cue-JL ; phillips – RK (1991).**

“Sutureless intestinal anastomosis.” Br-J-Surg. Nov. ; 78 (11):1291-6.

**McGregor JR, Galloway DJ, McCulloch P, et al (1989).**

“Anastomotic suture materials and implanation metastasis: an experimental study”, Br J Surg 76: 331-334.

**Merad F, Yahchouchi E, Hay J-Metal (1998).**

“Prophylactic abdominal drainage after elective colonic resection and suprapromontory anastomosis.” Arch Surg; 133:309-314.

**Mercer CD, Minich P, Pauli B. (1987).**

“Suturless bowel anastomosis using Nd: YAG Laser.” Lasers Surg Med ; 7(6):503-6.

**Minsky BD, Mies C, Rich TA, et al (1988).**

“Potentially curative surgery of colon cancer: patterns of failure and survival.” J Clin Oncol 6:106-118.

**Murphy JB: (1892).**

“Cholesysto-intestinal gastrointestinal, entointestinal anastomosis and approximation without sutures”. Med Rec 1892; 42:665-676.

**Murray L. W., L. Su, G. E. Kopchok, and R. A. White, (1989).**

“Crosslinking of extracellular matrix proteins: a - preliminary report on a possible mechanism of argon laser welding,” Lasers Surg. Med., vol. 9, pp. 490-496.

---

**Nichols RL, Broido P, Condon RE, et al (1973).**

“Effect of preoperative neomycin-erythromycin intestinal preparation on the incidence of infectious complications following colon surgery.” *Ann Surg* 178:453-462.

**Nogueras J, Jagelman G (1993).**

“Principles of Surgical Resection.” *Surgical clinics of North America*. Volume 73. Number I. February. PP. 103-116.

**Novelli-MD; Barreto-E; Matos-D; Saad-SS; Borra RC (1997).**

“Computer Assisted image processing for quantifying histopathologic variables in the healing of colonic anastomosis in dogs.” *Rev-Assoc-Med-Bras*. Oct-Dec: 43(4);277-82.

**Orlando MD, chandrasekhay A, Bundz S, et al. (1999).**

“The effect of peritoneal contamination on wound strength of small bowel and colonic anastomosis.” *Am. Surg* 65: 673.

**Pahlman L, EjerbladS, Graf W, et al (1997).**

“Randomized trial of a biofragmentable bowel anastomosis ring in a high risk colonic resection.” *Br J Surg*- 84 : 1291-1294.

**Papo-I; Rosenmann-E; Freund-HR (1992).**

“sutureless bowel anastomosis with a biofragmentable ring in crohn’s disease.” *Harefauh*. Jul; 123 (1-2) : 14 – 6 , 71.

**Penka I. Nazarcuk A. Sefr R. Jagos F. Rehorka J. (1999).**

“Bar-Valtrac– a modern alternative to conventional intestinal anastomosis?” *Rozhl – chir*. May. 78(5): 237-41.

**Polglase-AL : Skinner –SA: Johnson-WR (1993).**

“Laparoscopic Assisted righ hemicolectomy with Valtrac BAR (Biofragmentable Anastomosis Ring) ileotransverse anastomosis.” *Aust-N-ZJ-Surg*. Jun : 636): 481-4.

---

**Popp H. W., M. C. Oz, L. S. Bass, R. S. Chuck, S. L. Trokel, and M. R. Treat. (1989).**

"Welding of gallbladder tissue with a pulsed 2.15m thulium-holmium-chromium:YAG laser," *Lasers Surg. Med.*, vol. 9, pp. 155-159.

**Rabaud M., J. Y. Elie, F. Lefebvre, D. Ducassou, P. Mettetal, M. L. Guillou, D. Collet, J. Perissat, D. Fradin, and F. Fontan, (1992).**

"A new biodegradable elastin-fibrin material; Its use in urological, digestive and cardiovascular surgery," *J. Biomat. Appl.*, vol. 7, pp. 20-46,  
**Rangi-F ; Braga-M ; Balzano-R ; Paccini-I ; Pezzda-D;Pinelli-D ; Pasini-M;Roncali-S;Ghedi-M;Damiani-F (1996).**

"Intestinal anastomosis with biofragmentable ring." *Minerva-chir.*  
Nov:51(11):925-31.

**Ravitch MM. (1982).**

"Development of intestinal anastomotic devices." *South Med J*  
75:1520-1524.

**Raynaud-F; Seifeddine-A; Guy-L; Escaravage-L; Bioteux-Jp. (1998).**

"Use of the Valtrac ring for digestive anastomosis in urology."  
Apropos of 16 cases: *prog-Urol* Apr: 8(2):211-6.

**Rintoul R.F. (1978).**

"Anastomosis of gut." *Farquharson's Text book of operative Surgery* (6<sup>th</sup> ed.) Ch xv p.495-497. Churchill Livingstone Edinburgh London and Newyork.

**Roe R, Fermor B, Williamson RCN (1987).**

"Proliferative instability and experimental carcinogenesis at colonic anastomosis." *Gut* 28:808-815,1987.

---

**Rosenberg IL, Russell CW, Giles GR. (1978).**

“Cell viability studies on the exfoliated colonic cancer cells.” Br J Surg 65:18-190.

**Rosin R.D. (1995).**

“Anastomosis.” Bailey & Love’s short practice of surgery (22<sup>nd</sup> edition) ch 42 p.p.629-940 published by chapman & Hall, London.

**Rubio CA, Nylander G, Willian B, et al. (1984).**

“Carcenogenesis at colonic anasomosis sites.” Dis Colon Rectum 27:468-470.

**Sabiston D. (1997).**

Text book of surgery : “The Biologic Basis of Modern Surgical Practice.” , Ed 15. Philadelphia, WB sounders Co, pp 989-990

**Sackier –JM; Slutzki-S; Wood-C; Negri-M; Moor-Ev; Halevy-A (1994).**

“Laprasopic endocorporeal mobilization followed by extra corporeal suturless anastomosis for the treatment of carcinoma of the left colon.” Dis-colon-Rectum. Jun; 37(6): 625-6

**Senn. (1893).**

Nicholas Senn, b 1844. Surgeon Chicago, Illinosis, USA.  
“Anastomosis” Bailey and love’s, Short practice of surgery, 22<sup>nd</sup> ed, ch42 pp 629 – 640. Edited by Charles V. , Mann, R C G Russell and N. S. Williams. Published in 1995 by Chapman & Hall, London.

**Seow choen F,Eu Kw. (1994)**

Circular Staplers versus the biofragmentable ring for colorectal anastomosis: a prospective randomized study. Br J Surg 81:1790-1.

---

**Seow-Choen F. EU KW. (1994).**

“Circular staplers versus the biofragmentable ring for colorectal anastomosis : a prospective Radomized study.” British Journal of surgery. Dec 81 (12) : 1790-1.

**Shoemaker and Remkin. (1928).**

Jan shoemaker, b 1871 , surgeon , The Hague, The Netherlands.  
“Anastomosis” Bailey and love’s, Short practice of surgery, 22<sup>nd</sup> ed, ch42 pp 629 – 640. Edited by Charles V. , Mann, R C G Russell and N. S. Williams. Published in 1995 by Chapman & Hall, London.

**Skandalkis E; Skandalakis N; Skandalakis John. (2000).**

“Anatomy of intestine” Surgical anatomy and Technique (2<sup>nd</sup> ed.)  
ch 10 p.p 425-482. Springer-verlag Newyork, inc, 175 Fifth Avenue Newyork, NY 10010, USA.

**Skipper D, Cooper AJ, Marston JE, et al. (1987).**

“Exfoliated cells and in vitro growth in colorectal cancer.” Br J Surg 74:1049-1052.

**Soew-Choen F. (1993).**

“Belt.loop stitch.” Br Jsury; 80:1064

**Southwick HW, harridge WH, Cole WH. (1962).**

“Recurrence at the suture-line following resection for carcinoma of the colon: incidence following preventive measures.” Am J Surg 103:86-89.

**Stoop MJ; Dirksen R; Wobbes T; and Hendriks T (1998).**

“Effects of early postoperative 5-flurouracil and aging on the healing capacity of Experimental intestinal anastomosis.” British Journal of surgery volum 85, issue M Nov. p.p. 1535.

---

---

**Tam H.LE Alan E. Timmcke, MD, J. Byron Cathright, JR. MD, Terry C. Hicks, MD, Frank G. Opelka, MD, and David E. Beck, MD, New Orleans, La (1997).**

“Out patient bowel preparation for elective colon resection.”  
Southern Medical Journal May: 8 (3): 126-5.

**Thiede A, Schubert G, Klima J, Schmidt L. (1991).**

“Enterale Anastomosis mit dem biofragmentierbaren Valtrac- Ring.  
Eine Prospektive studie. Chirurg 62:819-24.

**Thiede A.Geiger D. Dietz UA. Debus ES. Engemann R. Ixer GC. Lunsted B, Mokros W. (1998).**

“Overview on compression anastomoses : biofragmentable anastomosis ring multicenter prospective trial of 1666 anastomoses.”  
World J Surg. 22 (1) 78-86; discussion 87 , Jan.

**Thomson WH, white S and O Leary DP (1998).**

“Tube caecostomy to protect rectal anastomoses.” British journal of surgery 85 (11) pp 1533. 1535.

**Thornton – F J; Barbul- A (1997).**

“Healing in the gastro intestinal tract.” Surg – clinic- North – Am.  
Jun : 77(3): 549 –73.

**Travers B. (1812).**

“An inquiry into the process of nature in repairing injuries of the intestine : illustrating the treatment of penetrating wounds and strangulated hernia.” London : Longman , Hurst Rees, Orme and Bacon.

**Uden P, Blomquist P : (1988).**

“Influence of proximal colostomy on the healing of a left colonic anastomosis an experimental study in the rat.” Br J surg 75: 325-329.

---

**Umpleby HC, Fermor B, Symes MO, et al (1984).**

“Viability of exfoliated colorectal carcinoma cells.” Br J Surg 71: 659-663,

**Umpleby HC, Williamson RCN (1984).**

“The efficacy of agents employed to prevent anastomotic recurrence in colorectal carcinoma.” Ann R Coll Surg Engl 66:192-194.

**Umpleby HC, Williamson RCN. (1987).**

“Anastomotic recurrence in large bowel cancer.” Br J Surg 74:873-878.

**Valle M, Bian cari F. Caviglia A. D’Andrea V. Baselice PF. (1998).**

“The biofragmentable anastomosis ring in elective colon resections.” Int. Surg. 83(1) : 58-9, Jan-Mar.

**Vogel S, Engemann R, Thied A. (1993).**

“Enterale anastomosen im Bereich des oberen Gastrointestinaltrakts mit dem biofragmentier baren Anastomosenring.” Zentralbl Chir.118:452-458.

**Walfish-S ;Twena-M; Avinoah-F. Charuzi-I (1993).**

“Experience with biofragmentable anastomotic rings.” Harefuah Nov 1 : 125(9) :263-4,328.

**Wang –SM; Lai IR; Liang-JT; Chang –KJ (1996).**

“Colorectal surgery using abiofragmentable anastomotic ring.” J-Formos-Med-Assoc. Oct; 95(10):798-801

**Wheless C R jr. Zanagnolo V. Bowers D. Brenner MJ. Lilley R. (1998).**

“The effect of the growth Hormone on the bursting strength of ileal Anastomotic segments in radiation-injured rat bowel.” Gynecologic oncology : 70 (1) :121-2, Jul.

---

**Wilker D, Sklarek J, woldner H, I zbicki JR, siebeck M. (1988).**

“Early phase of healing of anastomoses with special reference to peritonitis and ischaemia.” *Langenbecks Arch chir* 373 (4):17-21.

**Williams NS, Dixon MF, Johnston D. (1983).**

“Reappraisal of the 5 centimetre rule of distal excision for carcinoma of the rectum: A study of distal intramural spread and of patients survival.” *Br. J Surg* 70:150-154.

**Williamson RCN, Davies PW, Bristol JB, et al. (1982).**

“Intestinal adaptation and experimental carcinogenesis after partial colectomy : increased tumor yields are confined to the anastomosis.” *Gut* 23:316-325,.

**Wood , J.D. , and perkins, W.E. : Mechanical (1970).**

“Interaction between longitudinal and circular axes of small intestine.” *Am.J. physiol.*, 218:762.

**Wood JS, Frost DB. (1993).**

“Results using the biofragmentable anastomosis ring for colon anastomosis.” *Am Surg*; 59:642-4.

**Wright HK, Thomas WH, Cleveland JC. (1969).**

“The low recurrence rate of colonic carcinoma in ileocolic anastomosis.” *Surg Gynecol Obstet* 129:960-962.

**Zederfeldt B. (1992).**

“Invited commentary” *world J Surg*; 16:1009.

**Zilling – TL; Jansson – O ; Walther - BS ; Ottosson – A. (1999).**

“Suturless small bowel anastomosis: experimental study in pigs.”

*Eur – J – Surg. Jan ; 165 (1) : 61 – 8.*