

FRANCES



REFERENCES

- Ackley, S.B.; Brrett Connor E. and Suarez, L. (1983):** Dairy products, calcium, and blood pressure. *Am J Clin Nutr.* 38 : 457- 461.
- Agus, A.S. (1987):** Disorders of calcium and magnesium homeostasis. *Am. J. Med.*, 82 : 34 – 49.
- Antoniou, L.D.; Eisner G.M.; Slotkoff L.M. and Lilienfield, L.S. (1969):** Relationship between sodium and calcium transport in the kidney. *J Lab Clin Med*, 74 : 410 – 420 .
- Arkwright, P.D.; Beilin L.J.; Vandongen, R.; et al (1984):** Plasma calcium and cortisol as predisposing factors to alcohol related blood pressure elevation. *J Hypertens*, 2 : 387 – 392.
- Austin, L.A. (1981):** Calcitonin : physiology and pathophysiology, N. *Engl. J. Med.*, 304 : 269 – 281.
- Aviv, A. and lasker, N. (1992):** Defects in membrane transport of ions as possible pathogenic factors in hypertension. *Curr. Opin. Nephrol Hypertens*, 1 : 68 – 83.
- Baran, D.T. and Kelly, M. (1988):** Lysophosphatidylinositol : a potent mediator of 1,25 dihydroxyvitamin D-induced increments in hepatocyte cytosolic calcium. *Endocrinology*, 122 : 930 – 934.
- Barbagallo, M.; Gupta, R.K.; Lewanczuk, R.Z.; Pang, P.K.T. and Resnick, L.M. (1994):** Serum mediated intracellular calcium changes in normotensive and hypertensive red cells : role of parathyroid hypertensive factor (PHF). *J. Cardiovasc Pharmacol.* P. 111-130.



- Belizan, J.M.; Villar J.; Pineda O.; et al (1983):** Reduction of blood pressure with calcium supplementation in young adults. JAMA. 249 : 1161- 1165.
- Bell, N.H.; Greene, A.; Epstein, S.; Oexmann, J.; Shaw, S. and Shary, J. (1985):** Evidence for alteration of the vitamin D endocrine system in blacks. J. Clin. Invest., 7 : 470 – 473.
- Berndt, T.J. and Knox, F.G. (1992):** Renal regulation of phosphate excretion. In Seldin. D. W. and Giebisch, G. (eds.): The Kidney: Physiology and pathophysiology, 2nd Ed. New York, Raven Press P. 830.- 841.
- Berne, R.M. and Levy, M.N. (1992):** Endocrine regulation of calcium and phosphate metabolism. In: Textbook of physiology, third edition. Mosby Year Book. P. 876- 896.
- Bickle, D.D. (1986):** 1,25-Dihydroxyvitamin D₃ production by human keratinocytes: kinetics and regulation, J. Clin. Invest. 78 : 557 – 559.
- Blythe, W.B.; Gitelman H.J. and Welt L.G. (1968):** Effect of expansion of the extracellular space on the rate of urinary excretion of calcium. Am J Physiol, 214 : 52 – 57 .
- Bogin, E.; Massry, S.G. and Harary, I. (1981):** Effect of parathyroid hormone on rat heart cells. J. Clin. Invest., 67 : 1215-1232.
- Bönner, G.; Preis, S. and Schunk, U. (1990):** Hemodynamic effects of bradykinin on systemic and pulmonary circulation in healthy and hypertensive humans. J. Cardiovasc Pharmacol 15 (Suppl. 6): 46 –62.



- Bordier, P. (1978):** Vitamin D metabolites and bone mineralization in man, *J. Clin Endocrinol. Metab.* 46 : 284 – 296.
- Brent, G.A. (1988):** Relationship between the concentration and rate of change of calcium and serum intact parathyroid hormone levels in normal humans, *J. Clin. Endocrinol Metab.*, 67 : 994 – 1011.
- Breslau, N.A.; McGuire J.L.; Zerwekh J.E. and Pak CYC (1982):** The role of dietary sodium on renal excretion and intestinal absorption of calcium and on vitamin D metabolism. *J Clin Endocrinol Metab*, 55: 369 – 373.
- Brickman, A.S.; Coburn, J.W. and Rowe, P.H. (1974):** Impaired calcium absorption in uremic man: Evidence for defective absorption in proximal small intestine. *J. Lab. Clin. Med.*, 84 : 791 – 801.
- Brickman, A.S.; Nyby M.D.; Von Hungen, K.; Eggena P. and Tuck M.L. (1990):** Calcitropic hormones. Platelet calcium, and blood pressure in essential hypertension. *Hypertension* 16 : 515 – 522.
- Brinton, G.S.; Jubiz, W. and Lagerquist, L.D. (1975):** Hypertension in primary hyperparathyroidism: the role of the renin – angiotensin system. *J. Clin Endocrinol Metab* 41 : 1025 – 1929.
- Broadus, A.E.; Insogna, K.L.; Lang, R., et al (1984):** Evidence for disordered control of 1.25 – dihydroxyvitamin D production in absorptive hypercalciuria. *N Engl J. Med*, 311 : 73 – 80 .
- Brown, E.M. (1991):** Extracellular Ca^{2+} sensing, regulation of parathyroid cell function, and role of Ca^{2+} and other ions as extracellular (first) messengers, *Physiol. Rev.* 71 : 371-412.



- Bulpitt, C.J.; Hodes, C. and Everitt, M.G. (1976):** The relationship between blood pressure and biochemical risk factors in a general population. *Br J. Prev Soc Med.* 30 : 158 – 162.
- Burstein, A.H. and Wright, T.M. (1994):** Fundamentals of Orthopaedic Biomechanics. Baltimore. Williams & Wilkins. P. 125-143.
- Caimi, G.; Canino, B.; Montana, M.; Ventimiglia, G.; Cotania, A. and Lopresti, R. (1997):** Polymorphnuclear leucocyte membrane fluidity and cytosolic Ca^{++} content in different clinical conditions. *Clin. Hemorheol. Microcirc.* May – Jun; 17 (3) : 217 – 223.
- Campese, V.M. (1989):** Calcium, parathyroid hormone and blood pressure. *Am. J. Hyperens.*, 2 : 34S – 44S.
- Canalis, E. (1983):** The hormonal and local regulation of bone formation, *Endocr Rev.* 4 : 62-76.
- Cantin, M. and Genest, J. (1985):** The heart and the atrial natriuretic factor. *Endocrine Rev.*, 6 : 107- 112.
- Carretero, O.A. and Scicli, A.G. (1991):** Local hormonal factors (intacrine, autocrine, and paracrine) in hypertension. *Hypertension* 18 (Supl. I) : 58 – 67.
- Chambers, T.J. (1988):** The effect of calcitonin on the osteoclast. *Triangle*, 27 : 53- 59.
- Churchill, P.C.; Churchill, M.C. and McDonald, F.D. (1983):** Evidence that beta-adrenoceptor activation mediates isoproterenol stimulated renin secretion in the rat. *Endocrinology* 113 : 687-699.



- Cinotti, G.A. and Pugliese, F. (1989):** Prostaglandins and hypertension. Am. J. Hypertens, 2 : 10S-26S.
- Cirillo, M.; Strazzullo, P.; galletti, F.; Siani, A. and Nunziata, V. (1985):** The effect of an intravenous calcium load on serum total and ionized calcium in normotensive and hypertensive subjects. J Clin Hypertens, 1 : 30 – 34.
- Contrada, R.J. and Krantz, D.S. (1988):** Stress, reactivity, and type A behavior: Current status and future directions. Ann. Behav. Med. 10 : 64 – 69.
- DeLuca, H. and Schnoes, H. (1983):** Vitamin D : recent advances, Annu Rev. Biochem. 52 : 411 – 424.
- Diez, J.; Huarte, E. and Esparza, N.L. (1991):** Elevated levels of parathyroid hormone in essential hypertensive patients with increased erythrocyte potassium efflux. Am . J. hypertens; Aug; 4 (8) : 714 – 718.
- Doria, A.; Fioretto, P. and Avogaro, A. (1991):** Insulin resistance is associated with high sodium – lithium counter – transport in essential hypertension. Am. J. Physiol., 261 : E684- 696.
- Erdős, E.G. (1990):** Angiotensin I converting enzyme and the changes in our concepts through the years. Hypertension 16 : 363 – 386.
- Erne, P.; Bolli, P.; Burgisser, E. and Buhler, F.R. (1984):** Correlation of platelet calcium with blood pressure: effect of antihypertensive therapy. N. Engl J. Med. 310 : 1084 – 1088 .



- Feldman, R.D.; Lawton, W.J. and McArdle, W.L. (1987):** A low sodium diet corrects the defect in lymphocyte beta – adrenergic receptors in hypertensive subjects. *J. Clin. Invest.*, 79 : 290 – 298.
- Ferrari, P.; Weidmann, P. and Ferrier, C.I. (1990):** Dysregulation of atrial natriuretic factor in hypertension – prone man. *J. Clin. Endocrinol. Metab.* 71 : 944 – 1001.
- Ferrario, C.M. and Averill, D.B. (1991):** Do primary dysfunctions in neural control of arterial pressure contribute to hypertension ? *Hypertension* 18 (suppl I) : 38 – 45.
- Fioventini, C.; Barbier, P. and Galli, C. (1985):** Pulmonary vascular overreactivity in systemic hypertension : a pathophysiological link between the greater and the lesser circulation. *Hypertension* 7 : 995 – 999.
- Fitzpatrick, L.A. (1990):** Differences in the actions of calcium versus lanthanum to influence parathyroid hormone release, *Endocrinology*, 127 : 711 – 718.
- Floras, J.S. and Hara, K. (1993):** Sympathoneural and haemodynamic characteristics of young subjects with mild essential hypertension. *J. Hypertension* 11 : 647 – 652.
- Folkow, B. (1989):** Sympathetic nervous control of blood pressure. Role in primary hypertension. *Am. J. Hypertens.*, 2 : 103 – 112.
- Fukayama, S. (1988):** Human parathyroid hormone (PTH)- related protein and human PTH : comparative biological activities on human bone cells and bone resorption, *Endocrinology* 123 : 2841 – 2862.



- Gadallah, M.; Massry, S.G. and Campese, V.M. (1990):** Intestinal absorption of calcium in patients with essential hypertension. *Kidney Int.*: 37: 399 – 407.
- Gadallah, M.; massry, S.G.; Bigazzi, R.; Horst, R.L.; Eggena, P. and Campese, V.M. (1991):** Intestinal absorption of calcium and calcium metabolism in patients with essential hypertension and normal renal function. *Am. J. Hypertens*, 4: 404 – 409.
- Ganau, A.; Devereux, R.B. and Atlas, S.A. (1989):** Plasma atrial factor in essential hypertension : relation to cardiac size, function and systemic hemodynamics. *J. Am. Coll. Cardiol.*, 14 : 715-721.
- Garcia, J.L. and Padilla, V.M. (1997):** Alterations of calcium, magnesium, and zinc in essential hypertension : their relation to the renin – angiotensin – aldosterone system. *Invest. Clin.* Nov.; 38 suppl. 2 : 27 – 40.
- Garcia-Palmieri, M.R.; Costas, R.J.R.; Cruz-Vidal, M.; Sorlie, P.D.; Tillotson, J. and Havlik, R.J. (1984):** Milk consumption, calcium intake, and decreased hypertension in Puerto Rico: Puerto Rico Heart Health Program Study. *Hypertension*. 6 : 322 – 328.
- Gennari, C.; Nami, R.; Bianchini, C.; Pavese, G.; Lucani, B. and Perrone, A.F. (1986):** Renal excretion of calcium in human hypertension. *Am J. Nephrol*, 6 : 124 – 127.



- Gill, G.; Pallotta, J.; Kashgarian, M.; et al (1969):** Physiologic studies in renal osteodystrophy treated by subtotal parathyroidectomy. Am J Med 46: 930 – 940.
- Goldstein, D.S. (1983):** Plasma catecholamines and essential hypertension : an analytical review. Hypertension, 5 : 86 - 92
- Grobbbee, D.E.; Hackeng, W.H.L.; Birkennage., J.C. and Hofman, A. (1988):** Raised plasma intact parathyroid hormone concentration in young people with mildly raised blood pressure. Br Med J.; 296: 814 – 816.
- Gross, M. and Kumar, R. (1992):** Vitamin D endocrine system and calcium and phosphorous homeostasis. In Windhager, E.E. (ed.): Handbook of Physiology, Section 8, Renal Physiology. New York, Oxford University Press. P. 223-240.
- Gruchow, H.W.; Sobocinski, K.A. and Barboriak, J.J. (1988):** Calcium intake and interrelationship of sodium and potassium to blood pressure. Am. J. Clin. Nutr.; 48 : 1463 –1470.
- Guyton, A.C. (1989):** Dominant role of the kidneys and accessory role of whole – body autoregulation in the pathogenesis of hypertension. Am. J. Hypertens, 2 : 575-590.
- Guyton, A.C.; Hall, J.E et al.(1996):** parathyroid hormone, calcitonin, calcium and phosphate metabolism. Vitamin D, Bone, and teeth. In: Textbook of medical physiology, ninth edition. Saunders W.B. Company. P. 985- 1002.



- Habener, J.F. (1984):** Parathyroid hormone: Biochemical aspects of biosynthesis. Secretion, Action, and metabolism. *Physiol. Rev.*, 64 : 985-993.
- Henry, J.P. and Grim, C.E. (1990):** Psychosocial mechanisms of primary hypertension. *J. Hypertens*, 8 : 783-792.
- Holick, M.F. (1988):** Skin : site of the synthesis of vitamin D and a target tissue for the active form, 1,25-dihydroxyvitamin D₃, *Ann NY Acad Sci.* 548 : 14- 18.
- Hornych, A.; Safar, M. and Bariety, J. (1983):** Thromboxane B₂ in borderline and essential hypertensive patients. *Prostaglandins Leuk Med.* 10 : 145-152.
- Hughes, G.; Oexmann, M.; Margolius, H.; Epstein, S. and Bell, N. (1988):** Normal vitamin D and mineral metabolism in essential hypertension. *Am. J. Med. Sci.*, 296 : 252 – 259.
- Hunt, S.C.; Hassstedt, S.J. and Kuida, H. (1989):** Genetic heritability and common environmental components of resting and stressed blood pressures, lipids, and body mass index in Utah pedigrees and twins. *Am. J. Epidemiol.*, 129 : 625-636.
- Hvarfner, A.; Bergstrom, R.; Morlin, C.; Wide, L. and Ljunghall S. (1987):** Relationships between calcium metabolic indices and blood pressure in patients with essential hypertension as compared with a healthy population. *J Hypertens*, 5 : 451- 456.
- Hvarfner, A.; Ljunghall, S.; Morlin, C. and Wide, L. (1986):** Calcium metabolism and arterial blood pressure in a healthy population



sample and in hypertensive men. Am J Nephrol, 6 (suppl 1) : 14-15.

Hwang, Y.S.; Hsuh, T.J.; Lee, Y.J. and Tsai, J.H. (1998): Circadian rhythm of urinary endothelin-1 excretion in mild hypertensive patients. Am. J. Hypertens, 11 (11 pt 1) : 1344-1351.

Ishimi, Y. (1990): Regulation by calcium and 1,25-(OH)₂-D₃ of cell proliferation and function of bovine parathyroid cells in culture, J. Bone Miner Res. 5 : 755-766.

Izzo, J.L. (1989): Sympathoadrenal activity, catecholamines, and the pathogenesis of vasculopathic hypertensive target-organ damage. Am. J. Hypertens., 2 : 305-313.

Jespersen, B.; Randlov, A.; Abrahamsen, J. and Kanstrup, IL. (1997): Effects of PTH (1-34) on blood pressure, renal function, and hormones in essential hypertension: the altered pattern of reactivity may counteract raised blood pressure. Am.J. Hypertens. 10 (12 Pt1) : 1356-1367.

Johnson, R.J. and Schreiner, G.F. (1997): Hypothesis: the role of acquired tubulointerstitial disease in the pathogenesis of salt-dependent hypertension. Kidney - Int. 52 (5) : 1169-79.

Jongen, M.J.; Van Ginkel, F.C.; Vander, W.J. and Lips, P. (1984): An international comparison of vitamin D metabolites measurements. Clin. Chem. 30: 399-403.

Julius, S. (1988): Interaction between renin and the autonomic nervous system in hypertension. Am. Heart. J. 116 : 611-615.



- Kaneko, T.; Ohtani, R.; Lewanczuk, R. and Pang, P.K.T (1989):** A novel cell type in the parathyroid gland of spontaneously hypertensive rats. *Am. J. Hypertens*, 2 : 549-552.
- Kanis, J.A. and Yates, A.J. (1985):** Measuring serum calcium. *Br. Med. J.*, 290 : 728 – 729.
- Kaplan, N.M. and Meese, R.B. (1986):** The calcium deficiency hypothesis of hypertension: a critique. *Ann Intern Med* 105 : 947 – 955.
- Katoh, Y.; Klein, K.L. and Kaplan, R.A. (1981):** Parathyroid hormone has a positive inotropic action in the rat. *Endocrinology*, 109 : 2252 -2256.
- Kawashima, H. (1990):** Parathyroid hormone causes a transient rise in intracellular ionized calcium in vascular smooth muscle cells *Biochem Biophys Res Commun* 166 : 709 – 714.
- Kesteloot, H. and Geboers, J. (1982):** Calcium and blood pressure. *Lancet.*, I : 813 – 815.
- Kesteloot, H.; Geboers, J.; Math, L. and Van Hoof, R. (1983):** Epidemiological study of the relationship between calcium and blood pressure. *Hypertension*, 5 (suppl 2): 52 – 56.
- Kleeman, C.R.; Bohannon, J.; Bernstein, D.; et al (1963):** Effect of variations in sodium intake on calcium excretion in normal humans. *Proc Soc Exp Biol Med* 115 : 29 – 32.
- Kostic, S.; Veljkovic, S. ; Cekic, S. ; Nesic, M. ; Cukuranovic, R. ; et al (1996):** The effect of parathormone on arterial blood pressure in



patients on hemodialysis. *Srp Arh Celok Lek.* 124 Suppl 1 : 115-116.

Krzesinski, J.M.; Du, F. and Rorive, G. (1993): Intracellular cation concentrations in essential hypertension and chronic renal failure. *Clin Exp. Hypertens.* May; 15 (3): 461 – 478.

Kumar, R. (1984): Metabolism of 1,25-dihydroxyvitamin D₃, *Physiol. Rev.* 64 : 478-482.

Kuriyama, H.; Ito, Y.; Suzuki, H.; Kitamura, K. and Itoh, T. (1982): Factors modifying contraction – relaxation cycle in vascular smooth muscles. *Am J. Physiol.* 243 : H. 641 – 662.

Langford, H.G. (1985): Dietary potassium and hypertension : epidemiologic data. *Ann. Intern. Med.*, 98 : 770 – 772.

Laragh, J.H. (1985): Atrial natriuretic hormone, the renin – aldosterone axis and blood pressure electrolyte homeostasis. *N. Engl. J. Med.*, 313 : 1330 – 1336.

Laragh, J.H. and Brenner, B.M. (1994): Hypertension: Pathophysiology, Diagnosis and Management. New York. Raven Press. P. 365-372.

Lau, K.; Zikos, D.; Spirnak, J. and Eby, B. (1984): Evidence for an intestinal mechanism in hypercalciuria of spontaneously hypertensive rats. *Am. J. Physiol.*, 247 : E625 – E633.

Lewanczuk, R.; Wang, J.; and Pang, P. (1991): Parathyroid hypertensive factor is present in DOCA salt but not two-kidney-one-clip hypertensive rats. *An. J. Hypertens.*, 4: 802-805.



- Lewanczuk, R.; Wang, J.; Zheng, Z. and Pang, P. (1989):** Effects of spontaneously hypertensive rat plasma on blood pressure and tail artery calcium uptake in normotensive rats. *Am. J. Hypertens*, 2 : 26 – 31.
- Lind, L.; Wngle, B.; Wide, L. and Ljunghall, S. (1989):** Reduction of blood pressure during long – term treatment with active Vitamin D (Alphacalcidol)_ is dependent on plasma renin activity and calcium status. A double – blind, placebo – controlled study. *Am. J. Hypertens*, 2 : 20 – 25.
- LiVolsi, V.A. and DeLellis, R.A. (1993):** Pathology of the Parathyroid and thyroid Glands. Baltimore, Williams & Wilkins P.303-304.
- Ljunghall, S.; Joborn, H. and Lundin, L. (1985):** Regional and systemic effects of short term intense muscular work on plasma concentration and content of total and ionized calcium. *Eur. J. Clin. Invest.*, 15 : 248 – 252.
- Luft, F.C.; Miller, J.Z. and Weinberger, M.H. (1988):** Genetic influences on the response to dietary salt reduction, acute salt loading or salt depletion in humans. *J. Cardiovasc. Pharmacol.* 12 (suppl. 3) : 49 –62.
- MacGregor, G.A. and Cappuccio, F.P. (1993):** The kidney and essential hypertension : a link to osteoporosis? *J. Hypertens*. Aug; 11 (8): 781-785.
- MacMahon, S.W. and Norton, R.N. (1986):** Alcohol and hypertension : implications for prevention and treatment. *Ann. Intern. Med.*, 105 : 124-126.



- Mahonen, A. (1990):** Effect of 1,25-(OH)₂-D₃ on its receptor mRNA levels and osteocalcin synthesis in human osteosarcoma cells, *Biochem Biophys Acta* 30 : 1048 1052.
- Maiorano, G.; Contursi, V.; Saracino, E. and Ricapito, M. (1989):** Physical exercise and hypertension. New insights and clinical applications. *Am. J. Hypertens.*, 2 : 60-63.
- Malberti, F.; Surian, M.; Colussi, G.; et al (1986):** Evaluation of calcium and phosphate metabolism in patients affected by essential hypertension and calcium nephrolithiasis. *Am J Nephrol*, 6 (suppl 1) : 131-133.
- Mallette, L.E. (1991):** The parathyroid polyhormones : new concepts in the spectrum of peptide hormone action, *Endocr. Rev* 12 : 110-113.
- Malliani, A.; Pagani, M. and Lombardi, F. (1993):** Spectral analysis to assess increased sympathetic tone in arterial hypertension. *Hypertension* 17 (suppl. III) : 36-39.
- Mann, F.J.E.; Wiecek, A.; Bommer, J.; Ganten, V. and Ritz E. (1987):** Effects of parathyroidectomy on blood pressure in spontaneously hypertensive rats. *Nephron* 45 : 46- 52.
- Massry, S.G.; Coburn, J.W.; Chapman. L.W. et al (1967):** Effect of NaCl infusion on urinary CA⁺⁺ and Mg⁺⁺ during reduction in their filtered loads. *Am J Physiol*, 213 : 1218- 1224.
- Matsuura, H.; Shingu, T.; Inoue, I.; Kajiya, G.; Kusaka, M. and Matsumoto, K. (1991) :** Significance of intracellular cations and



- calcium-regulating hormones on salt sensitivity in patients with essential hypertension. *Contrib Nephrol*, 90 : 11 – 18
- Mawer, E.B. (1980):** Clinical implications of measurements of circulating vitamin D metabolites, *Clin. Endocrinol Metab.*, 9: 63-65.
- McCarron, D. A. (1982):** Low serum concentrations of ionized calcium in patients with hypertension. *N. Engl. J. Med.*, 307 : 226 – 228.
- McCarron, D. A. (1987):** Calcium, vitamin D, Parathyroid hormone and blood pressure: why should it matter ? *J. Lab Clin Med*, 110: 663- 664.
- McCarron, D.A. (1989):** Calcium metabolism and hypertension. *Kidney Int.*, 35 : 717 – 736.
- McCarron, D.A.; Pingree, P.A. and Rubin, R.J. (1980):** Enhanced parathyroid function in essential hypertension : a homeostatic response to a urinary calcium leak. *Hypertension*, 2 : 162 – 168.
- Morris, B.J. (1993):** Identification of essential hypertension genes. *J. Hypertens*, 11 : 115 –119.
- Muntzel, M. and Drücke, T. (1992):** A comprehensive review of the salt and blood pressure relationship. *Am. J. Hypertens*. 5 : 1-4.
- Nakamura, T.; Ichikawa, S.; Sakamaki, T. ; Sato, K. and Fujie, M. (1990):** Effect of saline infusion on urinary calcium excretion in essential hypertension. *Am. J. Hypertens*. Feb; 4 (2 pt 1) : 113-118.
- Neuser, D.; Schulte – Brinkman, R. and Kazda, S. (1990):** Development of hypertension in WKY rats after transplantation of



parathyroid glands from SHR/SP. J. Cardiovasc. Pharmacol., 16 : 971 – 974.

Nissenson, R.A.(1988): Synthetic peptides comprising the aminoterminal sequence of a parathyroid hormone – like protein from human malignancies : binding to parathyroid hormone receptors and activation of adenylate cyclase in bone cells and kidney, J. Biol. Chem., 263: 12866-12877.

Norman, A. (1982): The vitamin D endocrine system : steroid metabolism, hormone receptors, and biological response (calcium binding proteins), Endocr Rev. 3 : 331-346.

Nuccitelli, R. (1994): A practical Guide to the Study of Calcium in Living Cells. San Diego, C.A.; Academic Press. P. 253-262.

Olgaard, K.; Daugaard, H. and Egjford, M. (1986): Parathyroid hormone enhances the stimulatory effect of Ca^{++} on aldosterone secretion Kidney Int. 29 : 168-173.

Oparil, S. (2000): Arterial hypertension In: textbook of Medicine, 21st edition. By Goldman, L. and Bennett, J. C. Saunders W.B. Company. P.259 –260.

Oparil, S. and Haber, E. (1974): The renin – angiotensin system. N. Engl. J. Med. 291 : 389.

Oshima, T. and Young, E.W. (1995): Systemic and cellular calcium metabolism and hypertension. Semin. Nephrol. Nov 15 (6) : 496 – 503.



- Pang, P.K.T. and Iwaniczuk, R.Z. (1989):** Parathyroid origin of a new circulating hypertensive factor in spontaneously hypertensive rats. *Am. J. Hypertens*, 2 : 898 – 904.
- Panza, J.A.; Quiyyumi, A.A.; Brush, J.E. Jr, and Eastein, S.E. (1990):** Abnormal endothelium – dependent vascular relaxation in patients with essential hypertension. *N. Engl. J. Med.*, 323 : 22-26.
- Papagolani, N.D.; Skopelitis, P. ; Kourti, A. and Thomas, S. (1991):** Urine calcium excretion, nephrogenous cyclic- adenosine monophosphate and serum parathyroid hormone levels in patients with essential hypertension. *Nephron*. 59 (2): 226 – 231.
- Parfitt, A.M. (1976):** The actions of parathyroid hormone on bone : relation to bone remodeling and turnover, calcium homeostasis, and metabolic bone disease. I. Mechanisms of calcium transfer between blood and bone and their cellular basis : morphologic and kinetic approaches to bone turnover, *Metabolism* 25 : 809-817.
- Parthemore, J.G. (1978):** Calcitonin secretion in normal human subjects, *J. Clin. Endocrinol. Metab.* 47 : 184-189.
- Poch, E.; Fernandez, L.P.; Botey, A. ; Gaya, J. ; Darnell, A.; Rivera, F. and Revert, L. (1995):** Parathyroid hormone and platelet cytosolic calcium concentration in essential hypertension. *Nephrol Dial. Transplant.* 10 (3): 366 – 371.



- Pozzan, T. (1994):** Molecular and cellular physiology of intracellular calcium stores. *Physiol. Rev.*, 74 : 595 –610.
- Quereda, C.; Orte, L.; Sabater, J.; Novarro, A.J.; Villafruela, J.J. and Ortuno, J. (1996):** Urinary calcium excretion in treated and untreated essential hypertension. *J. Am. Soc. Nephrol.* Jul., 7 (7) : 1058 – 1065.
- Raisz, L.G. (1980):** Direct effects of vitamin D and its metabolites on skeletal tissue, *Clin. Endocrinol Metab.* 9 : 27-31
- Raisz, L.G. (1988):** Bone metabolism and its hormonal regulation : An update. *Triangle*, 27 : 5 –12.
- Reichel, H. (1989):** The role of the vitamin D endocrine system in health and disease, *N. Engl. J. Med.* 320 : 980- 991.
- Reisin, E. (1990):** Sodium and obesity in the pathogenesis of hypertension. *Am. J. Hypertens.* 3 : 164 –169.
- Resink, T.J.; Burgisser, E. and Bühler, F.R. (1986):** Enhanced platelet cyclic AMP response to prostaglandin E_1 in essential hypertension. *Hypertension* 8 : 662 –668.
- Resnick, L.M. (1994):** Calcitropic hormones in salt – sensitive essential hypertension : 1,25 – dihydroxy vitamin D and parathyroid hypertensive factor. *J. Hypertens*, 12 (suppl 1) : S3 –S9.
- Resnick, L.M.; Gupta, R.K.; Lewanewuk, R.Z.; Pang, P.K. and Iaragh, J.H. (1991):** Intracellular ions in salt –sensitive essential hypertension : Possible role of calcium – regulating hormones. *Contrib. Nephrol.*; 90: 88-93.



- Resnick, L.M.; Laragh, J.H.; Sealey, J.E. and Alderman, M.H. (1983):** Divalent cations in essential hypertension : Relations between serum ionized calcium, magnesium and plasma renin activity. *N. Engl. J. Med.*, 309 : 888 – 891.
- Resnick, L.M.; Lewanczuk, R.Z.; Laragh, J.H. and Pang, P.K.T. (1993):** Parathyroid hypertensive factor like activity in human essential hypertension : relationship to plasma renin activity and dietary salt sensitivity. *J. Hypertens*, 11 : 1235 – 1241.
- Resnick, L.M.; Muller, F.B. and Laragh, J.H. (1986):** Calcium – regulating hormones in essential hypertension relation to plasma renin activity and sodium metabolism. *Ann. Intern. Med.* 105 : 649 – 654.
- Resnick, L.M.; Nicholson, J.P. and Laragh, J.H. (1989):** The effects of calcium channel blockade on blood pressure and calcium metabolism. *Am. J. Hypertens*, 2 : 927 – 930.
- Rosendorff, C.; Susanni, E.; Hurwitz, M.L. and Ross, F.P. (1985):** Adrenergic receptors in hypertension : radioligand binding studies. *J. Hyperten* 3 : 571-576.
- Rutherford, W.E.; Blondin, J.; Hruska, K. et al (1975):** Effects of 25 – hydroxy – cholecalciferol on calcium absorption in chronic renal disease. *Kidney Int*, 8 : 320-326.
- Safer, M.E. and London, G.M. (1985):** Venous system in essential hypertension. *Clin. Sci.* 69 : 497-502.



- Schoutens, A. (1993):** Bone Circulation and Vascularization in Normal and Pathological Conditions. New York, Plenum Publishing Corp. P. 312-331.
- Shan, J.; Resnick, L.M.; Lewanczuk, R.Z.; Karpinski, E.; Li, B. and Pang, P.K.T. (1993):** 1,25 Dihydroxyvitamin D as a cardiovascular hormone: effects on calcium current and cytosolic free calcium in vascular smooth muscle cells. *Am. J. Hypertens*, 6 : 983 – 988.
- Shingu, T.; Matsuura, H.; Kusaka, M.; Inoue, I.; Yuasa, A. and Shingu, T. (1991):** Significance of intracellular free calcium and magnesium and calcium – regulating hormones with sodium chloride loading in patients with essential hypertension. *J. Hypertens*, 9 : 1021 – 1028.
- Silver, J. (1986):** Regulation by vitamin D metabolites of parathyroid hormone gene transcription in vivo in the rat, *J. Clin. Invest.* 78 : 1296 – 1306.
- Smith, T.W.; Turner, C.W. and Ford, M.H. (1987):** Blood pressure reactivity in adult male twins. *Health psychol.* 6 : 209-215.
- Stamler, J.; Rose, G. and Elliot, P. (1991):** Findings of the international cooperative INTERSALT study. *Hypertension* 17 (Suppl. I): 9-19.
- Stern, P.H. (1990):** Vitamin D and bone, *Kidney Int.* 29 : S 17-25.
- Strazzullo, P.; Nunziata, V. and Cirillo, M. (1983):** Abnormalities of calcium metabolism in essential hypertension. *Clin. Sci.*, 65 : 137 – 141.



- Swales, J.D. and Heagerty, A.M. (1987):** Vascular renin – angiotensin system: the unanswered questions. *J. Hypertens.* 5 (Suppl. 2) : 1-10.
- Takagi, Y.; Fukase, M.; Takata, S.; Fujimi, T. and Fujita, T. (1991):** Calcium treatment of essential hypertension in elderly patients evaluated by 24 hours monitoring. *Am. J. Hypertens.* Oct; 4 (10 pt 1): 836-839.
- Tillman, D.M. and Semple, P.F. (1988):** Calcium and magnesium in essential hypertension. *Clin Sci.* 75 : 395 – 402.
- Touyz, R.M; Milne, F.J. and Reinach, S.G. (1993):** Altered calcium binding to erythrocyte membranes in essential hypertension: relation to magnesium. *J. Hum. Hypertens.* Feb; 7 (1) : 59 – 64.
- Van Hooft, I.M.S.; Grobbee, D.E.; Frohlich, M.; Pols, H. and Hofman, A. (1993):** Alteration in calcium metabolism in young people at risk for primary hypertension. The Dutch Hypertension Offspring Study. *Hypertension* 21 : 267 – 272 .
- Wang. R.; Wu, L.Y.; Karpinski, E. and Pang, PKT (1991):** The effects of parathyroid hormone one L-type voltage – dependent calcium channel currents in vascular smooth muscle cells and ventricular myocytes are mediated by a cyclic AMP dependent mechanism. *FEBS Lett*, 282 : 331 – 334.
- Webb, A.R. (1989):** Sunlight regulates the cutaneous production of vitamin D₃ by causing its photodegradation, *J. Clin. Endocrinol. Metab.* 68 : 882 –889.



- West, D.W. and Ash, O. (1984):** Adult reference intervals for 12 chemistry analytes: Influences of age and sex. *Am J Clin Pathol* 81: 71 – 76.
- Widimsky, J. Jr., Horky, K. and Dvorakova, J. (1991):** Plasma endothelin-1,2 levels in mild and severe hypertension. *J. Hypertens* 9 : 194 –199.
- Willerson, J.T.; and Cohn, J.N. (1995):** Hypertension. In : *Textbook of Cardiovascular medicine*. Churchill Livingstone. P. 1228-1260.
- Williams, R.R.; Hunt, S.C. and Hasstedt, S.J. (1991):** Are there interactions and relations between genetic and environment factors predisposing to high blood pressure ? *Hypertension* 18 (Suppl. I) : 29 – 38.
- Wittman, J.C.M.; Willet, W.C. and Stampfer, M.F. (1989):** A prospective study on nutritional factors and hypertension among U.S. women. *Circulation*, 80 : 1320 –1329.
- Yalow, R.S. and Berson, S.A. (1971):** Principles of renin radioimmunoassay. In *principles of competitive protein binding assays*. By odell, N. and Daughaday, L. Ch. 1 Lippincott, philadelphia.
- Yamamoto, M. (1989):** Hypocalcemia increases and hypercalcemia decreases the steady – state level of parathyroid hormone messenger RNA in the rat, *J. Clin. Invest* 83 : 1053 –1061.
- Young, E.W. and Morris, C.D. (1989):** Increased urinary calcium excretion in essential hypertension. *Am. Soc. Neph.* P217-222.



- Young, E.W.; Morris, C.D. and McCarron, D.A. (1992):** Urinary calcium excretion in essential hypertension. *J. Lab. Clin. Med.* Oct; 120 (4): 624 – 632.
- Zemel, M.B.; Gualdoni, S.M.; Walsh, M.F.; et al (1986):** Effects of sodium and calcim on calcium metabolism and blood pressure regulation in hypertensive black adults. *J Hypertens*, 4 (suppl 5) : S364 – S 366.
- Zimmerman, B.G.; Sybert, E.G. and Wong, P.C. (1984):** Interaction between sympathetic and renin – angiotensin system. *J. Hypertens*, 2 : 581 –588.
- Zoccali, C.; mallamaci, F.; curatola, G. and Cuzzola, F. (1991):** Mechanism of hypercalciuria in essential hypertension and in primary nephrolithiasis *Contrib. Nephrol.* 90: 49- 53.