

REFERENCES

- Adler, Y.; Finkelstein, Y.; Zandeman, G.; and Blank, M. (1995) :**
The presence of antiphospholipid antibodies in acute myocardial infarction.
Lupus 4 : P. 309.
- Alarcon-Segovia, D. and Sanchez-Guerrero, J. (1989) :**
Primary antiphospholipid syndrome.
J. Rheumatology 16 : P. 482.
- Amigo, M.C.; Garcia, R.; obles, M. and Reyes, P.A. (1992) :**
Renal involvement in primary antiphospholipid syndrome.
J. Rheumatol. 19(8) P. 1181.
- Amnamalai, A.E.; Stewart, G.J. and Hansel, B.I. (1986) :**
Expression of factor V on human umbilical vein endothelial cells is modulated by cell injury.
Arteriosclerosis 6 : P. 196.
- Anderson, D.; Bell, D.; Lodge, R. and Grant, E. (1987) :**
Recurrent cerebral ischemia and mitral valve vegetation in a patient with antiphospholipid antibodies.
J. Rheumatol 14 : P. 839.
- Asch, E. and Podack, E. (1990) :**
Vitronectin binds to activated human platelets and plays a role in platelet aggregation.
J. Clin. Invest. 85 : P. 1372.
- Asherson, R.A.; Chan, J.K.; Harris, E.N.; Gharwal, A.E. and Hughes, G.R. (1985) :**
Anticardiolipin antibodies and recurrent thrombosis.
Ann. Rheum. Dis.; 44 : P. 823.
- Asherson, R.A.; Derksen, R.H.W.A. and Hanis, E.N. (1986) :**
Large vessel occlusion and gangrene in SLE and lupus like disease.
Rheumatol. 13 : P. 74.

Asherson, R.A. and Hughes, G.R.V. (1989) :

Addison's disease in the primary antiphospholipid syndrom.
Ann. Rheum. Dis. 16 : P. 378.

Backer, W.F. and Bick, R.L. (1994) :

Antiphospholipid antibodies in coronary artery disease.
Semin. Thromb. Haemost. 20 (1) : P. 27.

Badimon, L.; Badimon, J.J.; Turrito, V.T.; Vallabhajosula, S. and Fuster, V. (1988) :

Platelet thrombus formation on collagen type I. A model of deep vessel injury. Influence of Blood Von Willebrand factor and blood coagulation.
Circulation 78 : P. 1431.

Bajaj, S.P.; Rapaport, S.I.; Fierer, D.D.; Herbst, K.D. and Schwartz, D.B. (1983) :

A mechanism for the hypoprothrombinaemia of the acquired hypoprothrombinaemia - lupus anticoagulant syndrome.
Blood 61 : P. 684.

Baudo, F.; Redaelli, R.; Pezzetti, L.; Caimi, T.M.; Busanach, G.; Perrino, L. and DeCataldo, F. (1990) :

Prothrombin antibody coexistent with lupus anticoagulant : Clinical study and immunochemical characterization.
Thromb. Res. 57 (2) : P. 279.

Bauer, K.A. and Rosenberg, R.D. (1995) :

Control of coagulation reactions. In : Beutler, E.; Lichtman, M.A.; Coller, B.S.; Kipps, T.J. (eds.) 5th ed. New York, McGraw Hill, P. 1239.

Berrettini, M.; Schkeef, R.R. and Heeb, M.J. (1992) :

Assembly and expression of an intrinsic factor IX activator complex on the surface of cultured human endothelial cells.
J. Biol. Chem. 267 : P. 19833.

Bevers, E.M.; Galli, M.; Barbui, T.; Comfurius, P. and Zwaal, R.F.A. (1991) :

Lupus anticoagulant IgG (LA) are not directed to phospholipids only but to a complex of lipid bound prothrombin.

Throm. Haemost. 66 P. 629.

Bibbons, R.J. (1991) :

Technetium 99 m sestamibi in the assessment of AMI.
Semin Nurl. Med. 21 : P. 213.

Bick, R.L. and Baker, W.F. (1994) :

The antiphospholipid and thrombosis syndromes.
Med. Clin. North. Am. 78 : P. 667.

Bithell, T.C. (1993) :

Blood coagulation In : Richard Lee, G.; Bithell, I.C.; Foerster, J.; Athens, J.W.; Lukens, J.N. (eds.) Wintrobe's Clinical Haematology, 9th ed., Philadelphia, London, Lea and Febiger, P. 568.

Bonnar, J. (1975) :

The blood coagulation and fibrinolytic system during pregnancy.

Clinics in Gynecology and Obstetrics 2 : P. 321.

Bowie, E.J.W.; Thompson, J.H. and Pascuzzi, C.A. (1963) :

Thrombosis in systemic lupus erythematosus despite circulating anticoagulant.

J. Lab. Clin. Med. 62 : P. 410.

Bowles, C.A. (1990) :

Vasculopathy associated with antiphospholipid antibody syndrome.

Rheumatic disease Clinics of North America 16 (2) : P. 51.

Braunwald, E. and Selwyn, A.P. (1994) :

Disorder of the cardiovascular system. In : Braunwald E., Isselbacher, K.J.; Petersdorf R.G.; Wilson J.D.; Martin J.B. and Fauci A.S. Harrison's principles of internal medicine, 13th ed., New York, London, Paris, Tokyo, McGraw- Hill, P. 1077.

- Brown, J.H.; Doherty, C.C.; Allen, D.C. and Morton, P. (1988) :**
Fatal cardiac failure due to myocardial microthrombi in systemic lupus erythematosus.
Br. Med. J. P. 296.
- Buchanan, N.M.M.; Khamashta, M.A.; Morton, K.E.; Kerslake, S.; Bagvey, E. and Hughes, G.R.V. (1992) :**
Study of 100 high risk lupus pregnancies.
Am. J. Reprod. Immunol. 28 : P. 192.
- Buhl, W.J.; Gareia, M.I.; Ziptel, M.; Schiebler, W. and Gehring, U. (1991) :**
A series of annexins from human placenta and their characterization by use of an endogenous phospholipase A2.
Eur. T. Cell Biol. 56 : P. 381.
- Calandri, C. and Rand, J.H. (1990) :**
Anticardiolipin antibodies block placental anticoagulant protein activity.
Clin. Res. 32 : P. 427.
- Callander, N.S.; Rao, L.V.M. and Nordfang, O. (1992) :**
Mechanisms of binding of recombinant extrinsic pathway inhibitor (rEPI) to cultured cell surfaces : Evidence that rEPI can bind to and inhibit factor VIIa tissue factor complexes in the absence of factor Xa.
J. Biol. Chem. 267 : P. 876.
- Canosa, R.I.; Zon, L.I. and Groupman, J.E. (1987) :**
Anticardiolipin antibodies associated with HTLV-III infection.
Br. J. Haematol. 65 : P. 495.
- Carrell, R.W.; Christey, P.B. and Boswell, D.R. (1987) :**
Anti Thrombin III and other inhibitors of coagulation and fibrinolysis. In verstraete M.; Vermeylen J.; Lijnen R.; Arnout, J. (eds). Thrombosis and haemostasis. Belgium, Leuven University Press. P. 1.

- Carreras, L.O.; Defreyn, G.; Machin, S.J. and Vermyley, J. (1981) :**
Arterial thrombosis, intrauterine death and lupus anticoagulant : Detection of immunoglobulin interfering with prostacyclin formation.
Lancet 1: P. 244.
- Cevera, R.; Khamashta, M.A. and Font, J. (1991) :**
Antiendothelial cell antibodies in patients with the antiphospholipid syndrome.
Autoimmunity 11 : P. 1.
- Chartash, E.K.; Lans, D.M.; Paget, S.A.; Qamar, T. and Lockshin, M.D. (1989) :**
Aortic insufficiency and mitral regurgitation in patients with systemic lupus erythematosus and the antiphospholipid syndrome.
Am. J. Med. 86 : P. 407.
- Cochrance, C.G.; Ravak, S.D. and Wupper, K.D. (1973) :**
Activation of hagmen factor in solid and fluid phases.
J. Exp. Med. 138 :P. 1564.
- Colaco, C.B. and Mole, D.K. (1985) :**
APAs in syphilis and a thrombotic subset of SLE : Distinct profiles of epitope specificity.
Clin. Exp. Immunol., 59 : P. 449.
- Collen, L.C. (1980) :**
Regulation and control of fibrolysis.
Throm. Haemost. 43 : P. 77.
- Coller, B.S. (1984) :**
Biochemical and electrostatic considerations in priamry platelet aggregation.
Am. NY Acad. Sci. 416 : P. 693.
- Colman, R.W. (1984) :**
Surface-mediated defense reactions : The plasma contact activtion system.
J. Clin. Invest. 73 : P. 1249.

Conley, C.L. and Hartmann, R.C. (1952) :

A hemorrhagic disorder caused by circulating anticoagulants in patients with disseminated lupus erythematosus.

J. Lab. Clin. Invest. 31 : P. 621.

Cooke, J.P.; Rossitch, E.; Andon, N.A. and Dzau, F.J. (1993) :

Flow activates an endothelial potassium channel to release an endogenous nitrovasodilator.

J. Clin. Invest. 88 : P. 1662.

Coppock, M.A.; Safford, R.E and Danielson, G.K. (1988) :

Intracardiac thrombosis, phospholipid antibodies and two-chambered right ventricle.

Br. Heart J. 60 : P. 455.

Creager, M.A.; Cooke, J.P. and Mendelsohn, M.E. (1990) :

Impaired vasodilation of forearm resistance vessels in hypercholesterolemic humans.

J. Clin. Invest. 86 : P. 228.

Dahlback, B. and Stentflo, J. (1980) :

Inhibitory effect of activated protein C on activation of prothrombin by platelet bound factor Xa.

Eur. J. Biochem. 107 : P. 331.

Davies, M.J. and Thomas, A.C. (1985) :

Plaque fissuring - the cause of acute myocardial infarction, sudden ischemic death, and crescendo angina.

Br. Heart J. 53 : P. 363.

Davies, M.J. Woolf, N.; Rowles, P.M. and Pepor, J. (1988) :

Morphology of the endothelium over atherosclerotic plaques in human coronary arteries.

Br. Heart J. : 60 P. 459.

Dejana, E.; Cazenave, J.P. and Groves, H.M. (1980) :

The effect of aspirin inhibition of PGI₂ production on platelet adherence to normal and damaged rabbit aorta.

Throm. Res. 17 : P. 453.

Dembinska-Kiec, A.; Gryglewska, T. and Zumda, A. (1977) :

The generation of prostacyclin by arteries and by the vascular bed is reduced in experimental atherosclerosis in rabbits.

Prostaglandins 14 : P. 1025.

De Meyer, G.R.; Bult, H.; Verbeuren, T.J. and Heman, A.G. (1992) :

The role of endothelial cells in the relaxations induced by 13-hydroxy and 13-hydroperoxylinoleic acid in canine arteries.

Br. J. Pharmacol. 107 : P. 597.

Derksen, R.H.W.M.; De Groot, G. and Kater, L. (1993) :

Patients with antiphospholipid antibodies and venous thrombosis should receive long term anticoagulant treatment.

Ann. Rheum Dis 52 : P. 689.

Derue, G.J.; Englert, H.J. and Harris, E.N. (1985) :

Fetal loss in systemic lupus erythematosus : association with anticardiolipin antibodies.

J. Obstet. Gynaecol., Neonatal Nur, 5 : P. 207.

Dixit, V.M.; Haverstick, D.M. and O'Rourke, K.M. (1985) :

A monoclonal antibody against human thrombospondin inhibits platelet aggregation.

Proc. Natl. Acad. Sci. USA 82 : P. 3472.

Dorent, R.; Laroche, P.; Nataf, P.; Karmochkin, M.; Cacoub, P.; Piette, J.C.; Boffa, M.C.; Gandjbakhach, I. (1996) :

High prevalence of antiphospholipid antibodies in precapillary pulmonary hypertension.

J. Rheumatol. Feb. 23 (2) : P. 286.

Esmon, C.T. (1989) :

The roles of protein C and thrombomodulin in the regulation of blood coagulation.

J. Biol. Chem. 264 : P. 4743.

Esmon, N.L.; Carroll, R.C. and Esmon, C.T. (1983) :

Thrombomodulin blocks the ability of thrombin to activate platelets.

J. Biol. Chem. 258 : P. 12238.

Exner, T.; Triplett, D.A. and Taberner, D. (1991) :

Guidelines for testing and revised criteria for lupus anticoagulants : Subcommittee for Standardization of Lupus Anticoagulants.
Thromb. Haemost 65 : P. 320.

Fauvel, F.; Grant, M.E. and Legrand, Y.J. (1983) :

Interaction of blood platelets with a microfibrillar extract from adult bovine aorta : Requirement for Von Willebrand factor.
Proc. Natl. Acad. Sci. USA 80 : P. 551.

Ferlazzo, B.; Bonanno, D.; Quattrocchi, P.; Paino, A.M. and Arrigo, F. (1993) :

Connections between ischemic heart disease and anticardiolipin antibody positivity.
Minerva-Cardioangiol. Apr, 41 (4) : P. 113.

Ferro, D.; Quintarelli, C. and Valesini, G. (1993) :

Lupus anticoagulant and increased thrombin generation in patients with systemic lupus erythematosus.
Blood 82 : P. 304.

Flak, E. (1983) :

Plaque rupture with severe pre-existing stenosis precipitating coronary thrombosis.
Br. Heart. J. 50 :P. 127.

Fujikawa, K.; Legaz Koto, H. and Lavie, E.W. (1974) :

The mechanism of activation of bovine factor IX (Christmas factor) by bovine factor XIa (activated plasma thromboplastin antecedent).
Biochem. 13 : P. 4508.

Fuster, V.; Badimon, L.; Badimon, J.J. and Chesebro, J.H. (1992) :

The pathogenesis of coronary artery disease and the acute coronary syndromes.
N. Engl. J. Med. : P. 310.

- Galli, M.; Bevers, E.M.; Comfurius, T.; Barbui, T. and Zwaal, R.F.A. (1993) :**
Effect of antiphospholipid antibodies on procoagulant activity of activated platelets and platelet derived microvesicles.
Br. J. haematology. 83 : P. 466.
- Galli, M.; Comfurius, P.; Barbui, T.; Zwaal, R.F.A. and Bevers, E.M. (1992) :**
Anticoagulant activity of B2 glycoprotein I is potentiated by a distinct subgroup of anticardiolipin antibodies.
Thromb. Haemost. 68 : P. 297.
- Galli, M.; Maussen, C.; Comfurius, P. and Hemker, H.C. (1990) :**
Isolation and characterization of a plasmatic factor interacting with anicardioplin antibodies.
Clin. Exp. Rheumato. 8 : P. 206.
- Gastineau, D.A.; Kazmier, F.J.; Nichols, W.L. and Bowie, E.J.W. (1985) :**
Lupus anticoagulants : An analysis of the clinical and laboratory features of 219 cases.
Am. J. Hematol. 19 : P. 265.
- Gharavi, A.E.; Harris, E.N.; Asherson, R.A. and Hughes, G.R.V. (1987) :**
Anticardiolipin antibodies isotype distribution and phospholipid specificity.
Ann. Rheum. Dis. 46 : P. 1.
- Gibbon's, R.J. (1991) :**
Technetium 99m sestamibi in the assessment of AMI.
Semin Nucl. Med. 21 P. 213.
- Gibson, J.; Nelson, M. and Brown, R. (1992) :**
Autoantibodies to thrombomodulin development of an ELISA and a survey of their frequency in patients with lupus anticoagulant.
Thromb. Haemost. 67 : P. 507.

- Ginsburg, J.S.; Brill-Edwards, P. and Johnston, M. (1992) :**
Relationship of antiphospholipid antibodies to pregnancy loss in patients with systemic lupus erythematosus : A cross selectional study.
Blood 80 : P. 975.
- Girard, T.J.; MacPhail, L.A. and Likert, K.M. (1990) :**
Inhibition of factor VIIa- tissue factor coagulation activity by a hybrid protein.
Science 248 - P. 1421.
- Gluek, H.I.; Kant, K.S. and Weiss, M.A. (1985) :**
Thrombosis in systemic lupus erythematosus.
Arch. Internal Med. 145 : P. 1389.
- Golve, E.; Ordi, J.; Barquinero, J.; Evangelista, A.; Vilardell, M. and Soler- Soler, J. (1992) :**
Valvular heart disease in the primary antiphospholipid syndrome.
Ann. Inter. Med. 116 : P. 293.
- Gomez, P.; Joshi, J.; nihoyannopoulos, P.; Oakley, C.M. (1988) :**
Association between cardiac abnormalities and raised anticardiolipin antibodies in systemic lupus erythematosus.
Postgrad Med. J. 64 : P. 723.
- Gordon, E.L.; Pearson, J.D. and Slakey, L.L. (1986) :**
The hydrolysis of extracellular adenine nucleotides by cultured endothelial cells from pig aorta : Feed-forward inhibition of adenosine production at the cell surface.
J. Biol. Chem. 261 : P. 15496.
- Greenfield, L.J. (1988) :**
Lupus-like anticoagulants and thrombosis.
J. Vasc. Surg. 7 : P. 818.
- Grette, K. (1962) :**
Studies on the mechanism of thrombin- catalyzed hemostatic reactions in blood platelets.
Acta. Physiol. Scand. 56 (suppl 196) : P. 5.

- Gris, J.C.; Schved, J.E.; Tousch, D.; Hereil, S. and Feugeas, O. (1988):**
Anti-idiotypic antibodies against anti-phospholipid autoantibodies which suppress lupus-like anticoagulant activity.
Nouv. Rev. Fr. Hematol. 30 : P. 143.
- Gryglewski, R.; Bunting, S.; Moncada, S. and Vane, J.R. (1976) :**
Arterial walls are protected against deposition of platelet thrombi by a substance (prostaglandin X) which they make from prostaglandin endoperoxides.
Prostaglandins, 12 : P. 685.
- Haire, W.D. (1984) :**
The acquired immunodeficiency syndrome and lupus anticoagulant.
JAMA 252 : P. 3399.
- Hamsten, A.; Norberg, R.; Bjorkholm, M.; Defaire, U. and Holm, G. (1986) :**
Antibodies to cardiolipin in young survivors of myocardial infarction : An association with recurrent cardiovascular events.
Lancet 1 : P. 113.
- Harris, E.N.; Asherson, R.A. and Hughes, G.R. (1988) :**
Antiphospholipid antibodies.
Ann. Rev. Med., 39 : P. 261.
- Harris, E.N.; Gharavi, A.E. and Hughes, G.R.V. (1985) :**
Antiphospholipid antibodies.
Clin. Rheum. Dis. 11 : P. 591.
- Harris, E.N.; Gharari, A.E. and Hogde, U. (1985) :**
Anticardiolipin antibodies in autoimmune thrombocytopenic purpura.
Br.J. Haematol.; 59 : P. 231.
- Harris, E.N.; Gharavi, A.E. and Patel, S.P. (1987) :**
Evaluation of the anticardiolipin test : Report of a standardized workshop held 4 April, 1986.
Clin. Exp. Immunol. 68 : P. 215.

- Hattori, R.; Hamilton, K.K.; McEver, R.P. and Sims, P.J. (1989) :**
Complement proteins C5b-9 induce secretion of high molecular weight multimers of endothelial cells Von Willebrand factor and translocation of granule membrane protein GMP-140 to the cell surface.
J. Biol. Chem. 264 : P. 9053.
- Hayslett, J.P. (1992) :**
The effect of SLE on pregnancy and pregnancy outcome.
Am. J. Reprod. Immunol. 28 : P. 199.
- Hedge, U.M. (1992) :**
Platelet antibodies immune thrombocytopenia.
Blood 6 : P. 34.
- Heimark, R.L. and Schwartz, S.M. (1983) :**
Binding of coagulation factor IX and X to endothelial cell surface.
Biochem. Biophys. Res. Commun. 111 : P. 723.
- Hess, D.C. (1992) :**
Stroke associated with antiphospholipid antibodies.
Stroke 23 (suppl 1) : P. 23.
- Hibbard, B.M. (1988) :**
Blood coagulation and its disorder in pregnancy. In :
George J.; Philips D.; Nurden A. (eds.). Principles of obstetrics, 1st edition, London, Butterworth and Co. Ltd. (publishers), P. 263.
- Hift, R.; Bird, A. and Sarembock, B. (1991) :**
Acquired hypoprothrombinemia and lupus anticoagulant :
Response to steroid therapy.
Br. J. Haematol. 30 : P. 308.
- Hill, A.B. (1977) :**
Textbook of Medical statistics 10th Ed. Holder and Stroughten. London.
- Hughes, G.R.V. (1993) :**
The antiphospholipid syndrome.
Lancet 342 : P. 341.

Hultin, M.B. (1985) :

The modulation of thrombin activation of factor VIII by calcium ions : Phospholipid and platelets.
Blood 66 : P. 53.

Hutton, R.A. (1989) :

Normal haemostasis. In : Isbister, J.P. and Pittiglio, D.H. (eds.). Postgraduate Haematology, 3rd edition. London, Heimmann Professional Publishing, P. 560.

Infante-Rivard, C.; David, M.; Gauthier, R. and Rivard, G.E. (1991) :

Lupus anticoagulants, anticardiolipin antibodies and fetal loss.
N. Engl. J. Med. 325 : P. 1063.

Ishida, T. and Tanaka, K. (1982) :

Effects of fibrin and fibrinogen degradation products on the growth of rabbit aortic smooth muscle cells in culture.
Atherosclerosis 44 : P. 161.

Jackson, C.M. (1984) :

Factor X.
Prog. Haemost. Thromb. 7 : P. 55.

Jackson, C.M. (1994) :

Physiology and biochemistry of prothrombin. In : Albloom, C.D.; Forbes, D.P.; Thomas, E.G.D.; Tuddenham (eds) haemostasis and Thrombosis, 3rd ed., New York, Churchill Livingstone, P. 397.

Joel, S.; Bennett; Sanfort, J. and Shuttil (1990) :

Platelet funtion. In : William, J. and Williams M. (eds). Haematology 4th ed. New York, McGraw-Hill Publishing Company, P. 1233.

John, D.; Ruther Ford, Ch.B. and Engene, B. (1993) :

Clinical diagnosis of unstable angina.
Am. Heart. J. (36) : P. 172.

- Kadish, J.L.; Butterfield, C.E. and Folkman, J. (1979) :**
The effects of fibrin on cultured vascular endothelial cells.
Tissue Cell 11 : P. 99.
- Kandiah, D.A. and Krilis, S.A. (1994) :**
B2 glycoprotein I.
Lupus 3 : P. 207.
- Kant, K.S.; Pollar, V.E. and Weiss, M.A. (1981) :**
Glomerular thrombosis in systemic lupus erythematosus
prevalence and significance.
Medicine 60 : P. 71 - 86.
- Kaplan, A.P.; Silverberg, M. and Dunn, J.T. (1981) :**
Mechanisms of hageman factor and role of HMWK as a
coagulation co-factor.
Ann. N. Y. Acad. Sci. 370 : P. 253.
- Kaplan, S.D.; Chartash, E.K. and Pizzarello, R.A. (1992) :**
Cardiac manifestation of the antiphospholipid syndrome.
Am. Heart J. 124 (5) : P. 1331.
- Katherine, S.G.; Matthew, H.L.; Laura, N.C.; Smauel, Z.G.; Peter,
H.S.; Charles, H.H. and Meir, J.S. (1992) :**
Anticardiolipin antibodies and the risk for ischemic stroke
and venous thrombosis.
Ann. Inter. Med. 177 : P. 997.
- Kelion, A.W.; Jespersen and Bertina, R.M. (1994) :**
The antiphospholipid syndrome and thrombotic disorder.
Med. Clin. North. Am. P. 576.
- Khamashta, M.A.; Caudrado, M.J. and Mujic, F. (1995) :**
The management of thrombosis in the antiphospholipid
antibody syndrome.
N. Engl. J. Med. 332 : P. 993.
- Khamashta, M.A. and Hughes, G.R.V. (1993) :**
Detection and importance of ACAs.
J. Clin. Path. 46 : P. 104.

Kin Kaid- Smith, P.; Fairley, K.F. and Kloss, M. (1988) :

LA associated with renal thrombotic microangiopathy and pregnancy related renal failure.
Q. J. Med. 69 : P. 795.

Klemp, P.; Cooper, R.C.; Strauses, F.J. and Jardaun, E.R. (1988) :

APA in ischemic heart disease.
Clin. Exp. Immunol. 74 : P. 254.

Kluft, C.; Los, P. and Jie, A.F.H. (1984) :

The molecular form of antiplasmin with affinity for plasminogen is selectively bound to fibrin by factor XIII.
Thromb. Res., 33 : P. 419.

Kruithof, E.K.O.; Tran-Thang, C.; Ransijn, A. and Bachmann, F. (1984) :

Demonstration of fast acting inhibitor of plasminogen activator in human plasma.
Blood 64 : P. 907.

Lam, J.Y.T.; Chesebro, J.H.; Stelle, P.M.; Badimon, L. and Fustor, . (1987) :

Is vasospasm related to platelet deposition ? relation in a porcine preparation of arterial injury in vivo.
Circulation, 75 : P. 243.

Lehmann, K.G. (1992) :

Mitral regurgitation in early myocardial infarction.
Ann. J. Intern. Med., 117 : P. 10.

Lentz, J.R. and Sadler, H. (1991) :

Inhibition of thrombomodulin surface expression and protein C activation by the thrombogenic agent homocysteine.
J. Clin. Invest. 88 : P. 1906.

Leung, W.H.; Wong, K.L.; Lau, C.P.; wong, C.K. and Liu, H.W. (1990):

Association between antiphospholipid antibodies and cardiac abnormalities in patients with systemic lupus erythematosus.
Am. J. Med. 89 : P. 411.

- Leventhal, J.L.; Borofsky, M.A.; Bergery, P.D.; Schumacher, H.R. (1989) :**
Antiphospholipid antibody syndrome with right atrial thrombosis.
Am. J. Med., 87 : P. 111.
- Levin, E.G. and Loskutoff, D.J. (1982) :**
Cultured bovine endothelial cells produce urokinase and tissue type plasminogen activators.
J. Cell. Biol., 94 : P. 631.
- Lewis, S.D.; Janus, T.J.; Lorand, L. and Schafer, J.A. (1985) :**
Regulation of formation of factor XIIIa by its fibrin substrate. Biochemistry, 24 : P. 6772.
- Lindner, L.; Kiowski, W.; Buhler, F.R. and Luscherd, T.F. (1990) :**
Indirect evidence for release of endothelium derived relaxing factor in human forearm circulation in vivo. Blunted response in essential hypertension. Circulation.
- Lockshin, M.d.; Quamar, I.; Druzin, M.L. and Goei, S. (1987) :**
Antibody to cardiolipin, lupus anticoagulant, and fetal death.
J. Rheumatol. 14 : P. 259.
- Loscalzo, J. (1995) :**
Pathogenesis of thrombosis. In : Williams, W.J.; Beutler, E.; Lichtman, M.A.; Coller, B.S.; Kipps, T.J. (eds). Haematology, 5th ed. London, W.B. Saunders, P. 1525.
- Love, P.E. and Santoro, S.A. (1990) :**
Antiphospholipid antibodies : Anticardiolipin and the lupus anticoagulant in systemic lupus erythematosus (SLE) and in non-SLE disorders.
Ann. Intern. Med. 112 : P. 682.
- Lubbe, W.F. and Asherson, R.A. (1988) :**
Intracardiac thrombosis in systemic lupus erythematosus associated with lupus anticoagulant.
Arthritis Rheum. 31 : P. 1453.

Mackworth Young, C.G.; Gharavi, A.E.; Boey, M.L. and Hughes, G.R.V. (1984) :

Portal and pulmonary hypertension in a case of systemic lupus erythematosus : possible relationship with clotting abnormality.

Eur. J. Rheumatol. Inflamm., 7 : P. 71.

Mackworth - Young, C.G. (1990) :

Antiphospholipid antibodies more than just a disease marker ? Immunol., 11 : P. 60.

MacIntyre, D.E.; Salzman, E.W. and Gordon, J.L. (1978) :

Prostaglandin receptors on human platelets.

Prostaglandin Thromboxane Leukotriene Res. 11 : P. 45.

Mann, K.G. (1987) :

The assembly of blood clotting complexes on membranes. Trends. Biochem. Sci. 12 : P. 229.

Mann, K.G. (1994) :

Prothrombin and thrombin. In : Coleman, R.W.; Hirsh, J.; Marder, V.J.; Salzman, E.W. (eds). Hemostasis and Thrombosis : Basic principles and clinical practice, 2nd ed. Philadelphia, Lippincott, P. 184.

Marciniak, E. and Romond, E.H. (1989) :

Impaired catalytic function of activated protein C : A new in vitro manifestation of lupus anticoagulant.

Blood 74 : P. 2426.

Marcus, A.J.; Weksler, B.B.; Jaffe, E.A. and Broekman, M.J. (1980) :

Synthesis of prostacyclin from platelet derived endoperoxides by cultured human endothelial cells.

J. Clin. Invest. 66 : P. 979.

Marlar, R.A.; Kleiss, A.J. and Griffin, J.H. (1980) :

Mechanism of action of human activated protein C a thrombin dependent anticoagulant enzyme.

Blood 59 : P. 1067.

Matsuda, J.; Saitoh, N. and Gohchi, K. (1994) :

Anti-annexin V antibody in systemic lupus erythematosus patients with lupus anticoagulant and/or anticardiolipin antibody.

Am. J. Hematol. 47 : P. 56.

Matsura, E.; Igarashi, Y. and Yasuda, T. (1994) :

Anticardiolipin antibodies recognize B2 glycoprotein I structure altered to interact with an oxygen modified solid phase surface.

J. Exp. Med. 179 : P. 457.

Mattila, K.; Vaarala, O.; Palosuo, T.; Malkamaki, M.; Valtonen, V.; Nieminen, M. and Aho, K. (1989) :

Serologic response against cardiolipin and enterobacterial common antigen in young patients with acute myocardial infarction.

Clin. Immunol. Immunopathol. 51 : P. 414.

Mayadas, T.; Wagner, D.D. and Simpson, P.J. (1989) :

Von Willebrand factor biosynthesis and partitioning between constitutive and regulated pathway of secretion after thrombin stimulation.

Blood 73 : P. 706.

Mayes, P.A. (1990) :

Lipids of physiological significance. In : Murray, R.K.; Granner, D.K.; Maye, P.A. (eds). Harper's biochemistry, twenty -second ed. London, Prentice Hall International, 16 : P. 138.

McDonagh, J. (1994) :

Structure and function of factor XIII. In : Colman, R.W.; Hirsh, J.; Marder, V.J.; Salzman, E.W. (eds). Hemostasis and thrombosis, 3rd ed. Philadelphia, Lippincott, P. 301.

McNeil, H.P.; Chesterman, C. and Krilis, S.A. (1989) :

Anticardiolipin antibodies and lupus anticoagulant comprise antibody subgroups with different phospholipid binding characteristics.

Br. J. Haematol. 73 : P. 506.

- McNeil, H.P.; Simpson, R.J. and Chesterman, C.N. (1990) :**
Antiphospholipid antibodies are directed against a complex antigen that induces a lipid binding inhibitor of coagulation B2 glycoprotein I.
Proct. Nat. Acad. Sci. USA 87 : P. 4120.
- Meroni, P.L.; Tincani, A.; Harris, E.N.; Valesini, G.; Hugehs, G.R.V. and Balestrieri, G. (1989) :**
The pathophysiology of antiphospholipid antibodies.
Clinical and Experimental Rheumatology 75 : P. 81.
- Misra, R.; Venables, P.J.W. and Pawlowski, T. (1987) :**
Anticardiolipin antibodies in infectious mononucleosis.
J. Rheumatol. 26 : P. 59.
- Misra, R.; Venables, P.J.W.; Platerzber, K.C.; watkins, P.F. and Maini, R.N. (1989) :**
Anticardiolipin antibodies in infectious mononucleosis react with the membrane of an activated lymphocytes.
Clin. Exp. Immunol. 75 : P. 35.
- Morton, K.E.; Gavaghan, T.P.; Krilis, S.A. and Daggard, G.E. (1986):**
Coronary artery bypass failure : An autoimmune phenomenon ? Lancet, II : P. 1353.
- Muller, J.E.; Tofler, G.H. and Stone, P.H. (1989) :**
Circulation variation and triggers of onset of acute cardiovascular disease.
Circulation 79 : P. 733.
- Murphy, J.L. and Leach, I.H. (1989) :**
Findings at necropsy in the heart of a patient with anticardiolipin syndrome.
Br. Heart J. 72 : P. 61.
- Nakamura, N.; Kuragaki, C. and Shidara, Y. (1995) :**
Antibody to annexin V has antiphospholipid and lupus anticoagulant properties.
Am. J. Hematol. 49 : P. 347.

Nasonov, E.L.; Noeva, E.A.; Kovalev, Viu.; Dragnev, A.G.; Lopaeva, O.V. and Ruda, Mia. (1992) :

Cardiolipin antibodies in patients with myocardial infarction and unstable angina pectoris.

Kardiologia. 32 (5) : P. 32.

Niewarowski, S. (1981) :

Platelet release reaction and secreted platelet proteins. In : Thomas, D.L. (eds). Haemostasis and Thormbosis. Edinburgh, Churchill Livingstone, P. 73.

Nimpf, J.; Wurm, H. and Kostner, G.M. (1987) :

B2 glycoprotein I (apo-H) inhibits the release reaction of human platelets during ADP induced aggregation.

Atherosclerosis 63 : P. 109.

Ogston, O. and Benett, B. (1991) :

Blood coagulation mechanism. In : Poller, L. (ed). Recent Advances in blood coagulation 5th edition. Edinburgh, Churchill-livingstone, P. 1.

Out, H.J.; Koarjman, C.D.; Bruinse, H.W. and Derksen, R.H. (1991):

Histopathological findigns in placenta from patients with intravterine fetal death and APAs.

Eur. J. Obstet. Gynecol. Repord. Biol., 4 : P. 179.

Pelletier, S.; Landia, B. and Piette, J.C. (1992) :

The antiphospholipis syndrom.

Rheum., 35: P. 235.

Pengo, V.; Thiagarajan, P. and Shapiro, S.S. (1987) :

Immunological specificity and mechanism of action of IgG lupus anticoagulants.

Blood 70 : P. 69.

Pergo, V.; Hein, M.J.; Thiagarajan, P. and Shapiro, S.S. (1987):

Immunological specificity and mechanism of action of IgG lupus anticoagulants.

Blood 7 : P. 69.

- Permpikul, P.; Rao, L.V.M. and Rapaport, S.I. (1994) :**
Functional and binding roles of prothrombin and B2 glycoprotein I in the expression of lupus anticoagulant activity.
Blood 83 : P. 2878.
- Petri, M. (1994) :**
Diagnosis of antiphospholipid antibodies.
Rhem. Dis. Clin. North. American, 20 (2) : P. 443.
- Phadke, K.V.; Phillips, R.A.; Clarke, D.J.; Jones, M.; Naish, P. and Carson, P. (1993) :**
Br. Heart., J. 69 (5) : P. 391.
- Prescott, S.M.; Zimmerman, G.A. and McIntyre, T.M.C. (1990) :**
Platelet activating factor.
J. Biol. Chem. 265 : P. 173.
- Radomski, M.W.; Palmer, R.M. and Moncada, S. (1987) :**
The anti-aggregating properties of vascular endothelium : Interactions between prostacyclin and nitric oxide.
Br. J. Pharmacol. 92 P. 639.
- Rao, L.V.M.; Hoang, A.D. and Rapaport, S.I. (1995) :**
Differences in the interactions of lupus anticoagulant IgG with human prothrombin and bovine prothrombin.
Thromb. Haemost. 73 : P. 668.
- Rao, L.V.M.; Rapaport, S.I. and Bajaj, S.P. (1986) :**
Activation of human factor VII in initiation of tissue factor-dependent coagulation.
Blood 68 : P. 685.
- Rao, L.V.M.; Rapaport, S.I. and Lorenzi, M. (1988) :**
Enhancement by human umbilical vein endothelial cells of factor Xa catalyzed activation of factor VII.
Blood 71 : P. 791.
- Rauch, J. and Janoff, A.S. (1990) :**
Phospholipid in the hexagonal II phase is immunogenic. In : Evidence for immuno recognition of nonbilayer lipid phases in vivo.
Proc. Acad. Sci. 87 : P4112.

Rauch, J.; Tannenbaum, M. and Janoff, A.S. (1989) :

Distinguishing plasma lupus anticoagulants from anti-factor antibodies using hexagonal (II) phase phospholipids. Thromb. Hemost 62 : P. 892.

Rebic, R.; Nastic, Miric, D.; Pavlovic, S.; Pokrajcic, Z. and Bosnjakovic, V. (1993) :

Med. Pregl., 46 Suppl. 1 : P. 20.

Ribes, J.A.; Francis, C.M. and Wanger, D.D. (1987) :

Fibrin induces release of von willebrand factor from endothelial cells.

J. Clin. Invest. 79 : P. 117.

Risberg, B.; Eriksson, E.; Bjork, S. and hansson, G.K. (1986) :

Immunohistochemical localization of plasminogen activators in human saphenous veins.

Throm. Res. 41 : P. 301.

Ross, R. (1986) :

The pathogenesis of atherosclerosis - an up date. N. Engl. Med. J. 314 : P. 488.

Roubey, R.A.S. (1994) :

Autoantibodies phospholipid binding plasma proteins : A new view of lupus anticoagulants and other antiphospholipid autoantibodies.

Blood 84 : P. 2854.

Ruiz, G.J.; Ruiz, A. and Alarcon-Segovia, D. (1991) :

Natural anticoagulants in SLE.

J. Rheumatol. 15 : P. 987.

Saelman, E.U.M.; Nieuwenhuis, H.K. and Hese, K.M. (1994) :

Platelet adhesion to collagen types I through VIII under conditions of stasis and flow is mediated by GPIa/IIa.

Blood 83 : P. 1244.

Sakariassen, K.S.; Bolhuis, P.A. and Sixma, J.J. (1979) :

Human blood platelet adhesion to artery subendothelium is mediated by factor VIII Von Willebrand factor bound to subendothelium.

Nature 279 : P. 635.

- Sammaritano, L.R.; Gharavi, A.E. and Lockshin, M.D. (1990) :***
Antiphospholipid syndrome : immunological and clinical aspects.
Seminars in Arth. And Rheum. 20 : P. 81.
- Sammaritano, L.R.; Gharavi, A.E.; Sobeano, C.; Levy, R.A. and Lockshin, M.D. (1992) ;***
Phospholipid binding of antiphospholipid antibodies and placental anticaogulant protein.
J. Clin. Immunol. 12 : P. 27.
- Sanfello, M.J. and Drayna, C.J. (1982):***
A mechanism of thrombosis.
Am. J. Clin. Pathologist. 77 : P. 275.
- Savage, B. and Ruggeri, Z.M. (1991) :***
Selective recognition of adhesive sites in surface-bound fibrinogen by glycoprotein Iib-IIIa on nonactivated platelets.
J. Biol. Chem. 266 : P. 11227.
- Schleef, R.R.; Wagner, N.V. and Loskutoff, D.J. (1988) :***
Detection of both type I and type 2 plasminogen activator inhibitors in human cells.
J. Cell. Physiol. 134 : P. 269.
- Schorer, A.E.; Duane, P.G. and Woods, V.L. (1992) :***
Some antiphospholipid antibodies inhibit phospholipase A2 activity.
J. Lab. Clin. Med. 120 : P. 67.
- Shi, G.Y.; Hau, J.S. and Wang, S.J. (1992) :***
Plasmin and the regulation of tissue type plasminogen activator biosynthesis in human endothelial cells.
J. Biol. Chem. 267 : P. 19363.
- Sims, P.J.; Therese Wiedmer, T.; Esmon, C.T.; Weiss, H.J. and Shattill, S.J. (1989) :***
Assembly of platelet prothrombinase complex linked to vesiculation of platelet plasma membrane.
J. Biol. Chem. 264 : P. 17049.

Sixma, J.J. (1994) :

Interaction of blood platelets with the vessel wall. In : Bloom, A.L.; Forbes, C.D.; Thomas, D.P.; Tuddenham, E.G.D. (eds). Haemostasis and thrombosis, 3rd ed. Edinburgh, Churchill Livingstone, P. 259.

Smirnov, M.D.; Triplett, D.A. and Comp, C. (1995) :

Role of phosphatidyl ethanolamine in inhibition of activated protein C activity by antiphospholipid antibodies. J. Clin. Invest. 95 : P. 309.

Smith, J.B. (1987) :

Prostaglandins in platelet aggregation and hameostasis. In : Thomas, O.P.; Bloom, A.L. (eds)., Haemostasis and thrombosis, 2nd ed. Edinburgh, Churchill Livingstone, P.78.

Sorice, M.; Criggi, T. and Circella, A. (1994) :

Protein S antibodies in acquired protein S deficiencies. Blood 83 : P. 2283.

Spaet, T.H.; Horowit, Z.H.T. and Zuker-Fromklin, D. (1961) :

Reticuloendothelial clearance of blood thromboplastin in rats. Blood 17 : P. 196.

Sprengers, E.D. and Kluft, C. (1987) :

Plasminogen activator inhibots. Blood 69 : P. 381.

Stamler, J.S.; Osborne, J.A. and Jaraki, O. (1993) :

The adverse vascular effects of hmocysteine are modulated by endothelium derived relaxing factor and related oxides of nitrogen. J. Clin. Invest. 91 : P. 303.

Stern, D.; Brett, J.; Harris, K. and Nawroth, P. (1986) :

Participation of endothelial cells in the protein C protein S anticoagulant pathway : The synthesis and release of protein S.J. Cell. Biol. 102 : P. 1971.

Stone, S.R. and Carrell, R.W. (1996) :

Inhibitors and the control of thrombosis. In : Brenner, S. and Hoffbrand, A. (eds). Recent advances in haematology, 8th ed., Edinburgh, Churchill Livingstone, P. 215.

Tait, J.F.; Gibson, D. and Kujikuwa, K. (1989) :

Phospholipid binding properties of human placental anticoagulant protein I, a member of the lipocortin family. J. Biol. Chem. 264 : P. 7944.

Thiagrajan, P.; Shapiro, S.S. and DeMarco, L. (1980) :

Monoclonal immunoglobulin M coagulation inhibitor with phospholipid specificity : Mechanism of a lupus anticoagulant. J. Clin. Invest. 66 : P. 397.

Thiagarajan, P. and Tait, J.F. (1991) :

Collagen induced exposure of anionic phospholipid in platelets and platelet-derived microparticles. J. Biol. Chem. 266 : P. 24302.

Thompson, E.A. and Salem, H.H. (1986) :

Inhibition by human thrombomodulin of factor Xa-mediated cleavage of prothrombin. J. Clin. Invest. 78 : P. 13.

Triplett, D.A. (1993) :

Antiphospholipid antibodies and thrombosis : A consequence, coincidence, or cause ? Arch. Pathol. Lab. Med. Jan. 117 (1) : P. 78.

Tiplett, D.A. (1995) :

Antiphospholipid protein antibodies : Laboratory detection and clinical relevance. Thromb. Res. 78 : P. 1.

Triplett, D.A. (1997) :

Developments in antiphospholipid protein antibodies. In : Poller, L.; Ludlam, C.A. (eds). Recent advances in blood coagulation, 7th ed. Edinburgh, Churchill Livingstone, P.19.

Triplett, D.A. and Brandt, J.T. (1989) :

Laboratory identification of the lupus anticoagulant.
Br. J. haematol. 73 : P. 139.

Tsakiris, D.A.; Marbet, G.A.; Burkart, F. and Duckert, F. (1992) :

Anticardiolipin antibodies and coronary heart disease.
Eur. Heart. J. 13 (12) : P. 1645.

Vaarala, O.; Mantarri, M. and Manninen, V. (1995) :

Anticardiolipin antibodies and risk of myocardial infarction
in a prospective cohort of middle aged men.
Circulation 91 : P. 23.

Van Hinsbergh, V.W.; Bertina, R.M. and Van Wijngaarden, A. (1985):

Activated protein C decreased plasminogen activator
inhibitor activity in endothelial cell conditioned medium.
Blood 65 : P. 444.

Van Rijn, J.L.M.L. (1986) :

Role of accessory components in the activation of vitamin
K-dependent coagulation factors.
Haemostasis 16 : P. 216.

Vermeylen, J. and Arnout, J. (1992) :

Is the antiphospholipid syndrome caused by antibodies
directed against physiologically relevant phospholipid-
protein complexes ?
J. Lab. Clin. Med. 120 : P. 10.

Vermeylen, J.; Blockmans, D.; Spitz, B. and Deckmyn, H. (1986) :

Thrombosis and immune disorders.
Clin. Haematol. 15 : P. 393.

Viard, J.P.; Amoura, Z. and Back, J.F. (1991) :

Anti B2 glycoprotein I antibodies in systemic lupus
erythematosus a marker of thrombosis associated with
lupus anticoagulant activity.
C.R. Acad. Sci. 313 : P. 607.

Virchow, R. (1856) :

Phlogose und thrombose in gefasssystem. In Virchow, R. (ed). : *Gesammelte Abhandlungen zur Wissenschaftlichen Medicine*. Berlin, Meidinger Sohn and Co., P. 458.

Von Rokitansky, C. and Day, G.E. (1852) :

A Manual of Pathological Anatomy, translated by Day, G.E. Vol. 4., London, The Sydenham Society, 4 : P. 261.

Walker, F.J. (1984) :

Regulation of vitamin K-dependent protein S : Inactivation with thrombin.
J. Biol. Chem, 259 : P. 277.

Walsh, P.N. and Schmaier, A.H. (1994) :

Platelet coagulant protein interactions. In : Colman, R.W.; Hirsh, J.; Marder, V.J.; Salzman, E.W. (eds)., *Hemostasis and thrombosis: basis principles and clinical practice*, 3rd ed. Philadelphia, Lippincott, P. 629.

Weisel, J.W.; Nagaswami, C.; Vilaire, G. and Bennett, J.S. (1992) :

Examination of the platelet membrane glycoprotein IIb-IIIa complex and its interaction with fibrinogen by electron microscopy.
J. Biol. Chem. 267 : P. 16637.

Weiss, H.J. (1994) :

Disorder of platelet coagulant activity.
Semin Hematol. P. 1322.

Weisser, B.; Locher, R. and DeGraaf, J. (1993) :

Low density lipoprotein subfractions increase thromboxane formation in endothelial cells.
Biochem. Biophys. Res. Commun. 192 : P. 1245.

White, J.G. (1994) :

Anatomy and structural organization of the platelet. In : Colman, R.W.; Hirsh, J.; Marder, V.J.; Salzman, E.W. (eds). *Hemostasis and thrombosis : Basic principles and clinical practice*, 3rd ed. Philadelphia, Lippincott, P. 397.

Whitte, S. (1983) :

The endothelial living as studied by fluorescent labeling technique in situ.

Thromb. Res. 5 : P. 93.

Wiener, H.M.; Rochana, H.; Burke, M.; Vardinon, N. and Yust, I. (1991) :

Immune mediated platelet aggregation in thrombogenesis by lupus anticoagulant patients.

Thromb. Haemostasis 65 : P. 1106.

Williams, J.W.; Ernes, B.; Marshall, A.L.; Barry, S.C. and Thomas, J.K. (1995) :

In : Haemostasis in Haematology textbook, 5th edition.

Wilson, D.B.; Salen, H.H. and Mruk, J.W. (1984) :

Biosynthesis of coagulation factor V by a human hepatocellular carcinoma cell line.

J. Clin. Invest. 73 : P. 654.

Yapp, A.S.; Powell, F.E. and Yellaand, C.E. (1989) :

Lupus anticoagulant.

Ann. Intern. Med., 111 : P. 262.

Yilmaz, E.; Adalet, K.; Yilmaz, G.; Badur, S.; Erzengin, F.; Koylar, N.; Ozsaruhon, O. and Buyukozturk, K. (1994) :

Importance of serum anticardiolipin antibody levels in coronary Heart disease.

Clin. Cardiol., 17 (3) : P. 117.

Zimmerman, G.A.; McIntyre, T.M.; Mehra, M. and Prescott, S.M. (1990) :

Endothelial cell-associated platelet-activating factor : A novel mechanism for signaling intercellular adehsion.

Cell. Biol. 110 : P. 529.

Zur, M. and Nemerson, Y. (1980) :

Kinetics of factor IX activation via the extrinsi pathway.

Dependence of Km on tissue factor.

J. Biol. Chem. 255 : P. 5703.

Zwaal, R.F.A. and Hemker, H.C. (1982) :

Blood cell membranes and haemostasis.

Haemostasis 11 : P. 12.