

REFERENCES

REFERENCES

- Aach, R.D.; Szmuness, W. and Mosley, I.W. (1981):*
Serum ALT of donors in relation to the risk of NANB hepatitis recipients.
N. Engl. J. Med., 304: 989-994.
- Abdel-Ghaffar, M.; Kelany, S.; Rashdan, N.; Saleh, R. and Sherif, W. (1996):*
Prevalence of anti-HCV seropositivity among school children with and without schistosomal infestation.
J. Hepatol., 23: 182-186.
- Abdel-karim, R.H.; Wiesner, L.A. and Persing, D.H. (1996):*
Increased risk for diabetes mellitus type 2 in patients with chronic hepatitis infection.
Hepatology, 24 (6): 1014.
- Abdel-Whab, M.; Hashem, A. and Kamal, M. (1993):*
Frequency of anti-HCV among school children in Monofeyia.
International conference on schistosomiasis. Feb, Cairo, Egypt, P. 91 (Abst.).
- Abdel-Wahab, M.F.; Zakaria, S.; Kamal, M.; Abdel-Khaliq, M.R.; Mabrouk, M.A.; Salama, H. and Esmat, G. (1994):*
Prevalence of hepatitis C infection among risk groups in Egypt.
Am. J. Trop. Med. Hyg., 51 (5): 563-7.
- Abe, K.; Kurata, T. and Shikata, T. (1991):*
Experimental transmission of HCV by saliva.
J. Infect. Dis., 155: 1078-1079.
- Ahmed, N.H. (1994):*
Seroprevalence of hepatitis C virus antibodies among high risk Egyptian children.
M.D. Thesis (Ped.) Cairo University, P. 96.
- Alberti, A. and Realdi, G. (1991):*
Parenterally acquired NANB (Type C) hepatitis. In Oxford textbook of clinical hepatology, 6th ed. By McIntyre, N.; Benhamou, J.P.; Bircher, J.; Rizzetto, M. and Rodes, J. Oxford University Press, London, P. 605-617.

- Alberti, A.; Morsica, G. and Chemello, L. (1992):**
Hepatitis C viraemia and liver disease in symptom-free individuals with anti-HCV.
Lancet, 340: 697-698.
- Allison, M.E.; Wreghitt, T.; Palmer, C.R. and Alexander, G.J. (1994):**
Evidence for a link between hepatitis C virus infection and diabetes in a cirrhotic population.
J. Hepatol., 21 (6): 1135-9.
- Al-Nasser, M.N. (1992):**
Intrafamilial spread of HCV: a major mode of spread in the kingdom of Saudi Arabia.
Ann. Trop. Paed., 12: 211.
- Alter, H.J. (1988):**
Transfusion associated non-A, non-B hepatitis: the first decade.
In Viral hepatitis and liver disease, 2nd ed. P: 537-542,
Zukerman Book Co.
- Alter, M.J. (1989):**
Non-A, non-B hepatitis, sorting through a diagnosis of exclusion.
Ann. Intern. Med., 110: 583.
- Alter, H.J.; Purcell, R.H. and Coleman, P.J. (1989):**
Detection of antibody to hepatitis C virus in prospectively followed transfusion recipients with acute and chronic NANB hepatitis.
N. Engl. J. Med., 321: 1494-500.
- Alter, M.J.; Hadler, S.C. and Judson, F.N. (1990):**
Risk factors for acute NANB hepatitis in united states of America.
JAMA, 264: 2231.
- Alter, M.J.; Margolis, H.S. and Krawczynshi, K. (1992):**
The natural history of HCV in USA.
N. Engl. J. Med., 327: 1899.

- Amara-Pukar, D.K.; Kumar, A. and Vaidya, S. (1992):**
Frequency of hepatitis B, C and D and human immunodeficiency virus infection in multitransfused thalathemics.
Indian J. Gastroenterol., 11 (2): 80-81.
- Amer, G.; Nawar, M.; Sanad, G.; Alyan, Z. and Wahib, Y. (1993) :**
New facts concerning HCV in the Egyptian patients.
J. of Tropical Med., Oct., 2 (5) : 111-116.
- American College of Obstetricians and Gynecologists Technical Bulletin (1994):**
Diabetes and pregnancy.
P. 200.
- Anderson, D.K. and Syaardsudd, K. (1995):**
Long-term glycemic control relates to mortality in type 2 diabetes.
Diabetes Care; 18: 1534-1543.
- Angello, V.; Chung, R.J. and Kaplan, L.M. (1992):**
A role for hepatitis C virus infection in type II cryoglobulinemia.
N. Engl. J. Med., 327: 1490-5.
- Arai, H.; Tanaka, M.; Ohta, K.; Kojo, T.; Nijima, K.S. and Imawari, M. (1995):**
Symptomatic myopathy associated with interferon therapy for chronic hepatitis.
Lancet, 345: 582 (Letter).
- Atkinson, M.A. and Maclaren, N.K. (1994):**
The pathogenesis of insulin dependent diabetes.
N. Engl. J. Med., 331: 1428-1436.
- Backkeskov, S.; Neilsen, J.H.; Marner, B.; Bilde, T.; Ludvigsson, J. and Lernmark, A. (1982):**
Autoantibodies in newly diagnosed diabetic children with immunoprecipitate human pancreatic islet cell proteins.
Nature; 298: 167-169.
- Banerji, M. and Lebovitz, H. (1989):**
Insulin sensitive and insulin resistant variants in IDDM.
Diabetes; 38: 784-792.

- Barham, D. and Tinder, P. (1972):**
Estimation of serum glucose.
Analyst, 86: 142.
- Barrett, T.G.; Bunday, E.E. and Macleod, A.F. (1995):**
Neurodegeneration and diabetes.
Lancet; 346: 1458-1463.
- Bennett, W.G.; Freeman, E.W.; Singer, C.R. and Miller, D.J. (1997):**
Estimates of the cost-effectiveness of a single course of interferon alpha-2b in patients with histologically mild chronic hepatitis C.
Ann. Intern. Med., 127: 885.
- Bercherer, P. (1995) :**
What have we learned about risk factors and transmission.
Postgrad Med; 98 : 65.
- Berg, R.E.; Kantor, G.R. and Beryfeld, W.F. (1988):**
Urticarial vasculitis.
Int. J. Dermatol., 27: 468-472.
- Bernvil, S.S.; Andrew, N.J. and Saich, L. (1994):**
Second generation anti-HCV screening in Saudia Arabia donor population.
Vax Song.; 66: 33.
- Bianchi, F.B. (1993):**
Autoimmune hepatitis: the lesson of the discovery of hepatitis C virus.
J. Hepatol., 18: 273-275.
- Bogardus, C.; Lillioja, S.; Mott, D.M.; Hollenbeck, C. and Reaven, G. (1985):**
Relationship between degree of obesity and in vivo insulin action in man.
Am. J. Physiol., 248: E286-E291.
- Bordin, G.; Ballare, M.; Bertoncelli, M.C.; Paccagino, L.; Zigrossi, P. and Monteverde, A.A. (1995):**
HCV-associated thrombocytopenia: A thrombokinetik study. -
Fifth International symposium on hepatitis C virus Gold Coast, Australia.

- Bouffard, P.; Hayashi, P.H.; Acevedo, R.; Levy, N. and Zeldis, J.B. (1993):**
HCV is detected in a monocyte/macrophage subpopulation of peripheral blood mononuclear cells of infected patients.
Infect Dis., 166: 1276-1280.
- Boyd, A. and Nedner, K. (1991):**
Lichen planus.
J. Am. Acad. Dermatol., 25: 593-619.
- Brechot, C.; Lugassy, C.; Dejean, A.; Pontisso, P.; Thiers, V.; Berthelot, P. and Tiollais, P. (1984):**
Hepatitis B virus DNA in infected human tissues.
J. Pathol., 38: 150-155.
- Brechot, C. (1993):**
Polymerase chain reaction for the diagnosis of viral hepatitis B and C.
Gut, 34: S39.
- Brillanti, M.; Masci, C.; Ricci, P.; Miller, R.H. and Meeks, E.L. (1992):**
Significance of IgM antibody to HCV in patients with chronic HCV infection.
Hepatology, 15: 998-1001.
- Brillanti, S.; Foli, N. and Giani, S. (1993):**
Persistent hepatitis C viraemia without liver disease.
Lancet, 341: 464-465.
- Brunzell, J.; Robertson, R.; Lerner, R.; Hazard, W.; Ensink, J.; Bierman, E. and Porte, D. (1976):**
Relationships between fasting plasma glucose levels and insulin secretion during intravenous glucose tolerance tests.
J. Clin. Endocrinol. Metab., 42 : 222-229.
- Buffet, G.; Charnaux, N.; Laurent-Puig, S. and Heyman, D.L. (1994):**
Enhanced detection of antibodies to HCV by use of a third generation recombinant immunoblot assay.
J. Med. Virol., 43: 259-261.

Bukh, J.; Purcell, R. and Miller, L. (1993):

At least 12 genotypes of hepatitis C virus predicted by sequence analysis of the putative E1-gene of isolates collected worldwide.

Proc. Natl. Acad. Sci. USA; 90: 8234-8.

Burstein, D.M. and Rodby, R.A. (1993):

Membranoproliferative glomerulonephritis associated with hepatitis C virus infection.

J. Am. Soc. Nephrol., 4: 1288-1293.

Butkiewicz, E.K.; Leibson, C.; O'Brien, P.C.; Palumbo, P.J. and Rizza, R.A. (1995):

Insulin therapy for diabetic ketoacidosis.

Diabetes Care; 18: 1187-1190.

Byrne, M.M.; Sturis, J.; Menzel, S.; Yamagata, K.; Fajans, S.S.; Drosfield, M.J.; Bain, S.C.; Hattersley, A.T.; Velho, G.; Frogule, P. and Bell, G.I. (1996):

Altered insulin secretory response to glucose in diabetic and non-diabetic subjects.

Diabetes; 45: 1503-1510.

Cantor, A.B.; Krischer, J.P.; Cuthbertson, D.D.; Schatz, D.A.; Riley, W.J.; Malone, J.; Schwartz, S. and Quattrin, T. (1995):

Age and family relationship accentuate the risk of IDDM in relatives of patients with insulin-dependent diabetes.

J. Clin. Endocrinol. Metab., 80: 3739-43.

Caradonna, P.; Costamagna, G.; Benedetti, G.; Gentilioni, N. and Gasbarrini, G.B. (1996):

Chronic pancreatitis prevalence in liver cirrhosis. Morphological and functional study.

Ital J. Gastroenterol., 28 (2): 91-4.

Casey, L. (1990):

Host defence and infections in diabetes mellitus. In: Diabetes mellitus theory and practice, by Ridkin and Harold, 4th edition, Page: 234. Elsevier, New York, Amsterdam, London.

Cassato, T.; Taliani, G.; Pucillo, L.P.; Goffredo, F.; Lagana, B. and Bononio, L. (1991):

Cryoglobulinemia and hepatitis C virus.

Lancet, 337: 1047-8.

- Champe, P.C. and Harvey, R.A. (1994):**
Overview of diabetes mellitus. In: Lippincott's illustrated reviews: Biochemistry, by Champe, P.C. and Harvey, R.A., 2nd edition, P. 295. Lippincott-Raven Publications, Philadelphia.
- Chan, S.; McOmish, F. and Yap, P. (1992):**
Analysis of a new HCV type and its polygenetic relationship to existing variants.
J. Gen. Virol., 73: 1131-1141.
- Charles, M.A.; Fontboune, A.; Thibult, N.; Warnet, J.M.; Rosselin, G.E. and Eschwege, E. (1991):**
Risk factors for NIDDM in white population.
Diabetes, 40: 796-799.
- Chen, P.J.; Hwang, L.H. and Chang, L.V. (1993):**
Immunoglobulin M antibodies against HCV antigens: Significance and application.
Gastroenterol. Jpn., 28 (Suppl. 5): 67-70.
- Chen, D.S.; Kuo, G.C. and Sung, J.L. (1990):**
Hepatitis C virus infection an area hyperendemic for HBV and chronic liver disease: The Taiwan experience.
J. Infect. Dis., 162: 817-822.
- Choo, Q.L.; Kuo, G. and Ralston, Y. (1994):**
Vaccination against HCV infection: Miles to go before we sleep.
Hepatology, 20: 758-765.
- Choo, Q.L.; Kuo, G. and Weiner, A.D. (1989):**
Isolation of DNA derived from a blood-borne NANB viral hepatitis genome.
Science, 244: 359-61.
- Choo, Q.L.; Richman, K.; Han, J.; Berger, K.; Lee, C.; Dong, C.; Gallego, C. and Houghton, M. (1991):**
Genetic organization of hepatitis C virus.
Proc. Natl. Acad. Sci., 88: 2451-2455.
- Choo, Q.L.; Weiner, A.J. and Overby, L.R. (1990):**
Hepatitis C virus: The major causative agent of viral NANB hepatitis.
Br. Med. Bull., 46: 423-441.

- Chu, C.M.; Chiu, K.W. and Liaw, Y.F. (1994):**
The role of hepatitis C virus in fulminant hepatitis in area with endemic hepatitis A and B.
Gastroenterology, 107: 189.
- Ciaraldi, T.P.; El-Roeity, A.; Madar, Z.; Reichart, D.; Olefsky, J.M. and Yen, S.S.C. (1992):**
Cellular mechanisms of insulin resistance in polycystic ovarian syndrome.
J. Clin. Endocrinol. Metab., 75: 577-583.
- Clemenens, J.M.; Taskar, S.; Chau, K. and Bianchi, L. (1992):**
IgM antibody response in acute hepatitis C viral infection.
Blood, 79: 169-172.
- Clement, K.; Pueyo, M.E.; Vaxillaire, M.; Rakotoambinia, B.; Thuillier, F.; Passa, P.; Frougel, P. and Roberts, J. (1996):**
Assessment of insulin sensitivity in glucokinase-deficient subjects.
Diabetologia, 39: 82-90.
- Clifford, B.D.; Donahue, D.; Smith, L.; Cable, E.; Lutig, B.; Manns, M. and Bronkowsky, (1995):**
High prevalence of serological markers of autoimmunity in patients with chronic hepatitis C.
Hepatology, 21: 613-619.
- Colombo, M.; Mannucci, P.M. and Carnelli, V. (1989):**
Transmission of non-A, non-B hepatitis by heat treated factor VIII concentrate.
Lancet, 11: 123.
- Colombo, M.; Rumi, M.G. and Donato, M.F. (1991):**
Hepatitis C antibody in patients with chronic liver disease and hepatocellular carcinoma.
Dig. Dis. Sci., 36: 1130-1133.
- Contras, M. and Barbara, J.A. (1989):**
Screening for hepatitis C virus antibody.
Lancet, 11: 505.
- Cormack, D.H. (1993):**
Pancreatic islets. In: Text book of pancreas Essential Histology 3rd ed.
Philadelphia Lippincott., 291-292.

- Coustan, D.R. (1995) :**
Gestational diabetes. In : Diabetes in America. 2nd, ed by Washington, D.C.
Govt. Printing Office, New York, p. 703-717.
- Czaja, A.J. (1994):**
Autoimmune hepatitis and viral infection.
Gastroenterol. Clin. North Am., 23: 547-560.
- Dale, J.K.; DiBisceglie, A.M.; Hoffnagle, J.H. and Straus, S.E. (1991):**
Chronic fatigue syndrome: lack of association with hepatitis C virus infection.
J. Med. Viral., 34: 119-121.
- Daoud, M.S.; Gibson, L.E.I.; Daoud, S. and Al-Azhary, R.A. (1995):**
Chronic hepatitis C and skin diseases.
Mayo. Clinic. Proc., June 70 (6): 554-564.
- Darby, S.; Ewart, D. and Giangrande, P. (1997):**
Mortality from liver cancer and liver disease in hemophilic men and boys in UK given blood products contaminated with hepatitis C.
N. Engl. J. Med., 336: 367.
- Darwish, N.M.; Abass, M.O.; Abdelfatah, F.M. and Darwish, M.I. (1992):**
Hepatitis C virus infection in blood donors in Egypt.
J. Egy. Publ. Health Assoc., 34: 224-236.
- Davis, G.L.; Lau, J.Y.; Urdea, M.S.; Neuwald, P.D.; Wibler, J.C.; Lindsay, K.; Perrilo, R.P. and Albrenacht, J.C. (1994):**
Quantitative detection of HCV-RNA with a solid phase signal amplification method: Definition of optimal conditions for specimen collection and clinical application in interferon treated patients.
Hepatology, 6: 1337-1341.
- De Castro, M.; Sanchez, J. and Herrera, J.F. (1993):**
Hepatitis C virus antibodies and liver disease in patients with parphyria cutanea tarda.
Hepatology, 17: 551-7.

- Del Olmo, J.A.; Serra, M.A. and Rodrigo, J.M. (1996):**
Liver cirrhosis and diabetes mellitus.
J. Hepatol., 24: 645 (Letter).
- Denis, L.R.; Jeffery, S.M.; Paul, L.A. and Alter, W.R. (1994):**
Hepatitis C virus: An epidemiologic overview.
Lancet, 344: 1416-1426.
- Di-Bisceglie, A.M. (1998):**
Hepatitis C: Epidemiology, virology, diagnosis and management.
Lancet, 351: 351.
- Di-Cesare, E.; Previti, M.; Russo, F.; Brancatelli, S.; Ingemi, M.C.; Scoglio, R.; Mazzu, N.; Cucinotta, D. and Raimondo, G. (1996):**
Interferon-alpha therapy may induce autoantibody development in patients with chronic viral hepatitis.
Dig. Dis. Sci., 41 (8): 1672-7.
- Dick, D.; Jacob, S.; Kesier, E.; Stewart, D.; Cooper, S.; Takiff, H. and Cheng, S. (1996):**
HLA association with type II diabetes mellitus and HCV infection.
Hepatology, 24: 380A.
- Dienstage, J.L. and Krostoski, W.A. (1981):**
NANBH after experimental transmission of malaria by blood inoculation.
J. Infect. Dis., 143: 200-9.
- Dienstage, J.L. (1983):**
Non-A, non-B hepatitis. Recognition, epidemiology and clinical features.
Gastroenterology, 58: 439-462.
- Divano, M.C.; Parodi, A. and Kebora, A. (1992):**
Anti-liver kidney microsome type 1 antibodies in lichen planus.
Arch. Dermatol., 128: 991.
- Dolan, R.M.; Skibba, R.C.; Hagan, M. and Kilgore, W.R. (1991):**
Hepatitis C: Prevention and treatment.
J. Prac. Therap., 147: 1360.

- Donhue, J.G.; Munoz, A. and Ness, P.M. (1992):**
The declining risk of post-transfusion HCV infection.
N. Engl. J. Med., 327 (6): 369-373.
- Doumas, B.T.; Watson, W.A. and Biggs, H.G. (1971):**
Estimation of serum albumin.
Clin. Chim. Acta., 31: 87.
- Dow, B.C.; Fellet, E./A. and Jordon, T. (1994):**
Testing of blood donation for hepatitis C virus.
Lancet, 343: 477-478.
- Dunaif, A.; Segal, K.R.; Shelley, D.R.; Green, G.; Dobrjansky, A. and Licholai, T. (1992):**
Evidence for distinctive and intrinsic defects in insulin action in polycystic ovary syndrome.
Diabetes; 41: 1257-1266.
- Dusheiko, G.M. (1995):**
Treatment and prevention of chronic viral hepatitis.
Pharmacol. Therap., 65 (1): 47-73.
- Dusheiko, G.M. and Rizzetto, M. (1992):**
The management of chronic hepatitis C. In Synopsis of viral hepatitis. P: 1-20. Adelphi Communications, LTD. U.K.
- Dusheiko, G.; Schmiolovitz, W. and Braun, D. (1994):**
HCV genotypes: An investigation of type specific difference in geographic origin and disease.
Hepatology; 19 (1): 13-18.
- Eastwood, G.L.; Avunduk, C. and Purcell, R.H. (1988):**
Viral hepatitis. In: Manual of Gastroenterology, diagnosis and therapy, 3rd ed. P: 289-293, Howard Book Co.
- Ebeling, F.; Naukkarinen, R.; Leikola, J. and Munoz, A. (1990):**
RIBA for hepatitis C virus antibody as predictor of infectivity (letter).
Lancet, 335: 982-983.
- El-Gohary, A.; Hassan, A. and Nooman, Z. (1995):**
HCV genotypes in acute and chronic HCV infection in suez. 2nd Annual meeting of the ESTIP.
January, 1995, Cairo.

- Ellis, L.A.; Brown, D. and Conradi, J.D. (1990):**
Prevalence of hepatitis C in South Africa: Detection of anti-HCV in recent and stored serum.
J. Med. Virol., 32: 249-251.
- El-Kabir, M.; Scully, C. and Porter, S. (1993):**
Liver function in UK patients with oral lichen planus.
Clin. Exp. Dermatol., 18: 12-16.
- El-Khashab, H. (1991):**
Immunologic parameters in sera of diabetic patients and their effects on neutrophil function.
Sci. Med. J. Cairo Med. Synd., Vol. 3 (2): 169.
- El-Kofy, N.M. (1997):**
Study of intrafamilial transmission of hepatitis C virus.
M.D. Thesis (Pediatrics) Cairo University.
- El-Nawawy, A.A.; El-Azzouni, O.F.; Soliman, A.T.; Amer, A.E.; Demian, R.S. and El-Sayed, H.M. (1995):**
Prevalence of HCV antibody seropositivity in healthy Egyptian children and four high risk groups.
J. Trop. Pediatr., 41 (6): 341-3.
- El-Sahly, A.M.; Nour El-Din, M.A. and Abdel-Rahman, H.N. (1991):**
Prevalence of antibodies to hepatitis C virus in Egyptian patients with schistosomiasis. The 9th National Congress of the Egyptian Society of Hepatology (Abst.), P. 1136.
- El-Zayadi, A.R.; Selim, O.E.; Hamdy, H.; Dabbous, H.; Ahdy, A. and Moneim, S.A. (1998):**
Association of chronic hepatitis C infection and diabetes mellitus.
Trop. Gastroenterol., 19 (4): 141-4.
- Emam, R.F. (1994):**
Concomitant hepatitis viruses infection in patients with schistosomiasis mansoni.
M. D. Thesis (Trop. Med.) Cairo University, P. 86.
- Engelgau, M.M.; Thompson, T.J.; Herman, W.H.; Boyle, J.P.; Aubert, R.E.; Kenny, S.J.; Badran, A. and Ali, M.A. (1997):**
Comparison of fasting and 2-hours postprandial glucose and HbA_{1c} levels for diagnosing diabetes.
Diabetes Care; 20: 785-791.

- Esteban, J.O.; Esteban, R. and Viladoni, L. (1991):**
HCV antibodies among risk groups in Spain.
Lancet, 2: 294-297.
- Eugene, C.; Cardranel, J.F.; Bergue, A. and Anciaux, L. (1990):**
Acute pancreatitis associated with non-A, non-B hepatitis.
J. Clin. Gastroenterol., 12: 195-197.
- Everhart, J.E.; DiBisceglie, A.M. and Murray, L.M. (1990):**
Risk factors for NANBH through sexual or household contact
with chronic carriers.
Ann. Intern. Med., 112: 574-575.
- Expert Committee Report on Diagnosis and Classification of Diabetes
Mellitus (1997):**
Diabetes Care, 20 (7): 1183-97.
- Fabris, P.; Betterle, C.; Greggio, N.A.; Zanchetta, R.; Bosi, E.; Biasin,
M.R. and de-Lalla, F. (1998):**
Insulin-dependent diabetes mellitus during α -interferon therapy
for chronic viral hepatitis.
J. Hepatol., 28 (3): 514-7.
- Farci, P.; Alter, H.J. and Wong, D. (1991):**
A long term study of HCV replication in NANB hepatitis.
N. Eng. J. Med., 325: 98-104.
- Farci, P.; Alter, H.J.; Govindarajan, S.; Wong, D.C.; Engle, R.;
Lensiewski, R.R. and Mushahwar, I.K. (1992):**
Lack of protective immunity against reinfection with hepatitis
C virus.
Science, 258: 135-140.
- Farigon, S.; Piperno, A.; Cappellini, M.D.; Sampietro, M.; Fracanzani,
A.L.; Romano, R.; Caldarelli, R.; Marcelli, R.; Vecchi, L. and
Fiorelli, G. (1992):**
Hepatitis C virus and porphyria cutanea tarda: Evidence of a
strong association.
Hepatology, 16: 1322-1326.
- Farinate, F.; Fagiouli, S. and DeMaria, N. (1992):**
Anti-HCV positive HCC in cirrhosis.
J. Hepatol., 14: 183-187.

- Ferri, C.; Greco, F.; Longomardo, G.; Palla, P.; Moretti, A.; Marzo, E.; Mazzoni, A.; Pasero, G.; Bombardieri, S.; Highfield, P. and Corbisley, T. (1991):**
Association between hepatitis C virus and mixed cryoglobulinemia.
Clin. Exp. & rheumatol., 9: 621-624.
- Ferri, C.; Monti, M.; Lacivita, L.; Longombardo, G.; Greco, F.; Pareso, G.; Gnetilini, P.; Bombardieri, S. and Zignego, A.L. (1993):**
Infection of peripheral blood mononuclear cells by HCV in mixed cryoglobulinemia.
Blood; 82: 3701-4.
- Feucht, H.H.; Polywka, S.; Zollner, B. and Lauf, R. (1994):**
Greater amount of HCV-RNA in tears compared to blood.
Microbiol. Immunol., 38 (2): 157-158.
- Forrest, J.M.; Menser, M.A. and Burgess, J.A. (1971):**
High frequency of diabetes mellitus in young adults with congenital rubella.
Lancet, 2: 33-2-4.
- Foster, D.W. (1994):**
Insulin resistant states. In: Harrison's principles of internal medicine, 13th edition. By Isselbacher, K.J. and Petersdorf, R.G.
McGraw-Hill Book Co. New York, P. 1998.
- Frazer, G.M.; Harman, I.; Meller, N.; Niv, Y. and Porath, A. (1996):**
Diabetes mellitus is associated with chronic hepatitis C but not B infection.
Isr. J. Med. Sci., 32: 526-530.
- Friedman, L.S. (1999):**
Diseases of the liver. In: Current Medical Diagnosis and Treatment, by Tierney, L.M.; McPhee, S.J. and Papadakis, M.A. 38th edition, P. 646. Appleton & Lange Stamford, Connecticut, USA.
- Fujimoto, W.Y.; Leonetti, D.L.; Kinyoun, J.L.; Shuman, W.P.; Stolov, W.C. and Wahl, P.W. (1987):**
Prevalence of complications among second-generation Japanese-American men with diabetes, impaired glucose tolerance or normal glucose tolerance.
Diabetes; 36: 730-739.

- Fuller, J.H.; Shipley, M.J.; Rose, G.; Jarrett, R.J. and Keen, H. (1980):**
Coronary heart disease risk and impaired glucose tolerance: the whitehall study.
Lancet; i: 1373-1376.
- Gandin, C.; Renganathan, E.; Refai, W.; Amin, G. and Awad, E. (1996):**
Chronic liver disease in Alexandria, Egypt. First International Symposium on viral hepatitis. 2-5 September, Cairo, Egypt.
- Ganong, W.F. (1995):**
Endocrine function of pancreas and regulation of carbohydrate metabolism. In: Review of Medical Physiology, 17th edition, Lange Med. Publ. Los Altos California. 1:306-324& 1271-1285.
- Garg, S.K.; Dilawari, J.B.; Singh, K. and Sharma, S. (1989):**
Transient abnormality in carbohydrate metabolism during non-A, non-B viral hepatitis.
J. Gastroenterol. Hepatol., 4 (5): 405-10.
- Garson, J.A.; Tedder, S. and Briggs, M. (1990):**
Detection of HCV sequences in blood donation by nested PCR and prediction of infectivity.
Lancet; 335: 1419-1422.
- Gerber, M.A. and Thung, S.N. (1992):**
Immunopathology of hepatitis C. In Immunology and Liver. Abstract book, P. 19-20 Flak Symposium, No. 7, Basel.
- Gerlich, W.H. and Thomssen, A. (1991):**
Terminology, structure and laboratory diagnosis of hepatitis virus. In Melnytre, N.; Benhamou, J.P.; Bircher, J.; Rizzetto, M. and Rodes, J. Oxford Textbook of Clinical Hepatology, P: 537-565. Oxford University Press.
- Graham, B.; Sarkany, L. and Sherlock, S. (1982):**
Lichen planus and primary biliary cirrhosis.
Br. J. Dermatol., 106: 699-703.
- Gray, H.; Wreghitt, T.; Stratton, I.M.; Alexander, G.J.; Turner, R.C. and O'Rahilly, S. (1995):**
High prevalence of hepatitis C infection in Afro-Caribbean patients with type 2 diabetes and abnormal liver function tests.
Diabete. Med., 12 (3): 244-9.

- Grimbert, S.; Valensi, P.; Levy-Marchal, C.; Perret, G.; Richardet, J.P. and Raffoux, C. (1996):**
High prevalence of diabetes mellitus in patients with chronic hepatitis C.
Gastroenterol. Clin. Biol., 20: 544-548.
- Gruber, A.; Grillner, L.; Norder, H.; Magnus, L. and Bjorkholm, M. (1993):**
Severe aplastic anaemia associated with seronegative community-acquired hepatitis C virus infection.
Ann. Hematol., 66: 157-159.
- Gumber, S.C. and Chopra, S. (1995):**
Hepatitis C: A multifaced disease.
Ann. Intern. Med., 123: 615-620.
- Haddad, J.; Deny, P.; Munz, C.; Ambrosini, J.C.; Trinchet, J.C. and Pateron, D. (1992):**
Lymphocytic sialadenitis of sjogren's disease associated with chronic hepatitis C virus liver disease.
Lancet, 339: 989-90.
- Hadziyannis, S.J. (1996):**
Non-hepatic manifestations and combined diseases in HCV infection.
Dig. Dis and Sci., 41 (12): 63S-74S.
- Hadziyannis, S.J. (1997):**
The spectrum of extrahepatic manifestations in hepatitis C virus infection.
J. Viral Hepat., 4(1): 9-28.
- Haff, L. (1993):**
PCR application and alternative technologies.
Biotechnology; June 7-9: 11.
- Haneda, M.; Chan, S.J.; Kwok, S.C.M.; Rubenstein, A.H. and Steiner, D.F. (1983):**
Studies on mutant human insulin genes.
Proc. Natl. Acad. Sci. USA, 80: 6366-6370.
- Harris, M.I.; Couric, C.C.; Reiber, G.; Boyko, E.; Stern, M. and Bennet, P. (1995):**
Diabetes in America, 2nd edition, P. 1468.
Gout. Printing Office, Washington.

- Harris, M.I.; Hadden, W.C.; Knowler, W.C. and Bennett, P.H. (1987):**
Prevalence of diabetes and impaired glucose tolerance and plasma glucose levels in the U.S. Population aged 20-74 years. *Diabetes*; 36: 523-534.
- Healy, J.E. and Hodge, J. (1990):**
Surgical anatomy. *Anatomy of the pancreas* 2nd ed. Toronto BC. Becker, P. 623-650.
- Henry, R.J. (1974):**
de Jaffe technique for colorimetric assay of serum creatinine. In: principle and technics, 2nd ed. P. 525, Harper and Row Book Co. New York.
- Herrero, C.; Vicente, A.; Bruguera, M.; Ercilla, M.G.; Barrera, J.M. and Rodes, J. (1993):**
Is hepatitis C virus infection a trigger of porphyria cutanea tarda? *Lancet*, 341: 788-789.
- Hibbs, J.R.; Issaragrisil, S. and Young, N.S. (1992):**
High prevalence of hepatitis C viremia among aplastic anaemia patients and controls from Thailand. *Am. J. Trop. Med. Hyg.*, 46: 564-570.
- Hibbs, A.; Corwin, A.; Hassan, N.; Kamel, M. and Darwish, M. (1993):**
The epidemiology of antibody to hepatitis C in Egypt. *J. Infect. Dis.*, 168: 789-790.
- Hirmamatsu, N.; Hayashi, N.; Haruna, Y.; Kashara, A.; Fusrmoto, H.; Mori, C. and Fuke, I. (1992):**
Immunohistochemical detection of HCV-infected hepatocytes in chronic liver disease with monoclonal antibodies to core, envelope and NS3 regions of HCV genome. *Hepatology*; 16: 306-311.
- Hodgson, J. (1993):**
Why and where forms of DNA amplification. *Biotechnology*; August: 11.
- Hoefs, J.C.; Renner, I.G.; Ascavai, M. and Redeker, A.O. (1980):**
Hepatitis B surface antigen in pancreatic biliary secretion. *Gastroenterology*, 79: 191-194.

Holf, U.; Moller, B. and Kuther, D. (1990):

Long-term follow up of post-transfusion and sporadic chronic hepatitis Non-A, non-B and frequency of circulating antibodies to hepatitis C virus.
J. Hepatology; 10: 69-76.

Honda, M.; Kanekos, L.; Unoura, M.; Kobayashi, K. and Murakamis, U. (1993):

Risk of hepatitis C virus infections through household contact with chronic carriers: analysis of nucleotide sequences.
J. Hepatol., 17: 971-976.

Hoofnagle, J.H. and DiBisceglie, A.M. (1997):

The treatment of chronic viral hepatitis.
N. Engl. J. Med., 336: 347.

Horddinott, E.; Dorman, J.; Dear, J. and Farid, N. (1982):

Immunological changes in diabetes mellitus.
Diabetologia; 23: 326.

Horsmans, Y. and Geubel, A.P. (1995):

Symptomatic myopathy in hepatitis C infection without interferon therapy.
Lancet, 345: 1236 (Letter).

Houghton, M.; Weiner, A.D. and Han, J. (1988):

Molecular biology of the hepatitis C virus.
Hepatology; 14: 381.

Howat, H.T. and Sarles, H. (1979):

Histology of the exocrine pancreas. In : Textbook of the pancreas, 2nd ed. By Reaven, G. WB Saunders, Philadelphia, p.377.

Hsu, H.H.; Wright, T.L. and Luba, D. (1991):

Is hepatitis C virus in human secretion.
Gastroenterology; A-754.

Huang, M.J.; Chien, R.N.; Tsai, S.L. and Liaw, Y.F. (1995):

High prevalence of thyroid autoantibodies in patients with chronic hepatitis C.
Int. Hepatol. Commun.; 3 (Suppl): S 50.

- Huang, W.; Connor, E.; Dela Rosa, T.; Muir, A.; Schatz, D.; Silverstein, J.; Crockett, S. and MacLaren, N.K. (1996):**
The human leukocyte antigen DR4-DQB 110302 haplotype is implicated only in beta cell autoimmunity.
J. Clin. Endocrinol. Metab., 81: 1-5.
- Huang, M.J. and Liaw, Y.F. (1995):**
Clinical association between thyroid and liver disease.
J. Gastroenterol. Hepatol., 10: 344-350.
- Hughes, J.M. (1989):**
Universal precautions.
Rev. Occup. Med., 4(2): 13.
- Irving-William, L.; Doy, S. and Jhonston, L.D. (1993):**
Idiopathic pulmonary fibrosis and hepatitis-C virus infection.
Am. Rev. Resp. Dis., 148: 1683-4.
- Jeffers, I.J.; Cheinquer, H. and Hunt, W. (1992):**
Correlation of ALT level and severity of hepatitis histology with a new quantitative HCV-RNA method in patients with chronic hepatitis C.
Hepatology; 16: 551.
- Jhonson, R.J.; Gretch, D.R.; Yamabe, H.; Hart, J.; Bacchi, C.E.; Hartwell, P.; Couser, W.G.; Covey, L.; Wener, M.H.; Hartwell, P.; Couser, W.G.; Covey, L.; Wener, M.H. and Alpers, C.E. (1993):**
Membranoproliferative glomerulonephritis associated with hepatitis C virus infection.
J. Am. Soc. Nephrol.; 4: 1288-1293.
- Jones, K. (1981):**
Disorders of Carbohydrate metabolism. In: Aids to endocrinology, 1st edition, Page: 75. Longman Singapore Publishers. Churchill Livingstone.
- Junge, W.; Waldestrom, J. and Bouman, A. (1997):**
Evaluation of the assay for total and pancreatic α -amylase.
12th European congress of clinical chemistry; August: 17-22.

- Kabil, S.M.; Salwa, M.; Youssef, N.; Hussein, A.T. and Shaker, M. (1995):**
About HCV in Egypt.
J. Hepato. Gastro. Infect. Dis., 3:41.
- Kadowaki, T.; Kadowaki, H.; Mori, Y.; Tobe, K.; Skuta, R.; Suzuki, T.; Tanabe, Y. and Sakura, H. (1994):**
A subtype of diabetes mellitus associated with a mutation of mitochondrial DNA.
N. Engl. J. Med., 330: 962-968.
- Kamel, M.A.; Abdel-Ghaffar, Y.A. and Wasef, M.A. (1992):**
High prevalence of HCV in Egyptian blood donors.
Lancet, 340: 427..
- Kamel, M.A.; Miller, F.D.; El-Masry, A.G.; Zakaria, S. and Agha, Y. (1994):**
The epidemiology of schistosoma mansoni, hepatitis B and hepatitis C in Egypt.
Annals of Trop. Med. and Parasit., 88 (5): 501-509.
- Kamitskasa, H.; Harada, H. and Yakura, M. (1989):**
Intrafamilial transmission of HCV.
Lancet, 2: 987.
- Kane, M.; Alter, M. and Esteban (1992):**
The role of screening in prevention and treatment of HCV.
Gut; Suppl. 6: 57.
- Kaneko, K.; Arai, M.; Funatomi, H.; Hatta, Y. and Mitamura, K. (1995):**
Changes in immunoreactive insulin, C-peptide and immunoreactive glucagon in acute viral hepatitis.
J. Gastroenterol., 30: 624-631.
- Kao, J.H.; Chen, P.J.; Loi, M.V. and Chen, D.S. (1993):**
Superinfection with heterogenous HCV in a patient with chronic type C hepatitis.
Gastroenterology; 105: 583-587.

- King, M.L.; Shaikh, A. and Bidwell, D. (1983):**
Coxsackie-B-virus-specific IgM responses in children with type 1 diabetes mellitus.
Lancet; 1: 1397-9.
- Kingeston, M.E.; Ashraf, A.; Atiyeh, A.M. and Donelly, R.J. (1994):**
Diabetes mellitus in chronic active hepatitis and cirrhosis.
Gastroenterology; 87: 688-694.
- Kipault, M.P.; Damas, P.; deLinghen, V.; Silvan, C. and Beauch, M. (1995):**
Peripheral neuropathy related to HCV infection.
Hepatology; 22: 480.
- Kissebah, A.H.; Vydellingum, N.; Murray, R.; Evans, D.F.; Hartz, A.J.; Kalkhoff, R.K. and Adams, P.W. (1982):**
Relationship of body fat distribution to metabolic complications of obesity.
J. Clin. Endocrinol. Metab., 54: 254-260.
- Khan, C.R.; Flier, J.S.; Bar, R.S.; Archer, J.A.; Gorden, P.; Martin, M.M. and Roth, J. (1976):**
The syndromes of insulin resistance and acanthosis nigricans.
N. Engl. J. Med., 294: 739-745.
- Kiyosawa, K.; Sodeyama, T. and Tanaka, E. (1991):**
Intrafamilial transmission of hepatitis C virus in Japan.
J. Med. Virol, 33: 114-116.
- Knapp, R.G. and Miller, M.C. (1992):**
Clinical epidemiology and biostatistics. In National Medical Series (NMS), 1st edition, P. 271, Mass Publishing Co. Egypt.
- Knobler, H.; Stagnaro, G.A.; Wallenstein, S.; Schwartz, M. and Roman, S.H. (1998):**
Higher incidence of diabetes in liver transplant recipients with hepatitis C.
J. Clin. Gastroenterol., 26 (1): 30-3.
- Kolterman, O.G.; Gray, R.S.; Griffin, J. Burstein, P.; Insel, J.; Scarlette, J. and Olfesky, J. (1981):**
Receptor and Postreceptor defects contribute to the insulin resistance in NIDDM.
J. Clin. Invest., 68: 957-969.

- Kondo, M.; Horie, V.; Okano, J.; Kawasaki, U.; Mishiro, S. and Okamoto, H. (1995):**
Porphyria cutanea tarda and HCV infection.
Int. Hepatol. Commun., 3 (Suppl.): S45.
- Kortez, I.R.; Brezina, M.; Polito, J.A.; Quan, S. and Wilber, J. (1993):**
Non-A, non-B post transfusion hepatitis: comparing C and non-C hepatitis.
J. Hepatol., 17: 361-365.
- Krusznska, Y.T.; Home, P.D. and Hanning, I. (1987):**
Basal and 24 hour C-peptide and insulin secretion rate in normal man.
Diabetologia, 30: 16-21.
- Kruzynska, Y.T.; Home, P.D. and McIntyre, N. (1991):**
Relationship between insulin sensitivity, insulin secretion and glucose tolerance in cirrhosis.
Hepatology, 14: 103-11.
- Kumada, T.; Nakano, S.; Takeda, I.; Sugiyama, K. and Osada, T. (1996):**
Long-term administration of natural interferon-a in patients with chronic hepatitis C: Relationship to serum RNA concentration, HCV-RNA genotypes, histological changes and hepatitis C virus.
J. Gastroenterol. and Hepatol., 11: 159-165.
- Kumar, P. and Clark, M. (1999) :**
Viral hepatitis. In : clinical medicine, 4th ed., W.B. Saunders, London, p. 308.
- Kunhl, P.; Sedl, S. and Stangel, W. (1989):**
Antibodies to HCV in German blood donors.
Lancet, 2: 324.
- Kuo, G.; Choo, Q.L. and Alter, H.J. (1989):**
An assay for circulating antibodies to major etiologic virus of human NANB hepatitis.
Science, 244: 362-4.
- Kuroki, T.; Nishiguchi, S. and Fukuda, R. (1991):**
Intrafamilial transmission of HCV.
Lancet, 12: 987.

- Lamb, J.F.; Johnston, I.A.; Ingram, C.G. and Pitman, R.M. (1991):**
Endocrinology and metabolism. In: Essentials of Physiology by
Lamb, J.F.; Johnston, I.A.; Ingram, C.G. and Pitman, R.M. 3rd
edition P. 230, Blackwell Scientific Publications, Oxford.
- Lan, M.S.; Wasserfall, C.; MacLaren, N.K. and Notkins, A.L. (1996):**
1A-2, a transmembrane protein of protein tyrosine phosphatase
family, is a major autoantigen in insulin dependent diabetes
mellitus.
Proc. Natl. Acad. Sci. USA; 93: 6367-70.
- Lau, J.Y.; Davis, G.L. and Kniffen, J. (1993):**
Significance of serum hepatitis C virus RNA levels in chronic
hepatitis.
Lancet, 341: 1501-4.
- Laurence, D.R. and Bennett, P.N. (1993):**
Endocrinology; type II diabetes mellitus, insulin, oral
antidiabetic agents. Quoted from Textbook of clinical
pharmacology, 12th edition, Lange Med. Publ. London, Page:
564-580.
- Lenzi, M.; Cataleta, M.; Valentini, P.; Muratori, F.; Giostra, R.;
Francesconi, I.; Muratori, F.B. and Bianchi, F.B. (1996):**
Clinical and biochemical profile of HCV chronic hepatitis (CH)
with and without autoantibodies.
Hepatology; 24: 382 A.
- Letiexhe, M.R.; Scheen, A.J.; Gerard, P.L.; Bastens, B.H. and Pirotte,
J. (1993):**
Insulin secretion, clearance and action on glucose metabolism
in cirrhotic patients.
J. Clin. Endocrinol. Metab., 77: 1263-8.
- Liou, T.C.; Change, T.T.; Young, K.C.; Lin, X.Z.; Lin, C. and Wu, M.L.
(1992):**
Detection of HCV-RNA in saliva, urine, seminal fluid and
ascites.
Med. Virol. J., 37: 197-202.
- Little, R.R.; England, J.D.; Wiedmeyer, H.M.; McKenzie, E.M.; Petit,
D.J. and Knowler, W.C. (1988):**
Relationship of glucosylated haemoglobin to oral glucose
tolerance.
Diabetes; 37: 60-64.

- Lok, A.S.; Mao, C.K. and Chan, T.M. (1991):**
Overestimation of the prevalence of antibody to HCV in retrospective studies on stored sera.
Hepatology; 14: 756-762.
- Lucas, M.J.; Lowe, T.W.; Bowe, L. and McIntire, D.D. (1993):**
Class A, gestational diabetes: a meaning full diagnosis?
Obst. Gynecol., 82: 260-265.
- Lunel, F.; Musset, L.; Cacoub, P.; Frangeul, L.; Cresta, P.; Perrin, M.; Grippon, P.; Hoang, C.; Piette, J.C. and Opolon, P. (1994):**
Cryoglobulinemia in chronic liver diseases: Role of hepatitis C virus and liver damage.
Gastroenterology, 106: 1291-1300.
- Mangia, A.; Schiavone, G.; Lezzi, G.; Marmo, R.; Burno, F.; Fantasia, L. and Andriulli, A. (1998):**
HCV and diabetes mellitus: Evidence for a negative association.
Am. J. Gastroenterol., 93: 2363-7.
- Mariette, X.; Loiseau, P. and Morinet, F. (1995):**
Hepatitis C virus in saliva.
Ann. Intern. Med., 122: 556 (Letter).
- Martell, M.; Esteban, J. and Quer, J. (1992):**
HCV circulates as a population of different but closely related genomes.
J. Virol., 66: 3225-29.
- Mason, A.L.; Lau, I.Y.N.; Aian, K.P.; Hoang, N.; Jones, W.E.; Regenstein, F.G. and Perrillo, K.P. (1995):**
Association of diabetes mellitus with chronic hepatitis C virus infection.
Hepatology; 22 (4): 977.
- Mason, A.L.; Lau, J.Y.; Hoang, N.; Qian, K.; Alexander, G.J.; Guo, L. and Jacob, S. (1999):**
Association of diabetes mellitus and chronic hepatitis C virus infection.
Hepatology; 29 (2): 328-33.

- Matsumori, A. and Sasayama, S. (1996):**
Newer aspects of pathogenesis of heart failure: Hepatitis C virus infection in myocarditis and cardiomyopathy.
Z. Cardiol., 2 (4 Suppl.): 8187-94.
- Matsumori, A. (1997):**
Molecular and immune mechanisms in the pathogenesis of cardiomyopathy: Role of virus, cytokines and nitric oxide.
Jpn. Circ. Z., 67 (14): 275-91.
- Mc Conce, D.R.; Hanson, R.L.; Charles, M.A.; Jacobsson, L.T.H.; Pettitt, D.J.; Bennett, P.H. and Knowler, W.C. (1994):**
Comparison of tests for glycated haemoglobin and fasting and two hours plasma glucose concentrations as diagnostic methods for diabetes.
BMJ; 308: 1323-1328.
- McHatchinson, J.G.; Person, J.L. and Convindarjan, S. (1993):**
Improved detection of HCV antibodies in high risk population.
Hepatology; 15: 19-25.
- McOmish, F.; Chan, S.W. and Dow, B.C. (1993):**
Detection of three types of HCV in blood donors.
Transfusion, 33: 7-13.
- McNair, A.N.; Main, J. and Thomas, H.C. (1992):**
Interactions of the human immunodeficiency virus and the hepatotropic viruses.
Semin Liver Dis., 12: 177-188.
- Metzger, B.E. (1991):**
Summary and recommendations of the third international workshop-conference on Gestational diabetes mellitus.
Diabetes; 40: 197-201.
- Meyer, K.H.; Loshe, A.W. and Gerken, G. (1995):**
The role of autoimmunity in hepatitis C infection.
J. Hepatol., 22: 93-96.
- Misiani, R.; Bellavita, P.; Fenili, D.; Borelli, G.; Marchesi, D.; Massazza, M.; Vendramin, G.; Comotti, B. and Tanzi, E. (1992):**
Hepatitis C virus infection in patients with essential mixed cryoglobulinemia.
Ann. Intern. Med., 117: 573-577.

- Misiani, R.; Bellavita, P.; Fenili, D.; Vicari, D.; Marchesi, D.; Suroni, P.L.; Zilio, P.; Vernocchi, A.; Tanzi, E. and Zanetti, A. (1994):**
Interferon α -2a therapy in cryoglobulinemia associated with hepatitis C virus.
N. Engl. J. Med., 330: 751-756.
- Mitsui, T.; Iwano, K.; Masuko, K.; Yamazaki, C.; Okamoto, H.; Tsuda, F. and Tanaka, T. (1992):**
Hepatitis C virus infection in medical personnel after needle stick accident.
Hepatology, 16: 1109-1114.
- Miyagawa, S.; Makuuchi, M.; Kawasaki, S. and Kakazu, T. (1994):**
Changes in serum amylase level following hepatic resection in chronic liver disease.
Arch. Surg., 129 (6): 634-8.
- Mohamed, M.K.; Hussein, M.H.; Massoud, A.A.; Sheir, S.; Aoun, A.A. and Aboul-Nasser, M. (1996):**
Study of the risk factors for viral hepatitis C infection among Egyptians applying for health certificate to work abroad.
Dig. Dis. Sci., 41: 1672-7.
- Morfini, M.; Mannucci, P.M. and Ciavarella, N. (1994):**
Prevalence of infection with HCV among Italian haemophiliacs before and after introduction of virally-inactivated clotting factor concentrates.
Vox. Sang., 67: 178.
- Murakawa, K.; Esumi, M. and Kats, T. (1992):**
Heterogeneity within the non-structural protein 5-encoding region of HCV from a single patient.
Gene, 117: 229-232.
- Muratori, L.; Giostra, F.; Cataleto, M. and Andreoli, T. (1994):**
Testing for HCV sequences in peripheral blood mononuclear cells of patients with chronic HCV in the absence of serum HCV-RNA.
Liver, 14: 124-128.

- Mycek, M.J.; Harvey, R.A. and Champe, P.C. (1997):**
 Insulin and oral hypoglycemic drugs. In: Lippincott's illustrated reviews: pharmacology, by Champe, P.C. and Harvey, R.A., 2nd edition, P. 255. Lippincott-Raven Publications, Philadelphia.
- Nagayama, R.; Miyake, K.; Tsuda, F. and Okamoto, H. (1994):**
 IgM antibody to HCV core peptide for monitoring activity of liver disease in patients with acute or chronic HCV.
 J. Med. Virol., 42 (3): 311-317.
- Nagore, N. and Scheuer, P.J. (1988):**
 The pathology of diabetic hepatitis.
 J. Pathol., 78: 155-160.
- Nakatsuji, Y.; Matsumoto, A.; Tanaka, E. and Okamoto, H. (1992):**
 Detection of chronic HCV infection by four diagnostic system: first and second generation ELISA, second generation RIBA and nested PCR analysis.
 Hepatology; 16: 300-305.
- Nalpas, B.; Romeo, R. and Pol, S. (1995) :**
 Serum hepatitis C virus RNA : A reliable tool for evaluating HCV-related liver disease in anti-HCV positive blood donor with persistently normal ALT values.
 Transfusion, 35 : 750.
- National Diabetes Data Group (1979):**
 Classification and diagnosis of diabetes mellitus and other categories of glucose intolerance.
 Diabetes; 28: 1039-1057.
- Newman, B.; Selby, J.V.; Slemenda, C.; Fabsitz, R. and Friedman, G.D. (1987):**
 Concordance for type-2 diabetes mellitus in male twins.
 Diabetologia; 30: 763-738.
- Nowichi, M.J. and Balisteri, W.I. (1995):**
 The hepatitis C virus: Identification, epidemiology and clinical controversies.
 J. Pediatr. Gastroenterol. Nutr., 20: 248-274.

- Nuovo, G.J.; Lidonnici, K.; MacConnell, P. and Lane, B. (1993):**
Intracellular localization of PCR amplified hepatitis C cDNA.
Am. J. Surg. Pathol., 17: 683-690.
- Olynyk, J. and Bacon, B. (1995) :**
Hepatitis C : Recent advances in understanding and management.
Postgrad Med; 98 : 79.
- Okada, H.; Sugiyama, Y. and Okada, S. (1992):**
HCV genotyping : variation of therapeutic response to interferon alpha in Japanese patients. Hepatology, 15 : 19-25.
- Okamoto, H.; Sugiyama, Y. and Okada, S. (1989):**
Typing of HCV by PCR.
J. Gen. Virol., 73: 673-679.
- Okamoto, H.; Sugiyama, Y.; Okada, S.; Akahane, Y.; Sugar, Y. and Mashiko, K. (1993):**
Prevalence of hepatitis C virus antibodies in patients with idiopathic pulmonary fibrosis (A case study)
J. Med. Virol., 41 (1): 6-10.
- Ockner, R. (1996) :**
Chronic hepatitis : In : Cecil textbook of medicine, 20th ed. By Bennett, J. and Plum, F.; W.B. Saunders Co. Philadelphia, p.778.
- Okumo, H.; Xie, Z.C.; Lu, B.Y.; Qin, X.; Fukushima, S.; Hirota, T.; Shiozaki, K. and Inoue, K. (1994):**
Genotypes of hepatitis C virus in Guangxi province, southern China.
J. Gastroenterol. Hepatol., Mar-Apr. 9 (2): 169-71.
- Olefsky, J.M.; Kolterman, O.G. and Scarlett, J.A. (1982):**
Insulin action and resistance in obesity and NIDDM.
Am. J. Physiol.; 243: E15-E30.
- Overby, L.R. (1992):**
Hepatitis C: Looking at a virus that hasn't been seen, viral hepatitis management standard for the future.
Cannes, France; Page: 11-12.

- Ozyilkan, E.; Erbas, T.; Simsek, H.; Telatar, F.; Kayhan, B. and Telatatar, H. (1994):**
Increased prevalence of hepatitis C virus antibodies in patients with diabetes mellitus.
J. Intern. Med., 235 (3): 283-4.
- Ozyilkan, E. and Arslan, M. (1996):**
Increased prevalence of DM in patients with chronic hepatitis C virus infection.
Am. J. Gastroenterol., 91 (7): 1480.
- Pak, C.Y.; Eun, H.M. and McArthur, R.G.J. (1988):**
Association of cytomegalovirus infection with autoimmune type 1 diabetes.
Lancet, 2: 1-4.
- Paver, W. and Turner, A. (1993):**
Viral hepatitis.
The Practitioner, 4: 239.
- Pawlostsky, J.M.; Benyahia, M.; Andre, C.; Voisin, M.C.; Intrator, L.; Roudot, F.; Deforges, L.; Duvoux, C. and Zafrani, E.S. (1994):**
Immunological disorders in C virus chronic active hepatitis: a prospective case-control study.
Hepatology, 19: 841-848.
- Perrilo, R.P.; Phol, D.A.; Roodman, S.T. and Tasi, C.C. (1981):**
Acute NANB hepatitis with serum sickness-like syndrome and aplastic anaemia.
JAMA; 245: 494-496.
- Pezides, A.S.; Schultz, D.; Vogt, C.; Mathews, D.E. and Suohmeyer, G. (1993):**
Glucose resistance contributes to diabetes mellitus in cirrhosis.
Hepatology; 18: 284-291.
- Pezzilli, R.; Andreone, M.D.; Maria, A.; Sama, C.; Billi, P.; Cursaro, C. and Barakat, B. (1999):**
Serum pancreatic enzyme concentrations in chronic viral liver diseases.
Dig. Dis. and Sci., 44 (2): 350.

Piazzo, H.F. (1990):

Periodic gammaglobulin to prevent hepatitis C in risk sexual partners.
Lancet, 336: 823.

Polesky, H.F. (1990):

Would another test (anti-HCV) have helped?
Am. J. Clin. Path., 93 (1): 155.

Polish, L.B.; Shapiro, C.N. and Bauer, F.; Klotz, P.; Ginier, P.; Roberto, R.; Margolis, H. and Alter, M. (1992):

Nosocomial transmission of hepatitis C virus associated with the use of spring-loaded finger-stick device.
N. Engl. J. Med., 326: 721-725.

Polonsky, K.S.; Given, B.D. and Vancauter, E. (1988):

Twenty four hours profiles and pulstaile patterns of insulin secretion in normal and obese subjects.
J. Clin. Invest., 81: 442-448.

Pontisso, P.; Morsica, G. and Cavalletto, (1992):

HCV-RNA and liver disease in chronic asymptomatic carriers of anti-HCV.
Hepatology, 16: 584.

Popp, J.W.; Dienstag, J.L.; Wands, J.R. and Block, K.J. (1980):

Essential mixed cryoglobulinemia without evidence of hepatitis C virus infection.
Ann. Intern. Med., 92: 379-383.

Pozzato, Z.; Yuste, Z.R. and Beloquic, O. (1995):

Interferon therapy in chronic hepatitis C virus.
J. Med. Virol., 45: 445-50.

Pricto, Z.; Yuste, Z.R. and Beloquic, O. (1996):

Anticardiolipin antibodies in chronic hepatitis C: implication of HCV as the cause of the antiphospholipid syndrome.
J. Hepatol., 23: 199-204.

Quiroga, J.A.; Compillo, M.L.; Dienstag, J.L.; Catillo, I.; Cavalletto, D. and Block, K.J. (1991):

IgM antibody to HCV in acute and chronic hepatitis C.
Hepatology, 14: 38-43.

- Reaven, G.M. (1988):**
Role of insulin resistance in human disease.
Diabetes; 37: 1595-1607.
- Rebora, A.; Robert, E. and Rongioletti, F. (1992):**
Clinical and laboratory presentation of lichen planus in patients with chronic liver disease.
J. Dermatol. Sci., 4: 38-41.
- Reder, M.E.; Knip, M.; Harting, S.G. and Akerblom, N. (1994):**
The childhood diabetes in finland.
J. Clin. Endocrinol. and Metab., 79 (6): 1570.
- Reichard, O.; Levy, D.; Martin, T.P.; Hamm, C.W. and Pitts, W.R. (1998):**
Randomised, double-blind, placebo-controlled trial of interferon alpha 2-b with and without ribavirin for chronic hepatitis C.
Lancet, 35: 83.
- Reitman, S. and Frankel, S. (1957):**
Estimation of serum glutamate-pyruvate and glutamate-oxalate transaminase.
Am. J. Clin. Path., 28: 56.
- Riggio, O.; Montagnese, F. and Fiore, P.; Folino, S.; Gandin, C.; Merli, M.; Quinti, I.; Violante, N.; Caroli, S. and Capocaccia (1997):**
Iron overload in patients with chronic viral hepatitis: How common is it?
Am. J. Gastroenterol., 92: 1298-301.
- Rimoin, D.L. (1976):**
Genetic syndromes associated with glucose intolerance. The Genetics of Diabetes. In Springer-Verlag, 3rd ed., P: 1123, Berlin.
- Robbins, D.C.; Shoelson, S.E.; Rubenstein, A.H. and Tager, H.S. (1984):**
Familial hyperinsulinemia.
J. Clin. Invest., 73: 714-719.

- Robinson, D.C.; Anderson, L. and Bowsher, R. (1996):**
Standardization of the insulin assay.
Report of the American Diabetes Association's task force, 42
(2): 242.
- Rodriquez, R.; Belogui, O.; Fernandez, J.; Ingoes, S. and Prieto, J. (1995):**
Detection of anticardiolipin antibodies and β -2-GPI in
cryoprecipitate of patients with chronic hepatitis C and
cryoglobulinemia.
J. Hepatol., 23 (Suppl. 1): 95.
- Saeed, A.A.; Al-Admawi, A.M.; Al-Rashed, A.; Fairclough, D.;
Bacchus, R.; Ring, C. and Garson, J. (1991):**
Vial infection in Egyptian volunteer blood donors in Riyadh.
Lancet, 338: 459-460.
- Salama, H.; Esmat, G.; Medhat, E.; Hashem, A.; Zakaria, S.; Kamel,
M. and Abdel-Wahab, F. (1995):**
Egyptian rural school children: Prevalence of HCV
seropositivity and its relation to schistosomiasis.
Sci. Med. J. Cairo Med. Synd., 7 (2): 117-126.
- Sanchez, N.P.; Winkelmann, R.K. and Schrocter, A.L. (1982):**
The clinical and histopathologic spectrum of urticarial
vasculitis: study of fourty cases.
J. Am. Acad. Dermatol., 7: 599-605.
- Sanchez-Quijano, A.; Pineda, J.A. and Lissen, E. (1988):**
Prevention of post-transfusion NANB hepatitis by non specific
immunoglobulin in heart surgery patients.
Lancet, 1245: 459.
- Sankery, T.; Romeo, J. and Ulrich, P. (1992):**
Detection of HCV in seronegative donors with raised ALT.
Lancet, 340: 249-250 (Letter).
- Sansonno, D.; Gesualdo, L.; Manno, C.; Schena, F.P. and Dammacoo,
F. (1997):**
Hepatitis C virus-related proteins in kidney tissue from HCV-
infected patients with cryoglobulinemic membrano-
proliferative glomerulonephritis.
Hepatology, 25 (5): 1237-44.

Sarver, D.K. (1986):

Non-A, non-B hepatitis.
Postgraduate Medicine, 79 (4): 218-230.

Scarlette, J.; Gray, R.; Griffin, J.; Olfsky, J. and Kolterman, O. (1982):

Insulin treatment reverses the insulin resistance of type II diabetes mellitus.
Diabetes Care; 5 : 353-363.

Schellong, G. and Wende, U. (1960):

Estimation of total and direct serum bilirubin.
Arch. Kinderheilk., 102: 126.

Scheuer, J.; Ashrafzadeh, P. and Sherlock, S. (1992):

Pathology of hepatitis C virus.
Hepatology, 15 (4): 567-571.

Schiff, R.E. (1992):

Hepatitis C among health care providers: risk factors and possible prophylaxis.
J. Hepatol., 16: 1300-1301.

Schimiolovitz-Weiss, H.; Thompson, N. and Dusheiko, D. (1992):

Viral markers in the treatment of hepatitis B and C.
Gut, 23 (Supl.): 26-35.

Schlipkoter, U.; Thompson, N. and Wright, E.C. (1993):

HCV in hemodialysis until staff member after needlestick accident.
J. Trop. Med. Hyg., 46: 63-68.

Seef, L.B.; Buskell, Z. and Wright, E.C. (1993):

Long-term mortality after transfusion-associated non-A, non-B hepatitis.
N. Engl. J. Med., 327: 1906.

Serfaty, L.; Noursbaum, J. and El-Ghozzi, M. (1995) :

Prevalence, severity and risk factors of liver disease in blood donors positive in a second-generation anti-hepatitis C virus screening test.
Hepatology; 21 : 725.

- Sernka, L. and Jacobson, M. (1983):**
Pancreatic secretion. In: Text book of Gastrointestinal physiology, 2nd ed., P. 623 McGraw-Hill Book Co. by Williams and Wilkins.
- Sgrabi, D.; Casarimi, M.B.; Giacomini, D.; Castagnini, A.; Cavallini, G. and Angelini, G. (1996):**
Hyperamylasemia in HCV chronic hepatitis patients.
Gastroenterology, 110: A 1320.
- Shapiro, E.T.; Tillil, H. and Polonosky, K.S. (1988):**
Oscillation of insulin secretion during constant glucose infusion in normal man: Relationship in changes in plasma glucose.
J. Clin. Endocrinol. Metab., 67: 307-314.
- Sheen, I.S.; Liaw, Y.F. and Chu, C.M. (1992):**
Role of HCV infection in spontaneous HBsAg clearance during HBV infection.
J. Infect Dis., 165: 831-834.
- Sherlock, S. (1992):**
Viral hepatitis.
Lancet, 339: 802.
- Sherlock, S. and Dooley, J. (1993):**
In diseases of the liver and biliary system, 9th ed. P. 692
Blackwell Scientific Publications.
- Shimoda, T.; Shikata, T.; Karasawa, T.; Tsukagoshi, S.; Yoshimura, M. and Sakurai, I. (1981):**
Light microscopic localization of hepatitis B virus antigens in the human pancreas. Possibility of multiplication of HBV in human pancreas.
Gastroenterology; 81: 998-1005.
- Silva, M.; Findor, A. and Roach, K. (1991):**
Prevalence of HCV infection in stable sexual partners of patients with chronic hepatitis C.
Gastroenterology, A: 767.
- Simsek, H.; Arici, M. and Oksuzoglu, G. (1996):**
Elevated serum amylase levels in chronic hepatitis C infection.
Gastroenterology; 110: A 1327.

- Simo, R.; Hernandez, C.; Genesca, J.; Jordi, R. and Mesa, J. (1996):**
High prevalence of hepatitis C virus infection in diabetic patients.
Diabetes Care; 19 (9): 998-1000..
- Solimena, M.; Folli, R.; Pozza, G. and DeCamilli, P. (1992):**
Autoantibodies to GABA-nergic neurons and pancreatic beta cells in stiffman syndrome.
N. Engl. J. Med., 41: 347-353.
- Soni, P.N.; Khakoo, S.I. and Dusheiko, G.M. (1994):**
Viral hepatitis. In: Recent advances in Gastroenterology, by Pounderred, 6th ed., P. 235-266 Churchill Livingstone.
- Speicher, C. (1998) :**
A physician's guide to differential diagnosis of medical diseases. In : The Right test, 3rd edition, W.B. Saunders Company, Philadelphia, p. 157, 253, 277 and 305.
- Stechemesser, E.; Klein, R. and Berg, P.A. (1993):**
Characterization and clinical relevance of liver-pancreas antibodies in autoimmune hepatitis.
Hepatology, 18 (1): 1-9.
- Sotiropoulos, A.; Pappas, T.A.; Skliros, E.; Apostolou, O.; Kotsini, V. and Pappas, S.I. (1999):**
Low prevalence of hepatitis C virus infection in Greek diabetic patients.
Diabetes Med., 16 (3): 250-2.
- Stevens, C.E.; Aach, R.D. and Hallinger, F.B. (1984):**
Hepatitis B virus antibody in blood donors and the occurrence of NANB hepatitis in transfusion recipients: An analysis of the transfusion-transmitted virus.
Ann. Intern. Med., 101: 733-738.
- Stevens, A. and Low, J.S. (1992):**
Pancreas. In textbook of Histology, 3rd ed. Gower Med. Publishing Co., London, P. 264-265.
- Stevens, C.E.; Taylor, P.E.; Pindyck, J.; Choo, Q.L.; Bradely, D.W.; Kno, G. and Houghton, M. (1990):**
Epidemiology of HCV: A preliminary study in volunteer blood donors.
JAMA, 203: 49-53.

- Study Group, UK Haemophilia Center (1989):**
Review of ovirucidols for inactivation of HCV in blood derivatives.
Lancet; 1: 814.
- Sturius, J.; Van Cauter, E.; Blockman, N. (1991):**
Entrainment of pulsatile insulin secretion by oscillatory glucose infusion.
J. Clin. Invest., 87: 439-445.
- Tadmor, B.; Putterman, C. and Naparstek, Y. (1992):**
Embryonal germ-layer antigens: target for autoimmunity.
Lancet, 339: 975-8.
- Ta-Jen, W.U.; Ching-Ling, L.; Robert, L.; Taylor, N. and Kao, R. (1995):**
Assay of C-peptide by RIA.
J. Ann. Clin. and Lab. Sci., 25 (6): 467.
- Takada, N.; Takase, S. and Enomoto, N. (1992):**
Clinical background of the patients having different types of HCV genomes.
J. Hepatology; 14: 35-40.
- Takahashi, M.; Yamada, G. and Miyamoto, R. (1993):**
Natural course of chronic hepatitis C.
Am. J. Gastroenterol., 88 (2): 240-243.
- Takamizawa, A.; Maric, L. and Fuki, T. (1991):**
Structure and organization of HCV genomes isolated from human carriers.
J. Virol., 65: 1105-1113.
- Taliani, G.; Poliandri, G. and Clementi, C. (1992):**
Chronic hepatitis C and diabetes mellitus.
J. Hepatol., 16 (Suppl. 1): 5116.
- Tarnato, D.; Carrato, A.; Romano, M.; Maio, G.; Izzo, G.M. and Blanco, C. (1989):**
Mild pancreatic damage in acute viral hepatitis.
Digestion, 42 (2): 93-7.

- Taylor, S.I. (1992):**
Molecular mechanisms of insulin resistance.
Diabetes; 41: 1473-1490.
- Tedeschi, V. and Seeff, L. (1995) :**
Diagnostic tests of hepatitis C : where are we now?
Ann. Intern. Med; 123 : 383.
- Tibbs, C.J.; Polmer, S.J. and Cocker, R. (1991):**
Prevalence of HCV in tropical communities; the importance of confirmatory tests.
J. Med. Virol., 34: 143.
- Tietz, N.W.; Huang, W.Y.; Rauh, D.F. and Shuey, D.F. (1986):**
Laboratory tests in the differential diagnosis of hyperamylasemia.
Clin. Chem., 32: 301-307.
- Thieboud, D.; Jacot, E.; Defronzo, R.A. et al. (1982):**
Diabetes 31: 957-963.
Quoted by Kahn and Porte, 1990.
- Thoraval, T.F.; Pawlotsky, J.M. and Deforges, L. (1993):**
Anti-HCV seroprevalence in patients with lichen planus.
Gut., 34 Suppl.: S 55-S 56.
- Tran, A.; Quaranta, J.F.; Beusnel, C.; Thiers, V.; DeSouza, M.; Francis, H.; Hebuterne, X. and Rampal, P. (1992):**
Hepatitis C virus and Hasimoto's thyroiditis.
Eur. J. Med., 1: 116-118.
- Trepo, C. (1992):**
Diagnostic marker of viral hepatitis B and C. In Canres abstract book, by Macceles field, 5th ed. P. 21-22. Adelphia Communications LTD, U.K.
- Tsianos, E.B.; Jalali, M.T.; Gowenlock, A.H. and Broganza, J.M. (1996):**
Serum isoamylases in liver diseases.
Hepato. Gastroenterol., 33: 247-249.
- Turner, R.; Holman, R.; Matthews, D.; Hockaday, T. and Peto, J. (1979) :**
Insulin deficiency and insulin resistance interaction in diabetes.
Metabolism; 28 : 1086-1096.

- Ueda, T.; Ohta, K.; Suzuki, N.; Yamaguchi, M.; Hirai, K.; Horiuchi, T.; Miyamoto, T. and Ito, K.F. (1992):**
Idiopathic pulmonary fibrosis and high prevalence of serum antibodies to hepatitis C virus.
Am. Rev. Respir. Dis., 146: 266-268.
- Uzunalioglu, O.; Cetinkaya, H.; Siphai, N.; Dokmeci, A.; Bozkaya, S. and Karayalcin, C. (1996):**
High prevalence of diabetes mellitus in patients with chronic hepatitis C infection.
Hepatology; 24 (4): 1865.
- Vaglia, A. (1990):**
HCV infection in surgeons after needlestick injury.
Lancet; 336: 1315-1316.
- Van der Poel, C.L.; Cuypers, H.T. and Lelie, P.N. (1991):**
Confirmation of HCV infection by new four-antigen recombinant immunoblot assay.
Lancet; 337: 317-319.
- Van der Poel, C.L.; Cuypers, H.T. and Reesink, H.W. (1994):**
HCV six years on.
Lancet; 344: 1475-1479.
- Van der Poel, C.L.; Reesink, H.W.; Lelie, P.N. and Lin, J.T. (1990):**
Anti-HCV and transaminase testing of blood donors.
Lancet; 336: 187-188.
- Van Ness, M. and Diehl, A. (1989):**
Is liver biopsy useful in the evaluation of patients with chronically elevated liver enzymes?
Ann. Intern. Med; 111 : 473.
- Veira, J.G.; Nishida, S.K. and Lombardi, M.T. (1995):**
Comparison of the determination of insulin by a monoclonal antibody - based immunofluorometric assay and by radioimmunoassay.
Brazilian J. Medical and Biological Research; 28 (5): 537.
- Ventrucci, M.; Mazzella, G.; Bergami, R.; Buonamici, L.; Conci, T.; Salzetta, S. and Roda, E. (1996):**
Serum amylase and isoamylase pattern in patients with chronic active hepatitis.
Ital. J. Gastroenterol., 24: 174-175.

Vionnet, N.; Stoffel, M.; Takeda, J.; Yasuda, K.; Bell, G.I.; Zouali, H.; Lesage, S.; Velho, G. and Iris, F. (1992):

Nonsense mutation in the glucokinase gene causes early-onset NIDDM.

Nature, 356: 721-788.

Wallach, J. (1998):

Diseases of the pancreas. In: Handbook of interpretation of diagnostic tests by Winters, R. 7th edition, P. 114. Lippincott-Raven Publishers, Philadelphia.

Wang, J.T.; Wang, T.H. and Lin, J.T. (1991):

HCV-RNA in saliva of patients with post transfusion HCV infection.

Lancet, 337: 48.

Wang, J.T.; Wang, T.H.; Sheu, J.C.; Lin, J.T. and Chen, D.S. (1992):

Hepatitis C virus RNA in saliva of patients with post transfusion hepatitis.

J. Med. Virol., 36: 28-31.

Wang, Y.I.; Lee, S.D. and Hawang, S.J. (1994):

Incidence of post transfusion hepatitis before and after screening for hepatitis C virus antibody.

Vox Sang., 67: 187-190.

Watanabe, U.; Hashimoto, E.; Hisamitsu, T.; Obata, H. and Hyashi, N. (1994):

The risk factor for development of thyroid disease during interferon- α therapy for chronic hepatitis.

Am. J. Gastroenterol., 89: 399-403.

Weiner, A.J.; Kuo, G. and Bradely, D.W. (1990):

Detection of hepatitis C viral sequences in non-A, non-B hepatitis.

Lancet; 335: 1-3.

Weiner, A.J.; Brauer, M.J.; Roseblott, J.; Richmann, K.H.; Tung, J. and Han, H.J. (1991):

Variable and hypervariable domains are found in the regions of HCV corresponding to flavivirus enveloped and NS1 proteins and the postvirus envelop glycoprotein.

Virology; 180: 842-846.

- Weiner, A.J.; Han, J.; Alan, J. and Bradley, D. (1990):**
HCV testing in low-risk population.
Lancet; 336: 695.
- Wejstal, R.; Hermodsson, S.; Iwarson, S. and Norkrons, G. (1990):**
Mother to infant transmission of hepatitis C virus infection.
J. Med. Virol., 30: 178-180.
- Wilson, S.E.; Lee, W.M.; Murakami, Weng, J. and Moninger, G.A. (1994):**
Mooren-type corneal ulceration associated with hepatitis C virus.
Ophthalmology; 101: 736-745.
- Wing, R.R.; Blair, E.H.; Bononi, P.; Marcus, M.D.; Watanabe, R. and Bergman, R.N. (1994):**
Caloric restriction perse is a significant factor in improvements in glycemic control and insulin sensitivity during weight loss in obese NIDDM patients.
Diabetes Care; 17: 30-36.
- Yamagata, K.; Oda, N.; Kaisaki, P.J.; Menzel, S.; Furuta, H.; Vaxillaire, M.; Southam, L. and Cox, R.D. (1996):**
Mutations in the hepatocyte nuclear factor-1 α gene in maturity-onset diabetes of the young (MODY3).
Nature; 384: 455-458.
- Yanagi, M.; Keneka, S.; Mnoura, M.; Murakami, S. and Kabryashi, K. (1991):**
Hepatitis C virus in fulminant hepatic failure.
N. Engl. J. Med., 234 (26): 1895.
- Yano, M.; Yatsushashi, H. and Inow, O. (1991):**
Epidemiology of HCV in Japan; role of chronic liver diseases and hepatocellular carcinoma.
J. Gastroenterol. Hepatol.; Suppl. (1): 31-35.
- Zein, N.N.; Abdulkarim, A.S. and Wiesner, R.H. (1996):**
The risk of diabetes mellitus in patients with liver cirrhosis due to hepatitis C, alcohol, or cholestatic liver diseases.
Hepatology; 24: 380A.

Zein, N.N. (1998):

Hepatitis C and diabetes mellitus: An ongoing controversy.
AJG; 93 (12): 2320-2321.

Zeldis, B.; Dienstag, J.L. and Gale, R.P. (1983):

Aplastic anaemia and NANB hepatitis.
Am. J. Med., 74: 64-68.

Zier, K.; Leo, M. and Spielman, R. (1984):

Lymphocyte function in IDDM.
Diabetes; 33: 552.

Zimmet, P.Z. (1992):

Challenges in diabetes epidemiology: From west to the rest.
Diabetes Care; 15: 232-252.

**Zimmet, P.Z.; Tuomi, T.; Mackay, R.; Rowley, M.J.; Knowels, W.;
Cohen, M. and Lang, D.A. (1994):**

Latent autoimmune diabetes mellitus in adults.
Diabet. Med., 11: 299-303.

Zuckerman, A.J. (1990):

Viral hepatitis.
Br. Med. J., 46 (2): 303-318.