

REFERENCES

- Adams, P.W.; Kissebah, A.H. and Harrigan, P. (1974)
Familial Hyperlipoproteinemia. Eur. J. Clin.
Invest., Vol. 4, P. 149.
- Addis, G.J. and Thorp, J.M. (1976)
Effects of oxprenolol on the airways of normal and
bronchitic subjects. Eur. J. Clin. Pharmacol., Vol.
9, P. 259 - 63.
- Agostini, A.; Berfosconi, C. and Geli, G.C. (1975)
Science, Vol. 182, P. 300.
- Ahumada, G.G.; Karlsberg, R.P.; Jaffe, A.S.; Ambos, H.D.;
Sobel, B.E. and Roberts, R. (1979)
Reduction of early ventricular arrhythmia by
acebutolol in patients with acute myocardial
infarction. Br. Heart J., Vol. 41, P. 654.
- Ammann, R. (edr) (1976)
Acute pancreatitis, in Gastroenterology. By Bockus
H.L., et al third edn Vol. 3. Chapter 137 P.P.,
1020 - 1039 pub., W.B. Saunders Co., Philadelphia.
London. Toronto.
- Andersen, M.P.; Fredricksen, J. and Jurgensen, H.J. (1979)
Effect of alprenolol on mortality in myocardial
infarction. Lancet, Vol. 2, P. 865 - 867.
- Bagdade, J. D.; Porte, D. Jr. and Bierman E.L. (1968)
Familial hyperlipoproteinemia. N. Engl. J. Med.,
Vol. 279, P. 181.

Banks, P.A. (1979)

Pancreatitis. Pub. Plenum Med. Book Co. New York,
London.

Banks, P.A. (1981)

Acute pancreatitis. Postgraduate doctor, 1981 (Oct)
P. 409 - 13.

Beaumont, J.L.; Carlson, L.A.; Cooper, J.R.; Fredrickson,
D.S. and Strassert. (1972)

Classification of lipoprotein. Circulation, Vol.
45, P. 501.

Braunwald, E. ed. (1978)

Beta-Adrenergic Blockade-A New Era in Cardiovascu-
lar Medicine. New York, Excerpta Medica, P. 309.

Braunwald, E. (ed.) (1984)

Beta-blockade in mangment of coronary heart disease.
A Textbook of Cardio-vascular Medicine, 2nd edn., W.
B. Saunders Co., Pub. Philadelphia, London, Toronto,
P. 1316 - 58.

Braunwald, E.; Muller, J.E.; Kloner, R.A.; et al. (1983)

Role of beta blockers in the therapy of patients
with myocardial infarction. Am. J. Med. 74 : 113.

Brecken ridge, W.C.; Little, J.A. and Steiner, G. (1978)

Hyperlipoproteinemia N. Engl. J. Med., Vol. 298,
P. 1265.

- Brogden, R.N.; Heel, R.C.; Specight, T.M. et al. (1977)
Metoprolol in hypertension. Drugs, Vol. 14, P.
321 - 348.
- Brunzell, J.D. and Beirman, E.L. (1982)
Pancreatitis and hyperlipidemia. Med. Clin. North
Aler., Vol. 66, P. 455.
- Brunzell, J.D.; Hazzard, W.K.; Porte, D. and Bierman, E.L.
(1973)
Familial hypertriglyceridemia. J. Clin. Invest.,
Vol. 52, P. 1578.
- Brunzell, J.D.; Schortt, H.G.; Motulsky, A.G. and Bierman,
E.L. (1976)
Combined (primary) = Familial hyperlipoproteinemia.
Metabolism, Vol. 25, P. 313.
- Buch, A.; Buch, J.; Carlsen, A. and Schmidt, A. (1980)
Hyperlipidemia and pancreatitis. World J. Surg.,
Vol. 4, P. 307 - 14.
- Buhler, F.F.; Laraph, J.H.; Vaughan, E.D.; Brunner, H.R.;
Garvas, H. and Baer, L. (1973)
Beta-blockade in hypertensivepatients. Amer. J.
Cardiol., Vol. 32, P. 511 - 22.
- Burger, M. and Grutz, O. (1932)
Hyperlipidemia. Arch. Derm. Syph., Vol. 166, P.
542.

- Cameron, J.L.; Capuzzi, D.M. and Margolis, S. (1974)
Acute pancreatitis with hyperlipemia. Evidence
for a persistent defect in lipid metabolism. Am.
J. Med., Vol. 56, P. 482.
- Carbone, J.V.; Brandborg, L.L. and Silverman, S.S. (1980)
Alimentary tract and liver in: Current medical
diagnosis and treatment ed. by krupp M.A., Chatton
M.J. Middle East (edn.) P. 409. Pub. Lang. Co.,
California.
- Carlson, L.A. (1963)
Atherosclerosis, Res., Vol. 3, P. 334.
- Colton, T. (1974)
Statistics in Medicine, First edition, sixth
printing, Boston: Little, Brown and Company.
- Connolly, M.E.; Keusting, F. and Dollery, C.T. (1976)
The Clinical pharmacology of beta-adrenoceptor
blocking drugs. Prog. Cardiovasc. Dis., Vol. 19,
P. 203 - 234.
- Cottrill, C.M.; McAllister, R.G.; Gettes, L. et al. (1977)
Propranolol therapy during pregnancy and labor.
J. Pediat., Vol. 91, P. 812.

Day, J.L.; Simpson, N.; Metcaefe, J. and Page, R.L. (1979)
Metabolic consequences of atenolol and propranolol
in treatment of essential hypertension. Br. Med.
J., Vol. i, P. 77 - 80.

Dickson, A.P.; Neill, J.O. and Imrie, C.W. (1984)
Hyperlipidemia, alcohol abuse and acute pancreat-
itis. Br. J. Surg., 1984 (sept) Vol. 71, P. 685 - 8.

Duncombe, W.G. (1968)
Estimation of non oesterified fatty acids (NEFA)
clin. Chim. Acta., Vol. 9, P. 122.

Durrington, P.N. and Cairns, S.A. (1982)
Acute pancreatitis: A complication of beta blockade.
Br. Med. J., 1982 (April) Vol. 284, P. 1016.

England, J.D.F.; Hva, A.S.P. and Shaw, J. (1978)
B-adrenoreceptor blocking agent and lipid metabo-
lism. Clin. Sci. Mol. Med., Vol. 55 (supp 4) P.
323 - 4.

Ettien, J.T. and Webster, P.D. (eds) (1980)
The management of acute pancreatitis in: Advances
in internal medicine. ed. by Stollerman G.H., et
al., Vol. 25, P. 169.

Evans, D.M. (1971)

Cullen's sign in perforated duodenal ulcer, Br.
Med. J., Vol. 1, P. 154.

Farmer, R.G.; Winkelman, E.L.; Brown, H.B. and Lewis, L.A.
(1973)

Hyperlipoproteinemia and pancreatitis. Am. J. Med.,
Vol. 54, P. 161.

Fischl, S.; Gorlin, R. and Herman, M.V. (1973)

The intermediate coronary syndrome: Clinical, angi-
ographic and therapeutic aspects. N. Engl. J. Med.,
Vol. 288, P. 1193.

Fitzgerald, J.D. (1972)

Cardioselective beta adrenergic blockage Proc.
Royal. Soc. Med., Vol. 65, P. 761 - 764.

Formgren, H. (1972)

Practolol in the treatment of tachyarrhythmias in
patients with bronchial asthma. Am. Heart J., Vol.
84, P. 710 - 712.

Fredrickson, D.S. (1975)

Hyperlipoproteinemia. Circulation, Vol. 5, P. 209.

Fredrickson, D.S. and Lees, A.R.S. (1965)

Classification of hyperlipoproteinemia. Circulation, Vol. 31, P. 321.

Fredrickson, D.S.; Levy, R.I. and Lees, R.S. (1967)

Classification of lipoprotein based on electrophoretic pattern. N. Engl. J. Med., Vol. 276, P. 32, 94, 148, 215, 273.

Fredrickson, D.S.; Morganroth, J. and Levy, R.I. (1975)

Classification of lipoprotein based on electrophoretic pattern. Ann. Intern. Med., Vol. 82, P. 150.

Frishman, W.H. (1980)

Clinical pharmacology of beta blockers, Appleton-century-crofts, New York.

Frishman, W.H.; Christodoulou, J.; Wesker, B. et al. (1978)

Abrupt propranolol withdrawal in angina pectoris. Am. Heart J., Vol. 95, P. 169.

Frishman, W. H.; Kostis, J. Strom, J. et al. (1979)

Clinical pharmacology of the new beta-adrenergic blocking drugs Am. Heart, J. 98 : 526.

Frommer, P.L. (1983)

Implications of recent beta-blocker trials for
postinfarction patient. Circulation, Vol. 67
(suppl. I) P. 1.

Glueck, G.J.; Fllat, R.W. and Boncher, C.F. (1973)

Familial hyperlipoproteinemia. Metabolism, Vol. 22,
P. 1403.

Glueck, G.J.; Levy, R.I. and Fredrickson, D.S. (1969)

Familial hyperlipoproteinemia. Diabetes, Vol. 18,
P. 739.

Godman, (1980)

6 th edition. Beta adrenergic receptors.

Gofman, J.W.; Rubin, L.; McGivley, J.P. and Jones, H.B.
(1954)

Familial dysbeta lipoproteinemia. Am. J. Med.,
Vol. 17, P. 514.

Gold, H.K.; Leinbach, C. and Maroko, P.R. (1976)

Propranolol-induced reduction of signs of ischemic
injury during acute myocardial infarction. Am. J.
Cardiol., Vol. 38, P. 689.

Goldstein, J.L.; Schortt, H.G.; Hazzard, W.R. and Bierman, E.L. (1973)

Familial hyperlipoproteinemia. J. Clin. Invest.,
Vol. 52, P. 1544.

Gotto, A.M. (1971)

N. Engl. J. Med., Vol. 284, P. 813 - 818.

Grundy, S.M. (1982)

Hypertriglyceridemia: Mechanisms, Clinical significance and treatment. The Med. Clin. North. Amer.,
1982 (March) Vol. 66, P. 1343.

Gugler, R.; Herold, W. and Dengler, H.J. (1974)

Pharmacokinetics of pindolol in Man. Eur. J. Clin. Pharmacol., Vol. 17, P. 24.

Hansteen, V. (1983)

Beta blockade after myocardial infarction. Circulation, Vol. 67 (suppl. 1) P. 57.

Harris, F.J.; Low, R.I.; Palmer, L.; Amsterdam, E.A. and Mason, D.T. (1983)

Antianginal efficacy and improved exercise performance with timolol. Twice-daily beta blockade in ischemic heart disease. Am. J. Cardiol., Vol. 51, P. 13.

Havel, R.J. (1977)

Primary hyperlipidemia. Ann., Rev. Med., Vol. 28,
P. 195.

Havel, R.J. (1982)

The genetic classification of primary hyperlipoproteinemia. Med. Clin. North. Am., Vol. 66, P. 441.

Havel, R.J. and Carlson, L.A. (1962)

Classification of hyperlipidemia. Metabolism, Vol. 11, P. 195.

Havel, R.J.; Goldstein, J.L. and Brown, M.S. (1980)

Lipoproteins and Lipid transport. In "Metabolic control and Disease" P.K. Bendy, and L.E. Rosenberg, (eds), W.B. Saunders Company, P. 393 - 460.

Hazzard, W.R. and Bierman, E.L. (1972)

Familial hyperlipoproteinemia. Arch. Intern Med., Vol. 80, P. 822.

Hazzard, W.R.; Dounel, T.F. and Lee, Y.L. (1975)

Familial dysbeta lipoproteinemia. Ann. Intern Med., Vol. 82, P. 141 - 9.

Hazzard, W.R.; Porte, D. and Bierman, E.L. (1970)

Hyperlipoproteinemia. J. Clin., Invest., Vol. 49,
P. 1853.

Hill, A.B. (1979)

A short textbook of medical statistics 10th edition.
The Eng. Lang. Book Society and Hodder and Stoughton.
London.

Jensen, J. and Blankenhorn, D.H. (1972)

Hyperlipoproteinemia. Am. J. Med., Vol. 52, P. 499.

Johnsson, G. and Regardh, C.G. (1976)

Clinical pharmacokinetics of B-adrenoceptors block-
ing drugs. Clin. Pharmacokin., Vol. 1, P. 233 - 63.

Jordan, G.L. and Spjut, H.J. (1972)

Hemorrhagic pancreatitis. Arch. Surg., Vol. 104,
P. 489 - 93.

Kannel, W.B. (1982)

Prospects for risk factor modification to reduce
risk of reinfarction and premature death. J.
Cardiac Rehabil., Vol. 1, P. 63.

Kastrup, E.K. and BS, Rph. (1982)

Drug facts and comparison. Lippincott Company Philadelphia. Toronto, P. 456.

Lager, I.; Blohme, G. and Smith, U. (1979)

Effect of B-blockade on the hypoglycaemic response in insulin-dependent diabetics. Lancet, Vol. 1, P. 458.

Laurance, D.R. and Bennett, P.N. (1980)

Beta-adrenoceptor Blocking Drugs: Laurence, D.R. and Bennette, P.N., eds. Clinical pharmacology. 5th ed. The English Language Book Society, Chapter 11, P. 619.

Lynch, P.; Dargie, H.; Krikler, S., et al. (1980)

Objective assessment of antianginal treatment : double-blind comparison of propranolol, nifedipine, and their combination. Br. Med. J., Vol. 281, P. 184.

MacDonald, A.G. and McNeill, R.S. (1968)

A comparison of the effect on airway resistance of a new beta blocking drug. Br. J. Anaesthesiol., Vol. 40, P. 508 - 510.

Mathew, N.T.; Davis, D. and Meyer, J.S. (1975)

Hyperlipoproteinemia. J.A.M.A., Vol. 232, P. 262.

Morganroth, J.; Levy, R.I. and Fredrickson, D.S. (1975)

Familial dysbeta lipoproteinemia. Ann. Intern. Med.,
Vol. 82, P. 158.

Muller, J.E.; Maroko, P.R. and Braunwald, E. (1978)

Precordial electrocardiographic mapping: A technique to assess the efficacy of interventions designed to limit infarct size. Circulation, Vol. 57, P. 1.

Mullin, G.T.; Erskine, M.C.; Stephen, R.C. and Williams, R. C. (1968)

Arthritis and skin lesion resembling erythema nodosum in pancreatic disease. Ann. Intern. Med., Vol. 68, P. 75 - 96.

Nicolaescu, V.; Manicatide, M. and Stroescu, V. (1972)

Beta adrenergic blockade with practolol in acetycholine-sensitive asthma patients. Respiration, Vol. 29, P. 139 - 154.

Nies, A.S.; McNeil, T.S. and Schrier, R.W. (1971)

Circulation, Vol. 45, P. 596 - 604.

Norris, R.M.; Clarke, E.D.; Sammel, N.L.; Smith, W.M. and Williams, B. (1978)

Protective effect of propranolol in threatened myocardial infarction. Lancet, Vol. 2, P. 907.

Olsen, H. (1974)

Pancreatitis. Am. J. Dig. Dis., Vol. 19, P. 1077 - 90.

Opie, L.H. (1975)

Metabolism of free fatty acids, glucose, and catecholamines in acute myocardial infarction: Relation to myocardial ischemia and infarct size. Am. J. cardiol., Vol. 36, P. 938.

Patsch, J.R.; Sailer, S. and Braunsteiner, H. (1975)

Familial dysbeta lipoproteinemia. Eur. J. Clin. Invest., Vol. 5, P. 45.

Pedersen, O.L.; Mikkelsen, E.; Nielsen, J.L. and Christensen, N.J. (1979)

Abrupt withdrawal of beta-blocking agents in patients with arterial hypertension. Eur. J. Clin. Pharmacol., Vol. 15, P. 215.

Pine, M.; Favrot, L.; Smith, S.; McDonald, K. and Chidsey, C.A. (1975)

Correlation of plasma propranolol concentration with therapeutic response in patients with angina pectoris. *Circulation*, Vol. 52, P. 886.

Pirola, R.C. and Davis, A.E. (1970)

The sphincter of Oddi and pancreatitis. *Am. J. Dig. Dis.*, Vol. 15, P. 583.

Porte, D.; O'Hara, D.D. and Williams, R.G. (1966)

Familial hyperlipemia. *Metabolism*, Vol. 15, P. 107.

Pratt, C.M. and Roberts, R. (1983)

Chronic beta blockade therapy in patients after myocardial infarction. *Am. J. Cardiol.*, Vol. 52, P. 661.

Prichard, B.N.C. (1978)

B-Adrenergic receptor blockade in hypertension. *B. J. Clin. Pharmacol.*, Vol. 5, P. 379 - 399.

Raunio, H.; Rissanen, V.; Romppanen, T. and Pyorala, K. (1979)

Changes in QRS complex and ST segment in transmural and subendocardial infarction. *Am. Heart. J.*, Vol. 98 (2), P. 176 - 183.

Rosato, E.F.; Cowan, R.P. and Rosato, F.E. (1970)

Duodenal pressure as a factor in the cause of pancreatitis. Surgery, Vol. 68, P. 837.

Rose, G.A. (1962)

The diagnosis of ischemic heart pain and intermittent claudication in field surveys. Bull WHO, Vol. 24, P. 645.

Rose, H.G.; Kranze, P. and Hoft, J.I. (1973)

Familial hyperlipoproteinemia. Am. J. Med., Vol. 54, P. 148.

Royer, M.E. and Ko, H. (1969)

Estimation of serum triglycerides with extraction. Anal. Biochem., Vol. 29, P. 405.

Sankaran, S.; Lucas, C.E. and Walt, A.J. (1974)

Transient hypertension with acute pancreatitis
Surg Gynecol. Obstet, Vol. 138, P. 235 - 238.

Schmidt, H. and Creutzfeldt, W. (1976)

Etiology and pathogenesis in: Gastroenterol., ed.
by Bockus H.L. et al., third (edr) Vol. 3, P. 1005,
W.B. Saunders Co., Philadelphia, London, Toronto.

Schonfeld, G., and Kudzme, D.J. (1973)

Familial hyperlipoproteinemia. Arch. Intern. Med.,
Vol. 132, P. 55.

Sederberg-Oslen, P. and Ibsen, H. (1972)

Plasma volume and extracellular fluid volume during
long-term treatment with propranolol in essential
hypertension. Clin. Sci., Vol. 43, P. 165.

Simon, L.R.; Tata, R.B. and Lin, H. (1979)

Ischemic heart disease in the elderly Br. Heart J.,
Vol. 39, P. 1121 - 1127.

Skinner, C.; Palmer, K.N.V. and Derridge, D.F. (1975)

Comparison of the effects of acebutolol (Sectral)
and practolol on airways obstruction in asthmatics.
Br. J. Clin. Pharmacol., Vol. 2, P. 417.

Somogyi, M. (1960)

Estimation of serum amylase activity clin. Chim.,
Vol. 6, P. 23.

Spiro, H.M. (edr) (1977)

Clinical gastroenterology second (edn). Pub.
Macmillan Co. New York.

Straand Gaard, S. (1976)

Autoregulation of cerebral blood flow in hypertensive patients. *Circulation*, Vol. 53, P. 720.

Sweet, S. and Stanley, G. (1975)

Europ. J. Pharmacol., Vol. 32, P. 370 - 374.

Van Handel, E. and Zilversmit, D.B. (1957)

Estimation of serum triglycerides. *J. Lab. and Clin. Med.*, Vol. 50, P. 152.

Waagstein, F. and Hjalmarson, A.C. (1975)

Effect of cardioselective beta blockade on heart function and chest pain in acute myocardial infarction. *Acta. Med. Scand.*, Vol. 587 (suppl.) P. 201.

Waal-Manning, H.J. (1976)

Hypertension: which beta-blocker ? *Drugs*, Vol. 12, P. 412 - 41.

Watanabe, A.G. (1983)

Recent advances in knowledge about beta adrenergic receptors: Application to clinical cardiology. *J. Am. Coll. Cardiol.*, Vol. 1, P. 82.

Zacharias, F.J.; Cuthbertson, P.J.; Prestt, J. et al. (1977)

Atenolol in hypertension. *Post grad. Med. J.*, Vol. 53 (suppl. 3) P. 102.