

REFERENCES

- Abdel-Rahman, M.M.; El-Gammal, H.; Nasr, G.; Arafa, M.A.; Nassar, D. and Shaheen, A.M. (1995):**
Radioimmunoassay estimation of plasma endothelin levels in patients with bilharzial and postviral liver cirrhosis: a possible new additive factor in aggravation of portal hypertension. *Journal of the Egyptian Society of Parasitology* 25 (2) : 311-320.
- Alam, I.; Bass, N.M.; Gee, L.; Bacchett, P.; Ryan, T. and Rockey, D.C. (1996):**
Hepatic tissue endothelin-1 levels in chronic liver disease correlate with disease severity and ascites. *Hepatology*, 24 : 142 A (62).
- Angelico, M.; Carli, L. and Pint, C. (1993):**
Isosorbide-5-mononitrate versus propranolol in the prevention of first bleeding in cirrhosis. *Gastroenterology* 104 : 1466 – 1469.
- Anggard, E.; Galton, S. and Rae, G. (1989):**
The fate of radioiodinated endothelin -1 and endothelin-3 in the rat. *J. Cardiovasc. Pharmacol.* 6 (Suppl. 4): 546 –549.
- Arai, H.; Hori, S.; Aramori, I.; Ohkubo, H. and Nakanishi, S. (1990):**
Cloning and expression of cDNA encoding an endothelin receptor. *Nature*, 348 : 730 –732.
- Arroyo, V.; Bosch, J. and Mauri, M. (1979):**
Renin, aldosterone and renal hemodynamics in cirrhosis with ascites. *Eur. J. Clin. Invest.* 9 : 69 – 73.
- Arroyo, V.; Bosch, J. and Mauri, M. (1981):**
Effect of angiotensin-II blockade on systemic and hepatic hemodynamics and on the renin –angiotensin –aldosterone system in cirrhosis with ascites. *Eur. J. Clin. Invest.*, 11 : 221 – 229.
- Arroyo, V.; Gines, P. and Gerbes, A. L. (1996):**
Definition and diagnostic criteria of refractory ascites and hepatorenal syndrome in cirrhosis. *Hepatology*, 23 : 164 – 176.

- Asbert, M.; Gires, A. and Gliner, P. (1993):**
Circulating levels of endothelin in cirrhosis. *Gastroenterology*, 104 : 1485 –1491.
- Avgerinos, A. and Armonis, A. (1994):**
Balloon tamponade technique and efficacy in variceal hemorrhage. *Scand. J. Gastroenterol.*, 207 (suppl); 11-16.
- Badalamenti, S.; Graziani, G.; Salerno, F. and Ponticelli, C. (1993):**
Hepatorenal syndrome : New perspectives in pathogenesis and treatment. *Arch. Intern. Med.* 153 : 1957-1963.
- Badr, K.M.; Brenner, B.M. and Ichikawa, I. (1987):**
Effects of leucotriene D 4 on glomerular dynamics in the rat. *Am. J. Physiol.*, 253 : F 239 - F243.
- Ballet, F. (1990):**
Hepatic circulation : potential for therapeutic intervention. *Pharmacol. Ther.* 47 : 281 – 328.
- Banks, R.O. (1990):**
Effects of endothelin on renal function in dogs and rats. *Am. J. Physiol.*, 258 : F 775 – F 780.
- Barr, J.W.; Lakin, R.C. and Rosch, J. (1975):**
Similarity of arterial and intravenous vasopressin on portal and systemic hemodynamics. *Gastroenterology*, 69 : 13 – 19.
- Bass, N. M. ; and Somberg, K. A. (1999):**
Portal Hypertension and Gastrointestinal Bleeding. In :
Sleisenger & Fortran's *Gastrointestinal and Liver Disease*. 6th eds Vol 2. W.B.Saunders Company. Chapter 77, pp 1287.
- Battistini, B.; D'orleans-Juste, P. and Sirois, P. (1993):**
Endothelins: circulating plasma tevels and the presence in other biologic fluids. *Lab. Invest.*, 68 : 600 – 628.
- Bauer, W.; Briner, U. and Doevpfner, W. (1982):**
SMS 201-995 : a very potent selective octapeptide analogue of somatostatin and prolonged action. *Life science*, 31 : 1133-1140.

- Baynash, A.G.; Hosada, K. and Gaid, A. (1994) :**
Interaction of endothelin-3 with endothelin-B receptor is essential of development of epidermal melanocytes and enteric neurons. *Cell* 79: 1277-1285.
- Benner, K.G.; Keeff, E.B. and Keller, F.S. (1983):**
Clinical outcome after percutaneous transhepatic obliteration of esophageal varices. *Gastroenterology*, 85 : 146 - 151.
- Benoit, J.N.; Borrowman, J.A.; and Harper, S.L. (1984):**
Role of humoral factors in the intestinal hyperemia associated with chronic portal hypertension. *Am. J. Physiol.*, 10: G 486-G493.
- Berbinischi, A. and Ketelslegers, J.M. (1989):**
Endothelin in urine. *Lancet.*, 2 : 46 –50.
- Berger, J.; Yaneva, H. and Nabarra, B. (1978):**
Glomerular lesions in patients with liver cirrhosis. *Adv. Nephrol.* 7 : 3-81.
- Besson, I.; Ingrand, P. and Person, B. (1995):**
Sclerotherapy with and without octreotide for acute variceal bleeding. *N. Engl. J. Med.*, 333 : 555 – 560.
- Bichet, D.; Van Putten, V.J. and Schrier, R.W. (1982):**
Potential role of increased sympathetic activity in impaired sodium and water excretion in cirrhosis. *N. Engl. J. Med.*, 307 : 1552 – 1557.
Biochem. Biophys Res. Commun, 172 :390 – 395.
- Blei, A.T. (1986):**
Vasopressin analogs in portal hypertension, different molecules but similar questions : *Hepatology* 6 : 146 – 147.
- Blei, A.T.; O'Reilly, D.J. and Gottstein, J. (1984):**
Distribution of portal blood flow in the liver of the rat : A microsphere study *J. Lab. Clin. Med.*, 104 : 404 – 413.
- Block, K.D.; Friedrich, S.P. and Lee, M.E. (1989):**
Structural organization and chromosomal assignment of the gene encoding endothelin. *J. Biol. Chem.*, 264 : 10851 – 10857.

Bomzon, A.; Better, O.S.; and Blendis, L.M. (1985):
Cardiovascular function and amine metabolism in liver disease.
Rev. Clin. Basic Pharm. 5 : 71 – 97.

Bongiovanni, A.M.; and Eisenmenger, W.J.(1951):
Adrenal cortical metabolism in chronic liver disease. J clin
Endocrinol Metab 11 : 152 – 162.

Bosch, J. (1990):
Splanchnic vasodilation and renal vasoconstriction : a key to
the hepatorenal syndrome. Hepatology, 12 : 1445 – 1447.

Bosch, J.; Bordas, J.M. and Rigau, J. (1986):
Non invasive measurement of the pressure of esophageal
varices using an endoscopic gauge: comparison with
measurement by variceal puncture in patients undergoing
endoscopic sclerotherapy. Hepatology, 6 : 667 – 672.

**Bosch, J.; D'Amico, G.; Luca, A.; Garcia-Pagan, J.C.; Feu, F. and
Escorsell, A. (1994):**
Drug therapy for variceal hemorrhage, portal hypertension :
Pathophysiology and treatment. Blackwell Scientific
publications, Oxford, pp. 108 – 123.

Bosch, J; Gines, P; Arroyo, V; Navasa, M.; and Rodes, J. (1988):
Hepatic and systemic hemodynamics and neurohumoral
system in cirrhosis. In: Epstein M ed. The kidney in Liver
Disease. Baltimore M. D. : Williams & Wilkins. Pp

Bosch, J.; Mastai, R. and Kravetz, D. (1984):
Effects of propranolol on azygos venous blood flow and
hepatic and systemic hemodynamics in cirrhosis : Hepatology,
4 : 1200 – 1205.

**Bosch, J.; Navasa, M.; Garcia – Pagan, J.C.; Delacy, A.M. and Rodes,
J. (1989):**
Portal hypertension, Med. Clin. North. Am. 73 : 931 --952.

Bosch, J.; Pizcueta, P. and Feu, F. (1992):

Pathophysiology of portal hypertension Gastroenterol. Clin. North. Am. 21 : 1-14.

Boulanger, C. and Luscher, T.F. (1990):

Release of endothelin from the porcine aorta : inhibition by endothelium – derived nitric oxide. J. Clin. Invest., 85 : 587 – 590.

Boulanger, C.; Tanner, F.C. and Bea M.L, et al (1992):

Oxidant injury and release of endothelin from human and porcine endothelium. Circul Res 70 : 119-121

Bourgoigne, J.J. and Valle, G.A. (1988):

Endotoxin and renal dysfunction in liver disease. In : Epstein M, ed. The kidney in liver Disease, Baltimore, Williams & Wilkins, pp. 486 – 507.

Boyer, T. D. (1990):

Portal Hypertension. In: Hepatology. A textbook of liver diseases (Zakim & Boyer) 2nd ed Vol. (1) ch 23, PP 574- 615.

Boyer, T.D. (1995):

Portal hypertensive hemorrhage : Pathogenesis and risk factors. Semin Gastrointest Dis. 6 : 125 – 133.

Boyer, T.D. and Henderson, J.M. (1996):

Portal hypertension and bleeding esophageal varices. In : Zakim, D. Boyer, T.D (eds). Hepatology, Textbook of liver disease Vol. 1, 3rd ed, Philadelphia, Saunders company, pp. 720 – 763.

Boyer, T.D.; Triger, D.R; and Horisaw, M. (1977):

Direct transhepatic measurement of portal vein pressure using a thin needle : comparison with wedged hepatic vein pressure. Gastroenterology, 72 : 584 – 589.

Boyer, T.D.; Zia, P.; and Reynolds, T.B. (1979):

Effects of indomethacin and prostaglandin A₁ in renal function and plasma renin activity in alcoholic liver disease. Gastroenterology, 77 : 215 – 222.

Clavell, A.L.; Wright, R.S.; Thomas, M.R.; Brandt, R.R.; Opgenorth, T.J. and Burnette, J.C.J. (1994):

Elevated endogenous endothelin mediates systemic vasoconstriction in experimental chronic congestive failure. Am. J. Coll. Cardiol., Special. Issue., 172 A (Abstract).

Clozel, M. (1989):

Endothelin sensitivity and receptor binding in the aorta of spontaneously hypertensive rats. J. Hypertens., 7 : 913 – 917.

Coa, L. and Banks, R.O. (1990):

Cardiorenal actions of endothelin. II. Effects of cyclo-oxygenase inhibitors. Life Sci. 46 : 585 – 590.

Colapinto, R.F.; Stronell, R.D. and Gildiner, M. (1983):

Formation of intrahepatic portosystemic shunts using a balloon dilatation catheter : Preliminary clinical experience. AJR 140 : 709 – 714.

Cooperman, A. and Hermann, R. (1977):

Ligation procedure in the management of portal hypertension. Surgery, 81 : 382 – 387.

Coratelli, P.; Plassavanti, G.; Munno, I.; Fumarola, D. and Amerio, A. (1985):

New trends in hepatorenal syndrome. Kidney, Int., 28 : S 143 – S147.

Cornet, S.; Braillon, A.; and Guilmand C. et al. (1990):

Involvement of endothelin in renal processes. Hypertension 15 : 724 – 728.

Cottone, M.; D'Amico, G.; Maringhini, A.; Amuso, M.; Sciarrino, E.; Trania, M. and Morceno, M.P. (1986):

Predictive value of ultrasonography in the screening of non – ascitic cirrhotic patients with large varices. J. Ultrasound Med. 5 : 189 – 192.

- Coy, D. L.; and Blei, A.T. (1995):**
Portal hypertension In : Bockus Gastroenterology 15th ed Vol. 3 W. B. Saunders company pp 1955-1987.
- Crafoord, C. and Frenckner, P. (1939):**
New surgical treatment of varices veins of the esophagus. Acta Otolaryngol (Stock), 27 : 422 – 727.
- D'Amico, G.; Montalbaro, L. and Traina, M. (1990):**
Natural history of congestive gastropathy in cirrhosis. Gastroenterology, 99 : 1558 – 1563.
- D'Amico, G.; Morabito, A.; Pagliaro, L. and Marubini, E. (1986):**
Liver study Group of V cervell o Hospital. Survival and Prognostic indicators in compensated and decompensated cirrhosis. Dig. Dis. Sci. 31 : 468-475.
- D'Amico, G.; Pagliaro, L. and Bosch, J. (1995):**
The treatment of portal hypertension a meta-analytic review. Hepatology, 22 : 332 – 348.
- D'Orleans-Juste, P.; Telemaque, S. and Claing, A. (1991):**
Different pharmacological profiles of big endothelin –3 and big endothelin-1 in vivo and in vitro. Br. J. Pharmacol., 104 : 441 – 444.
- Dagradi, A. (1972):**
The natural history of esophageal varices in patients with alcoholic liver disease. Am. J. Gastroenterol., 72 : 520 – 540.
- Daniel, K. P. and kurtz, I.S. (1991):**
Cirrhosis of the liver In: Harrison Princinples of Internal medicine. 12th ed ch 254 Vol 11, pp 1345 – 1347.
- Dasarthy, S.; Dwivedi, M. and Bhargava, D.K. (1992):**
A prospective randomized trial comparing repeated endoscopic sclerotherapy and propranolol in decompensated (child class B and C) cirrhotic patients. Hepatology, 16 : 89 – 94.

De Dombal, F.T.; Clarke, J.R.; Clamp, S.E.; Malizia, G.; Kotwal, M.R. and Morgan, A.G. (1986):

Prognostic factors in upper GI bleeding. *Endoscopy* 18 : 6-10.

De Nucci, G.; Thoms, R. and D'; and Orleans-Juste, P. (1988):

Pressor effects of circulating endothelin are limited by its removal in the pulmonary circulation and by the release of prostacyclin and endothelium derived relaxing factor. *Proc. Natl. Acad. Sci. USA*, 85 : 9797 – 9800.

DeTroyer, A.; Pilloy, W. and Broeckert, I. (1976):

Demeclocycline treatment of water retention in cirrhosis. *Ann. Intern. Med.*, 85 : 330 – 334.

Dohi, Y. and Luscher, T.F. (1991):

Endothelin in hypertensive resistance arteries. Intraluminal and extraluminal dysfunction. *Hypertension* 18 : 543 – 549.

Douglass, B.C.; Baggenstoss, A. and Holin-Sheed, W. (1950):

The anatomy of the portal vein and its tributaries. *Surg. gynecol. Obstet.*, 91; 562 – 567.

Eknoyan, G. (1988):

Glomerular abnormalities in liver disease. In : Epstein M. Ed. *The kidney in Liver Disease*. 3rd ed. Baltimore, Williams Wilkins, pp. 154 – 181.

El-Khishen, M.A.; Henderson, J.M. and Millikan, W.J. (1985):

Splenectomy is contraindicated for thrombocytopenia secondary to portal hypertension. *Surg. Gynecol. Obstet.*, 160 : 233 – 237.

El- Sayed, S.S.; Shiba, G.; Hamid, M.; Farag, F.M.; Azzam, F.; and Awad, M. (1996):

Sclerotherapy versus sclerotherapy and propranolol in the prevention of rebleeding from esophageal varices: a randomized study. *Gut* 38: 770 – 774.

- El-Zayadi, A. (1992):***
Portal hypertension ed. : Hepatic venous obstruction. In
Hepatology and Gastroenterology 1st ed. Sherif, S.A. Zkaria,
M.S. and Baddar M.R. (eds) Druck und verlagsgesellschaft.
MBH, Hamburg ch. 15, pp 133.
- Encabo, A.; Ferrer, M.; Martin, J.; Villamor, J. and Balfagon, G. (1992):***
Vasoconstrictive responses elicited by endothelin in bovine
cerebral arteries. Gen. Pharmacol., 23 : 263 – 267.
- Epstein, F.H. and Levin, E.R. (1995):***
Endothelins : mechanisms of disease. N. Engl. J. Med., 333 (6)
: 356 – 363.
- Epstein, M. (1988):***
Hepatorenal syndrome In : Epstein M., ed. The kidney in Liver
Disease 3rd eds, Baltimore, Williams & Wilkins, pp 356 – 373.
- Epstein, M. (1992):***
The hepatorenal syndrome – new perspectives. N. Engl. J.
Med., 337 : 1810 – 1811.
- Epstein, M.; Berk, D.P. and Hollenberg, N.K. (1970):***
Renal failure in patients with cirrhosis. The role of active
vasoconstriction. Am. J. Med., 49 : 175 – 185.
- Epstein, M.; Oster, J.R. and Devalasco, R.E. (1976):***
Hepatorenal syndrome following hemihepatectomy. Clin.
Nephrol., 5 : 128 – 133.
- Escorsell, A. Bandi, J.G.; Moitinho, E.; Feu, F.; Garicia-Pagan, J.C.;
Bosch, J.; and Rodes, J. (1997):***
Time profile of the hemodynamic effects of terlipressin in
portal hypertension. J Hepatol 26: 621 – 627.

Esler, M.; Dudley, F.; Jennings, G.; Debinski, H.; Lambert, G.; Gones, P. and Crothy, B. (1992):

Increased sympathetic nervous activity and the effects of its inhibition with clonidine in alcoholic cirrhosis. *Ann. Intern. Med.*, 116 : 446 – 455.

Fardy, J.M. and Laupacis, A. (1994):

A meta-analysis of prophylactic endoscopic sclerotherapy for esophageal varices. *Am. J. Gastroenterol.*, 89 : 1938 – 1948.

Felisart, J.; Rimola, A. and Arroyo, V. (1985):

Cefotaxime is more effective than is ampicillin – tobramycin in cirrhotics with severe infections.

Fernandez-Seara, J.; Parieto, J.; Quiroga, J.; Zozaya, J.M.; Cobos, M.A.; Rodriguez-Eire, J. and Garcia-Plaza, A. (1989):

Systemic and regional hemodynamics in patients with liver cirrhosis with and without functional renal failure. *Gastroenterology*, 97 : 1304 – 1302.

Feu, F.; G.P. JC, Luca, A.; Teres, J.; Bosch, J. and Bodes, J. (1992):

Clinicohemodynamic correlations during pharmacological prevention of variceal rebleeding in cirrhosis [Abstract]. *Hepatology*, 16 : 123 A.

Feu, F. Ruiz Del Arbol, L. and Banares, R. et al. (1996): Double blind randomized controlled trial comparing terlipressin and somatostatin for acute variceal hemorrhage. *Gastroenterology* 110: 1291-1299.

Feverly, J.; Vancutsen, E. and Nevens, F. (1990): Reversal of hepatorenal syndrome in four patients by peroral misoprostol (prostaglandin E1 analogue) and albumin administration. *J. Hepatol.* 11 (2): 153 – 158.

Flamenbaum, W.; Ga-gnon, J. and Ramwell, P. (1979):

Bradykinin induced renal hemodynamic alterations : renin and prostaglandin relationship. *Am J physiol.* 237 : F 433 – F 440.

- Flint, A. (1863):**
Clinical report on hydro-peritoneum based on an analysis of forty – six cases. *Am. J. Med. Sci.* 45 : 306 – 339.
- Flora, J.S.; Legault, L.; Morali, G.A.; Hara, K. and Blendis, L.M. (1991):**
Increased sympathetic outflow in cirrhosis and ascites : direct evidence from intrarenal recordings. *Ann. Intern. Med.*, 114 : 373 – 380.
- Fogo, A.; Hellings, S.; Inagami, T. and Kon, V. (1992):**
Endothelin receptor antagonism is protective in vivo in acute cyclosporine toxicity. *Kidney. Int.* 42 : 770 – 774.
- Follo, A.; Llovet, J.M.; Navasa, M.; Rlanas, R.; Forns, X.; Francitorra, A. and Rimola, A. (1994):**
Renal impairment following spontaneous bacterial peritonitis in cirrhosis. Incidence, clinical course, predictive factors, and prognosis. *Hepatology*, 20 : 1495 – 1501.
- Fort, E.; Sautereou, D.; Silvain, C.; Ingrand, P.; Pillegand B. and Becauchont, M. (1990):**
A randomized trial of terlipressin plus nitroglycerin vs balloon tamponade in the control of acute variceal hemorrhage. *Hepatology*, 11 : 678 – 681.
- Frank, H.J.L. Levin, E. R.; Hu RM, and Pedram, A. (1993):**
Insulin stimulates endothelin binding and action on cultured vascular smooth muscle cells. *Endocrinology* 133: 1092 – 7.
- Frerichs, T. Tratado, Tradthado Practico de las En firmedades del (1877):**
Higado, de los Vasos Hepaticos de las vias Biliares. Madrid: Libreria Extranjera y Nacional, Cientifica y literaria, 362. 353.
- Fukuroda, T.; Noguchi, K. and Tsuchida, S. (1990):**
Inhibition of biological actions of big endothelin-1 by phosphoramidon. *Biochem Biophys Res Commun* 172 : 390-395.

- Gaeta, G.B.; Perna, P.; Adinolfi, L.E.; Ruggiero, G. and Utili, R. (1982):** Endotoxemia in a series of a 104 patients with chronic liver disease : prevalence and significance. *Digestion*, 23 : 239 – 244.
- Gal, C.L.; Joureaux, G.; Sanchez, Bueno, B.; Baulaste, D.; Roche, B. and Maffrand, J.P. (1991):** Endotoxin action in rat liver : Receptor free Ca^{2+} oscillation activation of glycogenesis. *J. Clin. Invest.* 87 : 133-138.
- Gandhi, C.R.; Sproat, C.A.; and Subbotin, V.M. (1996):** Increased hepatic endothelin levels and endothelin receptor density in cirrhotic rats. *Life sci* 58 (1) : 55-62.
- Garcia-Pagan, J.C.; Feu, F.; Bosch, J. and Rodes, J. (1991):** Propranolol compared with propranolol plus isosorbide – 5 mononitrate for portal hypertension : a randomized controlled study. *Ann. Intern. Med.*, 114 : 869 – 873.
- Garcia-Pagan, J.C.; Santos, C.; Barbera, J.A.; Luca, A.; Roca, J.; Rodriguez-Roisin, R.; Bosch, J. and Rodes, J. (1996):** Physical exercise increase portal pressure in patients with cirrhosis and portal hypertension. *Gastroenterology*, 111 (5): 300 – 306.
- Garcia-Tsao, G.; Groszmann, R.J.; Fisher, R.L.; Conn, H.O.; Atterbury, C.E. and Glickman, M. (1985):** Portal pressure, presence of gastroesophageal varices and variceal bleeding. *Hepatology*, 3 : 419 – 423.
- Garcia-Villareal, L.; Zozaya, J.M.; Quiroga, J.; Sangro, B.; Lango, J.; Bilbao, I. and Pricto, J. (1992):** Transjugular intrahepatic portosystemic shunt (TIPS) for intractable ascites : preliminary results (abstract). *J. Hepatol.*, 16 (Suppl. 1): 536.

- Garden, O.J.; and Carter, D.C. (1992):**
Balloon tamponade and vasoactive drugs in the control of acute variceal hemorrhage [review]. *Baillieres Clin. Gastroenterol.*, 6 : 457 – 463.
- Gerbes, A.; Moller, S. and Gülberg, V. (1995):**
Endothelin -1 and -3 plasma concentrations in patients with cirrhosis : role of splanchnic and renal passage and liver function. *Hepatology*, 21 : 735 – 742.
- Giaid, A.; Michel, R.P.; Stewart, D.J.; Sheppard, M.; Corrin, B. and Hamid, Q. (1993):**
Expression of endothelin-1 in lungs of patients with cryptogenic fibrosing alveolitis, *Lancet* 341 : 1550 – 1554.
- Gimson, A.E.S.; Westaby, D.; Hegarty, J.; Watson, A. and Williams, R. (1986):**
A randomized trial of vasopressin and vasopressin plus nitroglycerin in the control of acute variceal hemorrhage. *Hepatology*, 6 : 440- 445.
- Gines, A.; Escorsell, A. and Gines, P. (1993):**
Incidence, predictive factors, and the prognosis of the hepatorenal syndrome in cirrhosis with ascites. *Gastroenterology*, 105 : 229 – 237.
- Gines, A.; Salmeron, J.M. and Gines, P. (1993):**
Oral misoprostol or intravenous prostaglandin E2 do not improve renal function in patients with cirrhosis and ascites with hyponatremia or renal failure. *J. Hepatol.*, 17 : 220 – 225.
- Glanz, S. Koser, M.W.; Polles S. and Gordon L.D. (1982):**
Upper esophageal varices. *B Med. J* (6052) : 47.
- Goetz, K.L.; Wang, B.C. and Madwed, J. B. (1988):**
Cardiovascular, renal and endocrine responses to intravenous endothelin in conscious dogs. *Am. J. Physiol.* 255 : R.1064 – R1068.

- Golcsi, J.; Joureau, X.C. and Sanchez, A. et al (1991):**
Endothelin action in rat liver receptor, free Ca^{2+} oscillations and activation of glycogenolysis. *J Clin Invest* 87 : 133 – 138.
- Gomez, S.; Eduardo, N.; Cozza, S.; Mark. F. and Mary, W. (1990):**
Endothelin receptor subtypes and stimulation of aldosterone secretion. *Hypertension* 15 (16) : 744- 747.
- Gonwa, T.A.; Poplawski, S. and Paulsen, W. (1989):**
Pathogenesis and outcome of hepatorenal syndrome in patients undergoing orthotopic liver transplant. *Transplantation*, 47 : 395 – 397.
- Gotzsche, P.C.; Gjorup, I. and Bonnen, H. (1995):**
Somatostatin VS placebo in bleeding esophageal varices, Randomized trial and meta-analysis. *BMJ*. 310 : 1495 – 1498.
- Govindarajon, S.; Nast, C.C. and Smith, W.L. (1987):**
Immunohistochemical distribution of renal prostaglandin endoperoxide synthase and prostacyclin synthase : diminished endoperoxide synthase in the hepatorenal syndrome. *Hepatology*, 7 : 654 – 659.
- Graham, D.Y. (1980):**
Limited value of early endoscopy in the management of acute upper gastrointestinal bleeding. *Am. J. Surg.*, 140 : 284 – 290.
- Graham, D.Y. and Smith, J.L. (1981):**
The course of patients after variceal hemorrhage. *Gastroenterology*, 80 : 800 – 809.
- Greenway, C.V. and Stark, R.D. (1971):**
Hepatic vascular bed. *Physiol. Rev.* 51 : 23 – 65.
- Griendling, K.K.; Tsuda, T. and Alexaner, R.W. (1989):**
Endothelin stimulates diacylglycerol accumulation and activates protein kinase in cultured vascular smooth muscle cells. *J. Biol. Chem.* 264 : 8237 – 8240.
- Groszmann, R.J.; Bosch, J. and Grace, N.D. (1990):**
Hemodynamic events in a prospective trial of propranolol versus placebo in the prevention of a first variceal hemorrhage. *Gastroenterology*, 99 : 1401 – 1406.

- Groszmann, R.J. and de Franchis, R. (1999):**
Portal hypertension In : Schiff's Diseases of the Liver 8th ed, Vol 1. Lippincott-Raven, Philadelphia. Chapter 11 pp 387 – 442.
- Groszmann, R.J.; Glickman, M. and Blei, A.T. (1979):**
Wedge and free hepatic venous pressure measured with a balloon catheter. Gastroenterology, 76 : 253 – 257.
- Groszmann, R.J.; Krauetz, D. and Bosch, J. (1982):**
Nitroglycerin improves the hemodynamic response to vasopressin in portal hypertension. Hepatology, 2 : 757-762.
- Grover, G.J.; Dzwonczy, K.S. and Parham, C.S. (1993):**
The endothelin-1 receptor antagonist BQ-123 reduced infarct size in a canine model of coronary occlusion and reperfusion. Cardiovasc. Res. 27 : 1613 – 1618.
- Guarner, C.; Colino, I. and Guarner, F. (1986):**
Renal prostaglandins in cirrhosis of the liver. Clin. Sci. 70 : 477 – 481.
- Guevara, M.; Gines, P.; Fernandez, E.G.; Sort, P.; Salmeron, J. M.; Jimenez, W.; Arroyo, V.; and Rodes, J (1998):**
Reversibility of hepatorenal syndrome by prolonged administration of ornipressin and volume expansion. Hepatology 27: 35-41.
- Gulberg, V.; and Gerbes, A. L. (1995):**
Relation of endothelins to volume regulating neurohumoral systems in patients with cirrhosis of the liver. Eur J Clin Invest 25 (12) : 893 – 8.
- Gunning, M.E.; Ingelfinger, J.R.; King, A.J. and Brenner, B.M. (1996):**
Vasoactive peptides and the kidney (ed). In: The kidney, 5th eds, Brenner & Rector's Vol. 1. W.B. Saunders Company, PP. 627-712.

- Hadengue, A.; Lee, S.S. and Moreau, S. (1987):** Beneficial hemodynamic effects of ketanserin in patients with cirrhosis. Possible role of serotonergic mechanism in portal hypertension. *Hepatology*, 7 : 644 – 647.
- Handengue, A.; Moreau, R.; Bacq, Y. G.; Gaudin, C.; Braillon, A. and Lebrec, D. (1991):** Selective, dopamine DA1 stimulation with fenoldopam in cirrhotic patients with ascites : a systemic splanchnic and renal hemodynamic study. *Hepatology* 13 : 111-116.
- Hartleb, M.; Kirstletter, P.; Moreau, R.; Soupison, T.; Pussard, E.; Hadengue, A. and Sogni, P. (1994):** Relationship between plasma concentrations of endothelin and the severity of liver cirrhosis. *Gastroenterol. Clin. Biol.* 18 : 407 – 412.
- Hayes, P.C. and Bouchier, I.A.D. (1990):** Injection sclerotherapy in the treatment of variceal hemorrhage. *Eur. J. Gastroenterol. Hepatol.*, 2 : 334 – 337.
- Haynes, W.G. and Webb, D.J. (1994):** Contribution of endogenous generation of endothelin-1 to basal vascular tone. *Lancet.*, 344 : 852 – 854.
- Hecker, R. and Sherlock, S. (1956):** Electrolyte and circulatory changes in terminal liver failure. *Lancet.*, 2 : 1121 – 1125.
- Henriksen, J.H.; Ring-Larsen, H.; Kanstrup, I.L. and Christensen, N.J. (1984):** Splanchnic and renal elimination and release of catecholamines in cirrhosis. Evidence of enhanced sympathetic nervous activity in patients with decompensated cirrhosis. *Gut.* 25 : 1034 – 1043.
- Hoher, B.; Zart, R.; Diekmann, F.; Rohmeiss, P.; Distler, A.; Neumayer, H.H.; Bauer, C.; and Gross, P. (1996):** Paracrine renal endothelin system in rats with liver cirrhosis. *Br J Pharmacol* 118 (2) : 220-7.

- Hoefs, J.C. (1995):**
Hepatorenal syndrome. In : Haibrieck, WS, Schaffner F, Berk, JE (eds): *Bokus Gastroenterology*, 5th eds, pp. 2023 – 2034, Philadelphia WB Saunders.
- Hori, S.; Komatsu, Y. and Shigemoto, R. (1992):**
Distinct tissue distribution and cellular localization of two messenger RNAs encoding different subtypes of rat endothelin receptors. *Endocrinology*, 130 : 1885 – 1895.
- Hosada, K.; Nakao, K. and Tamura, N. (1992):**
Organization, structure, chromosomal assignment and expression of the gene encoding the human endothelin – A receptor. *J. Biol. Chem.*, 267 : 18797 – 18804.
- Hu, R.M.; Levine, E.R.; Pedram, A. and Frank, H.J.L. (1992):**
Atrial natriuretic peptides inhibit the production and secretion of endothelin from cultured endothelial cells: mediation through the C receptor. *J. Biol. Chem.*, 267 : 17384 – 1789.
- Huang, S.J.; Lin, H.C. and Chang, C.F. (1992):**
A randomized controlled trial comparing octreotide and vasopressin in the control of acute esophageal variceal bleeding. *J. Hepatol.* 16 : 320- 325.
- Huber, M.; Kastner, S. and Scholmerich, J. (1989):**
Analysis of cysteinyl leukotrienes in human urine : Enhanced excretion in patients with liver cirrhosis and hepatorenal syndrome. *Eur. J. Clin. Invest.* 19 : 53 – 60.
- Imperiale, T.F.; Teran, J.C. and McCullough, A.J. (1995):**
A meta-analysis of somatostatin versus vasopression in the management of acute variceal hemorrhage. *Gastroenterology*, 109 : 1289 – 1294.
- Inoue, A.; Yanagisawa, M.;and Takuwa, Y. (1989):**
The human preproendothein-1 gene. *J. Biol. Chem.*, 264: 14954-14959.
- Ishibashi, M. Fujita, M.; Nagai, K.; Kako M.; Furue, H.; Haku, E.; Osmamura, Y. and Yamaji, T. (1993):**
Production and secretion of endothelin by hepatocellular carcinoma. *J Clin Endocrinol metab* 76 (2): 3 78-83.

- Isobe, H.; Satoh, M.; Sakai, H.; and Nawata, H. (1993):**
Increased plasma endothelin-1 level in patients with cirrhosis and esophageal varices. J Clin Gastroenterol 17: 227-230.
- Iwatsuki, S.; Popovtzer, H.M.;s and Corman, J.L. (1973):**
Recovery from "hepatorenal syndrome" after orthotopic liver transplantation. N. Engl. J. Med. 289 : 1155 – 1159.
- Iwatsuki, S.; and Starzl, T.E. (1992):**
Liver transplantation in the management of bleeding esophageal varices [review]. Baillieres Clin. Gastroenterol. 6 : 517 – 525.
- Jacobs, D.M.; Bubrick, M.P. and Onstad, G.P. (1980):**
The relationship of hemorrhoids to portal hypertension. Dis. Colon. Rectum. 23 : 567 – 572.
- Jaffe, D.L.; Chung, R.T.; and Friedman, L.S. (1996):**
Management of portal hypertension and its complications. In: Med Clin of North Am. Vol 80 No 5 pp 1021- 1035.
- Jenkins, S.A.; Shields, R. and Jaser, N. (1991):**
The management of gastrointestinal hemorrhage by somatostatin after apparently successful endoscopic injection sclerotherapy for bleeding esophageal varices. J. Hepatol. 12 : 296 – 301.
- Jensen, D.M.; Machicado, G.A. and Silpa, M. (1986):**
Esophageal varix hemorrhage and sclerotherapy – animal studies. Endoscopy, 18 : 180-24.
- Jimenez, W.; Martinez Pardo, A.; and Arroyo, V.; et al (1986):**
Atrial natriuretic factor : reduced cardiac content in cirrhotic rats with ascites. Am. J Physiol 19: F479 – F752.
- Johnson, G.J.; Dart, C.H.J.; and Peters, R.M. et al. (1966):**
Hemodynamic changes with cirrhosis of the liver: control of arteriovenous shunts during operation for esophageal varices. Ann Surg 63 (5): 692.

- Johnson, R.J.; Gretch, D.R.; Yamabe, Y.; Hart, J.; Bacchi, C.E.; Hartwell, P. and Couser, W.G. (1993):**
Membranoproliferative glomerulonephritis associated with hepatitis C virus infection N. Engl. J. Med., 328 : 465 – 470.
- Jones, C.R.; Hiley, C.R.; Pelton, J.T. and Miller, R.C. (1989):**
Autoradiographic localization of endothelin binding sites in the kidney. Eur. J. Pharmacol., 163 : 379 – 382.
- Kamada, S.; Kubota, Y. and Mirata, M. et al (1992):**
Direct effect of ET-1 on the granulosa cells of the porcine ovary. J Endocrinol 134 : 39 – 66.
- Kamath, P.S.; Carpenter, H.C.; Edwards, B.S.; Miller, V.M.; Mckusick, M.A. and Steers, J.L. (1996):**
Elevated endothelin-1 in portal hypertension is a result of increased hepatic production. Gastroenterology 110 (4) Abstract A 1227.
- Kanyicksa, B.; Barris, T.P. and Freeman, M.E. (1991):**
Endothelin-3 inhibits prolactin and stimulates LH, FSH, and TSH secretion from pituitary cell culture. Biochem. Biophys. Res. Commun., 174 : 338 – 343.
- Kaplowitz, N.; Eberle, D. and Yamada, T. (1982):**
Biochemical tests for liver disease. In Hepatology A textbook of liver disease ed by Zakim D and Boyer T.D. Saunders company, pp 553.
- Kar, S.; Yousem, S.A.; and Carr, B.I. (1995):**
Endothelin-1 expression by human hepatocellular carcinoma. Biochem Biophys Res Commun. 216 (2) : 514 – 9.
- Kashiwabara, T.; Inagaki, Y. and Ohto, H. (1989):**
Putative precursors of endothelin have less vasoconstrictor activity in vitro but a potent effect in vivo. FEBS Lett 247 : 73 – 76.
- Katoh, T.; Chang, H. and Uchida, S. (1990):**
Direct effects of endothelin in the rat kidney. Am. J. Physiol., 258 : F 397 – F 402.

- Kessler, R.; Tice, D. and Zimmon, D. (1973):**
Value, complications and limitations of umbilical vein catheterization. Surg. Gynecol. Obstet., 136-526-531.
- Kew, M.C.; Varma, R.R.; Williams, H.S.; Brunt, P.W.; Hourigan, K.J. and Sherlock, S. (1971):**
Renal and intrarenal blood flow in cirrhosis of the liver. Lancet. 2 : 504-510.
- King, A.J.; Brenner, B.M. and Anderson, S.A. (1989):**
Endothelin : A potent renal and sysemic vasoconstrictor peptide. Am. J. Physiol. 256 : F. 1051 – F 1058.
- King, A.J.; Pfeffer, J.M.; Pfeffer, M.A. and Brenner, B.M. (1990):**
Systemic hemodynamic effects of endothelin in the rat. Am. J. Physiol. 258 : H. 787 – H 792.
- Kitamura, H.; Ryos, Akira, K.; Kazuhiko, M.; Termasa, N.; and Haruhisa, H. (1997):**
Plasma concentration of endothelin-1 does not reflect renal vasoconstriction as estimated by duplex ultrasonography in cirrhosis. Digest Dis and Sci 42 (3) : 542-545.
- Kloog, Y.; Ambar, I. and Sokolwsky, M. (1988):**
Sarafotoxin, a novel vasoconstrictor peptide : phosphoinositide hydrolysis in rat heart and brain. Science, 242: 268 – 270.
- Koch, H.; Binmoeller, K.F. and Grimm, H. (1994):**
Prophylactic sclerotherapy for esophageal varices : long – term results of perspective study. Endoscopy, 26 : 729 – 733.
- Kohn, H.; Yosumari, K.; Yokokawa, K.; Murakawa, K.; Horio, T. and Takeda, T. (1991):**
Inhibition by atrial and brain natriuretic peptides of endothelin –1 secretion after stimulation with angiotensin II and thrombin of cultured human endothelial cells. J. Clin. Invest., 87 : 1999 – 2004.
- Kon, V.; Sugiura, M. and Inagami, (1990):**
Cyclosporine causes endothelin – dependent acute renal failure. Kidney Int., 37 : 486 – 487.

- Kong, C.W.; Lay, C.s. and Tsai, Y.T. (1986):**
The hemodynamic effect of verapamil on portal hypertension in patients with postnecrotic cirrhosis. *Hepatology*, 6 : 423 – 428.
- Koppel, M.H.; Coburn, J.W. and Mims, M.M. (1969):**
Transplantation of - cadaveric kidney from patients with hepatorenal syndrome. Evidence for the functional nature of renal failure in advanced liver disease. *N. Engl. J. Med.* 286 : 1367 – 1371.
- Korula, J. (1992) :**
Hepatorenal syndrome In: Kaplowitz N ed. *Liver Biliary Diseases*. Baltimore Md. Williams & Wilkins. PP 542-551.
- Kosaka, T.; Suzuki, N. and Matsumoto, H. (1989):**
Synthesis of vasoconstrictor peptide endothelin in kidney cells. *FEBS lett.* 249 : 42 – 46.
- Kotelanski, B.; Groszmann, R.; and Chan, JN: (1972):**
Circulation times in the splanchnic and hepatic beds in alcoholic liver disease. *Gastroenterology* 63: 102-111.
- Koyama, H.; Tabata, T.; and Nishizawa, Y. (1989):**
Plasma endothelin levels in patients with uremia. *Lancet*. 1 : 991- 992.
- Kravetz, P.; Bosch, J.; and Teres, J. (1984):**
Comparison of intravenous somatostatin and vasopressin infusions in treatment of acute variceal hemorrhage. *Hepatology*, 4 : 442 – 446.
- Kurihara, H.; Yamaoki, K.; and Nahai, R. (1989):**
Endothelin- a potent vasoconstrictor associated with coronary vasospasm. *Life Sci.* 44 : 1937 – 1943.
- Kurihara, H.; Yoshizumi, M. and Sugiyama, T. (1989):**
Transforming growth factor – B stimulates the expression of endothelin mRNA by vascular endothelial cells. *Biochem. Biophys Res. Commun.* 159 : 1435 – 1440.

- Kurihara, Y.; Kurihara, H. and Suzuki, H. (1994):**
Elevated blood pressure and craniofacial abnormalities in mice deficient in endothelin-1. *Nature* 368 : 703 – 710.
- LaBerge, J.M.; Ring, E.J. and Lake, J.R. (1992):**
Transjugular intrahepatic portosystemic shunt (TIPS): experience with an improved technique [Abstract], *Hepatology*, 14 : 96 A.
- Laine, G.A.; Hall, J.T. and Laine, S.H. (1979):**
Transsinusoidal fluid dynamics in canine liver during venous hypertension. *Circ. Res.* 45 : 317 – 323.
- Laine, L.; and Cook, D. (1995):**
Endoscopic ligation compared with sclerotherapy for the treatment of esophageal variceal bleeding : A meta-analysis. *Ann. Intern. Med.*, 123 : 280 – 287.
- Laine, L.; Stein, C. and Sharma, V. (1996):** Randomized comparison of ligation versus ligation plus sclerotherapy in patients with bleeding esophageal varices. *Gastroenterology*, 110 : 529 – 533.
- Lanese, D.M.; and Conger, J.D. (1993):**
Effects of endothelin receptor antagonist on cyclosporine – induced vasoconstriction in isolated rat renal arterioles. *J.Clin. Invest.*, 91 : 2144 – 2149.
- Laut, W.; and Greenway, C.V. (1987):**
Conceptual review of hepatic vascular bed. *Hepatology*, 7 : 952 – 963.
- Lavilla, G.; Salmeron, J.M. and Arroyo, V. (1992):**
Mineralocorticoid escape in patients with compensated cirrhosis and portal hypertension. *Gastroenterology*, 102 : 2114 – 2119.
- Lebrech, D.; Poynard, T. and Bernuau, J. (1984):**
A randomized controlled study of propranolol for prevention of recurrent gastrointestinal bleeding in patients with cirrhosis : a final report. *Hepatology*, 4 : 355 – 361.

- Lee, I. Joo, A.S.; Kim, H.J.; Hahm, J.S.; and Kee, C.S. (1996):**
The role of plasma endothelin-1 on fluid-electrolyte balance and renal function in patients with liver cirrhosis. *Gastroenterology* Vol 110 (4) Abstract A 1249.
- Lenz, K.; Hortragl, H. and Druml, W. (1991):**
Ornipressin in the treatment of functional renal failure in decompensated liver cirrhosis. Effects on renal hemodynamics and atrial natriuretic factor. *Gastroenterology*, 101 : 1060 – 1064.
- Lerman, A.; Hildebrand, F.L. Jr.; Aarhus, L.L. and Burnett, J.C. Jr. (1991):**
Endothelin has biological actions at pathophysiological concentrations. *Circulation* 83 : 1808 – 1814.
- LeVeen, H.H.; Chritoudias, G.; Ip, M.; Luft, R.; Falk, G. and Grosberg, S. (1974):**
Peritoneovenous shunting for ascites. *Ann. Surg.*, 180 : 580 – 590.
- Levin, E.R. (1991):**
Atrial natriuretic peptide and endothelin : Interactions in the central nervous system and periphery. *Mol. Cell. Neurosci.* 2 : 189 – 201.
- Levin, E.R.; Frank, H.J.L. and Pedram, A. (1992):**
Endothelin receptors on cultured fetal rat diencephalic glia. *J. neurochem.*, 58 : 659 – 666.
- Lieberman, F.L.; Denison, E.K. and Reynolds, T.B. (1970):**
The relationship of plasma volume, portal hypertension, ascites and renal sodium retention in cirrhosis : The overflow theory of ascites formation. *Ann. NY Acad. Sci.* 170 : 202 – 212.
- Lieberman, F.L.; Ito, S. and Reynolds, T.B. (1969):**
Effective plasma volume in cirrhosis with ascites. Evidence that a decreased value does not account for renal sodium retention, a spontaneous reduction in glomerular filtration rate (GFR) and a fall in GFR during drug – induced diuresis. *J. Clin. Invest.*, 48 : 975 – 981.

- Lin, H.; Sangmal, M.; Smith, M.J. and Young, D.B. (1993):**
Effect of endothelin -1 on glomerular hydraulic pressure and renin release in dogs. Hypertension 21 : 845 – 8517.
- Linaz, S.L.; Anderson, R.J.; Guggenheim, S.J.; Robertson, G.L. and Berl, T. (1981):**
Role of vasopressin in impaired water excretion in conscious rats with experimental cirrhosis. Kidney. Int. 20 : 173 – 180.
- Linaz, S.L.; Schaefer, J.W.; Moore, E.E.; Good, J.T.Jr, and Giansiracusa, R. (1986):**
Peritoneovenous shunt in the management of the hepatorenal syndrome. Kidney Int. 36 : 730 – 740.
- Lippton, H.L. ; Goff, J. and Hyman, A. (1988):**
Effects of endothelin in the systemic and renal vascular beds in vivo. Eur. J. Pharmacol. 155 : 197 – 199
- Lippton, H.L.; Hauth, T.A.; Summer, W.R. and Hyman, A.L. (1989):**
Endothelin produces pulmonary vasoconstriction and systemic vasodilation. J. Appl. Physiol., 66 : 1008 – 1012.
- Llach J, ;Gines P,; and Arroyo V (1988) :**
Prognostic Value of arterial pressure, endogenous vasoactive systems, and renal function in cirrhotic patients. Gastroenterology 94 : 482-487.
- Lo, G.H.; Lai, K.H. and Cheng, J.S. (1995):**
A prospective randomized trial of sclerotherapy versus ligation in the management of bleeding esophageal varices. Hepatology, 22 : 466 : 471.
- Lopez –Novoa, J.M.; Rengel, M.H. and Hernado, L. (1980):**
Dynamics of ascites formation in rats with experimental cirrhosis. Am. J. Physiol., 238 : F 353 – F 357.
- Lopez, T.A.; Armstrong, M.L.; Piegors, D.J. and Heistard, D.d. (1990):**
Vascular response to endothelin-1 in atherosclerotic primates. Arteriosclerosis, 10 : 1113 – 1118.
- Low, D.E.; Shoenut, J.P. and Kennedy, J.K. (1996):**
Infectious complications of endoscopic injection sclerotherapy. Ann. Intern. Med., 146 : 569 – 571.

- Mac Gilchrist, A.; Craig, K.J.; Hayes, P.C. and Cumming, A.D. (1992):**
Effect of serine protease inhibitor, aprotinin on systemic hemodynamics and renal function in patients with hepatic cirrhosis and ascites. *Clinical Science*. 87 : 329 – 335.
- Macquin-Marvier, I.; Lavame, M.; Istin, N. and Harf, A. (1989):**
Mechanisms of endothelin – mediated bronchoconstriction in the guinea pig. *J. Pharmacol. Exp. Ther.* 250 : 740 – 745.
- Maddox, D.A. and Brenner, B.M. (1991):**
Glomerular ultrafiltration. In : Brenner, B.M., Rector FC (ed) : *The kidney*, 4th eds, WB saunders, Philadelphia, pp. 205 – 244.
- Madeddu, P.; Yang, X. and Anania, V. (1990):**
Efficacy of nifedipine to prevent systemic and renal vasoconstrictor effects of endothelin. *Am. J. Physiol.* 289 : F304 – F 311.
- Mandal, A.K.; Lansing, M. and Fahmy, A. (1982):**
Acute tubular necrosis in hepatorenal syndrome : an electron microscopy study. *Am. J. Kidney. Dis.* 2363 – 2374.
- Maroto, A.; Gines, A. and Salo, J. (1994):**
Diagnosis of functional kidney failure of cirrhosis with Doppler Sonography : prognostic value of resistive index. *Hepatology*, 20 : 339 – 345.
- Mastai, R.; Grande, L. and Bosch, J. (1986):**
Effect of metoclopramide and domperidone on azygos venous blood flow in patients with cirrhosis and portal hypetension. *Hepatology.*, 6 : 1244 – 1249.
- Matorg, W.E.; Sedgwick, . and Rossi, R. (1980):**
Non – shunting procedures in management of bleeding esophageal varices. *Surg. Clin. North. Am.*, 60 : 281 – 286.
- Matsumoto, H.; Uemasu, J.; Kitano, M.; and Kawasaki, H. (1994):**
Clinical significance of plasma endothelin-1 in patients with chronic liver disease. *Dig. Dis. Sci.* 39 (12) : 2665 – 70.

- Matsumura, Y.; Ikegawa, R. and Tsukahara, Y. (1990):**
Conversion of big endothelin-1 to endothelin-1 by two types of metalloproteinases derived from porcine aortic endothelial cells. FEBS Lett 272 : 166 – 170.
- Mattoli, S.; Mezzetti, M.; Riva, G.; Allegra, L. and Fasoli, A. (1990):**
Specific binding of endothelin on human bronchial smooth muscle cells in culture and secretion of endothelin-like material from bronchial epithelial cells. Am. J. Respir Cell. Mol. Biol. 3 : 145 – 151.
- Mattoli, S.; Soloperto, M.; Marini, M. and Fasoli, A. (1991):**
Levels of endothelin in the bronchoalveolar lavage fluid of patients with symptomatic asthma and reversible airway obstruction. J. Allergy Clin. Immunol., 88 : 376 – 384.
- McCormack, T.T.; Rose, J.D. and Smith, P.M. McCormack, T.T.; Rose, J.D. and Smith, P.M. (1983):**
Perforating veins and blood flow in esophageal varices. Lancet. ii, 1442 – 145.
- McIndoe, A.H. (1928):**
Vascular lesions of portal cirrhosis. Arch. Pathol. 5 : 23 – 25.
- McMahon, E.G.; Palomo, M.A.; Mehta, P. and Olins, G.M. (1989):**
Depressor and natriuretic effects of M & B 22, 948, a guanosine cyclic 3', 5' monophosphate – selective phosphodiesterase inhibitor. J. Pharmacol. Expther., 251 : 1000 – 1005.
- McMahon, E.G.; Palomo, M.A. and Moore, W.M. (1990):**
Phosphoramidone blocks the pressor activity of big endothelin-1 (1-39) in vivo. J Vasc Med Biol 2: 174.
- Meacci, E.; Lavilla, G. and Laffi, G. (1987):**
Systemic hemodynamics, renal and platelet function during chronic propranolol administration in patients with compensated cirrhosis. Liver, 7 : 110-115.
- Miller, W.L.; Redfield, M.M. and Burnett, J.C. (1989):**
Integrated cardiac, renal and endocrine actions of endothelin. J. Clin. Invest., 83 : 317 – 320.

- Miura, K.; Yukimura, T. and Yamashita, Y. (1991):**
Renal and femoral vascular responses to endothelin-1 in dogs :
role of prostaglandins. *J. Pharmacol. Exp. Ther.* 256 :11 – 17.
- Miyazaki, H.; Kondoh, M. and Masuda, Y. (1992):**
Endothelin receptors and receptor subtypes. In : Rubanyi GM
(ed): *Endothelin*. Oxford University. Press, New York, pp. 58-
71.
- Moller, S.; Emmeluth, C. and Henriksen, J.H. (1993):**
Elevated circulating plasma endothelin-1 concentrations in
cirrhosis. *J Hepatol* 19 (2) : 285 – 90.
- Moller, S.; Gulberg, V.; Henriksen, J.H.; and Gerbes, A.L. (1995):**
Endothelin-1 and endothelin-3 in cirrhosis: relations to
systemic and splanchnic haemodynamics. *J Hepatol* 23 (2) :
135-44.
- Moncada, S.; Palmer, R.M.J. and Higge, E.A. (1991):**
Nitric oxide : physiology, pathophysiology and pharmacology.
Pharmacol. Rev. 43 : 104 – 114.
- Moore, K.; Menden, J. and Frazer, H. (1992):**
Plasma endothelin immunoreactivity in liver disease and the
hepatorenal syndrome. *N. Engl. J. Med.*, 327 : 1774-1778.
- Moore, K.P.; Taylor, G.W. and Maltbey, N.H. (1990):**
Increased production of leukotrienes in the hepatorenal
syndrome. *J. Hepatol.* 11 : 263 – 267.
- Moreau, R.; Braillon, A. and Roulot, P. (1989):** Hypoxie tissulaire
insuffisance hepatocellulaire chez les maladies atteints de
cirrhose. *Gastroentrol. Clin. Biol.* 13 : 978 – 983.
- Moreau, R.; Lee, S.S. and Hadengue, A. (1987):**
Hemodynamic effects of a clonidine – induced decrease in
sympathetic tone in patients with cirrhosis. *Hepatology*, 7 : 149
– 154.

Mortensen, L.H. and Fink, G.D. (1990):

Hemodynamic effect of human and rat endothelin administration into conscious rats. *Am. J. Physiol.* 258 : H 362 – H 368.

Moseley, R.H., (1996):

Evaluation of abnormal liver function tests. *Med clin N Am* 80: 887-906.

Mosimann, R. (1982):

Non-aggressive assessment of portal hypertension using endoscopic measurement of variceal pressure. Preliminary report. *Am. J. Surg.* 143 : 212 – 216.

Mountokalakis, T.; Kallivretakis, N.; Mayopoulou-symvoulidou, D.; Karvountzis, G.; and Tolis, G. (1988):

Enhancement of renal function by a long acting somatostatin analogue in patients with decompensated cirrhosis. *Nephrol Dial Transplant* 3 : 604 – 607.

Nakamoto, Y.; Iida, H. and Kobayashi, K. (1981):

Hepatic glomerulonephritis characteristics of hepatic IgA glomerulonephritis as the major part. *Virchows Arch A Pathol. Anat. Histopathol.* 392 : 45 – 49.

Nakamura, S.; Naruse, M.; Demura, H. and Uemura, H. (1990):

Immunocytochemical localization of endothelin in cultured bovine endothelial cells. *Histochemistry* 94 : 475 – 477.

Nakamuta, M.; Ohashi, M.; Tabata, Y. Gotok, Naruse, M.; Naruse, K.; Hiroshige, K. and Nawata, H. (1993):

High plasma concentrations of endothelin-like immunoreactivities in patients with hepatocellular carcinoma. *Am J Gastroenterol* 88 (2): 248 – 52.

Nishizuki, Y. (1989):

Studies and perspectives of protein kinase C family of cellular regulation. 63: 1892-1903.

- North, Italian, Endoscopic Club For The Study Treatment of Esophageal Varices (1988):**
Prediction of the first variceal hemorrhage in patients with cirrhosis of the liver and esophageal varices. A prospective multicenter study. *N. Engl. J. Med.*, 319 : 918 – 921.
- Novis, B.; Duys, P. and Barbezat, G. (1976):**
Esophageal tamponade and the use of Sengstaken tube in acute gastrointestinal hemorrhage in patients with portal hypertension and varices. *Gut*. 17 : 258 – 263.
- Nozue, T.; Kobayashi, A.; Uemasu, F.; and Takagi, Y.; Endoh, H.; and Sako, A (1995):**
Plasma endothelin-1 level of children with cirrhosis. *J. pediatr. Gastroenterol Nutr.* 21 (2): 220 – 3.
- Ohlstein, E.H.; Horohovich, S. and Hay, D.W.P. (1989):**
Cellular mechanisms of endothelin in the rabbit aorta. *J. Pharmacol. Exp. Ther.*, 250 : 448 – 555.
- Okuda, K.; Kono, K. and Ohnishi, K. (1984):**
Clinical study of eighty-Six cases of idiopathic portal hypertension and comparison with cirrhosis with splenomegaly. *Gastroenterology*, 86 : 600 – 610.
- Ohnaka K; Takayongi R ; and Yamauchi, et al (1990) :**
Identification and characterization of endothelin – converting enzyme activity in cultured bovine endothelial cells. *Biochem Biophys Res Commun* 108 : 1128 – 1136.
- Okuda, K.; Suzuki, K. and Mushia, H. (1977):**
Percutaneous transhepatic catheterization of the portal vein for the study of portal hemodynamics and shunts. *Gastroenterology*, 73 : 279 – 284.
- Oliver, F.J.; de La Rubia, G. and Freener, E.P. (1991):**
Stimulation of endothelin-1 gene expression by insulin in endothelial cells. *J. Biol. Chem.* 266 : 23251 – 23256.
- Omland, T.; Lie, R. T.; Aakvaag, A.; Arasland, T. and Dickstein, K. (1994):**
Plasma endothelin determination as a prognostic indicator of 1-year mortality after acute myocardial infarction. *Circulation*, 89 : 1573 - 1579.

- Opgenorth, T.J.; Wu-Wong, J.R. and Shios-Ki, K. (1992):**
Endothelin converting enzymes FASEB J, 6 : 2653 – 2659.
- Orlando, C.M.; Brandi, M.L. and Peri, A. (1990):**
Neurohypophyseal hormone regulation of endothelin secretion from rabbit endometrial cells in primary culture. Endocrinology, 126 : 1780 – 1782.
- Ouchi, Y.; Kim, S. and Souza, A.C. (1989):**
Central effects of endothelin on blood pressure in conscious rats. Am. J. Physiol. 256 : H1747 – H 1751.
- Ozdogan, O.; Tozun, N.; Goren, Z.; Moini, H.; Kizittas, S. Celikel, C.; Kalacyci, C. and Berkman, K. (1997):**
Endothelin-1 in hepatorenal syndrome : is ET-1 receptor antagonist (bosentan) effective? : J Hepatol 26 (1) Abst 100.
- Pagliaro, L.; Burroughs, A. and Sorensen, T. et al. (1989):**
Therapeutic controversies and randomized controlled trials (RCT s) prevention of bleeding and rebleeding in cirrhosis. Gasotroenterol Int 2:71.
- Pagliaro, L.; D'Amico, G.; Malizia, G.; Tine, F.; Traina, M.; Vizzini, G. and Pasta, L. (1987):**
Prognostic factors for short-term in variceal bleeding. In : Burroughs AK, ed. Methodology and reviews of clinical trials in portal hypertension. Amsterdam. Excrepta Medica, 53 - 62.
- Pagliaro, L.; D'Amico, G.; and Sorensen, T. et al. (1992):**
Prevention of first bleeding in cirrhosis. Ameta-analysis of randomized trials of non-surgical treatment. Ann Intern Med 117 : 59-70.
- Paia, G.; Minieri, M.; Catalano, M.; D'Angelo, A.; Sauro, A.; Sabatini, F. and Mazzacca, G. (1991):**
Prospective validation of two indexes of first variceal bleeding [abstract]. Gastroenterology, 100 : A 784.
- Palmaz, J.C.; Garcia, F. and Sibbitt, R.R. (1986):**
Expandable intrahepatic portocaval shunt stents in dogs with chronic portal hypertension. A JR 147: 1251-1254.

- Palmaz, J.C.; Sibbitt, R.R.; Reuter, S.R.; Garcia, F. and Tio, F.O. (1985):***
Expandable intrahepatic portocaval shunt stents; early experience in the dog. *Am J. Roentgenol* 145 : 821-5.
- Panke, W.; Bradley, E. and Moreno, A. (1959):***
Technique, hazards and usefulness of percutaneous splenic portography. *JAMA*, 169 : 1032 – 1036.
- Pariente, E.A.; Bataille, C. and Bercoff, E. (1985):***
Acute effects of captopril on systemic and renal hemodynamics and on renal function in cirrhotic patients with ascites. *Gastroenterology*, 88 : 1255 – 1259.
- Perez-Ayuso, R.M.; Arroyo, V.; Camps, J.; Rimola, A.; Gaya, J.; Costa, J.; Rivera, F. and Rodes, J. (1984):***
Evidence that renal prostaglandins are involved in renal water metabolism in cirrhosis. *Kidney Int.* 26 : 72 – 80.
- Pernow, J.; Hemsen, A. and Lundberg, J.M. (1990):***
Increased plasma levels of endothelin – like immunoreactivity during endotoxin administration in the pig. *Acta. Physiol. Scand.* 137 : 317 – 318.
- Pinzani, M.; Milani, S.; De-Franco, R.; Grappone, C.; Caligiuri, A.; Gentilini, A.; Tosti – Guerra, C.; Maggi, M.; Failli, P.; Ruocco, C. and Gentilini, P. (1996):***
Endothelin-1 is overexpressed in human cirrhotic liver and exerts multiple effects on activated hepatic stellate cells. *Gastroenterology*. 110 (2) : 534-48.
- Pitcher, J. (1971):***
Safety and effectiveness of the modified Sengstaken – Blakemore tube : a prospective study. *Gastroenterology*, 61 : 291 – 295.
- Pizcueta, M.P.; Pique, J.M.; Bosch, J.; Whittle, B.J.R. and Moncada, S. (1992):***
Effect of inhibiting nitric oxide biosynthesis on systemic and splanchnic circulation of rats with portal hypertension. *Br. J Pharmacol* 105 : 184-190.

Pockros, P.J.; and Reynolds, T.B. (1986):

Rapid diuresis in patients with ascites from chronic liver disease : the importance of peripheral edema. *Gastroenterology*, 90 : 1827 – 1832.

Pollock DM.; and Oppenorth TJ (1991) :

Evidence for Metallo proteinase involvement in the effects of big endothelin-1 *Am J Physiol* 161 : R 25-R263 .

Pomiere – Layargues, G.; Villeneuve, J.P.; Villeneuve, B.; Huet, P.M. and Morleax, D. (1987):

Systemic and hepatic hemodynamics after variceal hemorrhage : effects of propranolol and placebo. *Gastroenterology*, 93 : 1218 – 1224.

Poynard, T.; Cales, P.; and Pasto, L. et al. (1991):

Beta-adrenergic antagonist drugs in the prevention of gastrointestinal bleeding in patients with cirrhosis and esophageal varices: An analysis of data and prognostic factors in 589 patients from four randomized clinical trials. *N Engl J Med* 324 : 1532.

Prins, B.A.; Hu, R.M. and Nazario, B. et al. (1994):

Prostaglandin E2 and prostacyclin inhibit the production and secretion of endothelin from cultured endothelial cells. *J Biol Chem* 269: 11938-44.

Quintero, E.; Gines, P. and Arroyo, V. (1986):

Sulindac reduces the urinary excretion of prostaglandins and impairs renal dysfunction in cirrhosis with ascites. *Nephron*. 42 : 298 – 301.

Rappaport, A.M. (1987):

Physioanatomic considerations in portal hypertension. In: Schiff L. Schiff ER eds. *Diseases of the liver* 6th ed JB Lippincott, Philadelphia, Pennsylvania ch. 1: 1-46.

Ready, J.B.; Robertson, A.D. and Rector, W.G. (1991):

Effects of vasopressin on portal pressure during hemorrhage from esophageal varices. *Gastroenterology*, 100 : 141 – 146.

Rector, W.G. Jr. (1986):

Portal hypertension : A permissive factor only in the development of ascites and variceal bleeding. Liver 6 : 221 – 226.

Rector, W.G. Jr. and Redeker, A.G. (1984):

Direct transhepatic assessment of hepatic vein pressure and direction of flow using a thin needle in patients with cirrhosis and Budd-Chiari syndrome. An effective alternative to hepatic vein catheterization. Gastroenterology, 86 : 1395 – 1399.

Rector, W.G. Jr and Reynolds, T.B. (1985):

Risk factors for hemorrhage from esophageal varices and acute gastric erosions. Clin. Gastroenterol., 14 : 139 – 153.

Rector, W.G. Jr. and Reynolds, T.B. (1984):

Propranolol in the treatment of cirrhotic ascites. Arch. Intern. Med., 144 : 1761 – 1767.

Reichen, J. (1990):

Liver function and pharmacological considerations in the pathogenesis and treatment of portal hypertension. Hepatology, 11 : 1066-1078.

Reilly J.J. Jr.; Schade, R.R. and Van Thiel, D.S. (1984):

Esophageal functions after injection sclerotherapy : pathogenesis of esophageal Stricture. Am. J. Surg. 147 : 85 – 88.

Reynolds, T. (1982):

Portal hypertension. In: Schiff L, Schiff E, eds. Diseases of the liver. Philadelphia. J B Lippincott, 393.

Reynolds, T.B. (1987):

Portal Hypertension. In: Schiff L, Schiff E.R. ed. Diseases of the liver 6th ed B Lippincott, Philadelphia, Pennsylvania ch 22pp 875 –901.

Richadson, P.D. and Withrington, P.G. (1981):

Liver blood flow 1. Intrinsic and nervous control of liver blood flow. Gstroenterology, 81 : 159 – 173.

- Richter, G.M.; Noeldge, G. and Palmaz, J.C. (1990):**
Transjugular intrahepatic portacaval stent shunt : Preliminary clinical results. Radiology, 174 : 1027 – 1030.
- Rigau, J.; Bosch, J. and Bordas, J.M. (1989):**
Endoscopic measurement of variceal pressure in cirrhosis. Correlation with portal pressure and variceal hemorrhage. Gastroenterology, 96 : 873 – 880.
- Rimola, A.; Gavalier, J. and Shade, R.R. (1987):**
Effects of renal impairment on liver transplantation. Gastroenterology, 93 : 148 – 153.
- Rimola, A.; Gines, P. and Arroyo, V. (1986):**
Urinary excretion of 6-keto-prostaglandin F1a, thromboxane B2 and prostaglandin E2 in cirrhosis with ascites. Relationship to functional renal failure (hepatorenal syndrome). J. Hepatol., 3 : 111-116.
- Ring, E.J.; Lake, J.R. and Roberts, J.R. (1992):**
Using transjugular intrahepatic portosystemic shunts to control variceal bleeding before liver transplantation. Ann. Intern. Med., 116 : 304 – 309.
- Ringe, B.; Long, H.; Tasch, G. and Pichlmayer, R. (1994):**
Role of liver transplantation in management of esophageal variceal hemorrhage. World Sug. 18 : 233 – 238.
- Ring-Larsen, H.; Hesse, B. and Henriksen, J. (1982):**
Sympathetic nervous activity and renal and systemic hemodynamics in cirrhosis : plasma norepinephrine concentration, hepatic extraction and renal release. Hepatology, 2 : 304-310.
- Rockey, D.C. and Weisiger, R.A. (1996):**
Endothelin induced contractility of stellate cells from normal and cirrhotic rat liver : Implications for regulation of portal pressure and resistance. Hepatology 24 (1) : 233-40.
- Rodes, J.; Bosch, J. and Arroyo, V. (1975):**
Clinical types and drug therapy of renal impairment in cirrhosis. Postgraduate Med. J. 55 : 492 – 497.

- Rodriguez-Soriano, J. (1992):**
Renal tubular acidosis. In : Cameron S, Davison AM, Grunfeld, J.P., et al. eds., Oxford, Textbook of clinical Nephrology, Oxford. University, Press, pp. 763 – 781.
- Rohmeiss, P.; Photiadis, J.; Rohmeiss, S. and Unger, T. (1990):**
Hemodynamic actions of intravenous endothelin in the rats : Comparison with sodium nitroprusside and methoxamine Am J physiol 258: H 337 –H 346.
- Rosoff, L.Jr. Zia, R.; and Reynolds, T. (1975):**
Studies of renin and aldosterone in cirrhotic patients with ascites. Gastroenterology 69-698-702.
- Rosolowsky, K.J. and Campbell, W.B. (1991):**
Endothelin enhances adrenocorticotropin – stimulated aldosterone release from cultured bovine adrenal cells. Endocrinology, 126 : 1860 – 1866.
- Rossle, M.; Hagg, K. and Ochs, A. (1994):**
The transjugular intrahepatic portosystemic stent – shunt procedure for variceal bleeding. N. Engl. J. Med. 330 : 165 – 171.
- Rourke, J. A.; Bonia, K.; M, and Ferris, E.G. (1968):**
Hepatic angiography in alcoholic hepatitis. Radiology 61: 290-296.
- Rubanyi, M. and Polokoff, M.A. (1994):**
Endothelins : molecular biology, biochemistry, pharmacology, physiology and pathophysiology. Pharmacol.Rev., 46 :325 – 415.
- Sadek, A.; Essawy, F.A.; Bekheet, I.W.; Madkour, B.A.; Hassan, M.M.; Mostafa, I.M. and Mostafa, A.M. (1996):**
Clinical significance of elevated endothelin –1 levels in chronic liver disease. Hepatology 24 : 571 A (1779).
- Saeed, Z.A. (1995):**
Endoscopic esophagogastric variceal ligation with a six – short multiple ligation device. Am. J. Gastroenterol. 90 : 1570 – 1574.

Saeed, Z.A. (1996):

The Saeed six-shooter: a prospective study of a new endoscopic multiple rubber-band ligator for the treatment of varices. Gastroenterology 110: A 1308. (abst).

Saito, Y.; Nakao, K.; Mukoyama, M. and Imura, H. (1990):

Increased plasma endothelin level in patients with essential hypertension. N. Engl. J. Med., 322 : 205 – 206.

Sakurai, T.; Yanagisawa, M. and Takuwa, Y. (1990):

Cloning of a cDNA encoding a non – isopeptide – selective subtype of the endothelin receptor. Nature 348 : 732 – 735.

Salerno, F.; Badalamenti, S. and Incerti, P. (1988):

Renal response to atrial natriuretic peptide in patients with advanced liver cirrhosis. Hepatology, 8 : 21 – 26.

Salerno, F.; Incerti, P. and Badalamenti, S. et al. (1990):

Renal and humoral effects of ibopamine, a dopamine agonist, in patients with liver cirrhosis. Arch Intern Med, 150 : 65-69.

Salerno, F.; Lorenzano, E. and Maggi, A. (1993):

Effects of imidazol – salicylate on renal function and the diuretic action of furosemide in cirrhotic patients with ascites. J. Hepatol. 19 : 279 – 283.

Salmeron, J.M.; Badalamenti, S. and Rimola, A. et al. (1991):

Dietary n-3 polyunsaturated fatty acids supplementation: lack of renal effect in cirrhosis with ascites. J Hepatol 13 (Suppl 2): 5168. Abstract.

Salmeron, J.M.; Ruiz del Arbol, L. and Gines, A. (1993):

Renal effects of acute isosorbide –5– mononitrate administration in cirrhosis. Hepatology, 17 : 800 – 805.

Salo, J.; Francitorra, A.; follo, A.; Navasa, M.; Gines, A.; Gimenez, W.; Gines, P.; Arroyo, V. Riveña, F. and Rodes, J. (1995):

Increased plasma endothelin in cirrhosis. Relationship with systemic endotoxemia and response to changes in effective blood volume. J Hepatol 22 (4) : 380-98.

Samson, W.K. and Murphy, T.C. (1993):

Antidipsogenic actions of endothelins are exerted via the endothelin-A receptor in the brain. *Am. J. Physiol.* 265 : R 1212 – R1215.

Sanyal, A.I.; Freedman, A.M. and Shiffman, V.A. (1992):

Transjugular intrahepatic portosystemic shunt (TIPS) vs sclerotherapy for variceal hemorrhage : Results of a randomized prospective trial. (Abstract). *Hepatology*, 16 (Suppl) 88.

Sarin, S.r.; Nanda, R. and Vij, J.C. (1986):

Esophageal ulceration after sclerotherapy – a complication or an accompaniment ? *Endoscopy*, 18 : 44 – 45.

Schichiri, M.; Hirata, Y. and Ando, K. (1990):

Plasma endothelin levels in hypertension and chronic renal failure. *Hypertension* 15 : 493 – 496.

Schiebinger, R.J.; and Gomez – Sanchez, C.E. (1990):

Endothelin: a potent stimulus of atrial natriuretic peptide secretion by superfused rat atria and its dependency on calcium. *Endocrinology*, 127 : 119 – 125.

Schrader, J. Tebbe U. Borries, M. Ruschitzka F. Schoel G. K. and T. M. Warneke G. Zuchner C. Weber, M.H. and New U. (1990):

Plasma endothelin in normal probands and patients with nephrologic rheumatologic and cardiovascular diseases. *Klin wochenschr* 68 : 774 – 779.

Schrier, R.W.; Arroyo, V.; Bernadi, M.; Epstein, M.; Henriksen, J.H. and Rodes, J. (1988):

Peripheral arterial vasodilation hypothesis: a proposal for the initiation of renal sodium and water retention in cirrhosis. *Hepatology* 8: 1151-7.

Schrier, R.W. and Howard, R.L. (1991):

Unifying hypothesis of sodium and water regulation in health and disease. *Hypertension* 18 (suppl. 111) : 111 – 168.

Schroeder ET, Anderson GH.; and Smulyon H :(1979) :

Effect of a portocaval or peritoneovenous shunt on renin in the hepato renal syndrome kidney Int. 15:54-61 .

Schroeder, E.T.; Eich, R.H.; Smulyan, H.; Gould, A.B. and Gabuzda, G.J. (1970):

Plasma renin activity in hepatic cirrhosis : Relation to functional renal failure. Am. J. Med., 49 : 186 – 191.

Schroeder, E.T.; Shear, L.; Soncetta, S.M. and Gobuzda, J. G. (1967):

Renal failure in patients with cirrhosis of the liver. III. Evaluation of intrarenal blood flow by para-aminohippurate extraction and response to angiotensin. Am J Med 43: 887-896.

Schumacher, W.A.; Steinbacher, T.E.; Allen, G.T. and Ogletree, M.C. (1990):

Role of thromboxane receptor activation in the bronchospastic response to endothelin. Prostaglandins 40; 71-9.

Schuster, V.L.; and Seldin, S.W. (1992):

Renal Clearance : In: Seldinney: Physiology and pathophysiology. Second Edition. New York. Raven, 943-978.

Scoggins, B.A.; Spence, C.A. and Parkes, D.G. (1989):

Cardiovascular action of human endothelin in conscious sheep. Clin. Exp. Pharmacol. Physiol., 16 : 235 – 238.

Selzer, R. and Dudley, F. (1993):

Effects of octreotide on renal function in cirrhosis : reversal with glucagon. Hepatology, 18 : 102 A.

Seo, B.; Oemar, B.S.; Siebermann, R.; Von Segresser, L. and Cuscher, T.F. (1994):

Both ETA and ETB receptors mediate contraction to endothelin-1 in human blood vessels. Circulation 89 : 1203 – 1208.

Shear, L.; Bonkowsky, H.L. and Gabuzda, G.L. (1969):

Renal tubular acidosis in cirrhosis. A determinant of susceptibility to recurrent hepatic precoma. N. Engl. J. Med., 280 : 1-5.

Shear L.; Kleinerman J. and Gabuzda G.J (1965) :

Renal failure in patients with cirrhosis of the liver : clinical and pathological characteristics. Am J Med.39 : 184 – 198.

Sheir, S.; Baddar, M.; Osman, S.; Shalaby, T. and Zaki, T. (1996):
Study of the role of direct intra-variceal pressure measurement in prediction of variceal bleeding. Gut 39 (suppl 3) A 119.

Sheppard, M.; Shapiro, B. and Pimstone, B. (1979):
Metabolic clearance and plasma half – disappearance time of exogenous somatostatin in man. J. Clin. Endocrinol. Metabol. 48 : 50 – 54.

Sherlock, S.; and Dooley, J. (1997):
Portal venous system In: Diseases of the Liver and Biliary system 11th eds Oxford, Blackwell Scientific Publ. Chapter 10. Pp 132-178.

Sherlock, S.; Senewiratne, B. and Scott, A. (1966):
Complications of diuretic therapy in hepatic cirrhosis. Lancet. 1 : 1049 – 1052.

Shields, R.; Jankins, S.A. and Baxter, J.N. (1992):
A prospective randomized controlled trial comparing the efficacy of somatostatin with injection sclerotherapy in the control of bleeding esophageal varices. J. Hepatol., 16 : 128 – 137.

Shinmi, O.; Kimura, S. and Sawamura, T. et al. (1989):
Endothelin-3 is a novel neuropeptide : isolation and sequence determination of endothelin-1 and endothelin-3 in porcine brain. Biochem Biophys Res Commun 164 : 587-93.

Shubeita, H.E.; McDonough, P.M. and Harris, A.N. (1990): Endothelin induction of inositol phospholipid hydrolysis, sarcomere assembly, and cardiac gene expression in ventricular myocytes : a paracrine mechanism for myocardial cell hypertrophy J. Biol. Chem. 265 : 20555-20562.

Sieber, C.C. and Groszmann, R.J. (1992):
In vitro hyporeactivity to methoxamine in portal hypertensive rats. Reversal by nitric oxide blockade. Am. J. Physiol., 262 : G996 – G 1001.

- Silvain, C.; Carpentier, S. and Sautereau, D. (1993):**
Terlipressin plus transdermal nitroglycerin vs octreotide in the control of acute bleeding from esophageal varices : a multicenter randomized trial. *Hepatology*, 18 : 61 – 65.
- Simon, M.A.; Diez, J. and Prieto, J. (1991):**
Abnormal sympathetic and renal response to sodium restriction in compensated cirrhosis. *Gastroenterology* 101 : 1354-1360.
- Simonson, M.S. (1993):**
Endothelins : multifunctional renal peptides. *Physiol Rev* 73: 375-411.
- Simonson, M.S.; Wang, Y. and Dunn, M.J. (1992):**
Cellular signaling by endothelin peptides : pathways to the nucleus. *J. Am. Soc. Nephrol.* 2 : S 116 – S 125.
- Soderlund, C.; Thor, K. and Wiechel, K.L. (1985):**
Esophageal motility after sclerotherapy for bleeding varices. *Acta Chir Scand*, 151 : 249 – 253.
- Solez, K.; Racusen, L.G. and Jewell, L.D. (1988):**
Pathology of acute renal failure occurring in liver disease. In : Epstein M ed. *The kidney in Liver disease*, 3rd eds. Baltimore, Williams & Wilkins, pp 182 – 206.
- Solis-Herruzo, J.A.; Duran, A.; and Favela, V. et al. (1987):**
Effects of lumbar sympathetic block on kidney function in cirrhotic patients with hepatorenal syndrome. *J Hepatol* 5: 167-173.
- Sorensen, T.I.A. (1987):**
Definition of death in relation to variceal bleeding. In: Burroughs, AK, ed. *Methodology and reviews of clinical trials in portal hypertension*. Amsterdam. : Excreta medica, 31 – 35.
- Spahr, L.; Fenyves, D.N. and Guyen, V. (1995):**
Improvement of hepatorenal syndrome by transjugular intrahepatic portosystemic shunt. *Am J Gastroenterol* 90: 1169-1179.
- Stacy, D.L.; Scott, J.W. and Granger, J.P. (1990):**
Control of renal function during intrarenal infusion of endothelin. *Am. J. Physiol.*, 258 : F 1232 – F 1236.

- Stanley, A.J. (1996):**
Long-term follow-up of transjugular intrahepatic portosystemic shunt (TIPSS) for the treatment of portal hypertension : Results in 130 Patients. *Gut*. 39 : 979 – 983.
- Staritz, M.; Porall, T.; Meyer Zum Boschen, and Felde, K.H. (1985):**
Intravascular esophageal variceal pressure (IOVP) assessed by endoscopic fine needle puncture under basal conditions, Valsalva's manoeuvre and after glyceryl-trinitrate application. *Gut*. 26 : 252 – 530.
- Stiegmann, G.V.; Cambre, T. and Sun, J.H. (1986):**
A new endoscopic elastic band ligation device. *Gastrointest Endosc*, 32 : 230 – 233.
- Stiegmann, G.V.; Goff, J.S.; and Michaletz-Onody, P. et al. (1992):**
Endoscopic sclerotherapy as compared with endoscopic variceal ligation for bleeding esophageal varices. *N Engl J Med* 326: 1527-32.
- Sugiura, M.; Inagami, T.; Hare, G.M.T. and Johns, J.A. (1989):**
Endothelin action : inhibition by a protein kinase C, inhibitor and involvement of phosphoinositols. *Biochem. Biophys. Res. Commun.* 158 : 170 – 176.
- Sumino, Y.; Kravetz, D. and Kanel, M.G. (1991):**
Ultrasonographic diagnosis of acute alcoholic hepatitis characteristic "pseudoparallel channel sign of intrahepatic artery dilatation. *Hepatology* 14: 84 A [Abstract].
- Sung, J.J.; Chung, S.C. and Lai, C.W. (1993):**
Octreotide infusion or emergency sclerotherapy for variceal hemorrhage, *Lancet*, 342 : 637 – 641.
- Suzuki, R.; Masaoka, H.; Hirata, Y.; Mariamo, F.; Isotani, E. and Hirakawa, K. (1992):**
The role of endothelin-1 in the origin of cerebral vasospasm in patients with aneurysmal subarachnoid hemorrhage. *J Neurosurg* : 77: 96-100.

- Tabuchi, Y.; Nakamaru, M.; Rakugi, H.; Nagano, M.; Mikami, H. and Ogiwara, T. (1989):**
Endothelin inhibits presynaptic adrenergic neurotransmission in rat mesenteric artery. *Biochem Biophys. Res. Commun.* 161 : 803 – 808.
- Takabatake, T.; Ise, T.; Ohta, K. and Kobayashi, K. (1992):**
Effect of endothelin on renal hemodynamics and tubuloglomerular feed-back. *Am. J. Physiol.* 263 : F 103 – F 108.
- Tanner, N. (1961):**
The late results of porto-azygos disconnection in the treatment of bleeding from esophageal varices. *Ann R. Coll Surg.* 28 : 153 – 157.
- TenHove, W.; Popovis, S. and Howard, M. (1974):**
Validity of transhepatic pulp pressure measurements *Am. J. Dig. Dis.* 19 : 15 – 28.
- Teres, J.; Cecillin, A. and Bordas, J.M. (1978):**
Esophageal tamponade for bleeding esophageal varices. Controlled trial between the Sengstaken- Blakemore tube and the Linton – Nicholas tube. *Gastroenterology*, 75 : 566 – 569.
- Thiemermann, C.; Lidbury, P.S.; Thomas, G.R. and Vane, J.R. (1989):**
Endothelin-1 releases prostacyclin and inhibits in vivo platelet aggregation in the anesthetized rabbit. *J. Cardiovasc. Pharmacol.*, 13 : Suppl. 5 : S 138 – S 141.
- Tomita, K.; Ujiie, K. and Nakanaishi (1989):**
Plasma endothelin levels in patients with acute renal failure : *N. Engl. J. Med.*, 154 : 868 – 875.
- Tristani, F.E. and Cohn, J.N. (1967):**
Systemic and renal hemodynamics in oliguric hepatic failure : effect of volume expansion. *J. Clin. Invest.*, 46 : 1894 – 1899.
- Tsai, Y. T.; Lin, H.C.; Yang, M.C.; Lee, F.Y.; Hou, M.C.; Chen, L.S. and Lee, S.D. (1995):**
Plasma endothelin levels in patients with cirrhosis and their relationships to the severity of cirrhosis and renal function: *J Hepatal* 23 (6) : 681-8.

- Uchida, Y. and Watanabe, M. (1993):***
Plasma endothelin-1 concentrations are elevated in acute hepatitis and liver cirrhosis but not in chronic hepatitis. Gastroenterology – Jpn 28 (5) : 666-72.
- Uchihara, M.; Izumi, N. and Sato, C. (1992):***
Clinical significance of elevated plasma endothelin concentration in patient with cirrhosis. Hepatology, 16 : 95 – 99.
- Vallance, P. and Moncada, S. (1991):***
Hyperdynamic circulation in cirrhosis: a role for nitric oxide ? Lancet, 1 : 776 – 778.
- Veglio, F.; Pinna, G.; Melchio, R.; Rabbia, F.; Panarell, M.; Gagliardi, B. and Chiandusi, R. (1992):***
Plasma endothelin levels in cirrhotic subjects. J. Hepatol. 15 : 85 – 87.
- Viallet, A.; Marleau, D.; Huet, M.; Martin, F.; Farley, A.; Villeneuve, J.P. and Lavoie, P. (1975):***
Hemodynamic evaluation of patients with the intrahepatic portal hypertension : relationship between bleeding varices and the portohepatic gradient. Gastroenterology, 69 : 1297 – 1300.
- Viamonte, M.; pereiras, R. and Russell, E. (1977):***
Pitfalls in transhepatic portography. Radiology, 124 : 325 – 329.
- Watanabe, T.; Suzuki, N.; Shimamoto, N.; Fujino, M. and Imada, A. (1990):***
Endothelin in myocardial infarction. Nature 344 : 114 – 119.
- Wei, C.M.; Lerman, A. and Rodeheffer, R.J. (1994):***
Endothelin in human congestive heart failure. Circulation 89 : 1580 – 1586.
- Westaby, D. (1992):***
Emergency and elective endoscopic therapy for variceal hemorrhage. In : Shields R. ed. Portal hypertension. Baillieres, Clin. Gastroenterol. 3 : 465 – 480.

Westaby, S.; Wilkinson, S.P. and Warren, R. (1978):

Spleen size and portal hypertension. *Digestion*, 17 : 63 – 68.

Wexler, M. (1980):

Treatment of bleeding esophageal varices by transabdominal esophageal transection with the EEA stapling instrument. *Surgery* 88 : 406 – 410.

Whittle B.J.R; and Lopez – Belmonte J; and Reess D.D (1989) :

Modulation of the vasodepressor actions of acetylcholine bradykinin, substance P, and endothelin in the rat by a specific inhibitor of nitric oxide formation. *Br J. Pharmacol* 198 :646-652.

Whittle, B.J.R. and Moncada, S. (1992):

Nitric Oxide : the elusive mediator of the hemodynamic circulation of cirrhosis. *Hepatology* 16: 1089-1092.

Wikes, B.M.; Susin, M. and Mento, P.F. (1991):

Localization of endothelin-like immunoreactivity in rat kidneys. *Am. J. Physiol.*, 260 : F 913 – F 920.

Wilkinson, S.P.; Weston, M.J.; and Parson, V. (1977):

Dialysis in the treatment of renal failure in patient with liver disease. *Clin. Nephrol.* 8 : 287 – 292.

Wilkinson S.P; Moore KP, and Arroyo V (1991) :

Pathogenesis of ascites and hepatorenal syndrome. *Gut* 32 suppl :512-517.

Witte C.L.; Tripp MR, and Witte MH (1986) :

Functional renal failure and liver disease. *J Clin Gastroenterol* 8: 401.

Witte, M.H.; Witte, C.L. and Dumonte, A.E. (1971):

Progress in liver disease : physiological factors involved in the causation of cirrhotic ascites. *Gastroenterology*, 61 : 742 – 750.

Wong, F.; Massie, D.; Hsu, P. and Dudley, F. (1993):

Indomethacin – induced renal dysfunction in patients with well –compensated cirrhosis. *Gastroenterology*, 104 : 869 – 876.

- Word, R.A.; Kamm, K.E.; Stull, J.T.; and Caey, M.L. (1990):**
Endothelin increases cytoplasmic calcium and myosin phosphorylation in human myometrium. *Am J obstet Gynecol* 162: 1103-1108.
- Yamamoto, T.; Kimura, T. and Ota, K. (1992):**
Central effects of endothelin-1 on vasopressin release, blood pressure and renal solute excretion. *Am. J. Physiol.*, 262 : E856 – E862.
- Yanagisawa, M.; Kurihara, H; and Kimura, S. (1988) :**
A novel potent vasoconstrictor peptide produced by vascular endothelial cells. *Nature* : 232 : 411 - 415.
- Yanagisawa, M. and Masaki, T. (1989):**
Molecular biology and biochemistry of the endothelins. *Trends pharmacol. Sci.* 10 : 374 – 378.
- Yoshimoto, S.; Ishizaki, Y.; Sasaki, T. and Murota, S.I. (1991):**
Effect of carbon dioxide and oxygen on endothelin production by cultured porcine cerebral endothelial cells. *Stroke*, 22 : 278 – 383.
- Zipser, R.D.; Hoefs, J.C. and Speckart, P.F. (1979):**
Prostaglandins : modulators of renal function and pressor resistance in chronic liver disease. *J. Clin. Endocrinol. Metab.*, 48 : 895 – 899.
- Zipser, R.D.; Kronberg, I. and Rector, W. (1984):**
Therapeutic trial of thromboxane synthesis inhibitors in the hepatorenal syndrome. *Gastroenterology*, 87 : 1228 – 1232.
- Ziv, I.; Fleminger, G.; Bjaldetti, R.; Achiron, A. and Sokolovsky, M. (1992):**
Increased plasma endothelin-1 in acute ischemic stroke. *Stroke*. 23 : 1014 – 1016.