

REFERENCES

Abadie V., Andre A., Zauche A., Thouvenin B., Baujate G. and Schmitz J. (2001): Early feeding resistance: A possible consequence of neonatal oro-esophageal dyskinesia. *Acta Pediatr.* 90, 7: 738-745.

Agvilera A., Bajo M.A., Espnoza M., Oleveira A., Paiva A.M., Codoceo R., Garecia P., Sanchez S., Celandilla O., Castro M.J. and Selgas R.(2003): Gastrointestinal and pancreatic function in peritoneal dialysis patients: their relationship with malnutrition and peritoneal membrane abnormalities. *American Journal of kidney diseases;* 42,4:787-796.

Akner G and Cederholm T. (2001): Treatment of protein energy malnutrition in chronic nonmalignant disorders. *American Journal of Clinical Nutrition:* 74, 1:6-24.

Aliperti G and Clouse RE. (1991): Incomplete lower esophageal sphincter relaxation in subjects with peristalsis: Prevalence and clinical outcome. *Am J Gastroenterol;* 86, 5: 609-614.

Allen M L and Dimarino AJ. (1996): Manometric diagnosis of diffuse esophageal spasm. *Diagnostic diseases and sciences:* 41: 1346-1349.

Allescher H D, Stoschus B, Wunsch E, Schusdziarra V and Classen M. (1995): Effect of human gastrin- 17 with and without acid

suppression on human esophageal motility. *Z.Gastroenterol*: 33, 7: 385-391.

Aziz Q, Andersson J L R, Valind S, Sundin A, Hamdy S, Jones

A K P, Foster E R, Langstrom B and Thompson D G. (1997):

Identification of human brain loci processing esophageal sensation using positron emission Tomography.

Gastroenterology: 113, 1: 50-59.

Bergstrom J. (1999): Regulation of appetite in chronic renal failure. *Mineral and electrolyte metabolism*; 25: 291-297.

Berl T and Schrier R W. (1997): Disorders of water metabolism. In renal and electrolyte disorders. Fifth edition, edited by Robert W. Schrier MD, Lippincott - Raven publishers, Chapter1: 1-61.

Blumenkrantz M J. (1994): Nutrition, in *Hand book of dialysis*, second edition, by Little, Brown, and Company Boston/New York, Chapter 22: 374-400.

Castell J A, Gideon R M and Castell DO. (1993): Esophagus. In *Atlas of gastrointestinal motility in health and disease*: M Schuster (Ed). Baltimore, Williams and Wilkins: 134-157.

Chan L and Alfrey A C. (1997): Chronic renal failure, Manifestation and pathogenesis. |In renal and electrolyte disorders. Fifth edition, edited by Robert W. Schrier MD, Lippincott Raven publishers, Chapter 5: 192-240.

Chen D, Zhao C M., Dockray G J., Varro a, Van Hoek a, Sinclair N F, Wang T C., and koh T J. (2000): Glycine extended gastrin synergeizes with gastrin-17 to stimulate acid secretion in gastrin-deficient mice. *Gastroenterology*: 119, 3: 756-765.

Ciccotosto G D., Dawborn J K., Hardy K J, and Shulkes A. (1996): Gastrin processing and secretion in patients with end stage renal failure. *Journal of Clinical Endocrinology and Metabolism*: 81, 9: 3231-3238.

Clause R E.and Stiano A. (1992): Manometric patterns using esophageal body and lower sphincter characteristics findings in 103 patients. *Diagnostic diseases and sciences*: 37: 289-296.

Cohen S, Lipshutz W and Hughes W. (1971): Role gastrin supersensitivity in the pathogenesis of lower esophageal sphincter hypertension in achalasia. *The Journal of Clinical Investigation*; 50: 1241-1247.

Cohen S and Parkman H. (2000): Diseases of the esophagus, Cicel textbook of medicine, Edited by Lee Goldman, M.D. and J. Claude Bennett, M.D. W.B. Saunders Company, 21 edition, Chapter 124: 658-668.

De Oliveira L E M MD, PhD, Luiz A -J MD, MSc Yolanda, M MD; Rosana S MD, MSc; Biccass C B MD;and Angela A MD.(2005): Ineffective esophageal motility in gastroesophageal erosive reflux

disease and in non erosive reflux disease: Are they different? Journal of Clinical Gastroenterology; 39, 3: 224-227.

Devane SP, Ravelli AM, Bisset WM., Smith VV., Lake BD., Milla PJ. (1992): Gastric antral dysrhythmias in children with congenital idiopathic intestinal pseudo-obstruction. Gut; 33:1477-1481.

Devault K R., MD and Castell D O., MD. (1995): Guidelines for the diagnosis and treatment of Gastroesophageal reflux disease. Arch Intern Med; 155, 13: 2165-2173.

Dodds W. J., Hogan W. J., Stewart E.T., Stef F.F. and Arndorfer R. C. (1998): Effect of increased intra-abdominal pressure on esophageal peristalsis. J. Appl. Physiol. 37:378-383.

Dogan I, Unal S, Sindel S, Tuncer C, Arinsoy T, Bali M, Kandilci U, and Hasanoglu E. (1996): Esophageal motor dysfunction in chronic renal failure. Nephron; 72: 346-347.

Drossman D A. (1999): Functional gastrointestinal disorders and the Rome II process. Gut; 45, (suppl. 2). 111-115.

Fallone C A. and Mayrand S. (2001): Gastroesophageal reflux and hyperacidity in chronic renal failure. Peritoneal Dialysis International; 21, supplement 3: 26-29.

Fass R and Tougas G; 2002 functional heartburn: The stimulus, the pain, and the brain. Gut, , 31, pp: 885-892.

Fisher RS, Roberts GS, Grabowski CJ, and Cohen S. (1978): Inhibition of lower esophageal sphincter circular muscle by female sex hormones. *Am. J. Physiol.*; 234, 3: G234-247.

Foster B J and Leonard M B. (2004): Measuring nutritional status in children with chronic kidney disease. *The American Journal of Clinical nutrition*; 80, 4b: 801-814.

Freidin N., Fisher M J, Ttaylor W, Surratt D, McCallum R W and Mittal R K. (1992): Sleep and nocturnal acid reflux in normal subjects and patients with reflux esophagitis. *Gut*; 32:1275-1279.

Freiden N. Traube M and Mittal RK. (1989): The hypertensive lower esophageal sphincter: Manometric and clinical aspects. *Diagnostic diseases and sciences*; 34: 1063-1067.

Gray H. (2000): *Anatomy of human body thoroughly revised and re-edited by Warren H. Lewis, Philadelphia: LEA and Febiger, 1918. New York: Bartleby: Com.*

Gur G, Boyacioglu S, Gul C, Turan M, Gursoy M, Baysal C and Zdemir M. (199): Impact of *Helicobacter pylori* infection on serum gastrin in hemodialysis patients. *Nephrol Dial Transplant*; 14, 11:2688-2691.

Guyton A C, MD. And Hall J E Ph D. (2000): *In Text book of Medical physiology, W.B. Saunders Company 10th edition Chapter, 62-63:718-746.*

Hansen C. P, Goetze J. P., Stadil F., and Rehfeld J. F. (2000): the metabolism of gastrin-52 and gastrin-6 in pigs; Am. J. Physiol. 79, 3: G552-G560.

Hansen C. P, Stadil F., and Rehfeld J. F. (2000): Metabolism and acid secretory effect of sulfated and non-sulfated gastrin-6 in humans. Am. J. Physiol. 279, 5: G903-909.

Holloway R H, Penagini R, and Ireland A C. (1995): Criteria for objective definition of transient lower esophageal sphincter relaxation. Am. J. Physiol. 268, 31: G128-133.

Jackson Gastroenterology. (2002): Esophageal manometry, Copyright Chek Med System, Inc. <http://www.gicare.com/>

Jean A. (2001): Brain stem control of swallowing neuronal network and mechanisms. Physiological reviews; 81, 2: 929- 979.

Johnson W J. (1994): the digestive tract, Hand book of dialysis, second edition, by Little, Brown, and Company Boston/New York, Chapter 40: 623-634.

Kahrilas PJ, Clouse RE and Hogan WJ. (1994): American Gastroenterological Association technical review on the clinical use of esophageal manometry. Gastroenterology; 107:1862-1884.

Kahrilas P J., Dodds W J and Hogan WJ. (1988): Effect of peristaltic dysfunction on esophageal clearance. Gastroenterology; 94, 1: 73-80.

Kahrilas P J, Lin S, Spiess A E, Brasseur J G, Joehi R J., and Manka M. (1998): Impact of fundiplication on bolus transit across esophagogastric junction. *Am. J. Physiol.* 275, 6: G1386-G1393.

Kang J Y, MD, FRCS, FRCP Ed, FRACP. (1993): The gastrointestinal tract in uremia. *Digestive Diseases and Sciences*; 38, 2: 257-268.

Kellow J E, Delvaux M, Azpiroz F, Camilleri M, Quigley E M M and Thompson D G. (1999): Principals of applied neurogastroenterology: Physiology/motility-sensation. *Gut*; 45 (suppl.12):II17-II24.

Kes P. (1992): Serum gastrin concentration in chronic renal failure. *Acta Med. Croatia*; 1:47-58,9(abstract).

Kes P.; Filjak and Vizner B. (1992): The effect of degree of renal function damage on the levels of gastrin and gastric acid secretion. *Lejec Vjesn*; 114, 5-8:87-92 ;(abstract).

Lefebvre H P, Ferre J P, Watson A. D J, Brown C A, Serthelon J-P and Laroute V. (2001): Small bowel motility and colonic transit are altered in dogs with moderate renal failure. *Am. J. Physiol*; 281:R230-R238.

Leite L P., DO, Johnston B T., MD, Barrett J, BS, Castell J A., MS, and Castell D O., MD. (1997): Ineffective esophageal motility (IEM) the primary finding in patients with nonspecific esophageal motility disorders. *Digestive Diseases and Sciences*; 42, 9: 1859-1865.

Luiking Y C., Van der Reijden A C., Van Berge Henegouwen G P., and Akkermans L M. A. (1998): Migratory motor complex cycle

duration is determined by gastric or duodenal origin of phase III. Am. J. Physiol. 275, 6: G1246- G1251.

Luke R G; Chronic renal failure, Cecil text book of Medicine, Edited by Lee Goldman, M.D. and J. Claude Bennett, M.D. W.B. Saunders Company, 21 edition, 21 edition Chapter 124:658-668, 2000.

Mearin F and Malagelada J-R. (2000): Complete lower esophageal sphincter relaxation observed in some achalasia patients is functionally inadequate. Am. J. Physiol. 278, 3: G376-G383.

Mittal R K., MD., and Balaban D H, MD. (1997): The esophagogastric junction. The New England Journal of Medicine; 336, 13: 924-932.

Mittal R K., Ren J, McCallum RW, Shaffer JR. H A., and Sluss J. (1990): Modulation of feline esophageal contractions by bolus volume and outflow obstruction. Am. J. Physiol. 258: G208- G215.

Mulholland M W. and Debas HT. (1988): Physiology and pathology of gastrin. Review, Surgery; 103:135-147.

Muto S, Asano Y, Hosoda S and Miyata M. (1985): Hypochlorhydria and hypergastrinemia and their association with gastrointestinal bleeding in undialyzed and hemodialyzed patients. Nephron; 50:10-13.

Muto S, Asano Y, Hosoda S and Miyata M. (1988): Hypochlorhydria and hypergastrinemia and their association with gastrointestinal bleeding in young patients with chronic renal failure. Nephron; 50:5-9.

Muto S, Murayama N, Asano Y, Hosada S and Miyata M. (1985):

Hypergastrinemia and achlorhydria in chronic renal failure. *Nephron*; 40: 143-148.

Nascimento M M., Pecoits-Filho R, Lindholm B, Riella M C. and Stenvinkel P. (2002): Inflammation, malnutrition and atherosclerosis in chronic renal failure. Global perspective. *Blood Purif*; 20:454-458.

Nissl J RN, BS. (2004): Gastrin test overview. Editor Susan Van Houten, RN, BSN, MBA, Daniel Greer, Lila Havens, Health guide A-Z. <http://www.webmd.com/digestive-disorders/gastrin>.

Omari T, Snel A, Barnett C, Davidson G, Haslam R and Dent A. (1999): Measurement of upper esophageal sphincter tone and relaxation during esophageal swallowing in prematurew infants. *Am. J. Physiol.*; 4:G862-866.

Pandolfino JE and Kahrilas PJ. (2005): American Gastroenterolglcal association medical position statement: Clinical use of esophageal manometry. *Gastroenterology*; 128, 1:207-208.

Paterson L N. and Levi M. (1997): Disorders of potassium. Renal and electrolyte disorders Fifth edition, edited by Robert W. Schrier MD, Lippincott Raven publishers, Chapter 11:507-543.

Penagini R., Hebbard G, Horowitz M., Dent J, Bermingham H., and Jones K. and. Hollloway R H. (1998): Motor function of the proximal stomach and visceral perception in gastroesophageal reflux disease. *Gut*; 42: 251-257.

Pouderoux P, Ergun G A, Lin S, and Kahrilas P J. (1996): Esophageal Bolus transit image by ultra-fast computerized tomography. Gastroenterology; 110, 5: 1422-1425.

Pouderoux P, Lin S, and Kahrilas P J. (1997): Timing, propagation, coordination, and effect of esophageal shortening during peristalsis. Gastroenterology; 112, 6: 1147-1154.

Ravelli AM. (1995): Gastrointestinal function in chronic renal failure. Pediatr Nephrol. 9, 6:756-62.

Ravelli A M, Ledermann S E, Bisset W M, Trompeter R S, Baratt T M and Milla P J. (1992): Foregut motor function in chronic failure. Archives of diseases in childhood; 67:1343-1347.

Reikes ST., MD. (2000): Trends in chronic renal failure; epidemiology, morbidity, mortality. Postgraduate Medicine; 108, 1.

Richter J E, MD, Wallance, C. WU, MB, BS, Johns D N, BS, Blackwell JN, MRCP., Nelson J L, III, MD. Castell J A, MS, and Castell D O, MD. (1987): Esophageal manometry in 95 healthy adults volunteers; Variability of pressures with age and frequency of abnormal contractions. Digestive Diseases and Sciences; 32, 6:583-592.

Ross E A and. Koo L C. (1998): Improved nutrition after the detection and treatment of occult gastroparesis in nondiabetic dialysis patients. American Journal of Kidney Diseases; 31, 1:62-66.

Ruley EJ. , Bock GH. , Kerzner B., Abbott AW., Maid M., Chatoor I. (1989): Feeding disorders and gastroesophageal reflux in infants with chronic renal failure. *Pediatric Nephrol.* 3, (4): 424-429.

Saxena A and Sharma R K. (2004): An update on methods for assessment of nutritional; status in maintenance dialysis patients.<http://www.ijnephrol.com/aprjun2004/21.htm>.

Schoeman M N and Holloway R H. (1995): Integrity and characteristics of secondary esophageal peristalsis in patients with gastro-esophageal reflux disease. *Gut*; 36: 499-504.

Shafik*1, A, El-Sibai 2 O, Shafik1 I and Shafik1A. (2004): Electroesophagogram in gastroesophageal reflux disease with a new theory on the pathogenesis of its electric changes.*BMC.surgery*; 4, 13. <http://www.biomedcentral.com/1471-2482/4/13>

Siamopoulos KC, Tsianos E V, Dardamonis M and Bercos C. (1990): Esophageal dysfunction in chronic hemodialysis patients. *Nephron*; 55: 389-393.

Sifrim D, Janssens J, and Vantrappen G. (1992): A wave Of inhibition precedes primary peristaltic contractions in the human esophagus. *Gastroenterology*; 103, 3:876-882.

Singh P, Ph. D., Cowey S Ph. D., Quast M, Ph. D., Dr. Belalcazar L M, Dr Wei. J, Deng X, and Given R, Ph.D. (2005): Gastrin Much more than the weight management hormone. *Medindia.Com*. http://www.medindia.net/news/view_news_main.asp?t+gn&x=4566.

Singh S and Hamdy S. (2005): The upper esophageal sphincter. Neurogastroenterology and motility; 17 supp1: 3.

Spechler S J. and Castell D O. (200): Classification of esophageal motility abnormalities. Gut; 49:145-151.

Stacher G, Kiss A, Wiesnagrotzki S, Bergmann H, Hobart J and Schneider C. (1986): Esophageal and gastric motility disorders in patients categorized as having primary anorexia nervosa. Gut; 27: 1120-1126.

Stein H J., MD, Eypasch E P, MD, Demeester T R., MD, Smyrk TC, MD, and. Attwood S E. A, FRCSI. (1990): Circadian esophageal motor function in patients with gastroesophageal reflux disease. Surgery; 108, 4: 769-778.

Straathof J W A, MD, Lamers C B H W, MD, PhD, and Masclee A A M, MD, PhD. (1997): Effect of gastrin-17 on lower esophageal sphincter characteristics in man. Digestive Diseases and Sciences; 42, 12:2247-2251.

Stricker EM and Verbalis JG. (1990): Control of appetite and satiety insights from biological and behavioral studies. Nutr. Rev; 48:49-56.

Taler G, MD, and Ritchie C, MD. (2004): Unintended weight loss guidelines. American academy of homecare physicians; May: 3-16.

Timmer R. MD, Breumelhof R. MD, Nadorp J. H. S. M. MD, and Smout A. J. P.M., MD. (1993): Esophageal motility in low-grade reflux esophagitis, evaluated by stationary and 24- hour ambulatory

manometry. The American Journal of Gastroenterology; 88, 6:837-841.

Timmer R. MD, Breumelhof R. MD, Nadorp J. H. S. M. MD, and Smout A. J. P.M., MD. (1994): Ambulatory esophageal pressure and pH monitoring in patients with high grade reflux esophagitis. The American Journal of Gastroenterology; 39, 10: 2084-2089.

Van Vlem B, MD, Schoonjans R, MD, Vanholder R, MD, PHD, De Vos M, MD, PhD, Vandamme W, MSc, Van Laecke S , MD, and Lameire N, MD, PhD. (2000): Delayed gastric emptying in dyspeptic chronic hemodialysis patients. American Journal of kidney diseases; 36, 5: 962-968.

Vantrappen G. (1993): Non-deglutitive motor activity of the esophagus. Gut; 34: 1013-1014.

Varro A. and Ardrill J E S. (2003): Gastrin: An analytical review. Annals of Clinical Biochemistry; 40, 5: 472-480.

Verkijk M., Gielkens H. A. J., Lamers C.B.H.W., and Masclee A. A. M. (1998): Effect of gastrin on antroduodenal motility: Effect of intraluminal acidity. Am. J. Physiol. 275, 5:G1209-1216.

Wang T C. and Dockray G J. (1999): Lessons from genetically engineered animal models, Physiological Studies with gastrin in transgenic mice. Am. J. Physiol. 277, 1: G6- G11.

Ward S M. (2000): Interstitial Cells of Cajal in enteric neurotransmission. Gut; (Suppl IV), 47: iv40- iv43.

Willcox J G, MD. (2004): Specific clinical risk factors, GI problems in people with developmental disabilities. <http://www.rcocdd.com/sir/forms/specificriskGI.pdf>.

Wood J D, Alpers D H and Andrews PLR. (1999): Fundamentals of neurogastroenterology; Gut; 45 (Suppl II):II6-II16.

Wood J D, (1999) Mixing and moving in the gut. Gut; 45:333-334.

Wright L.F., Slaughter R.L., Gibson R.G., and Hirschowitz B.I. (1975) Correlation of lower esophageal sphincter pressure and serum gastrin level in man. Digestive Diseases and Sciences; 20,7:603-606.

Wyman J B, Dent J, Hedde R, Dodds W J, Toouli J and Downton J. (1990): Control of belching by the lower esophageal sphincter. Gut; 31: 639-646.

Yang C.S., MD. Chen S W, MD, Chiang C-H, MD, Wang M, MPH, Peng S-J, MD, and Kan Y-T, MD. (1996): Effect of increasing dialysis dose on serum albumin and mortality in hemodialysis patients. American Journal of Kidney Diseases; 27, 3: 380-386.

Yildiz F., tugay M., Utkan T., Yazir Y.(2007). Effect of chronic renal failure on foregut smooth muscle reactivity; an experimental study. J. Pediatric Surg.42, 4:647-652.