

## References

=====

- Akbari F, Alavi M, Esteghamati A, Mehraei A, Djaladat H, Zohrevand R (2003):** Effect of renal transplantation on sperm quality and sex hormone levels. *BJU Int* 92(3): 281–3.
- Albano C, Platteau P, Noqueira D (2001):** Avoidance of multiple pregnancies after ovulation induction by supernumerary preovulatory follicular reduction. *Fertil Steril* 76:820-2.
- Aluvihare VR, Kallikourdis M, Betz AG (2005):** Tolerance, suppression and the fetal allograft. *J Mol Med* 83 (2) 88: 96-7.
- Andrico S, Gambera A, Specchia C (2002):** Leptin in functional hypothalamic amenorrhoea. *Hum Reprod.*; 17(8):2043-8.
- Antman AM, Politch JA, Ginsburg ES (2002):** Conversion of high-response gonadotropin intrauterine insemination cycles to in vitro fertilization results in excellent ongoing pregnancy rates. *Fertil Steril* 77: 715-20.
- Armenti VT, Moritz MJ, Cardonick EH, Davison JM. (2002):** Immunosuppression in pregnancy: Choices for infant and maternal health. *Drugs*; 62: 2361–75.
- Armenti VT, Moritz MJ, Radomski JS (2000):** Pregnancy and transplantation. *Graft*; 3: 59–64.

**Armenti VT, Radomski JS, Moritz MJ (2005):** Report from the National Transplantation Pregnancy Registry (NTPR): outcomes of pregnancy after transplantation. *Clin Transpl* 69-83.

**Assisted Reproductive Technology in the United States (2004):** 2000 results generated from the American Society for Reproductive Medicine/Society for Assisted Reproductive Technology Registry. *Fertil Steril*; 81(5):1207-20.

**Aviles A, Diaz-Maqueo JC, Talavera A, Guzman R, Garcia EL (1991):** Growth and development of children of mothers treated with chemotherapy during pregnancy: current status of 43 children. *Am J Hematol* 36:243- 8.

**Bar Oz B, Hackman R, Einarson T, Koren G (2001):** Pregnancy outcome after CsA therapy during pregnancy: a meta-analysis. *Transplantation* 71:1051-5.

**Beauchamp TL (2003):** Methods and principles in biomedical ethics. *J Med Ethics* 29: 269-74.

**Benediktsson R, Calder AA, Edwards CRW, Seckl JR (1997):** Placental 11b-hydroxysteroid dehydrogenase: a key regulator of fetal glucocorticoid exposure. *Clin Endocrinol* 46:161-6.

**Bennett PN (2002):** Azathioprine. *Drugs and Human Lactation*. 124:9-17

**Boomsma CM, Eijkemans MJ, Hughes EG (2006):** A meta-analysis of pregnancy outcomes in women with polycystic ovary syndrome. *Hum Reprod Update* 12(6):673-83.

**Boumpas DT, Austin HA, Vaughan EM, Yarboro CH, Klippel JH, Balow JE (2003):** Risk of sustained amenorrhea in patients with systemic lupus erythematosus receiving intermittent pulse cyclophosphamide therapy. *Ann Intern Med* 119:366-9.

**Cardonick E, Moritz M, Armenti V (2004):** Pregnancy in patients with organ transplantation: a review. *Obstet Gynecol Surv* 59: 214-22.

**Christin-Maitre S, Hugues, JN (2003):** A comparative randomized multicentric study comparing the step-up versus step-down protocol in polycystic ovary syndrome. *Hum Reprod* 1618: 26-9.

**Cimaz R, Meregalli E, Biggioggero M, Borghi O, Tincani A, Motta M, Airo P, Meroni PL (2004):** Alterations in the immune system of children from mothers treated with immunosuppressive agents during pregnancy. *Toxicol Lett* 149:155-62.

**Czeizel AE and Toth M (1998):** Birth weight, gestational age and medications during pregnancy. *Int J Gynaecol Obstet*, 60: 245-9.

**Committee on Drugs, American Academy of Pediatrics (1994):** The transfer of drugs and other chemicals into human milk. *Pediatrics*;93:137- 50.

**Coté CJ, Meuwissen HG, Pickering RJ (1974):** Effects on the neonate of prednisone and azathioprine administered to the mother during pregnancy. *J Pediatrics* 85:324-8.

**Daniel Y; Geva E; Bar-Am A; Lessing JB; Amit A; Geva E; Eshed-Englender T (2001):** Soluble Endothelial and Platelet Selectins in Serum and Ascitic Fluid of Women with Ovarian Hyperstimulation Syndrome. *Am J Reprod Immunol Microbiol*; 45(3): 154-60.

**Davison JM and Bailey DJ (2003):** Pregnancy following renal transplantation. *J Obstet Gynaecol Res*; 29(4): 227–33.

**Davison JM, Dellagrammatikas H, Parkin JM (1999):** Maternal azathioprine therapy and depressed haemopoiesis in the babies of renal allograft patients. *Br J Obstet Gynaecol*, 92:233- 9.

**Davison JM, Lind T, Uldall PR, (2004):** Planned pregnancy in a renal transplant recipient. *Br J Obstet Gynaecol* 83: 518–27

**De Boer K, Heyboer H, ten Cate JW, Borm JJJ, van Ginkel CJW. (1992);** Low molecular weight heparin treatment in a pregnant woman with allergy to standard heparins and heparinoid. *Thromb Haemost.* 67:180-1.

**Dejaco C, Mittermaier C, Reinisch W, Gasche C, Waldhoer T, Moser H Stroemer G (2001):** Azathioprine treatment and female infertility in inflammatory bowel disease. *Gastroenterology* 121:1048-53.

**Del Mar Colon M and Hibbard JU (2007):** Obstetric considerations in the management of pregnancy in kidney transplant recipients. *Adv Chronic Kidney Dis* 14: 168–77.

**Dianne B., McKaya, and Michelle A. Josephsonb (2005):** Reproduction and Transplantation: Report on the AST Consensus Conference on Reproductive Issues and Transplantation. *Am J Transpl*; 5: 1592–9.

**Diemont WL, Vrugink PA, Meuleman EJ (2000):** Sexual dysfunction after renal replacement therapy. *Am J Kidney Dis* 35:845-51.

**Di Paolo S, Schena A, Morrone LF, Manfredi G, Stallone G, Derosa C, Procino A, Schena FP (2000):** Immunologic evaluation during the first year of life of infants born to cyclosporine treated female kidney transplant recipients. *Transplantation* 69: 2049-54.

**Dodd J and Crowther C (2004):** Multifetal pregnancy reduction of triplet and higherorder multiple pregnancies to twins. *Fertil Steril* 81:1420-2.

**Durodola JI (1999):** Administration of cyclophosphamide during late pregnancy and early lactation: a case report. *J Nat Med Ass*, 71:165-6.

**Edris F, Kerner CM, Feyles V, Stephen Power, Andrew Leung (2007):** Successful management of an extensive intracranial sinus thrombosis in a patient undergoing IVF: case report and review of literature. *Fertil Steril* 88(3): 705-14.

**Engel J, Jewelewicz R, Dyrenfurth I (2002):** Ovarian hyperstimulation syndrome. Report of a case with notes on pathogenesis and treatment. *Am J Obstet Gynecol*; 15;112 (8):1052-60.

**EBPG Expert Group on Renal Transplantation (2002):** European best practice guidelines for renal transplantation, Section IV: Long-term management of the transplant recipient. IV.10. Pregnancy in renal transplant recipients, *Nephrol Dial Transplant*. 17(4):50-5.

**Filicori M, Butler JP, Crowley WF, Jr. (2004):** Neuroendocrine regulation of the corpus luteum in the human: Evidence for pulsatile progesterone secretion. *J Clin Invest* 73:1638-9.

**Fischer MJ; Lehnerz SD; Hebert JR; Parikh CR (2004):** Kidney disease is an independent risk factor for adverse fetal and maternal outcomes in pregnancy. *Am J Kidney Dis* 43 (3): 415-23.

**Fischer MJ (2007):** Chronic kidney disease and pregnancy, Maternal and fetal outcomes. *Adv Chronic Kidney Dis* 14: 132–45

**Franks S, Robinson S, Willis DS (1996):** Nutrition, insulin and polycystic ovary syndrome. *Rev Reprod.* 1(1):47-53.

**French AE, Soldin SJ, Soldin OP, Koren G (2003):** Milk transfer and neonatal safety of tacrolimus. *Ann Pharmacother* 37: 815-8.

**Furman B, Wiznitzer A, Hackmon R (1999):** Multiple pregnancies in women after renal transplantation. Case report that rises a management dilemma. *Eur J Obstet Gynecol Reprod Biol* 84:107-10.

**Ghahramani N, Behzadi A, Gholami S (1999):** Postrenal transplant improvement of sexual function. *Transplant Proc*, 31 (8) 3144-5.

**Ghanem M.E., El-Baghdadi L.A, Badawy A.M., Bakr M.A, Sobhe M.A., Ghoneim M.A. (2005):** Pregnancy outcome after renal allograft transplantation: 15 years experience; *Eur J of Obst. Gyn. Reprod Bio* 121: 178–81.

**Ghoneim MA, Bakr MA, Hassan N, Wahba I, Fouda AS, Sobh MA, Shehab el-Dein AB, Shokeir AA, el-Mekresh MM, Ali-el-Dein B, Osman YM, Moustafa A, el-Chenawi F (2001):** Live-donor renal transplantation at the Urology & Nephrology Center of Mansoura: 1976-1998; *Clin Transpl.*: 167-78.

**Green DM, Whitton JA, Stovall M, Mertens AC, Donaldson SS, Ruymann FB, Pendergrass TW, Robison LL (2003):**

Pregnancy outcome of partners of male survivors of childhood cancer: a report from the Childhood Cancer Survivor Study. *J Clin Oncol.* 21:716-21.

**Haiman CA, Pike MC, Bernstein L (2002):** Ethnic differences in ovulatory function in nulliparous women. *Br J Cancer*, 86(3): 367-71.

**Hall JG, Pauli RM, Wilson KM. (1998):** Maternal and fetal sequelae of anticoagulation during pregnancy. *Am J Med.*;68: 122-40.

**Hamilton-FairleyD and TaylorA (2003):** Anovulation. *BMJ.* 327 (7414): 546-9.

**Handelsman DJ and Dong Q (2003):** Hypothalamo-pituitary gonadal axis in chronic renal failure. *Endocrinol Metab Clin North Am* 22:145-61.

**Han X, Yu L, Yan P (1997):** Fertility and related hormones before and after female successful renal transplantation. *Zhonghua Wai Ke Za Zhi* 35: 605-7.

**Honbo KS; van Herle AJ; Kellett KA (2004):** Serum prolactin levels in untreated primary hypothyroidism. *Am J Med*; 64(5):782-7.

**Hou S (1999):** Pregnancy in chronic renal insufficiency and end stage renal disease. *Am J Kidney Dis* 20:235-52.

**Hou S (2004):** Frequency and outcome of pregnancy in women on dialysis. *Am J Kidney Dis* 23: 60-3.

**Hoyert DL, Mathews TJ, Menacker F (2006):** Annual summary of vital Statistics: 2004. *Pediatrics* 117:168-83.

**Hsu CY, Vittinghoff E, Lin F, Shlipak MG (2004):** The incidence of end-stage renal disease is increasing faster than the prevalence of chronic renal insufficiency. *Ann Intern Med* ; 141(2) 95-101.

**Huong DLT, Amoura Z, Duhaut P, Sbai A, Costedoat N, Wechsler B, Piette JC(2002):** Risk of ovarian failure and fertility after intravenous cyclophosphamide. A study in 84 patients. *J Rheumatol* ; 29: 2571-6.

**Isaksson R and Tiitinen A (2004):** Present concept of unexplained infertility. *Gynecol Endocrinol*18:278–90.

**Janssen NM and Genta MS (2000):** The effects of immunosuppressive and anti-inflammatory medications on fertility, pregnancy, and lactation. *Arch Intern Med*; 160: 610–19.

**Jain AB, Reyes J, Marcos A, Mazariego G, Eghtesad B, Fontes PA (2003):** Pregnancy after liver transplantation with tacrolimus immunosuppression: a single center's experience update at 13 years. *Transplantation*; 76: 827–32.

**Jain AB, Shapiro R, Scantlebury VP, Potdar S, Jordan ML, Flohr J, Marcos A, Fung JJ (2004):** Pregnancy after kidney and

kidney-pancreas transplantation under tacrolimus: a single center's experience. *Transplantation*, 77:897-902.

**Kahan BD (2003):** Individuality: the barrier to optimal immunosuppression. *Nat Rev Immunol* 3 (10):831-8.

**Kainz A, Harabacz I, Cowrick IS (2000):** Analysis of 100 pregnancy outcomes in women treated systemically with tacrolimus. *Transplant Int*; 13: S299–303.

**Kaiser UB (2003):** The pathogenesis of the ovarian hyperstimulation syndrome *N Engl J Med*; 21; 349(8):729-32.

**Kevin KN and Mehrdad H(2007):** Pregnancy: kidney diseases and hypertension; *Amr J Kid Dis* 49,(2) :336-45.

**Khalaf Y, Elkington N, Anderson H (2000):** Ovarian hyperstimulation syndrome and its effect on renal function in a renal transplant patient undergoing IVF treatment: case report. *Hum Reprod* 15:1275-7.

**Khamashta M, Østensen M, Lockshin M, Parke A,, Brucato A, Carp H, Doria A, Rai R, Meroni P, Cetin I, Derksen R, Branch W, Motta M (2006):** Anti-inflammatory and immunosuppressive drugs and reproduction *Arthritis Research & Therapy* 2006, 8 (2): 209 -20.

**Kirshon B, Wasserstrum N, Willis R, Herman GE, McCabe ER (2005):** Teratogenic effects of first-trimester cyclophosphamide therapy. *Obstet Gynecol*, 72: 462-4.

**Koch CA and Platt JL (2003).** Natural mechanisms for evading graft rejection:the fetus as an allograft. *Springer Semin Immunopathol*; 25(2): 95–117.

**Koutras DA (1997):** Disturbances of menstruation in thyroid disease.*Ann N Y Acad Sci* 17; 816: 280-4.

**Krassas GE; Pontikides N; Kaltsas T; Papadopoulou P; Paunkovic J; Paunkovic N; Duntas LH (1999) :**Disturbances of menstruation in hypothyroidism. *Clin Endocrinol (Oxf)* 50(5):655-9.

**K/DOQI clinical practice guidelines for chronic kidney disease (2002):** evaluation, classification, and stratification. *Am J Kidney Dis* 39 S1-266.

**Laven JS, Imani B, Eijkemans MJ, Fauser BC (2002):** New approach to polycystic ovary syndrome and other forms of anovulatory infertility. *Obstet Gynecol Surv.* 57(11):755-67.

**Le Ray C, Coulomb A, Elefant E, Frydman R, Audibert F (2004):** Mycophenolate mofetil in pregnancy after renal transplantation: a case of major fetal malformations. *Obstet Gynecol*; 103: 1091–4.

**Lessan-Pezeshki M (2002):** Pregnancy after renal transplantation: Points to consider. *Nephrol Dialysis Transplant* 17: 703–5.

**Lessan-Pezeshki M, Ghazizadeh S, Khatami MR (2004):** Fertility and contraceptive issues after kidney transplantation in women. *Transplant Proc* 36:1405-6.

**Levin I; Almog B; Avni A; Baram A; Lessing JB; Gamzu R (2002):** Effect of paracentesis of ascitic fluids on urinary output and blood indices in patients with severe ovarian hyperstimulation syndrome. *Fertil Steril*; 77(5):986-8.

**Levinsohn-Tavor O, Friedler S, Schacter M (2003):** Coasting: what is the best formula? *Hum Reprod* 18:937-40.

**Lim VS (1999):** female hypogonadism renal failure, *Am J Kidney Dis.* ;9 (4):363-7.

**Lockwood GM, Ledger WL, Barlow DH (2005):** Successful pregnancy outcome in a renal transplant patient following invitro fertilization. *Human Reprod*; 10: 1528–31.

**Ludwig M, Doody KJ, Doody KM (2003):** Use of recombinant human chorionic gonadotropin in ovulation induction *Fertil Steril* 979:1051.

**Lunenfeld B and Van Steirteghem A (2004):** Infertility in the third millennium: implications for the individual, family and society:

condensed meeting report from the Bertarelli Foundation's second global conference. *Hum Reprod Update* 10:317–26.

**Malcolm CE, Cumming DC (2003):** Does anovulation exist in eumenorrheic women?, *Obstet Gynecol.* 102(2): 317–8.

**Mason RJ, Thomson AW, Whiting PH, Gray ES, Brown PA, Catto GRD, Simpson JG (1995):** Cyclosporine-induced fetotoxicity in the rat. *Transplantation* 39:9-12.

**Masuda H, Fujihira S, Ueno H, Kagawa M, Mori H (2003):** Ultrastructural study on cytotoxic effects of cyclosporine A in spermiogenesis in rats. *Med Electron Microsc* 36: 183–91.

**McKay D and Josephson M (2005):** Reproduction and transplantation: Report on the AST consensus conference on reproductive issues and transplantation. *Am J Transplant* 5: 1–8.

**McKay DB and Josephson MA (2006):** Pregnancy in recipients of solid organs: Effects on mother and child. *N Engl J Med* 354: 1281–93.

**Meyer-Lehnert H and Schrijer RW (2000):** Potential mechanism of cyclosporine A induced vascular smooth muscle contraction. *Hypertension* 10(2):81-6.

**Midtvedt K and Hartmann A (2002):** Hypertension after kidney transplantation:are treatment guidelines emerging? *Nephrol Dial Transplant* 17:1166-9.

**Miniero R, Tardivo I, Curtoni ES, Segoloni GP, La Rocca E, Nino A, Todeschini P, Tregnaghi C, Rosati A, Zanelli P, Dall'Omo AM (2002):** Pregnancy after renal transplantation in Italian patients: focus on fetal outcome. *J Nephrol* 15: 626-632.

**Mitwally MF, Biljan MM, Casper RF (2005):** Pregnancy outcome after the use of an aromatase inhibitor for ovarian stimulation. *Am J Obstet Gynecol* 192:381-6.

**Mitwally MF and Casper RF (2001):** Use of an aromatase inhibitor for induction of ovulation in patients with an inadequate response to clomiphene citrate. *Fertil Steril* 75:305-9.

**Miyakis S, Lockshin MD, Atsumi T, Branch DW, Brey RL, Cervera R, Derksen RH, DE Groot PG, Koike T, Meroni PL, Reber G (2006):** International consensus statement on an update of the classification criteria for definite treatment of antiphospholipid syndrome (APS). *J Thromb Haemost* 4:295-306.

**Moretti ME, Sgro M, Johnson DW, Sauve RS, Woolgar MJ, Taddio A, Verjee Z, Giesbrecht E, Koren G, Ito S (2003):** Cyclosporine excretion into breast milk. *Transplantation* 75(12): 2144-6.

**Moskovitz DN, Bodian C, Chapman ML, Marion JF, Rubin PH, Scherl E, Present DH (2004):** The effect on the fetus of medications used to treat pregnant inflammatory bowel-disease patients. *Am J Gastroenterol* 99:656-661.

**Murray JE (2005):** The 50th anniversary of the first successful human organ transplant. *Rev Invest Clin.* ; 57(2):118-9.

**Murray JE, Reid DE, Harrison JH (1993):** Successful pregnancies after human renal transplantation. *N Engl J Med* 269:341-3.

**Muttukrishna, S (2004):** Hypoxia induced activin secretion by the fetoplacental unit: differential responses related to gestation *BJOG* 113(1):103-9.

**Namieta M. Janssen, MD; Marcia S. Genta, MD (2000):** The Effects of Immunosuppressive and Anti-inflammatory Medications on Fertility, Pregnancy, and Lactation. *Arch Intern Med.*; 160: 610-9.

**Nataki C. Douglas, Monrji Shah, Mark V. Sauer (2007):** Fertility and Reproductive Disorders in Female Solid Organ Transplan Recipients. *Semin Perinatol* 31:332-8.

**Ness RB, Cramer DW, Goodman MT (2002):** Infertility, fertility drugs, and ovarian cancer: a pooled analysis of case-control studies. *Am J Epidemiol* 155: 217-20.

**Nyboe A; Gianaroli L; Nygren KG (2004):** Assisted reproductive technology in Europe, 2000. Results generated from European registers by ESHRE. *Hum Reprod*;19 :(3):490-503.

- Obrador GT; Pereira BJ; Kausz AT (2002):** Chronic kidney disease in the United States: an underrecognized problem. *Semin Nephrol*; 22(6):441-8.
- Omar S, Constance L. Chik, Ehud Ur, Shereen Ezzat (2003):** Diagnosis and management of hyperprolactinemia *JAMC*; 169 (6):1025-6
- Padgett EL, Seelig LL, Jr (2002):** Effects on T-cell maturation and proliferation induced by lactational transfer of cyclosporine to nursing pups. *Transplantation*; 73(6): 867–74.
- Paladini D, Vassallo M, D’Armiento MR, Cianciaruso B, Martinelli P (2004):** Prenatal detection of multiple fetal anomalies following inadvertent exposure to cyclophosphamide in the first trimester of pregnancy. *Birth Defects Res A Clin Mol Teratol* 70: 99-100.
- Palmer BF (1999):** Sexual dysfunction in uremia. *J Am Soc Nephrol* 10:1381- 8.
- Pasquali R, Pelusi C, Genghini S, Cacciari M, Gambineri A. (2003):** Obesity and reproductive disorders in women. *Hum Reprod Update* ;9(4):359-72.
- Pergola PE, Kancharla A, Riley DJ (2001):** Kidney transplantation during the first trimester of pregnancy: immunosuppression with mycophenolate mofetil, tacrolimus, and prednisone. *Transplantation* 71: 994-7.

**Pietrzak B, Marianowski L, Gradowska L (1994):** Ovarian function in women after kidney transplantation. *Wiad Lek* 47:625-8.

**Pignone MP, Gaynes BN, Rushton JL, (2002):** Screening for depression in adults: a summary of the evidence for the U.S. Preventive Services Task Force. *Ann Intern Med*;136: 765-76.

**Pilarski LM, Yacyshyn BR, Lazarovits AI (1994):** Analysis of peripheral blood lymphocyte populations and immune function from children exposed to cyclosporine or to azathioprine in utero. *Transplantation* 57:133-44.

**Pinsky L, De George AM (1995):** Cleft palate in the mouse: a teratogenic index of glucocorticoid potency. *Science*. 147: 402-3.

**Podymow T and August P (2005):** Pregnancy and gender issues in the renal transplant recipient, in Weir M (ed): Medical Management of Kidney Transplantation. Philadelphia, PA, Lippincott Williams and Wilkins, 238-43.

**Polifka JE and Friedman JM (2002):** Teratogen update: azathioprine and 6-mercaptopurine. *Teratology* 65: 240-61.

**Price HV, Salaman JR, Laurence KM, Langmaid H (2006):** Immunosuppressive drugs and the fetus. *Transplantation* 21: 294-8.

**Radder CM, Roelen DL, van de Meer-Prins, Claas FH, Kanhai HH, Brand A (2004):** The immunologic profile of infants born after maternal immunoglobulin treatment and intrauterine platelet transfusions for fetal/neonatal alloimmune thrombocytopenia. *Am J Obstet Gynecol* 191:815-20.

**Radomski JS, Ahlswede BA, Jarrell BE (1995):** Outcomes of 500 pregnancies in 335 female kidney, liver, and heart transplant recipients. *Transplant Proc* 27:1089-90.

**Rajapakse RO, Korelita BI, Zlatanic J, Baiocco PJ, Gleim GW (2000):** Outcome of pregnancies when fathers are treated with 6-mercaptopurine for inflammatory bowel disease. *Am J Gastroenterol* 95: 684–8.

**Ramanathan V, Goral S, Helderman JH (2001):** Renal transplantation. *Semin Nephrol.* ; 21(2):213-9.

**Reimers TJ and Sluss PM (1998):** 6-Mercaptopurine treatment of pregnant mice: effect on second and third generation. *Science* 201:65-7.

**Richet G (1997):** Hamburger's achievement with early renal transplants. *Am J Nephrol.* 17(4):315-7.

**Ridgway EC, Maloof, F, Longcope, C (2002):** Androgens and oestrogen dynamics in hyperthyroidism. *J Endocrinol* 95:105-7.

**Riley EH, Fuentes-Afflick E, Jackson RA, Escobar GJ, Brawarsky P, Schreiber M, Jennifer SH (2005):** Correlates of Prescription Drug Use during Pregnancy *Journal of Women's Health*, 14(5): 401-9.

**Robinson R (2001):** The fetal origins of adult disease *BMJ* 322(7283): 375–6.

**Rosenkranz AR and Mayer G (2000):** Mechanisms of hypertension after renal transplantation. *Curr Opin Urol* 10:81-6.

**Ross LF (2006):** Ethical considerations related to pregnancy in transplant recipients. *N Engl J Med* 354:1313-6.

**Rotterdam (2004)** ESHRE/ASRM-sponsored PCOS consensus workshop group. Revised 2003 consensus on diagnostic criteria and longterm health risks related to polycystic ovary syndrome (PCOS). *Human Reproduction* 19, (1); 41-7.

**Ryan GL, Sparks AE, Sipe CS, et al (2007):** A mandatory single blastocyst transfer policy with educational campaign in a United States IVF program reduces multiple gestation rates without sacrificing pregnancy rates. *Fertil Steril* 88:354-60.

**Sade RM (2005):** Transplantation at 100 years: Alexis Carrel, pioneer surgeon. *Ann Thorac Surg.*; 80(6):2415-8.

**Santoro N; Filicori M; Crowley WF Jr (2006):** Hypogonadotropic disorders in men and women: diagnosis and therapy with

pulsatile gonadotropin-releasing hormone. *Endocr Rev*; 7(1):11-23.

**Schnuelle P; Lorenz D; Trede M; Van Der Woude FJ (1998):** Impact of renal cadaveric transplantation on survival in end-stage renal failure: evidence for reduced mortality risk compared with hemodialysis during long-term follow-up. *Am Soc Nephrol*; 9(11):2135-41.

**Scott JR, Branch DW, Holman J (2002):** Autoimmune and pregnancy complications in the daughter of a kidney transplant patient. *Transplantation*; 73(5): 815–6.

**Sgro MD, Barrozino T, Mirghani HM, Sermer M, Moscato L, Akoury H, Koren G, Chitayat D (2002):** Pregnancy outcome post renal transplantation. *Teratology* 65:5-9.

**Shaheen FAM, AI-Sulaiman MH, AI-Khader AA (1993):** Long-term nephrotoxicity after exposure to CsA in utero. *Transplantation* 56: 224-5.

**Shlay JC, Mayhugh B, Foster M, Maravi ME, Baron AE, Douglas JM, Jr (2003):** Initiating contraception in sexually transmitted disease clinic setting: a randomized trial. *Am J Obstet Gynecol*; 189(2): 473–81.

**Sibanda N, Briggs JD, Davison JM, (2007):** Pregnancy after organ transplantation: a report from the UK Transplant pregnancy registry. *Transplantation* 83:1301-7.

**Smits G; Olatunbosun O; Delbaere A; Pierson R; Vassart G; Costagliola S (2003):** Ovarian hyperstimulation syndrome due to a mutation in the follicle-stimulating hormone receptor. *N Engl J Med.* , 21;349(8):760-6.

**Somers EC, Marder W, Christman GM, Ognenovski V, McCune WJ (2005):** Use of a gonadotropin-releasing hormone analog against premature ovarian failure during cyclophosphamide therapy in women with severe lupus. *Arthritis Rheum*52:2761-7.

**Spence JE (2007).** Anovulation and monophasic cycles. *Ann N Y Acad Sci*; 816:173-6.

**Speroff L, Glass RH, Kase NG (1999):** Anovulation and the polycystic ovary syndrome. In: *Clinical Gynecologic Endocrinology and Infertility*. Philadelphia, PA: Lippincott Williams & Wilkins:487-513.

**Stanford JB, White, GL, Hatasaka, H (2002):** Timing intercourse to achieve pregnancy. Current evidence. *Obstet Gynecol* 100: 1333-6.

**Stanley CW, Gottlieb R, Zager R Eisenberg J, Richmond R, Moritz MJ, Armenti VT (1999):** Developmental well-being in offspring of women receiving post-renal transplant. *Transplant Proc* 31: 241-2.

**Starzl TE (2001):** The birth of clinical organ transplantation. *J Am Coll Surg*; 192(4):431-46.

**Stefoni S, Campieri C, Donati G, Orlandi V (2004):** The history of clinical renal transplant. *J Nephrol.* ; 17(3):475-8.

**Step toe PC and Edwards RG (1978):** Birth after the reimplantation of a human embryo. *Lancet*; 2 (8085):366-70.

**Stone J, Eddleman K, Lynch L (2002):** A single center experience with 1000 consecutive cases of multifetal pregnancy reduction. *Am J Obstet Gynecol* 187:1163-7.

**Sturgiss SN and Davison JM (1991):** Perinatal outcome in renal allograft recipients: Prognostic significance of hypertension and renal function before and during pregnancy. *Obstetrics Gynecol*; 78: 573–7.

**Sucato GS and Murray PJ (2005):** Gynecologic health care for the adolescent solid organ transplant recipient. *Pediatr Transplant* 9:346-56.

**Suthanthiran M and Strom TB (1994):** Renal transplantation. *N Engl J Med* 11;331(6):365-76.

**Szekeres-Bartho J, Csernus V, Hadnagy J, Pacsa AS (1983):** Immunosuppressive effect of serum progesterone during pregnancy depends on the progesterone binding capacity of the lymphocytes. *J Reprod Immunol*; 5(2): 81–8.

**Tamaki M, Ami M, Kimata N (2003):** Successful singleton pregnancy outcome resulting from in vitro fertilization after renal transplantation. *Transplantation* 75:1082-3.

**Tauchmanova L, Carrano R, Sabbatini M (2004):** Hypothalamic-pituitary- gonadal axis function after successful kidney transplantation in men and women. *Hum Reprod* 19:867-73.

**Tsunoda T; Shibahara H; Hirano Y; Suzuki T; Fujiwara H; Takamizawa S; Ogawa S; Motoyama M; Suzuki M (2003):** Treatment for ovarian hyperstimulation syndrome using an oral dopamine prodrug, docarpamine. *Gynecol Endocrinol*; 17(4):281-6.

**Tulandi T; McInnes RA; Arronet GH (2004):** Ovarian hyperstimulation syndrome following ovulation induction with human menopausal gonadotropin. *Int J Fertil*; 29(2):113-7.

**Tur R, (2001):** Risk factors for high-order multiple implantation after ovarian stimulation with gonadotrophins: evidence from a large series of 1878 consecutive pregnancies in a single centre. *Hum Reprod* 16: 2124-9.

**U.S. Renal Data System, USRDS 2004 Annual Data Report:** Atlas of End-Stage Renal Disease in the United States, National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases, Bethesda, MD, 2005. *Am J Kidney Dis* 47: S1.

**U.S. Renal Data System, USRDS 2007 Annual Data Report (2007):**

Atlas of End-Stage Renal Disease in the United States, National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases, Bethesda *Am J Kidney Dis* S1:118-26.

**Vaux KK, Kahole NC, Jones KL (2003):** Cyclophosphamide, methotrexate, and cytarabine embryopathy: is apoptosis the common pathway? *Birth Defects Res A Clin Mol Teratol*, 67:403-408.

**Wang JG, Douglas NC, Dicken C, (2007):** Cryopreservation of supernumerary high quality embryos predicts favorable outcomes for patients undergoing repeated cycles of in vitro fertilization. *Fertil Steril* 7(1): 100-3.

**Warren MP and Vu C (2003):** Central causes of hypogonadism--functional and organic. *Endocrinol Metab Clin North Am.*; 32(3): 593-612.

**Whelan JG and Vlahos NF (2000):** The ovarian hyperstimulation syndrome. *Fertil Steril*; 73(5):883-96.

**Winkelmayer WC, Schneeweiss S, Mogun H (2005):** Identification of individuals with CKD from Medicare claims data: a validation study. *Am J Kidney Dis* 46:225-8.

**Winter JF, Boice JD, Mulvihill JJ, Stovall M, Frederiksen K, Tawn EJ, Olsen JH (2004):** Chromosomal abnormalities among

offspring of child-cancer survivors in Denmark: a population based study. *Am J Hum Genet* 74:1282-5.

**Yen SC, Jaffe RB, Barbieri RL (1999):** Chronic anovulation due to CNS-hypothalamic-pituitary dysfunction. In: Reproductive Endocrinology: Physiology, Pathophysiology and Clinical Management. 4<sup>th</sup> ed. London, England: 1074-7.

**Yildirim Y, Tinar S, Yildirim YK, Inal M (2005):** Comparison of pituitary-ovarian function in patients who have undergone successful renal transplantation and healthy women. *Fertil Steril* 83:1553-6.

**Zemlickis D, Lishner M, Erlich R, Koren G (1993):** Teratogenicity and carcinogenicity in a twin exposed in utero to cyclophosphamide. *Teratogen Carcinogen Mutagen*, 13: 139-43.

**Zerner J, Doil KL, Drewry J, Leeber DA (2001):** Intrauterine contraceptive device failures in renal transplant patients. *J Reprod Med*; 26(2): 99–102.