

References

Alder A.J. and Berlyne G.M. (1986) :

Silicon metabolism: renal handling in chronic renal failure patients.

Nephron; 44: 36-9.

Altmann P. (1993) :

Aluminum toxicity in dialysis patients: no evidence for a threshold serum aluminum concentration.

Nephrol Dial Transplant ; 8 (1): 25-34.

Appel G.B., Gee B., Kashgarian M., and Hayslett J.P. (1981):

Wegener's granulomatosis: clinical pathological correlation and long term course.

Am J Kidney Dis; 1: 27-37.

Arnett F.C. (1988):

The American Rheumatism Association 1987 revised criteria for the classification of rheumatoid arthritis.

Arth. Rheum.; 31:315-324.

Bar-Meir E., Teuber S.S., Lin H.C., Alosacie I., Goddard G., Terybery J.,

Barka N., Shen B., Peter J.B., and Blank M. (1995):

Multiple autoantibodies in patients with silicon breast implants.

J Autoimmun ; 8(2): 267-77.

Bartels H. (1972):

Modified Jaffe method.

Clin. Chem. Acta; 37:193-95

Bellia J.P., Birchall J.D., and Roberts N.B. (1996) :

The role of silicic acid in the renal excretion of aluminum.

Ann Clin Lab Sci; 26(3): 227-33.

Bezrodnyhk A.A. and Karelin A.P. (1994) :

Systemic lupus erythematosus and systemic scleroderma in-patients from the aboriginal people and the newcomers of Yakutia under the extreme conditions of the far north.

Alaska Med Apr; 36(2):102-6.

Birchall J.D. and Chappel J.S. (1988) :

The solution chemistry of aluminum and silicon and its biological significance. In Thornoton I ed. Proc 2nd Int Conf Geochemistry and Health.

Monogr Ser. Middlesex, UK : Science Reviews : 234-7.

Birchall J.D. and Chappel J.S. (1989) :
Aluminum, water chemistry and Alzheimer's disease.
Lancet; i: 953.

Birchall J.D., Exley C., and Chappel J.S. (1989) :
Acute toxicity of aluminum to fish eliminated in silicon rich water.
Nature (London) ; 338: 146-8.

Birchall J.D. (1992) :
The interrelationship between silicon and aluminum in the biological effects of aluminum.
Ciba Foundation Symposium.;50: 161-9.

Bolton W.K., Suratt P.M., and Sturgill P.C. (1981):
Rapidly progressive silicon nephropathy.
Am J Med ; 71: 823-8.

Bombassei G.J., and Kaplan A.A. (1992) :
The association between hydrocarbon exposure and antiglomerular basement membrane antibody mediated disease (Goodpasture's syndrome).
Am. J. Ind. Med.; 21: 141-53.

Bozic Z., Duancic V., Belicza M., Kraus O., and Skiljarov I. (1995) :
Balkan endemic nephropathy : still a mysterious disease.
Eur J Epidemiol.;11(2): 235-8.

Bridges A.J., Conley C., Wang J., and Burms D.E. (1993) :
A clinical and immunological evaluation of women with silicon breast implants and symptoms of rheumatic disease.
Ann Intern Med; 118:929-36.

Burwen D.R., Olsen S.M., and Bland L.A. (1995) :
Epidemic aluminum intoxication in haemodialysis patients traced to use of an aluminum pump .
Kidney Int; 48:469-74.

Busch H. (1994) :
Silicone toxicology.
Semin Arthritis Rheum Aug;24(1):11-17.

Candy J.M. Oakley A.E., Kilinowski J., and Perry E.K. (1986) :
Aluminosilicates and senile plaque formation in Alzheimer's disease.
Lancet ; i: 354-7.

Carlisle E.M. (1970) :
Silicon: A possible factor in bone calcification.
Science;165: 279-80.

Carlisle E.M. (1972) :
Silicone an essential element for the chick .
Science;178:619-21.

Carlisle E.M. (1976) :
In vivo requirement for silicon in articular cartilage and connective tissue formation in the chick.
J Nutr;106:478-84.

Carlisle E.M. (1982) :
The essentiality of silicon.
Nutrition Reviews; 40: 193- 8.

Cocco P.L., Carta P., Flore V., Picchiri G.F., and Zucca C. (1994) :
Lung cancer mortality among female mine workers exposed to silica.
J Occup .Med ; 36:894-8.

Contant C.M., Swaak A.J., Wiggers T., Wai R.T., and Van Geel A.N. (2000) :
First evaluation study of the Dutch Working Party on silicone breast implants (SBI) and the silicone-related symptom complex (SRSC).
Clin Rheumatol ;19(6):458-63.

D'Haese P.C., Shaheen F.A., Huraib S.O., Djukanovic L., Polenakovic M.H., Spasovski G., Shikole A., Schurgers M.L., Daneels R.F., Lamberts L.V. ,Van Landeghem G.F., and De Broe M.E. (1995) :
Increased silicon levels in dialysis patients due to high silicon contents in drinking water, inadequate water treatment procedure ,and concentrate contamination: a multicentre study.
Nephrol Dial Transplant: 1838-44.

D'Haese P.C. and De Broe M.E. (1996) :
Adequacy of dialysis : trace elements in dialysis fluid.
Nephrol Dial Transplant;11(2): 92-7.

De Broe M.E. and Coburn J.W. (1990) :

Aluminum in renal failure.

Kluwer Academic Publisher, Dordrecht: 1-285.

Dieperink H.H. (1991) :

Identification of groups at risk for renal diseases (including nephrotoxicity).

Toxicol Letters; 46:(3);257-68.

Dobbie J.W. and Smith M.J.B. (1982) :

Silicate nephrotoxicity in the experimental animals: The missing factor in analgesic nephropathy.

Scott Med J ; 27:10-16.

Dobbie J.W. and Smith M.J.B. (1986) :

Urinary and serum silicon in normal and uraemic individuals.

CIBA Foundation Symposium; 194: 121-3.

Doumas B.T., Watson W.A., and Biggs H.G.(1990):

Serum albumin: Bromocresol Green.

Clin. Chem. Acta; 18:67-9

Dracon M., Noel C., and Wallaert B. (1990) :

Glomerulonephritis rapidement progressives chez les mineurs de charbon pneumoconiotiques.

Nephrologie; 11:61-5.

Druke T.B., Jouhanneau P., and Banide H. (1997) :

Effect of silicon, citrate and the fasting state on the intestinal absorption of aluminum in rats.

Clin Sci; 92:63-7.

Edwardson J.A., Moore P.B., and Ferrier I.N. (1993) :

Effect of silicon on gastrointestinal absorption of aluminum.

LANCET; 342:211-12.

Elizabeth W.K., Susan E.H., Matthew H.L., Sanchez-Guerrero J., Graham A.C., Barbara J.R., Frank E.S., and Peter H.S. (1999) :

Association of silicon breast implants with immunologic abnormalities: a prospective study.

Am J Med ; 106:11-19.

Elson M. Haas (2000) :

The complete guide to diet and nutritional medicine.

Health world Online (<http://www.healthy.net>)

Epstein E. (1994) :

The anomaly of silicon in plant biology.

Proc Natl Acad Sci USA ; 96: 11-17.

Evans G.R., Slezak S., Rieters M., and Bercowi G.M. (1994) :

Silicon tissue assays in non augmented cadaveric patients: is there a base line level.

Plast Reconstr Surg ; 93 (6) : 1117-22.

Exley C., Chappell J.S., and Birchall J.D. (1991):

A mechanism for acute aluminum toxicity in fish .

J Theor Biol ;151:417-28.

Fenoglio I., Croce A., Di Renzo F., Tiozzo R., and Fubini B. (2000):

Pure silica Zeolites (Porosilis). As model solids for the evaluation of physicochemical features determining silica toxicity to macrophages.

Cem. Res. Toxicol.;13: 489-500.

Flassbeck D., Pfeleiderer B., Grumping R., and Hirner A.V. (2001) :

Determination of low molecular weight silicone in plasma and blood of women after exposure to silicone breast implants by GC/MS.

Anal. Chem.; 73(3): 606-11.

Flynn F.V. and Platt H.S. (1968) :

The origin of proteins excreted in tubular proteinuria.

Clin Chem Acta; 21: 377.

Fubini B. (1997):

Surface reactivity in the pathogenic response to particulates.

Environ Health perspectives;105: 1013-20.

Fubini B. (1998):

Health effect of silica. In: Legrand J.P. ed. The surface properties of silica.

J Wiley and Sons:415-64.

Fubini B., Bolis V., Cavenago A., and Volante M., (1995):
Physicochemical properties of crystalline silica dusts and their possible implication in various biological responses.
Scand J Work Environ Health;21 (Suppl 1):9-15.

Geoffrey B., Edward D., Andrew J., Jack E., and Micael S. (1985) :
Silicon metabolism : The basic facts in renal failure.
Kidney International;28 (17): 175-7.

Geoffrey M.C. and Kyle S. (1997) :
End stage renal disease among silica exposed gold miners. Anew method for assessing incidence among epidemiologic cohorts.
JAMA;277(15):1219-23.

Gitelman H.J., Alderman F., and Perry S.J. (1992) (a) :
Renal handling of silicon in normals and patients with renal insufficiency.
Kidney Int ;42:957-9.

Gitelman H.J., Alderman F.R., and Perry S.J. (1992) (b) :
Silicon accumulation in dialysis patients.
Am J Kidney Dis ; 19:140-3.

Goldsmith J.R. and Goldsmith D.F. (1993) :
Fiberglass or silica exposure and increased nephritis or ESRD.
Am J Ind Med; 23:873-81.

Gregorini G., Tira O., Frizza J., D' Haese P.C., Elsevier M.M., Nuyts G., Maiorca R., and DeBroe M.E. (1997):
ANCA associated diseases and silica exposure. Clinical reviews.
Allergy Immunol; 15: 21-40.

Gregorini G., Ferioli A., and Donato F. (1993) :
Association between silica exposure and necrotizing crescentic glomerulonephritis with p-ANCA and with anti-MPO antibodies: a hospital based case control study. ANCA-associated vasculitis. Immunological and clinical aspects.
In: Wolfgang Gross W ed. Advances in Experimental Medicine and Biology. Vol. 336 Plenum Press, New York; 548-55.

Groner W. and Simon E. (1995):
Practical guide to modern hematology analyzers.
Wiley Chichester. Hematology: 136-45.

Hadfield M.G., Adera T., Smith B., Fortner-Borton C.A., Gibb R.D., and Mumaw V. (1998) :

Human brain tumors and exposure to metal and non-metal elements: a case control study.

J environ. Pathol., toxicol., and oncol.;17 (1):1-9.

Hardy P., Moriniere P.H., Tribout B., Hamdini N., Marie A., Bouffandeau B., Pruna A., and Fournier A. (1999) :

Liver granulomatosis is not an exceptional cause of hypercalcemia with hypoparathyroidism in dialysis patients.

J Nephrol ;12: 6398-403.

Hauglustaine D., Van Dame B., Daenens B., and Michielsen P. (1980):

Silicon nephropathy: a possible occupational hazards .

Nephron; 26: 219-224.

Haycox C.L., Leach-Scampavia D., Olerud J.E., and Ratner B.D. (1999) :

Quantitative detection of silicone in skin by means of electron spectroscopy for chemical analysis (ESCA).

J Am Acad Dermatol;40 (5): 719-25.

Henderson I., Leung A., Halls D., Fell G., Dobbie j., and Kennedy A.C. (1985):

Hyperchromiumaemia in chronic dialysis patients.

Proc EDTA-ERA ;22:270-5.

Henrey R.J. (1974):

Measurement of plasma phosphorous level. In Clinical chemistry

Harper and Row publisher NewYork; seventh edition:675-98

Herman J.R. and Goldberg A.S. (1960) :

A new type of urinary calculus caused by antacid therapy.

J Am Med Assoc 174: 1206-7.

Hershy C.O., Ricanati E.S., Hershy L.A., Varnes A.W., Lavin B.J.M., and Strain W.H. (1983) :

Silicon as a potential uremic neurotoxin : trace element analysis in patients with renal failure.

Neurology ;33:786-9.

Hogan S.L., Satterly K.K., Dooley M.A., Nachman P.H., Jennete J.C., and Falk R.J. (2001) :

Silica exposure in anti-neutrophil cytoplasmic antibody-associated glomerulonephritis and lupus nephritis.
J Am Soc Nephrol ;12(1):134-42.

Hosokawa S., Morinaga M., Macda T., and Yoshida O. (1987) :

Silicon in hemodialysis patients .
Trans Am Soc Artif Intern Organs; 33:260-4.

Hosokawa and Yoshida (1995) :

Silicon levels in rats produced by chronic renal failure produced by 5/6 nephrectomy.
Nephron;69(3):301-4.

Hotez P., Gonzalez-Lorenzo J., Siles E., Trujillano G., Lauwerys R., and Bernard A. (1995) :

Subclinical signs of kidney dysfunction following short exposure to silica in the absence of silicosis.
Nephron; 70(4):438-442.

Iannello S. and Belefio F. (1998) :

Silicone breast prosthesis and rheumatoid arthritis: a new systemic disease: siliconosis. A case report and a critical review of the literature.
Minerva Med Apr; 89(4): 117-30.

International federation of clinical chemistry, Scientific committee (1980):

Spectrophotometric technique using spectrophotometer.
J Clin Chem Clin Biochem; 18:521-534.

Ishiura Y., Fujimura M., Saito M., Matsuda T., Maruyama M., Suzuki E., Hayashi Y., Watanabe Y., Nonomura A., and Kitagawa M. (1995) :

Idiopathic interstitial pneumonia (type B) with subacute progressively enlarged bullae.
Nippon Kyobu Shikkan Gakkai Zasshi; 33(4):438-43.

Joeke A.M., Alan Rose G., and June Sutor (1973) :

Multiple renal silica calculi.
Br Med J; 1:146-7.

Johnson K.R., Mascall G.C., and Howatle A.T. (1984):

Differential laboratory diagnosis of hypercalcemia.

Crit. Rev. Clin. Lab. Sci; 21: 51-97.

Jugdaohsingh R., Reffitt D.M., Oldham C., Day J.P., Fifield L.K., Thompson R.P., and Powell J.J. (2000) :

Oligomeric but not monomeric silica prevents aluminum absorption in humans.

Am J Clin Nutr; 71 (4): 944-9.

Kamel M., Fornasier V.L., and Peters W. (1999) :

Cartilaginous metaplasia in the capsule of a Dacron-backed silicone gel breast prosthesis.

Ann Plast Surg 1999 Feb;42(2):202-6.

Kao P., Grant C., Klee G., and Khosla S. (1992) :

Clinical performance of parathyroid hormone immunometric assays.

Mayo Clin Proc;67:637-45.

Koeger A.C. (1994):

Ruolo delle esposizioni alla silice nelle connectivite.

La Presse Medicale; 111; 5: 115-31.

Koeger A.C., Lang T., Alcaix D., Milleron B., Rozenberg S., Chaibi P., Arnauad J., Mayaud C., Camus J.P., and Bourgeois P. (1995) :

Silica-associated connective tissue disease. A study of 24 cases.

Medicine (Baltimore) Sep; 74(5): 221-37.

Kossovsky N., Cole P., and Zackson D.A. (1990) :

Giant cell myocarditis associated with silicon. An unusual case of biomaterials pathology discovered at autopsy using X-ray energy spectroscopic techniques.

Am J Clin Pathol;93:148-52.

Landsberg J.P., Mc Donald B., and Watt F. (1992) :

Absence of aluminum in neuritic plaque cores in Alzheimer's disease.

Nature; 360:65-8.

Lappe M.A. (1993) :

Silicone-reactive disorder: a new autoimmune disease caused by immunostimulation and superantigens.

Med Hypotheses Oct; 41(4): 348-52.

Last J.A. and Reiser K.M. (1986) :

Effects of silica on lung collagen.

Ciba Found Symp; 121:180-93.

Leavitt R.Y., Fauci A.S., and Bloch D.A. (1990) :
The American college of Rheumatology: criteria for the classification of Wegener's glomerulonephritis.
Arthritis Rheum; 33:1101-7.

Leopoldo F., Saldanha M.D., Victor J., Rosen M.D., Harvey C., and Gonick M.D. (1975) :
Silicon nephropathy.
Am J Med ;59: 95 -102.

Leopoldo F.S., Harvey C.G., Hector J.R., Jeffrey A.M., Eliseo V.R., and Cathy L.M. (1997) :
Silicon-related syndrome in dialysis patients .
Nephron; 48:56-77.

Levison D.A., Crocker P.R., Banim S., and Wallace D.M.A. (1982) :
Silica stones in the urinary bladder.
LANCET; 27:704 -5.

Leyva A.G., Maguid S.L., Rodriguez de Benyacar M.A., Lazaro M.A., Cocco J.M., and Citera G. (2000) :
Pathological mineralizations: calcifications and Si-bearing particles in soft tissues and their eventual relationship to different prostheses.
Artif Organs; 24(3): 179-81.

Mann S., Perry C.C., and Williams R.J.P. (1983) :
The characterization of the nature of silica in biological systems.
J Chem Soc Chem Commun; 4:168-70.

Mehard C.W. and Volcani B.E. (1976) :
Silicon containing granule of rat liver, kidney, and spleen mitochondria. Electron probe microanalysis .
Cell Tissue Res; 174:315-27.

Melloni B., Lesur O., Bouhadiba T., Cantin A., Martel M., and Begin R. (1996) :
Effect of silica exposure on human alveolar macrophages in supporting growth activity in type II epithelial cells.
Thorax; 51(8): 781-6.

Mertz W. (1981) :

The essential trace elements.

Science, 213:1332-8.

Meyer D.R., Bui H.X., Carlson J.A., Ratliff C.D., Guevarra M.C., Del Rosario A.D., Ross J.S., and Mihm M. J (1998) :

Silicon granulomas and dermatomyositis- like changes associated with chronic eyelid edema after silicone breast implant.

Ophthal Plast Reconstr Surg; 14(3): 18.

Mitsura D.I. (1999) :

Changes of aluminum and silicon contents and cholinergic activity of the blood depending on the course of the gastroduodenal ulcer.

Klin Khir; (5):38-40.

Mutch N. (1986) :

The silicates of magnesium.

Br. Med. J; 1:143-8.

Najda J., Goss M., Gminski j., Weglarz L., Siemianowicz K., and Olszowy Z. (1994) :

The antioxidant enzymes activity in the conditions of systemic hypersilicemia.

Biol Trace Elem Res.; 42:63-70.

Nakashima H. (1994) :

Time course of effects of tetraethoxysilane (TEOS) on the kidney and blood silicon concentration in mice.

Arch Toxicol ; 69(1): 59-64.

Neyer U., Woss E., and Neuweiler J. (1994) :

Wegener's granulomatosis associated with silicosis.

Nephrol Dial Transplant; 9: 559-61.

Ng T.P., Lee H.S., and Phoon W.H. (1993) :

Further evidence of human silica nephrotoxicity in occupationally exposed workers.

Br J Ind Med Oct; 50(10):907-12.

Nicholson J. J 3rd., Hill S.L., Frondoza C.G., and Rose N.R. (1996) :

Silicone gel and Octamethylcyclotetrasiloxane (D4) enhances antibody production to bovine serum albumin in mice.

J Biomed Mater Res Jul;31(3):345-53.

- Nuyts J.D., Van Velm E., and De Vos A. (1995) :**
Wegener granulomatosis is associated to silica exposure: a case control study.
Nephrol Dial Transplant ;7:1612-15.
- Nuyts G.D., Van Velm E., Thuys J., De Leersnijder D., Haese P.C.D., Elseviers M.M., and De Broe M.E. (1995) :**
New occupational risk factors for chronic renal failure.
LANCET; 346:7-11.
- Okabayashi K., Yamagushi T., Amano H., Nakagawa A., Takao T., Tamaki M., Joh T., murota Y., and Kawabata Y. (1999) :**
Pronounced progression of interstitial pneumonia in a precious metal worker.
Nihon Kokyuki Gakkai Zasshi; 37(7): 549-53.
- Orriols R., Ferrer J., Tura J.M., Xaus C., and Coloma R. (1997) :**
Sicca syndrome and silicoproteinosis in a dental technician.
Eur Resp J Mar; 10(3): 731-4.
- Padovese P., Gallieni M., Brancaccio D., Pietra R., Fortaner S., Sabbioni E., Minoia C., Markakis K., and Berlin A. (1992) :**
Trace elements in dialysis fluid and assessment of the exposure of patients on regular hemodialysis, hemofiltration and CAPD.
Nephron ;61:442-8.
- Page R.C., Heffner R.R., and Frey A. (1971) :**
Urinary excretion of silica in humans following oral administration of magnesium trisilicate.
Am J Dig Dis; 8: 13-15.
- Parkinson I.S., Ward M.K., Feest T.G., Fawcett R.W.P., and Kerr D.N.S. (1979) :**
Fracturing dialysis osteodystrophy and dialysis encephalopathy.
Lancet : 406-9.
- Parry D.W., Hodson M.J., and Sangster A. (1984) :**
Some recent advances in studies of silicone in higher plants .
Philos Trans R Soc London Ser B;304: 537-49.
- Pfleider B. and Garrido L. (1995) :**
Migration and accumulation of silicone in the liver of women with silicone gel-filled breast implants.
Magn Reson Med Jan; 33(1):8-17.

Picha G.J. and Goldstein J.A. (1997) :

Investigation of silicone oil and fumed silica in an adjuvant animal model.

Plast Reconstr Surg Sept; 100 (3): 643-52.

Quartley B., Esselmont G., Taylor A., and Dobrota M. (1993) :

Effect of oral aluminum citrate on short-term tissue distribution of aluminum.

Food Chem Toxicol ;31:543-8.

Rapitti E., Sperati E., Miceli M., Forastieri F., Di Lallo D., Cavariani F., Goldsmith D.F., and Perucci C.A. (1999) :

End stage renal disease among ceramic workers exposed to silica.

Occup Environ Med ; 56:8559-61.

Reimann B.E.F., Lewin J.G., and Volcani B.E. (1966) :

Studies the biochemistry and fine structure of silica shell formation in diatoms

II. The structure of cell wall of navicula pelliculosa.

J phycol ;2 :74-84.

Ritzmann S.E. (1983):

Protein abnormalities

Alan R. liss. Inc.; New York Vol. 3: u 2

Roberts N.B. and Williams P. (1990) :

Silicon measurement in serum and urine by direct current plasma emission spectrometry.

Clin Chem :1460-5.

Robin Parry, David Plowman H., Trevor Delves, Norman B. Roberts, Derek Birchall J., Jason P. Bellia, Andrew Davenport, Rasheed Ahmad, Ibrahim Fahal, and Paul Altman (1998) :

Silicon and aluminum interactions in hemodialysis patients.

Nephrol Dial Transplant 13: 1759-62.

Rothery E. (1988):

Silicon measurement.

in Analytical method for graphite tube atomizer. Varian Australia Pty ltd Mulgrave, Australia Publication No 85-100848-00: 57.

Rothery E. (1988):

Aluminum measurement.

in Analytical method for graphite tube atomizer. Varian Australia Pty ltd Mulgrave, Australia Publication No 85-100848-00: 113.

Sanchez-Guerrero J. (1997) :

Autoantibody testing in patients with silicone implants.
N Am Clin Lab Med ;17: 341- 53.

Sangester A.G. and Hodson N.J. (1986) :

Silica in higher plants. In: Silicon Biochemistry.
Ciba Foundation Symposium 121. New York, John Wiley: 90-107.

Schainkin-Kerstenbaum R., Alder A.J., and Berlyne G.M. (1990) :

Inhibition of superoxide dysmutase activity by silicon.
J Trace Elem Electrolytes Health Dis ; 4:97-9.

Scharge N.F., Almkermann A., Salla S., Burchard W.G., and Reim M. (1996):

Does the human cornea contain silicon.
Graefes Archive for clinical and experimental ophthalmology; 234(1): 106-9.

Schwartz K. (1973) :

A bound form of silicon in glycosaminoglycans and polyuronides of magnesium trisilicate.
Proc Natl Acad Sci USA;70: 1608-12.

Schwartz K. (1978) :

In Biochemistry of silicon and related problems.
G. Bendz and I Lindqvist, Plenum press, New York : 210 -14.

Shen G.Q., Ojo-Amaize E.A., Agopian M.S., and Peter J.B. (1996) :

Silicate antibodies in women with silicone breast implants: Development of an assay for detection of humoral immunity.
Clin Diagn Lab Immunol Mar;3(2):162-6.

Sherson D. and Jorgensen F. (1989) :

Rapidly progressive crescentic glomerulonephritis in a sandblaster workers with silicosis.
Br J ind Med.; 46:675-6.

Shi X., Mao Y., Daniel L.N., Saffiotti U., Dalal N.S., and Vallythan V. (1995):

Generation of reactive oxygen species by quartz particles and its implication for cellular damage.
Appl Occup Environ Hyg; 10: 1138-44.

Silverberg D.S., Kidd E.G., Schnitka T.K., and Ulan R.A. (1970) :
Gold nephropathy. A clinical and pathological study.
Arthritis Rheum ;13: 812.

Simoes J.C., Barata J.D., D'Haese P.C., Lamberts L.V., and DE Broe M.E. (1994) :
Cela n,arrive qu,aux autres .
Nephrol Dial Transplant; 9:67-8.

Smith L.F., Smith T.T., Yeary E., McGee J.M., and Malnar K. (1999) :
Squamous cell carcinoma of the breast following silicone injection of the breasts.
J Okla State Med Assoc ;92(3):126-30.

Steenland K.N., Thun M.J., Ferguson C.W., and Port F.K. (1990) :
Occupational and other exposures associated with male end stage renal disease : a case control study.
Am J Public Health;80: 153-9.

Steenland K. and Goldsmith D.F. (1995):
Silica exposure and autoimmune diseases.
Am J Ind Med Nov; 28(5): 603-8.

Stratta P., Canavese C., Messuerotti A., Fenoglio I, and Fubini.B. (2001):
Silica and renal disease: no longer a problem in the 21st century ?
J Nephrol; 14 (4): 228-247.

Stratta P., Messuerotti A., Canavese C., Coen M., Luccoli L., Bussolanti B., Giorda L., Malavenda P., Cacciabue M., Bugiani M., Bo M., Ventura M., Camussi G., and Fubini.B. (2001):
The role of metals in autoimmune vasculitis: epidemiological and pathogenic study.
Sci Total Environ;270:179-90.

Teitz N.W. (1986):
Quantitative turbidimetric determination of total protein in urine or CSF.
Textbook of Clinical Chemistry; W.B. Saunders Co: 602-13.

Ter Borg E.J. (1990):

Measurement of increases in anti-double strand DNA antibody levels as a predictor of disease exacerbation on systemic lupus erythematosus, a long term, prospective study.

Arthritis Rheumatism; 33:634-643.

Tervaert J.W., Stegeman C.A., and Kallenberg C.G. (1998) :

Silicon exposure and vasculitis.

Curr Opin Rheumatol Jan; 10(1):12-17.

Teuber S.S., Reilly D.A., Howell L., Oide C., and Gershwin M.E. (1999) :

Severe migratory granulomatous reactions to silicone gel in 3 patients.

J Rheumatol; 26(3): 699-704.

Thomas L. (1992):

Labor und Diagnose.

Die Medizinische Verlagsgesellschaft; 3: 113-116.

Trevors J.T. (1997) :

Bacterial evolution and silicon.

Antonie Van Leeuwenhoek; 71(3): 271-6.

Val-Bernal J.F., Sanchez-Quevedo M.C., Corral J., and Campos A. (1995) :

Cutaneous sarcoidosis and foreign bodies. An electron probe roentgenographic microanalytic study.

Arch Pathol Lab Med May;119(5):471-4.

Van De Vyver F.L., Bekaert A.B., and D'Haese P.C. (1986) :

Serum blood, bone and liver aluminium levels in chronic renal failure.

Trace Element Med ; 3: 52-61.

Van Landeghem G.F., D Haese P.C., Lamberts L.V., and De Broe M.E. (1994) :

Quantitative HPLC/ETAAS hybrid method with an on line metal scavenger for studying the protein binding the speciation of aluminum and iron.

Anal Chem ;66: 216-22.

Vogel H. (1999) :

Pathologic findings in nerve and muscle biopsies from 47 women with silicone breast implants.

Neurology; 53(2): 593-7.

Vornokov M.G. (1979) :
Biological activity of silatranes.
Top Curr Chem ; 84:77-135.

Wagner G.R. (1997):
Asbestosis and silicosis.
Lancet; 349: 1311-5.

Wallace W.E., Keane M.J., Mike P.S., Hill K.A., Vallythan V., and Regad E.D. (1992):
Contrasting respirable quartz and Kaolin retention of lecithin surfactant and expression of membranolytic activity following phospholipase A2 digestion.
J Toxicol Envir Health; 37:391-409.

Weinzwing J., Schnur P.L., McConnel J.P., Harris J.B., Petty P.M., Moyer T.P., and Nixon D. (1998) :
Silicon analysis of breast and capsular tissue from patients with saline or silicone gel breast implants: II. Correlation with connective- tissue disease.
Plast Reconstr Surg Jun; 101(7): 1836-41.

Westergren A. (1921):
Study of the suspension stability of the blood in pulmonary T.B.
Acta Medica Scandinavica; 54:247-282.

White C.R., Heskell N.S., and Pokorny D.J. (1982) :
Perforating folliculitis of haemodialysis.
Am J Dermatopathol ; 4:109-16.

Wichmann I., Sanchez-Roman J., Morales J., Castillo M.J., Ocana C., and Nunez-Roldan A. (1996) :
Antimyeloperoxidase antibodies in individuals with occupational exposure to silica.
Ann Rheum Dis Mar; 55(3): 205-7.

Worbel K., Gonzales E.B., and Sanz-Medel A. (1993) :
Silicon concentration and distribution in uremic serum and its relation to aluminum levels.
J Anal Atom Spectrom; 8: 915-9.

Yanagihara M., Fujii T., Wakamatsu N., Ishizaki H., Takehara T., and Nawate K. (2000) :
Silicone granuloma on the entry points of acupuncture, venepuncture and surgical needles.

J Cutan Pathol; 27(6): 301-5.

**Zandman-Goddard G., Blank M., Ehrenfeld M., Gilburd B., Peter J.,
and Shoenfeld Y. (1999) :**

A comparison of autoantibody production in asymptomatic and symptomatic
women with silicone breast implants.

J Rheumatol ; 26(1):73-7.