

References:

- 1-** Abela GS, Normann S, Cohen D, Feldman RL, Geiser EA, Conti CR, et al. Selective ablation of atheromas using a flashlamp-excited dye LASER. Harvard Medical School journal 2001; 11-26.
- 2-** Albert G, Fuller T, Bodem F, et al. Current LASER applications in general surgery. Ann Surg 1999; 207: 355-72.
- 3-** American national institute for clinical excellence. Interstitial LASER therapy for breast cancer 2007; ISBN: 1-84257-764-6.
- 4-** American society of LASER sciences (ASL). Protocol of laser hazards and safety 2006; ANSI: 23-743-5.
- 5-** Anderson JA, Imbembo AL, Gompel F, et al. Essentials for specific LASER effect on tissues. Surgical applications of LASER. Chicago: year book 2002; 13:617-19.
- 6-** Apfelberg PR. Selective photothermolysis: precis microsurgery by selective absorption of pulsed radiation. Science 1997; 220: 524-527.
- 7-** Ardogan M, Tanzi EL, Prinz BM, Munavalli C, et al. Efficacy of LASER treatment of tattoos using LASER emitting wavelengths of 532 nm, 755 nm and 1064 nm. British Journal of Dermatology 2005; 23-49.
- 8-** Armengol W, Zeuzem S, Walker BD, Lesske J, et al. Hazards of LASER on skin and eye. Medical LASER and their Safe Use, New York Dermatology journal 2002; 51(2)254-6.
- 9-** Astener H, Tan OT, Sherwood K, Gilchrest BA. Treatment of children with port-wine stains using the flashlamp, pulsed tunable dye LASER 2006; N: Engl J Med 320:416-421.
- 10-** Babiles DS, Parrish JA, Geronemus RG. Treatment techniques in Nd:YAG LASER therapy. Comparison of pulsed and continuous exposures 2005; J Am Acad Dermatol 11:90-97.
- 11-** Barnhill LJ, Westerhof W, Gamei M, et al. Treatment of acquired junctional melanocytic naevi by Q-switched and normal mode ruby LASER. Br J Dermatol 2003; 148: 80–5.
- 12-** Barton RN and Maeda T. Comparison and sequential study of Nd:YAG LASER and Radiofrequency in treatment of hepatic carcinoma. LASER Surg Med 2001; 34:273-6.
- 13-** Beale RJ and Gough MJ. Treatment options for primary varicose veins – a review. Eur J Vasc Endovasc surg 2005; 30: 83-95.
- 14-** Boley V, Hall RC, Beach AD, Baker E, Morrison PCA. Incisions of tissue by CO2 LASER 2000; Nature 232:131-135.

- 15-** Bouzari FR, Raskin B, Fany RR, Angermeier MC, et al. Treatment of facial vascular lesions with intense pulsed light. *J Cutan LASER Ther* 2005; 1:95–100.
- 16-** Bowes MS, Horton S, Alster TS, et al. Preoperative and postoperative considerations for carbon dioxide LASER resurfacing. *Cutis* 1998 Dec; 64(6): 399-406.
- 17-** Bradbury A, Evance CJ, Allan P, Lee AJ, Ruckley CV, Fowkes FG. The relationship between lower limb symptoms and superficial and deep venous reflex on duplex ultrasonography. The Edinburgh Vein Study. *J Vasc Surg* 2002; 32: 921-931.
- 18-** Brasky Y, Parrish JA, Bashour M, et al. Introduction to LASER physics and types. *Physiol Rev* 2001; 72: 1164-59.
- 19-** Burkhard FC, Fraundorfer MR, Gilling PJ, Kennett KM. Holmium LASER resection of the prostate is more cost effective than transurethral resection of the prostate. Results of a randomized prospective study. *Urology* 2008; 57: 454–8.
- 20-** Bush RG, Shamma HN, Hammond KA, et al. 940-nm LASER for treatment of saphenous insufficiency: histological analysis and long-term follow up. *Photomed LASER Surg* 2007; 23: 15-19.
- 21-** Byrd KT. Scarless LASER breast surgery: early results from a large single-center experience. *Am J Breast Surg* 2009; 37: 242.
- 22-** Calder BM, Kelly DF, Bown SG, Salmon PR, Weaver BN. Nature and extent of biological changes induced by argon LASER photocoagulation in canine gastric mucosa 2001; *Gut* 21: 1080.
- 23-** Callam LAR. Embryonic origins and assembly of blood vessels. *Am Rev Respir Dis* 1997; 140: 1097- 1103.
- 24-** Casparian F, Kilmer SL, Wheeland RG, Dierickx CC, et al. Treatment of epidermal pigmented lesions with the frequency-doubled Q-switched Nd: YAG LASER. A controlled, single-impact, dose–response, multicenter trial. *Arch Dermatol* 2000; 130: 1515–9.
- 25-** Caspers WP, and Welvarrt R. Laparoscopic LASER cholecystectomy: Comparison and controlled study of using LASER verses electrocautary as a dissecting tool in laparoscopic cholecystectomy. *Eur J Gastrointrol Surg* 2005; 18: 253-271.
- 26-** Chang CJ, and Chua JJ. Endovenous LASER photocoagulation (EVLP) for varicose veins. *LASER Surg Med* 2004; 31: 257-262.
- 27-** Clark ZK, Greve B, Grema H. Selective excitation through vibrational energy transfer and optical LASER action. *Physiol Rev* 2002; 187: 493-4.

- 28-** Clement GL, Walia S, Alster TS, Alster TS, et al. LASER hair removal: preoperative, intraoperative, and postoperative considerations. *Dermatol Surg* 2004; 103(2):619-32; discussion 633-4.
- 29-** Collins A, Agneta M, Karen R, Bems MW, et al. Basic medical LASER physics, tissue interactions and hazards. *Contemp Dermatol* 2000; 2: 12-32.
- 30-** Corbin NS, Teichman JM, Nguyen T, et al. LASER lithotripsy and cyanide. *J Endourol* 2000; 14: 169-173.
- 31-** Dales BG, Zigler HJ, Townes CH. The LASER – new types, frequency standard, and spectrometer. *Physiol Rev* 2007; 99: 1264-74.
- 32-** Department of health and social security. LASER classes and safety. American society of LASER sciences 2006; ANSI: 9: 64-743-5.
- 33-** Dennis DE, Cochran JPS, Beacon JP, Creasry GH, et al. Wound healing after LASER surgery: a controlled study. *British journal of surgery* 1999; 67: 740-743.
- 34-** Dixon JA. General surgical and endoscopic applications of LASER, chap 6, *Surgical Application of LASER*. Harvard, Year Book Medical Publishers 2001; 72-101.
- 35-** Dolmans M, Loizou LA, Grigg D, Atkinson M, Robert C, Brown SG. A prospective comparison of LASER therapy and intubation in endoscopic palliation for malignant dysphagia. *Gastroenterology* 2005; 100: 1303-1310.
- 36-** Dolsky RT, Sliney DH, Trokel SL, et al. *Medical LASER and their Safe Use*, New York Springer-Verlag, Thieme Medical Publishers 1998; 176-184.
- 37-** Doshi C, Kauvar AN, Frew KE, Friedman PM, Geronemus RG. Cooling gel improves pulsed KTP LASER treatment of facial Telangiectasia and venous lake. *LASER Surg Med* 2003; 30: 149–53.
- 38-** Dossing HT, Alsanea O, Clark OH. Benign disorders of the thyroid gland. In: *Endocrine Tumors*. BC Decker 2003; 88: 1287.
- 39-** Dover SV, Kilmer SL, Wheeland RG, Goldberg DJ, et al. Treatment of epidermal pigmented lesions with the frequency-doubled Q-switched Nd:YAG LASER: a controlled, single-impact, dose–response, multicenter trial. *Arch Dermatol* 1999; 130: 1515–9.
- 40-** Dowlati N, Lowe NJ, Carruthers A, Carruthers J, et al. LASER hair removal. *Textbook of Facial Rejuvenation*. London: Martin Dunitz 2002; p. 86.
- 41-** Dreno GL, MacRae HN, Pescatori M, et al. Comparison of hemorrhoidal treatment modalities. A meta-analysis. *Dis Colon Rectum* 2004; 38: 687.

- 42-** Edward V, Pay AD, Kenealy JM, et al. LASER Safety for Plastic Surgery and Dermatology. LASER in Plastic Surgery and Dermatology, Thieme Medical Publishers 2000; 176-184.
- 43-** Entwisle SD, Pavlenko VS, Nestrove FR, et al. Minimally invasive surgery. Laparoscopic LASER cholecystectomy. Surg Clin North Am 2002; 80:1127.
- 44-** Eremia JR, and Newman SS. Effective treatment of traumatic tattoos with a Q-switched Nd:YAG LASER. Lasers in Surgery and Medicine. J. Am Acad Dermatol. 2001;49: 1-31.
- 45-** Evans C, Fowkes FG, Ruckley CV, Lee A. Prevalence of varicose veins and chronic venous insufficiency in men and women in general population: Edinburgh Vein Study. J Epidemiol Community Health 1999; 53: 149-153.
- 46-** Farmer DG, Rosove MH, Shaked A, Busuttil RW. Current treatment modalities for hepatocellular carcinoma. Ann Surg 1999; 219: 236-247.
- 47-** Ferenczy AC, Shultz R, Cabello F, Harvey G. Bacterial side effects of neodymium YAG LASER. Lasers Surg Med 1997; 6:162.
- 48-** Finkel ET, Rohrer TE, Chatrath V, Iyengar V. Does pulse stacking improve the results of treatment with variable-pulse pulsed-dye LASER in skin vascular lesions? Dermatol Surg 2001; 30: 163–7.
- 49-** Fleischer Z, Clawse RE, Costigan DJ, Mills BA, Zuckerman GR. Angiodysplasia of the stomach and duodenum: a review of 30 cases. Gastrointest Endosc 2003; 38: 129.
- 50-** Foster PK, Cochran JPS, Beakin JP, Creasey A. Wound healing after LASER surgery: an experimental study. Br J Surg 2003; 67:740-743.
- 51-** Fraundorfer MR, Tan AH, Gilling PJ, Kennett KM, Frampton C, Westenberg AM, A randomized trial comparing holmium LASER enucleation of the prostate with transurethral resection of the prostate for the treatment of bladder outlet obstruction secondary to benign prostatic hyperplasia in large glands. J Urol 2004; 170: 1270–4.
- 52-** Fuller TA: The physics of surgical LASER. LASER Surg Med 1997; 30: 77-89.
- 53-** Gayowski BG, Schroder T, Sankar MY, Brackett AKM, et al. Major liver resection using contact Nd:YAG LASER. LASER Surg Med 2004; 7:89.
- 54-** Gellermann SW, Mason RC, Bright N, McColl I. Palliation of malignancy with LASER therapy. Br J Surg 2002; 87: 1346-1362.

- 55-** Geronemus D, Parrish J, Dierickx CC, et al. LASER treatment of pigmented lesions and tattoos. In: R Narins, ed. *Cosmetic Dermatologic Surgery*. New York: Marcel Dekker, Inc.; 2006.
- 56-** Gertsch RY, and Mosimann BS. Endoscopic argon LASER photocoagulation of small sessile colonic polyps. *Gastrointest Endosc* 1999; 28:162-169.
- 57-** Giesen VC, and Larionov D. Photophysical processes in medical LASER developments. *Lasers Med Sci* 2003; 1: 47-66.
- 58-** Gilberson AJ. *Fundamentals of Light Sources and LASER*, Oxford University Press. ISBN 2004; 0-19-514210-1.
- 59-** Gilbert F, Waitman AM, Grant DZ, Chateau F, Fleischer D. Endoscopic Nd:YAG LASER therapy for active esophageal variceal bleeding. *Gastrointest Endosc* 2005; 31: 11-29.
- 60-** Ginsberg PT, Isner LM, Donaldson RF, Deckelbaum LI, et al. The Excimer LASER: Gross, light microscopic and ultrastructural analysis of potential advantages for use in LASER therapy of cardiovascular diseases. *JACC* 1996; 6:1102-1109.
- 61-** Goldberg DJ, and Silapunt N. A controlled study comparing LASER hair removal versus electrolysis. *Dermatol Surg* 2007; 45: 857-61.
- 62-** Goldman ML. Treatment of vascular lesions of the skin by the pulsed dye LASER. Analysis of pulse duration and long term therapy. *Arch Dermatol* 2004; 124: 896.
- 63-** Greppi FT. LASER in skin vascular disorders. *J Eur Acad Dermatol Venereol* 2006; 15: 388.
- 64-** Hall DK, Fisher J, Hoyer RC, Riggle GC. LASER Absorption Spectroscopy: History, Development, and Applications of Pulsed Molecular Beams. *Ann Science* 2003; 92-111.
- 65-** Halprin KM. Epidermal turnover: A reexamination. *J Invest Dermatol* 2001; 86:14.
- 66-** Hanke AP, and Salam GH. Cutaneous resurfacing with CO2 and erbium: YAG LASER: preoperative, intraoperative, and postoperative considerations. *Plast Reconstr Surg* 2001; 103: 619-32; discussion 633-4.
- 67-** Hashimoto D, Takami M, Indzuki Y. In depth radiation therapy by YAG LASER for malignant tumors in the liver under ultrasound imaging. *Gastrointestology* 2003; 88:1663.
- 68-** Hegedus L, Dossing H, Bennedbaek FN, Karstrup S. Benign solitary solid cold thyroid nodules: US-guided interstitial LASER photocoagulation-initial experience. *Radiology* 2005; 225:53-7.

- 69-** Hollingdale GR, Suchin J, Karen R, et al. Successful Treatment of a Cosmetic Tattoo Using a Combination of LASER. *Dermatologic Surgery* 2004; 64: 399-412.
- 70-** Huikeshoven YC, Tanzi EL, Pierce M, Kilmer S, et al. LASER in Derm: Four Decades of Progress. *J. Am Acad Dermatol.* 2007;49: 1-31.
- 71-** Hunter JG, Rutgeerts P, Van Trappen G, Broeckaert L, et al. Controlled trial of neodymium YAG LASER treatment of lower gastrointestinal hemorrhage. *Gastroenterology* 2001; 83:410-434.
- 72-** Imayama YU, and Ueda EJ. Implementing a new technology. *Surgical Applications of Pulsed LASER In Dermatology.* Tokyo Year Book 1999; 23: 15-31.
- 73-** Isner KP. Clinical data on biostimulation of wound healing after LASER surgery. *LASER Surg Med* 2002; 7:72-79.
- 74-** Jacobson CC, Robert S, Bader MB, Walia S, et al. Cutaneous Carbon Dioxide LASER Resurfacing. *Dermatol Surg* 2008; 29: 457-83.
- 75-** Johanson AS, Alora MB, Arndt KA, et al. Treatment of a cafe-au-lait macule with the erbium:YAG LASER. *J Am Acad Dermatol* 2008; 65:566–8.
- 76-** Jordan V, and Mylotte NC. Effects of LASER power on biological systems. *Med Biol Eng Comput* 2006; 18:419-435.
- 77-** Kang K, Chatrath CV, Iyengar V. Treatment of pigmented and vascular lesions of the skin with the Q-switched Nd:YAG LASER. *LASER Surg Med* 2001; 13: 55.
- 78-** Keller SM, McBurney E, Mihashi S, Jako GJ, Incze J. CO2 applications in dermatology. In Andrews AH, ed. *Microscopic and Endoscopic Surgery with the CO2 LASER.* Littleton, MA: John Wright, 2005; 276-292.
- 79-** Kitrell HF, Grundfest WS, Litvack F, Forrester JS, et al. Laser ablation of atherosclerotic plaque without adjacent tissue injury. *J Am Coll Cardiol* 2001; 5:922-935.
- 80-** Khatri G, Agneta M, Horton S, Nanni CA. Cutaneous CO2 LASER resurfacing infection rate with and without prophylactic antibiotics. *Dermatol Surg* 2000; 25: 857-61.
- 81-** Kumar SM, Siebels M, Hofstetter A, Stief CG, Sulser ST. A volume reduction analysis in patients with lower urinary tract symptoms secondary to benign prostatic hyperplasia and carcinoma of the prostate. *J Urol* 2007; 173: 511-519.

- 82-** Kuntz RM, and Lehrich K. Transurethral holmium LASER enucleation versus transvesical open enucleation for prostate adenoma greater than 100 g a randomized prospective trial of 120 patients. *J Urol* 2005; 168: 1465–9.
- 83-** Labropoulos N, Delis KT, Nicolaides AN. Venous reflux in symptom free vascular surgeons. *J Vasc Surg* 1999; 22: 150-157.
- 84-** Larner TRG, Agarwall D, Costello AJ. Day-case holmium LASER enucleation of the prostate for gland volumes of < 60 mL: early experience. *BJU Int* 2003; 91: 61–4.
- 85-** Larson LS, MacFarland F, Baker E, et al. Guide-lines on safe use of LASER in medical practice. Her Majesty's Stationery Office, London 2005.
- 86-** Lask AR, Fidler JP, Hoefer RW, Polanyi TG. Complications and side effects after LASER hair removal. *Am J Plastic Surg* 2003; 151:368-374.
- 87-** Layer CB, Scheibner A, Wheeland RG. Argon-pumped tunable dye LASER therapy for facial port-wine stain hemangiomas in adults: a new technique using small spot size and minimal power. *J Dermatol Surg Oncol* 2003; 15:277-282.
- 89-** Loizou WL, Chegin PM, Skobelkin OK, Breckov EI. Technique and restrictions of LASER cholecystectomy procedure. *LASER Surg Med* 1997; 7: 86-93.
- 90-** Loria TJ, Parrish JA. The scope of photomedicine: Characters of LASER beam. *The Science of Photomedicine*. New York: Plenum 1982; 3-10.
- 91-** Lowe NK, Moore KC, Stegger A, et al. Preoperative and postoperative considerations for carbon dioxide LASER resurfacing. *Cutis* 2006; 64: 399-409.
- 92-** Madersbacher LS, and Marberger CR. The carbon dioxide LASER as a surgical tool for bloodless circumcision. *Clin LASER Mon* 1999; 12:133-141.
- 93-** Manson RC, Mellow MH, Pinkas H. Endoscopic LASER therapy for malignancies affecting the esophagus and gastrointestinal junction: analysis of technical and functional efficacy. *Arch Intern Med* 2003; 145: 1443-1451.
- 94-** Matthewson K, Coleridge O, Sullivan JP, Northfield TC, Bown SG. Biological effects of intrahepatic Nd:YAG LASER photocoagulation in rats. *Gastroenterology* 2002; 93: 550-557.
- 95-** Mellen DG, Kerschmann R, Polla LL, Alster TS. Improvement of erythematous and hypertrophic scars by the 585 nm flashlamp-pumped pulsed dye LASER. *Ann Plast Surg* 2002; 32:186.

- 96-** Mellow RE, and Pinkas F. Mechanism of carbon dioxide LASER reduction of tumor recurrence in experimental mammary tumors. *LASER Surg Med* 2001; 47:85.
- 97-** Millard P, Polanyi TG, Bredemer H, Davis T. LASER for surgical researches: properties and advantages of using LASER in surgery. *Med Biol Eng* 2006; 28:551-557.
- 98-** Montagna W. The structure and function of skin, 8th ed. Academic Press 1996; 240:348.
- 99-** Morgan ANB, Goldberg DJ, Whitworth J, et al. LASER skin resurfacing with the Q-switched Nd:YAG LASER. *Dermatol Surg* 2004; 23: 903-912.
- 100-** Mundy L, Merlin TL, Fitridge RA, Hillar JE, et al. Systemic review of endovenous LASER treatment of varicose veins. *Br J Surg* 2006; 92: 1189-1194.
- 101-** Najben RJ. Treatment of acquired junctional melanocytic naevi by Q-switched and normal mode ruby LASER. *Br J Dermatol* 2006; 148: 80–5.
- 102-** Needham MC, and Jones D. Basic LASER physics: How LASER work? 3rd ed. McGraw-Hill Companies, Inc 2004; 13:264-314.
- 103-** Nelson CS, Mester E, Spiery T, Szende B. LASER hair removal by long pulsed ruby LASER 694 nm. *LASER Surg Med* 1999; 7:82-93.
- 104-** Norman DE, Ginsburg R, Wexler L, Mitchell RS, et al. Percutaneous transluminal LASER angioplasty for treatment of peripheral vascular disease: clinical experience with 16 patients. *Radiology* 2006; 156: 619-628.
- 105-** Okamoto E, and Arri S. Registers in Japan: current status of hepatocellular carcinoma in Japan – Liver cancer study group of Japan. *Semen Surg oncol* 2008; 12: 204-211.
- 106-** Orringer ET, Meine J, Eckhouse S, Cooperider P. Treatment of melasma developed with pregnancy with Nd:YAG LASER: a prospective long term clinical study. *Dermatol Surg* 2007; 24: 916-931.
- 107-** Ossoff HL, and Karlan MU. Hemorrhoidectomy by contact LASER surgery. *Lasers Surg Med* 2006; 17:91-107.
- 108-** Paulin SB, Grundfest WS, Litvack F, Forrester JS, et al. LASER ablation of atherosclerotic plaque without adjacent tissue injury. *J Am Coll Cardiol* 2005; 19: 926-933.
- 109-** Pence G, Wheeland RG, Friedman PM, Iyengar V, et al. Recent treatment of nevus of Ota by the pulsed ruby LASER. *Dermatol Surg* 2007; 21: 592–6.

- 110-** Perkin M, Arberman G, Jost WH, et al. Closed versus open hemorrhoidectomy – is there any difference? *Dis Colon Rectum* 1996; 43:31.
- 111-** Poiesz FA, Mordon S, Baggish MS, et al. flashlamp-pumped pulsed dye LASER for treatment of hypertrophic scars and keloids: analysis of results and complications. *Arch Dermatol* 2003; 124: 889-896.
- 112-** Polla WN, Arndt KA, Gassner S. Treatment techniques of LASER therapy in dermatology: Comparison of pulsed and continuous exposures. *J Am Acad Dermatol* 1996; 21: 90-97.
- 113-** Proebstle TM, Gul D, Kargl A, Knope J. Endovenous LASER treatment of the LASER saphenous vein with a 940-nm diode LASER: early results. *Dermatol Surg* 2005; 29: 353-361.
- 114-** Protell RL, Silverstein FE, Auth DC, Dennis MB, Gilbert DA, Rubin CE. The Nd:YAG LASER and argon LASER for photocoagulation of experimental bleeding gastric ulcer: a comparative study. *Gastroenterology* 1997; 74: 1080.
- 115-** Puggioni A, Kalara M, Carmo M, Mozes G, Golviczki P. Endovenous LASER therapy and radiofrequency ablation of the great saphenous vein: analysis of early efficacy and complications. *J Vasc Surg* 2007; 42: 488-493.
- 116-** Rashid T, Hussain I, Haider M, Haroon TS. LASER therapy of freckles and lentigines with quasi-continuous, frequency doubled, Nd:YAG (532 nm) LASER in Fitzpatrick skin type IV: a 24-month follow-up. *J Cosmet LASER Ther* 2006; 4 : 81–5.
- 117-** Raulin KA, Bassichis BA, Swamy R, Dayan SH. Use of the dye LASER in dermatology. *Facial Plast Surg* 1997; 16: 77–83.
- 118-** Rautio T, Ohinmaa A, Perala J, et al. Endovenous obliteration versus conventional stripping operation in the treatment of primary varicose veins: a randomized controlled trial with comparison of the costs. *J Vasc Surg* 2002; 35: 958-965.
- 119-** Raymond JE. The use of Nd:YAG contact LASER In breast surgery. *LASER Surg Med* 2005; 18:74.
- 120-** Regev CL, Rockwell JR, Creasey A. LASER rays: properties and controlling there hazards. *LASER Appl* 2002; 5: 9-17.
- 121-** Renfro TG, Spider navies and treatment with the flashlamp-pulsed dye LASER. *Arch Dermatol* 1995; 127: 202-207.
- 122-** Ritchey JW, Higbee RD, Davidson EB, et al. LASER lithotripsy for treatment of canine uroliths. *Vet Surg* 2004; 33: 56-61.

- 123-** Rosen B, Daikuzono MN, Joffe SN. LASER induced photocoagulation and tissue vaporization. *Med Instrum* 2007; 19: 173-178.
- 124-** Rostan AV, Ashinoff R, Geronemus RG, et al. Treatment of capillary hemangiomas by pulsed dye LASER. *Arch Dermatol* 2001; 154: 889-896.
- 125-** Rubin R, Glantz G, Korn A. CO2 LASER in general surgery: uses and complications. In Kaplan I, ed. *LASER Surgery*, Vol. 3. Tel Aviv: Ot-Paz, 2001; 179.
- 126-** Ruckley EK, Tibbs DJ, Irvine AT, et al. *Atherosclerosis and Related Disorders*, 1st edn. Oxford: Butterworth-Heinemann, 2000.
- 127-** Russel FA, Vaughan CW, Incze J, et al. Recent applications of LASER in Surgery and Medicine. *Ann Sci* 2002; 21: 329-340.
- 128-** Rutgeerts M, Mills PR, McKenzie JF, et al. Nd:YAG LASER photocoagulation for major hemorrhage from peptic ulcers and single vessels: a single blind controlled study. *Br Med J* 2005; 316:341-348.
- 129-** Saifuku K, Futatsuki JU, Kanda Y, et al. Stricture improvement of gastric cancers in cardiac region. Nd: YAG LASER in medicine and surgery. Tokyo: Professional Postgraduate Service 2002, 168-172.
- 130-** Sankar MY, and Joffe SN. LASER surgery in colonic and anorectal lesions. *Surg Clin North Am* 1998; 68: 1447-69.
- 131-** Schroeter PL, and Wilder G. Treatment of facial telangiectases with a diode LASER. *Dermatol Surg* 1998; 24: 913-918.
- 132-** Seki N, Mocida O, Kinukawa N, Sagiya K, Naito S. Holmium LASER enucleation for prostatic adenoma. analysis of learning curve over the course of 70 consecutive cases. *J Urol* 2004; 170: 1847-50.
- 133-** Seligson BS, Krasilinkova NA, Polyakova NIP, Volskaya GIV. LASER therapy in complex treatment of gastric and duodenal ulcer. Medical Academy , Perm, Russia 2002; 5:26-7.
- 134-** Sensei RB, , Barrett DM, Kuntzman RS, et al. LASER mastopexy and breast augmentation: results of a prospective study in 64 patients. *Plast Reconstr Surg* 2002; 107: 948-956.
- 135-** Shaferstine EL, Greve B, Grema H. Pulsed LASER technology: a review. *LASER Surg Med* 2005; 32: 78-87.
- 136-** Slatkine MI, Angermeier MC, Parrish J, et al. Treatment of facial pigmented lesions with intense pulsed light. *J Cutan LASER Ther* 1998; 1: 92-100.
- 137-** Smith CJ. Nonionizing Radiation Protection Study No. 25-42-0337-01, Standard-Item and Commercially Available LASER Eye Protection. *Am J Sci* 2001; 12: 136-140.

- 138-** Snell RS, Guevedo WC, Kisstala U. Epidermal melanine unites: Melanocyte – Keratinocyte interactions. *Am Zool* 2004; 12:35.
- 139-** Sofer M, Watterson JD, Wollin TA, et al. Holmium:YAG LASER lithotripsy for upper urinary tract calculi in 598 patients. *J Urol* 2006; 167: 31-34.
- 140-** Stellar K, Bryan H, Bunch AP, Alexander HE, et al. The history of science and technology: LASER history. Houghton Mifflin Harcourt 2003; 8:277.
- 141-** Stevens G. Firm support of breast with LASER breast bra. *Plast Reconstr Surg California* 2007; 152: 478-486.
- 142-** Swain CP. Endoscopic Nd:YAG LASER control of gastrointestinal bleeding. Chap 3. In Joffe SN (Ed): *Neodymium-YAG LASER in Medicine and Surgery*. New York, Elsevier, 1999; 15-28.
- 143-** Szeimies N, Hira N, Moore KC, et al. Pulsed dye LASER in treatment of facial pigmented lesions. *LASER Surg Med* 2002; 31:56.
- 144-** Tan AHH, Gilling PJ, Frampton C, Westenberg AM. Holmium LASER prostatectomy. *BJU Int* 2006; 92: 527–30.
- 145-** Thomas DF, Verschueren RCJ, Oldhof J. Common LASER types: solid LASER state. *Surg Forum* 2006; 42: 563-29.
- 146-** Tiperman PE. Arterovenous fistula after endovenous LASER treatment of the short saphenous vein. *J Vasc Intervent Radiol* 2004; 15: 625-627.
- 147-** Trotter HB, Ashinoff R, Geronemus RG, et al. Capillary hemangiomas and treatment with the flashlamp-pulsed dye LASER. *Arch Dermatol* 2008; 217: 123-128.
- 148-** Unger YJ. Permanent hair removal by normal-mode ruby LASER. *Arch Dermatol* 200; 134: 837-42.
- 149-** Valcavi LG, Giovanni V, Angelo PA, Stefano S, et al. Ultrasound Guided LASER Thermal Ablation in the Treatment of Autonomous Hyperfunctioning Thyroid Nodules and Compressive Nontoxic Nodular Goiter. *Radiology* 2006; 267:673-677.
- 150-** Vallon TM, Shkater EI, Rozhnev VF, et al. Therapeutic efficacy of a combined use of low-intensity LASER radiation and actovegin in gasterodeudenal ulcers with inhibited cicatrix formation. *Gastroenterology* 2003; 83:410-416.
- 151-** Vantrappen C, Walovitch RC, Straub JA, et al. LASER–induced coagulation necrosis in rabbits: immediate detection at US with synthetic microsphere contrast agent. *Radiology* 2003; 213: 438-444.

- 152-** Vetter KP, Straight RC, Dayton MT. Free electron LASER Destruction of malignant cells. *LASER Surg Med* 2004; 38:52-58.
- 153-** Vincent RCJ. The CO2 LASER in general surgery: tissue effects and applications. *Trans Sixth International Congress. Society of LASER in Medicine and Surgery*. Jerusalem, 2001; 7.
- 154-** Waitman AM, Grant DZ, Chateau F. Argon laserphotocoagulation treatment of patients with acute and chronic GIT bleeding secondary to telangiectasia. *Gastrointest Endosc* 2000; 28: 153.
- 155-** Waldram D, Wang JY, Castro FL. The use of LASER in hemorrhoidectomy. *Dis Colon Rectum* 1998; 4: 157-62.
- 156-** Wanner GE. Progressive Capillary Hemangioma Treated with Flashlamp-Pumped Pulsed Dye LASER, *LASER in Surgery and Medicine* 2004; 31: 413-416.
- 157-** Westra CL, Gordon G, Charles T, Arthur SC, et al. technical history of LASER. *Physiol Rev* 2005; 52: 545-52.
- 158-** Williams T, Motta AN, Antonio R, Rusciani LD. Q-switched Alexandrite LASER-assisted treatment of melasma: 2-year follow-up monitoring. *Am J Dermatology* 2002; 24: 127-34.
- 159-** Yang JO, Zimmerman I, Stern J, Frank F, et al. Interruption of lymphatic drainage by neodymium YAG LASER irradiation in urinary bladder cancer. *LASER Surg Med* 2003; 24:167-172.
- 160-** Zelickson AS. Ultrastructure of normal and abnormal skin. *J Ultrastruct Dermatol* 1998; 96: 273.