




REFERENCES

REFERENCES

- Abdel Wahab MF, Esmat G, Farrag A, El-Boraey Y, Strickland GT. Ultrasonographic prediction of esophageal varices in schistosomiasis mansoni. *Am. J. Gastroenterol* 1993; 88: 4, 560-3.
- Agusti AGN, Roca J, Bosch J et al. the lung in patients with cirrhosis. *J. Hepatol.* 1990; 10: 251.
- Akriviadas E, Korula S, Gupta S et al.: Frequent endoscopic variceal sclerotherapy increases the risk of complications. Prospective controlled study of two treatment schedules. *Dig. Dis. Sci.* 1989; 34: 1068-1074.
- Altraif I, Fachartz FS, Al-Jumah A et al. Randomized trial of ligation versus combined ligation and sclerotherapy for bleeding esophageal varices. *Gastrointest. Endosc.* 1999 Jul; 50(1) : 1-6.
- Angelico M, Carli C, Piat C et al. Isosorbide-5-mononitrate versus propranolol in the prevention of first bleeding in cirrhosis. *Gastroenterology* 1993; 104: 1460.
- Asbert M, Gines A, Gines P et al. Circulating levels endothelin in cirrhosis. *Gastroenterology* 1993; 104: 1485.
- Ashida H, Kotoura Y, Nishioka A et al.: Portal and mesenteric venousthrombosis as a complication of endoscopic sclerotherapy. *Am. J. Gastroenterol.* 1989; 84: 306-310.
- Atkinson M, Sherlock S. Intrasplenic pressure as an index of the portal venous pressure. *Lancet* 1954; I: 1325.
- Avgerinos A, Klonis C, Rekoumis G, Gouma P et al. A prospective randomized trial comparing balloon tamponade, somatostatin and the combination of both methods in the management of acute variceal haemorrhage. *J. Hepatol* 1991; 13(1) : 78-83.

- Ayres SJ, Goff JS, Warren GH: Endoscopic sclerotherapy for bleeding esophageal varices: effects and complications. *Ann. Intern. Med.* 1983; 98: 900-903.
- Ayuso C, Luburich P, Vilana R et al. Calcifications in the portal venous system: comparison of plain films, sonography, and CT. *Am. J. Roentgenol.* 1992; 159: 321.
- Azoulay D, Castaing D, Dennison A et al. Transjugular intrahepatic portosystemic shunt worsens the hyperdynamic circulatory state of the cirrhotic patient: preliminary report of a prospective study. *Hepatology* 1994; 19: 129.
- Bacon BR, Bailery-Newton RS, Connors AF Jr: Pleural effusions after endoscopic variceal sclerotherapy *Gastroenterology* 1985; 88: 1910-1914.
- Bailey-Newton RS, Connors AF, Bacon BR: Effects of endoscopic variceal sclerotherapy on gas exchange and haemodynamics in human. *Gastroenterology* 1985; 89: 368-373.
- Bailey-Newton RS, Connors AF, Effects of endoscopic variceal sclerotherapy on gas exchange and hemodynamics in human. *Gastroenterology* 1985; 89: 368-373.
- Baillie J, Yudelman P. Complications of endoscopic sclerotherapy of esophageal varices. *Endoscopy* 1992; 24 : 284 - 91.
- Bakir F, Murtadha M, Saleem M, Ghafour AS, et al. Chronic cor pulmonale in Iraq. *Respiration* 1982; 43(4) : 271-6.
- Balzano J, Saniz S, Espinos JC et al.: Efficacy of ethanolamine and polidocanol in the eradication of esophageal varices. A prospective, randomized trial. *Endoscopy* 1989; 21: 251-253.
- Barnett JL, Elta G: Bacterial peritonitis following endoscopic variceal sclerotherapy. *Gastrointest. Endosc.* 1987; 33: 316-317.

- Barritt AS: Chylous ascites and esophageal sclerotherapy, *Gastroenterology* 1988; 94: 1109-1110.
- Barsoum MS, Boulouss FI, El-Rooby AA et al. : Tamponade and injection sclerotherapy in the managemetn of bleeding esophageal varices. *Br. J. Surg.* 1982; 69: 76-78.
- Barsoum MS., Mooro HA-W, Boulous FI-et al. the complications of injection sclerotherapy of bleeding esophageal varices. *Br J Surg* 1982; 69: 79-81.
- Baskin G: Prosthetic endocarditis after endoscopic variceal sclerotherapy: a failure of antibiotic prophylaxis. *Am. J. Gastroenterol.* 1989; 87: 311-312.
- Baumgarten P von. *Über Vollständiges Offenbleiben der Vena umbilicalis: Zugleichen Beitrag zur Frage des Morbus Bantii.* *Arb. Path. Anat. Inst. Tübingen* 1907; 6: 93.
- Baydur A, Korula J. Cardiorespiratory effects of endoscopic esophageal variceal sclerotherapy. *Am. J. Med.* 1990; 89: 477.
- Bendtsen F, Schifter S, Henriksen JH. Increased circulating calcitonin gene-related peptide (CGRP) in cirrhosis. *J. Hepatol.* 1991; 12: 118.
- Bernardes P, Baetz A, Levy P et al. Splenic and portal venous obstruction in chronic pancreatitis. A prospective longitudinal study of a medical-surgical series of 266 patients. *Dig. Dis. Sci.* 1992; 37: 340.
- Bernstein DE, Phillips RS. Portal hypertensive gastropathy. *Gastrointest. Endosc. Clin. N. Am.* 1996; 6: 4, 497-708.
- Berthelot P, Walker JG, Sherlock S et al. Arterial changes in the lungs in cirrhosis of the liver-lung spider nevi. *N. Engl. J. Med.* 1966; 274: 291.

- Bhathal PS, Grossman HJ. Reduction of the increased portal vascular resistance of the isolated perfused cirrhotic rat liver by vasodilators. *J. Hepatol.* 1985; 1: 325.
- Biagi G, Grauso F, Beranardi M, et al. Platelet and blood clotting activation after endoscopic sclerotherapy of esophageal varices in liver cirrhosis. *Thromb Res* 1986; 44: 411-6.
- Bisseru B, Pater JS. Cruveillier-Baumgarten disease. *Gut* 1989; 30: 136.
- Bjoustiere C, Dumas O, Jouffre C et al. Endoscopic ultrasonography classification of gastric varices in patients with cirrhosis, comparison with endoscopic findings. *J. Hepatol* 1993; 19:2, 268-72.
- Blaise M, Pateron D, Trinchet J-C et al. Systemic antibiotic therapy prevents bacterial infection in cirrhotic patients with gastrointestinal hemorrhage. *Hepatology* 1994; 20: 34.
- Bochna GS, Harty RF, Harned PK et al.: Development of squamous cell carcinoma of the esophagus after endoscopic variceal sclerotherapy. *Am. J. Gastroenterol.* 1988; 83: 564-568.
- Bolondi L, Gaiani S, Li Bass et al. Diagnosis of Budd-Chiari syndrome by pulsed Doppler Ultrasound against ultrasound. *Gastroenterology* 1991; 100: 1324.
- Bornman PC, Krige JEJ, Terblanche J. Management of esophageal varices. *Lancet* 1994; 343: 1079.
- Bosch J, Groszmann RJ. Measurement of azygous venous blood flow by a continuous thermal dilution technique: an index of blood flow through gastresophageal collaterals in cirrhosis. *Hepatology* 1984; 4: 424.

- Bourbon P, Zarski JP, Kitmacher P et al.: Influence of the sclerosing of esophageal varices on portal pressure and azygos venous blood flow. *Gastroenterol. Clin Biol.* 1990; 14: 144-147. (in French)
- Bradley SE, Ingelfinger FJ, Bradley GP et al. Estimation of hepatic blood flow in man. *J. Clin. Invest.* 1945; 24: 890.
- Braun SD, Newman GE, Dunnick NR. Digital splenoportography. *Am. J. Roentgenol.* 1985; 144: 488.
- Brick IB, Palmer ED. Comparison of esophagogastrie and roentgenologic diagnosis of esophageal varices in cirrhosis of the liver. *Am. J. Roentgenology* 1955; 73:387.
- Bulm U, Rossle M, Haag K et al. Budd-Chiari syndrome: technical, hemodynamic, and clinical results of treatment with transjugular intra-hepatic portosystemic shunt. *Radiology* 1995; 197: 805.
- Burroughs AK, McCormick PA, Hughes MD et al. Randomized, double-blind, placebo-controlled trial of somatostatin for variceal bleeding. Emergency control and prevention of early variceal rebleeding. Emergency control and prevention of early variceal rebleeding. *Gastroenterology* 1996; 110: 832.
- Burroughs AK, Jenkins WJ, Sherlock S et al. Controlled trial of propranolol for the prevention of recurrent variceal haemorrhage in patients with cirrhosis. *N. Engl. J. Med.* 1983; 309: 1539.
- Cabrera J, Maynar M, Granados R et al. Transjugular intrahepatic portosystemic shunt versus sclerotherapy in the elective treatment of variceal hemorrhage. *Gastroenterology* 1996; 110: 832.
- Caesar J, Shaldon S, Chiandussi L et al. The use of indocyanine green in the measurement of hepatic blood flow and as a test of hepatic function. *Clin. Sci.* 1961; 21: 43.

- Cales P, Zabotto B, Meskens C et al. Gastresophageal endoscopic features in cirrhosis. Observer variability, interassociations, and relationship to hepatic dysfunction. *Gastroenterology* 1990; 98: 156.
- Caletti G, Brocchi E, Baraldini M et al. Assessment of portal hypertension by endoscopic ultrasonography. *Gastrointest Endosc.* 1990; 36: 2 suppl, S 21-7.
- Camara DS, C, Perakos P et al.: Pulmonary and haemodynamic changes in the dog after administration of intravenous sclerosing agents. *Gastroenterology* 1983; 84: 1367 (Abstract).
- Capron JP, Lemay JL, Muir JF et al. Portal vein thrombosis and fatal pulmonary thromboembolism associated with oral contraceptive treatment. *J. Clin. Gastroenterol.* 1981; 3: 295.
- Care-Locke DL, Sidky K: Broncho-esophageal fistula; a late complication of endoscopic variceal sclerotherapy. *Gut* 1982; 23: 1005-1007.
- Chagnon SF, Vallee CA, Barge J et al. Aneurysmal portal hepatic venous fistula: report of two cases. *Radiology* 1986; 159: 693.
- Charng MJ, Wang SP, Change MS et al.: Coronary spasm complicating sclerotherapy of esophageal varices. *Chest* 1988; 93: 204-205.
- Chawla Y, Dilawari JB: Anorectal varices, their frequency in cirrhotic and non-cirrhotic portal hypertension. *Gut* 1991; 32: 309-311.
- Cheng EY, Woehlck HJ. Pulmonary artery hypertension complicating anesthesia for liver transplantation. *Anesthesiology* 1992; 77: 389.
- Child CG: In: The liver and portal hypertension. Saunders. Philadelphia. 1964.

- Choudhuri G, Agrawal BK, Tantry BV et al.: Post-sclerotherapy esophageal ulcers: a prospective analysis of their behavior. *Ind. J. Gastroenterol.* 1989; 8: 19-21.
- Choudhuri G, Dhiman K, Agarwal DK. Endosonographic evaluation of the venous anatomy around the gastro-esophageal junction in patients with portal hypertension. *Hepatogastroenterology*; 1996; 43:11, 1250-5.
- Cioni G, Tincani E, Cristani A, Ventura P et al. Does measurement of portal flow velocity have any value in the identification of patients with cirrhosis at risk of digestive haemorrhage?. *Liver*, 1996; 16:2, 84-7.
- Cipolletta L, Bianco MA, Rotonatano R et al. Emergency endoscopic ligation of actively bleeding gastric varices with a detachable snare. *Gastrointest. Endosc.* 1998 May; 47 (5) : 400-3.
- Cohen F, Koerner R, Taub S: Solitary brain abscess following endoscopic injection sclerosis of oesophageal varices. *Gastrointest Endosc.* 1985; 32: 331-333.
- Cohen FL, Koerner RS, Taub SJ. Solitary brain abscess following endoscopic injection sclerotherapy of esophageal varices. *Gastrointest Endosc* 1985; 31: 331-3.
- Cohen LB, Korsten MA, Scherl EJ et al.: Bacteremia after endoscopic injection sclerosis. *Gastrointest. Endosc.* 1983; 29: 198-200.
- Colapinto RF, Stronell RD, Birch SJ et al. Creation of an intrahepatic portosystemic shunt with a Gruntzig balloon catheter. *Can. Med. Assoc. J.* 1982; 17: 148.
- Conn HO, Grace ND: Portal hypertension and sclerotherapy of esophageal varices: a Point of view. *Endosc. Rev*, 1985; 2: 39-45.

- Conn HO. Transjugular intrahepatic portal-systemic shunts: the state of the art. *Hepatology* 1993; 17: 148.
- Conn HO: Therapeutic portocaval anastomosis; to shunt or not do shunt. *Gastroenterology* 1981; 67: 1065-1074.
- Coralli RJ, Crausley IS. Hepatic pulsations in constrictive pericarditis. *Am. J. Cardiol.* 1986; 58:370.
- Corbett WA, Taylor MJ, Shields R. pulmonary oedema and intravenous sclerosants. *Br J Surg* 1985; 72: 407.
- Crafoord C. Frenchner P: New Surgical treatment of varicose veins of the oesophagus. *Acta Otolaryngol.* (Stockholm) 1939; 27: 422-429.
- Craig DB. Post-operative recovery of pulmonary function. *Anesth Analg* (Cleve) 1981; 60: 46-52.
- Cruveilhier J. Anatomie pathologique du corps humain. Vol. I. XVI livr. Pl. vi-Maladies du veines. J.B. Balliere, Paris, 1829-35.
- D'Amigo G, Montalbano L, Triana M et al.: Natural history of congestive gastropathy in cirrhosis. *Gastroenterology* 1990; 99: 1558-1564.
- Dachman AH, Ros PR, Goodman ZD et al. Nodular regenerative hyperplasia of the liver: clinical and radiologic observations. *Am. J. Roentgenol.* 1987; 148: 717.
- Dagrade AE. Open tube versus fibroptic esophagoscopy for evaluation of esophageal varices. *Am J gastroenterology* 1973; 60-240.
- Dan SJ, Train JS, Cohen BA et al. Common bile duct varices: cholangiographic demonstration of a hazardous portosystemic communication. *Am. J. Gastroenterol.* 1983; 78: 42.
- De puey EG et al. *Endoscopy* 1988; 20: 91.

- De Puey EG, Richards WO, Milikan WJ et al.: Scintigraphic detection of pulmonary embolization of esophageal variceal sclerosant. *Endoscopy* 1988; 20: 91-94.
- DeFranchis R, Pascal JP, Ancona E. et al. Definitions, methodology and therapeutic strategies in portal hypertension. *J. Hepatol* 1992; 15:256-61.
- DeFranchis R, Primignani M, Arcidiacono R et al. Prophylactic sclerotherapy in high risk cirrhotics selected by endoscopic criteria *Gastroenterology* 1991; 101 : 1087-93.
- DeMarino GB. Sumkin JH, Leventhal R et al.: Pneumatosis intestinalis and pneumoperitoneum after sclerotherapy. *AJR* 1988; 151: 953-954.
- Dennis MA, Pretorius D, Manco-Johnson ML et al. CT detection of portal venous gas associated with suppurative cholangitis and cholecstitis. *Am. J. Roentgenol.* 1985; 145: 1017.
- Dhiman RK, Saraswat VA, Choudhuri G et al. Endosonographic, endoscopic and histologic evaluations in the rectal venous system in patients with portal hypertension. *Gastrointest. Endosc.* 1999; 49:2, 218-27.
- Dick R, Dooley JS. Suspected portal hypertension. In Dooley JS, Dick R, Viamonte M et al. Eds. *Imaging in Hepatobiliary Disease*. Blackwell Scientific Publications, Oxford, 1987; 147.
- Dilawari JB, Chawla YK, Kour U: Development of the Cruveilhier-Baumgaren Syndrome after endoscopic obliteration of esophageal varices. Report of a case. *Acta Radiol.* 1989; 30: 401-402.
- Dilawari JB, Raju GS. Chaswala YK: Development of large splenoadreno-renal shunt after endoscopic sclerotherapy. *Gastroenterology* 1989; 97: 421-426.

- Douglass BE, Baggestoss AH, Hollinshead WH. Variations in the portal systems of veins. *Proc. Mayo Clin.* 1950; 25: 26.
- Dowling JB. Ten years experience with mesocaval grafts. *Surg. Gynecol. Obstet.* 1979; 149: 518.
- Dubois A, Dauzat M, Pignodel C et al. Portal hypertension in lymphoproliferative and myeloproliferative disorders : hemodynamic and histological correlations. *Hepatology* 1993; 17: 246.
- Eckn V. On the question of ligature of the portal vein. *Voenno Med. J. (St Petersburg)* 1937; 130:21.
- Elefthenadis E: Duodenal varices after sclerotherapy for esophageal varices. *Am. J. Gastroenterol.* 1988; 83: 439-41.
- Feinsod FM, Bautista AS, Yagan R. Cardiac pathology in shistosomal cor pulmonale correlated with chest roentgenographs. *Trop Geogr Med* 1986 Mar; 38(1) :87-90.
- Fernandez-Rodriguez CM, Prieto J, ZoZaya JM et al. Arteriovenous shunting, hemodynamic changes, and renal sodium retention in liver cirrhosis. *Gastroenterology* 1993; 104: 1139.
- Finn JP, Kane RA, Edelman RR et al. Imaging of portal venous system in patients with cirrhosis: MR angiography versus. Doppler sonography. *Am. J. Roentgenol.* 1993; 161: 989.
- Fleischer D: Recommendations for antibiotic prophylaxis before endoscopy. *Am. J. Gastroenterol.* 1989; 84: 1492-1493.
- Flekenstein JF, Frank SM, Thuluvath PJ. Presence of autonomic neuropathy is a poor prognostic indicator in patients with advanced liver disease. *Hepatology* 1996; 23: 471.

- Gaiani S, Bolondi L, Li Bassi S et al. Prevalence of spontaneous hepatofugal portal flow in liver cirrhosis. *Gastroenterology* 1991; 100: 160.
- Garcia-Tsao G, Grace ND, Groszmann RJ et al. Short-term effects of propranolol on portal venous pressure. *Hepatology* 1986; 6: 101.
- Gerhatz HH, Sauerbruch T, Weinzierl M et al.; Nosocomial septicemia in patients undergoing sclerotherapy for variceal hemorrhage. *Endoscopy* 1984; 16: 129-130.
- Gertsch P, Fischer G, Kleber G et al. Manometry of esophageal varices: comparison of an endoscopic balloon technique with needle puncture. *Gastroenterology* 1993; 105: 1159.
- Gertsch P, Mosimann R: Chylothorax complicating sclerotherapy for bleeding esophageal varices. *Br. J. Surg.* 1983; 70: 562-566.
- Gimson AES, Ramage JK, Panos MZ et al. Randomised trial of variceal banding ligation versus injection sclerotherapy for bleeding esophageal varices. *Lancet* 1993; 342: 391.
- Go K-S, Lashner BA, Emond JC et al. Prior esophageal variceal bleeding does not adversely affect survival after orthotopic liver transplantation. *Hepatology* 1993; 18: 66.
- Goenka MK, Thapa BR, Jethi SC et al.: Candidiasis complicating sclerotherapy-induced esophageal ulcer presenting as recurrent hematemesis. *Ind. J. Gastroenterol.* 1989; 8: 187-188.
- Goldberg H, Fabry TL: Mesenteric thrombosis following sclerotherapy during vasopressin infusion: mechanism and therapeutic implications. *J. Clin. Gastroenterol.* 1989; 11: 56-57.
- Graham DY, Smith JL. The course of patients after variceal hemorrhage. *Gastroenterology* 1981; 80: 800.

- Grande L, Planas R, Lacima G et al.; Sequential esophageal motility studies after endoscopic injection sclerotherapy: a prospective investigation. *Am. J. Gastroenterol.* 1991; 86: 36-40.
- Grobe JL, Kozarek RA, Sanowski RA et al.: Venography during endoscopic injection sclerotherapy of esophageal varices. *Gastrointest. Endosc.* 1984; 30: 6-8.
- Groszmann RJ, Bosch J, Grace ND et al. Hemodynamic events in a prospective randomized trial of propranolol versus placebo in the prevention of a first variceal hemorrhage. *Gastroenterology* 1990; 99: 1401.
- Groszmann RJ, Glickman M, Blei AT et al. Wedged and free hepatic venous pressure measured with a balloon catheter. *Gastroenterology* 1979; 76: 253.
- Groszmann RJ. Hyperdynamic circulation of liver disease 40 years later: pathophysiology and clinical consequences. *Hepatology* 1994; 20: 1359.
- Grundfest A, Cooperman AM, Ferguson R et al. Portal hypertension associated with systemic mastocytosis and splenomegaly. *Gastroenterology* 1980; 78: 370.
- Guarascio P, Portmann B, Visco G et al. Liver damage with reversible portal hypertension from vitamin A intoxication; demonstration of Ito cells. *J. Clin. Pathol.* 1983; 36:769.
- Gudjonsson H, Zeiler D, Gamelli RL et al. Colonic varices. Report of an unusual case diagnosed by radionuclide scanning, with review of the literature. *Gastroenterology* 1986; 91: 1543.
- Haag K, Noeldge G, Sellinger M et al. Transjugular intrahepatic portosystemic stent-shunt (TIPS): monitoring of function by color duplex sonography. *Gastroenterology* 1992; 102: A817.

- Hadengue A, Benhayoun MK, Lebrec D et al. Pulmonary hypertension complicating portal hypertension: prevalence and relation to splanchnic hemodynamics. *Gastroenterology* 1991; 100: 520.
- Hadengue A, Lebrec D, Moreau R et al. Persistence of systemic and splanchnic hyperkinetic circulation in liver transplant patients. *Hepatology* 1993; 17: 175.
- Harada T, Yoshida T, Shigemitsu et al. Therapeutic results of endoscopic variceal ligation with detachable snare for acute bleeding of esophageal and gastric varices. *J. Gastroenterol. Hepatol.* 1997 Apr; 12(4):331-5.
- Hashizume M, Yamaga H, Kitano S et al.; Hypercoagulopathy after repeated injection of 5% ethanolamine oleate to sclerose esophageal varices. *Hepatogastroenterology* 1990;36: 565-568.
- Haskal ZJ, Ring EJ, LaBerge JM et al. Role of parallel transjugular intrahepatic portosystemic shunts in patients with persistent portal hypertension. *Radiology* 1992; 185: 813.
- Hassab MA. Non shunt operation in portal hypertension without cirrhosis. *Surg Gyn Obstet* 1967; 131:648-654.
- Haynes WC, Sanowski RA, Foutch PG et al.: Esophageal strictures following endoscopic variceal sclerotherapy: clinical course and response to dilatation therapy. *Gastrointest. Endosc.* 1986; 32: 202-205.
- Hecker R, Sherlock S. Electrolyte and circulatory changes in terminal liver failure. *Lancet* 1956; ii: 1121.
- Heller S., Meyer J. and Russell E. Spinal cord infarction following endoscopic sclerotherapy for esophageal varices. *Neurology* 1996; 47: 1081-85.

- Helton WS, Belshaw A, Althau S et al. Critical appraisal of the angiographic portocaval shunt (TIPS). *Am. J. Surg.* 1993; 165: 566.
- Henderson JM et al. *Annals of Int. Med.* 1990; 4: 262.
- Henderson JM, Kunter MH, Millikan WJ et al. Endoscopic variceal sclerosis compared with distal splenorenal shunt to prevent recurrent variceal bleeding in cirrhosis. *Ann Intern. Med.* 1990; 112: 262.
- Henderson JM. Abnormal splanchnic and systemic hemodynamics of end-stage liver disease: what happens after liver transplantation? *Hepatology* 1993; 17: 514.
- Higashi H, Kitano S, Hashizume M et al.: A prospective randomized trial of schedules for sclerosing esophageal varices. One versus two week intervals. *Hepatogastroenterology* 1989; 36: 337-340.
- Hoffman HP, Stockland B, Vonder Heyden U. Membranous obstruction of I.V.C with Budd-Chiari syndrome in children : a report of nine cases. *J. Pediat. Gastroenterol. Nutr.* 1987; 6: 878.
- Honda Y, Matsumura M, et al: the influence of endoscopic injection sclerotherapy on respiration-circulatory condition in patients with portal hypertension. *Japanese Journal of gastroenterology* 1996; 93 (6): 411-7.
- Hosking SW, Smart HL, Johnson AG et al. Anorectal varices, haemorrhoids and portal hypertension. *Lancet* 1989; I: 349.
- Hughes RW, Larson DE, Viggiano TR et al.: Endoscopic variceal sclerosis one year experience. *Gastrointest. Endosc.* 1982; 28: 62-66.
- Hung HC, Chen WC, Chao Y et al. *Klebsiella pneumoniae* panophthalmitis : a possible complication of endoscopic variceal

injection sclerotherapy. *Am. J. Gastroenterol* 1998 Dec; 93(12): 2603-4.

Hutchison DCS, Sapru RP, Sumerling MD et al. Cirrhosis, cyanosis and polycythaemia: multiple pulmonary arteriovenous anastomoses. *Am. J. Med.* 1968; 45: 139.

Imperiali G, Terruzzi V, Spotti D et al.: Heart failure as a dose effect of polidocanol given for esophageal variceal sclerosis. *Endoscopic* 1986; 18: 207.

Imperiali G, Terruzzi V, Spotti D et al: Heart failure as a side effect of polidocanol given for esophageal variceal sclerosis. *Endoscopy* 1986; 18: 207.

International Working Party. Terminology of nodular hepatocellular lesions. *Hepatology* 1995; 22: 983.

Jackson FC, Perrin ED, Felix R et al.: A clinical investigation of the portocaval shunt. Survival analysis of the therapeutic operation. *Ann. Surg.* 1971; 174: 672-701.

Japanese Research Society for portal hypertension: The general roles for recording endoscopic findings of esophageal varices. *Japan J of Surg* 1980; 10-84.

Jensen LS, et al: *Scand. J. gastroenterol*, 1987; 22: 619.

Johnston GW, Rodgers HW: A review of fifteen years experience in the control of acute hemorrhage from esophageal varices. *Br. J. Surg.* 1973; 60: 797-800.

Kahn D, Jones B, Bronman PC et al.: Incidence and management of complications after injection sclerotherapy: A ten-year prospective evaluation. *Surgery* 1989; 105: 160-165.

- Karacagil S, Lane IF, Mc Collum CN, et al. Is organ failure after variceal sclerotherapy caused by microembolism? *Br J. Surg* 1986; 73: 507.
- Karula J, Balart LA, Radvan G et al. : A prospective randomised controlled trial of chronic esophageal variceal sclerotherapy. *Hepatology* 1985; 5: 584-589.
- Keane R.M. Britton DC: Massive bleeding from rectal varices following repeated infections of sclerotherapy of esophageal varices. *Br. J. Surg.* 1986; 73: 120.
- Kimura K, Ohto M, Matsutani S et al. Relative frequencies of portosystemic pathways and renal shunt formation through the . (posterior) gastric vein: portographic study in 460 patients. *Hepatology* 1990; 12: 725.
- Kintano S, Iso Y, Yamaga H, et al. Temporary deterioration of pulmonary functions after injection sclerotherapy for cirrbotic patients with esophageal varices. *Eur. Surg. Res* 1988; 20: 298-303.
- Kitano S, Terblanche J, Kahn D et al. venous anatomy of the lower oesophagus in portal hypertension: practical implication. *Br. J. Surg.* 1986; 73: 525.
- Kitano, S, Hashigume M. Yamaga H et al.: Human thrombin plus 5% ethanolamine oleate injected to sclerose esophageal varices: A prospective randomised trial. *Br. J. Surg.* 1989; 76: 715-718.
- Kleber G, Sauerbruch T, Ansari H et al. Prediction of variceal hemorrhage in cirrhosis: a prospective follow-up study. *Gastroenterology* 1991; 100: 1332-1337.

- Knauer Cm, Fogel MR: Pericaditis: complication of esophageal sclerotherapy. A report of three cases. *Gastroenterology* 1987; 93: 287-290.
- Knauer CM, Fogel MR: Pericarditis as a complication of esophageal sclerotherapy. *Gastroenerology* 1987; 93: 287-90.
- Kochhar R, Goenka MK, Mehta S et al.: A comparative evaluation of sclerosants for esophageal varices: a prospective, randomized, controlled study. *Gastrointest Endosc.* 1990; 36: 127-130.
- Kokudo N, Sanjo K, Umekita N et al.: Sequamous cell carcinoma after endoscopic injection sclerotherapy for esophgeal varices. *Am. J. Gastroenterol.* 1990; 85: 861-864.
- Komatsuda T, Ishida H, Konno K et al. Color Doppler findings of gastrointestinal varices. *Abdomen Imaging* 1998; 23:1, 45-50.
- Kong C-W, Lay C-S, Tsai Y-T. The hemodynamic effect of verapamil on portal hypertension in patients with postnecrotic cirrhosis. *Hepatology* 1986; 6: 423.
- Korula J, Balart LA, Rodvan G et al.: A prospective randomised controlled trial of chronic esophageal variceal sclerotherapy. *Hepatology* 1985; 5: 584-589.
- Korula J, Baydur A, Sassoon C, Sakinura I. Effect of esophageal variceal sclerotherapy on lung function. *Arch intern Med* 1986; 146: 1517-20.
- Kowalski HJ, Abelman WH. The cardiac output at rest in Laennec's cirrhosis. *J. Clin. Invest.* 1953; 32: 1025.
- Kraft W, Greenberg HE, Waldman SA. Paradoxical hypotension and bradycardia after intravenous originin vasopressin. *J. Clin. Pharmacol.* 1998; 38(3) : 283-6.

- Kravitz RM, Kocoshis SA, Orenstein SR et al.: Gross hematuria following sclerotherapy of esophageal varices in patients with cystic fibrosis. *Am. J. Gastroenterol.* 1989; 84: 75-78.
- Krowka MJ, Cortese DA. Hepatopulmonary syndrome: an evolving prospective in the era of liver transplantation. *Hepatology* 1990; 104: 515.
- Krowka MJ, Dickson ER, Cortese DA. Hepatopulmonary syndrome: clinical observations and lack of therapeutic response to somatostatin analogue. *Chest* 1993; 104: 515.
- Krowka MJ, Tajik AJ, Dickson ER et al. Intrapulmonary vascular dilatations (IPVD) in liver transplant candidates. Screening by two-dimensional contrast-enhanced echocardiography. *Chest* 1990; 97: 1165.
- Kryszewski A et al: Disturbances of pulmonary perfusion after endoscopic sclerotherapy of esophageal varices. *Materia medica polona* 1992; 24 (3): 160-2.
- La Berge JM, Ring EJ, Gordon RL et al. Creation of transjugular intrahepatic portosystemic shunts with the Wallstent endoprosthesis: results in 100 patients. *Radiology* 1993; 187: 413.
- La Berge JM, Somberg KA, Lake JR et al. Two-year outcome following transjugular intra-hepatic portosystemic shunt for variceal bleeding: results in 90 patients. *Gastroenterology* 1995; 108: 1143.
- Laberge J-M, Breandt ML, Lebecque P et al. Reversal of cirrhosis-related pulmonary shunting in two children by orthotopic liver transplantation. *Transplantation* 1992; 53: 1135.

- Laine L, Stein C, Sharma V. Randomized comparison of ligation versus ligation plus sclerotherapy in patients with bleeding esophageal varices. *Gastroenterology* 1996; 110: 529.
- Lange PA, Stoller JK. The hepatopulmonary syndrome. *Ann. Intern. Med.* 1995; 122: 521.
- Law AW, Gales MA. Octreotide or vasopressin for bleeding esophageal varices. *Ann. Pharmacother* 1997; 31(2)237-8.
- Le Moine O, Adler M, Bourgeois N et al. Factors related to early mortality in cirrhotic patients bleeding from varices and treated by urgent sclerotherapy. *Gut* 1992; 33: 1139.
- Leach SD, Meier GH, Gusberg RJ: Endoscopic sclerotherapy: a risk factor for splanchnic venous thrombosis. *J. Vasc. Surg.* 1989; 10: 9-12.
- Lebrec D, de Fleury P, Rueff B. Portal Hypertension, size of esophageal varices and risk of gastrointestinal bleeding in alcoholic cirrhosis. *Gastroenterology* 1980; 79: 1139.
- Lebrec D, Giuily N, Hadengue A et al. Transjugular intrahepatic portosystemic shunt (TIPS) vs paracentesis for refractory ascites. Results of a randomized trial. *Hepatology* 1994; 20: 201A.
- Lebrec D, Poynard T, Bernuau J et al. A randomized controlled study of propranolol for prevention of recurrent gastro-intestinal bleeding in patients with cirrhosis; a final report. *Hepatology* 1984; 4: 355.
- Lee F-Y, Colombato LA, Albillos A et al. N- ω -nitro-L-arginine administration corrects peripheral vasodilation and systemic capillary hypotension and ameliorates plasma volume expansion and sodium retention in portal hypertensive rats. *Hepatology* 1993; 17: 84.

- Lee SS, Moreau R, Hadengue A et al. Glucagon selectively increases splanchnic blood flow in patients with well compensated cirrhosis. *Hepatology* 1988; 8: 1501.
- Lefkowitz JH, Mendez L. Morphologic features of hepatic injury in cardiac disease and shock. *J. Hepatol.* 1986; 2: 313.
- Lim HL, Abbitt PL, Kniffen JC et al. Hepatic infarction complicating a transjugular intrahepatic portosystemic shunt. *AM. J. Gastroenterol.* 1993; 88: 2095.
- Lin R-S, Lee F-Y, Lee S-D et al. Endotoxemia in patients with chronic liver disease: relationship to severity of liver diseases, presence of esophageal varices, and hyperdynamic circulation. *J. Hepatol.* 1995; 22: 165.
- Lind CD, Malisch TW, Chong WK et al. Incidence of shunt occlusion or stenosis following transjugular intrahepatic portosystemic shunt placement. *Gastroenterology* 1994; 106: 1277.
- Loftus JP, Nagorney DM, Ilstrup D et al. Sinistral portal hypertension. Splenectomy or expectant management. *Ann. Surg.* 1993; 217:35.
- Lopez-Talavera JC, Merrill WW, Groszmann RJ. Tumor necrosis factor alpha: a major contributor to the hyperdynamic circulation in prehepatic portal-hypertensive rats. *Gastroenterology* 1995; 108: 761.
- Low DE, Kozarek RA, Ball TJ et al.: Endoscopic variceal sclerotherapy as primary treatment for bleeding esophageal varices. *J. Clin. Gastroenterol.* 1989; 1: 253-259.
- Low DE, Shoenut JP, Kennedy JK et al.: Infectious complications of endoscopic injection sclerotherapy. *Arch. Intern. Med.* 1986; 146: 569-571.

- Lunzer MR, Manghani KK, Newman SP et al. Impaired cardiovascular responsiveness in liver disease. *Lancet* 1975; ii: 382.
- Lunzer MR, Newman SP, Sherlock S. Skeletal muscle blood flow and neurovascular reactivity in liver disease. *Gut* 1973; 14: 354.
- Manenti F, Williams R. Injection of the splenic vasculature in portal hypertension. *Gut* 1966; 7: 175.
- Mann P, Morrow CF Jr, Miller E, Faiman RP, Glavies Fl. Acute respiratory failure after sodium morrhuate esophageal sclerotherapy. *Gastroenterology* 1983; 85: 693-9.
- Marteau P, Ballet F, Chazouilleres O et al. Effect of vasodilators on hepatic microcirculation in cirrhosis: a study in the isolated perfused rat liver. *Hepatology* 1989; 9: 820.
- Mastai R, Bosch J, Bruix J et al. β -Blockade with propranolol and hepatic artery blood flow in patients with cirrhosis. *Hepatology* 1989; 10: 269.
- Matsubara O, Nakamura T, Uehara T et al. Histometrical investigation of the pulmonary artery in severe hepatic disease. *J. Pathol.* 1984; 143: 31.
- McCormack TT, Rose JD, Smith PM et al. Perforating veins and blood flow in esophageal varices. *Lancet* 1983; ii: 719.
- McCaffrey P. Making sense of the sengstaken tube. *Nurs Times* 1991; 87(36) : 40-2.
- McCormack TT, Smith PM, Rose JD et al.: Perforating veins and blood flow in esophageal varices. *Lancet* 1983; 2: 1442-1444.
- McCormick PA, Kaye GL, Greenslade L et al. Esophageal staple transection as a salvage procedure after failure of acute injection sclerotherapy. *Hepatology* 1992; 15: 403.

- McGrew W, Goodin J, Stuck W: Fatal complication of endoscopic sclerotherapy: *Serratia marcescens* bacteremia with delayed perforation. *Gastrointest. Endosc.* 1985; 31: 329-331.
- McIndow AH. Vascular lesions of portal cirrhosis. *Arch. Path.* 1928; 5: 23.
- Merli M, Riggio O, Capocaccia L et al. Transjugular intrahepatic portosystemic shunt versus endoscopic sclerotherapy in preventing variceal rebleeding; preliminary results of a randomized controlled trial. *Hepatology* 1994; 20: 107A.
- Millikan WJ, Warren WD, Henderson JM et al. The Emory prospective randomized trial: selective versus non selective shunt to control variceal bleeding. Ten year follow-up. *Ann. Surg.* 1985; 201: 712.
- Moncada S, Palmer RM, Higgs EA. Nitric oxide: physiology, pathophysiology, and pharmacology. *Pharmacol. Rev.* 1991; 43: 109.
- Monroe P, Morrow CF, Millen JE et al.; Acute respiratory failure after sodium morrhuate esophageal sclerotherapy. *Gastroenterology* 1983; 85: 693-699.
- Moreau R, Lebrec D. Endogenous factors involved in the control of arterial tone in cirrhosis. *J. Hepatol.* 1995; 22: 370.
- Moreau R, Lee SS, Hadengue A et al. Hemodynamic effects of a clonidine-induced decrease in sympathetic tone in patients with cirrhosis. *Hepatology* 1987; 7: 149.
- Moreau R, Lee SS, Hadengue A et al. Relationship between oxygen transport and oxygen uptake in patients with cirrhosis: effects of vasoactive drugs. *Hepatology* 1989; 9: 427.
- Morris W, Knauer CM. Cardiopulmonary manifestations of schistosomiasis. *Semin Respir Infect* 1997 Jun ; 12(2) :159-70.

- Murray JF, Dawson AM, Sherlock S. Circulatory changes in chronic liver disease. *AM. J. Med.* 1958; 24: 358.
- Nagamine N, Ueno N, Tomiyama T et al. A pilot study on modified endoscopic variceal ligation using endoscopic ultrasonography with color Doppler function. *Am. J. Gastroenterol.* 1998 Feb.; 93 (2) : 150-5.
- Nagral AS, Joshi AS, Bhatia SJ et al. Congestive jejunopathy in portal hypertension. *Gut* 1993; 34: 694.
- Navasa M, Feu F, Garcia-Pagan JC et al. Hemodynamic and humoral changes after liver transplantatin in patients with cirrhosis. *Hepatology* 1993; 18: 621.
- Navasa M, Feu F, Garcia-Pagan JC et al. Reduction of portal pressure by isosorbide-5-mononitrate in patients with cirrhosis. Effects on splanchnic and systemic hemodynamics and liver function. *Gastroenterology* 1989; 96: 1110.
- Ng WD, Chan YT. Digital gangrene complicating intraoperative injection sclerotherapy. *Gasterointest Endosc* 1988; 34: 151-3.
- Niederberger M, Gines P, Tsai P et al. Increased aortic cyclic guanosine monophosphate concentration in experimental cirrhosis in rats: evidence for a role of nitric oxide in the pathogenesis of arterial vasodilation in cirrhosis. *Hepatology* 1995; 21: 1625.
- North Italian Endoscopic Club for study and treatemtn of esophageal varices. Prediction of the first variceal haemorrhage in patients with cirrhosis of the liver and esophageal varices. A prospective multicentre study. *N. Engl. J. Med.* 1988; 319: 983.
- Oberti F, Sogni P, Cailmail S et al. Role of prostacyclin in hemodynamic alterations in consciuous rats with extrahepatic or intrahepatic portal hypertension. *Hepatology* 1993; 18: 621.

- Occks A, Sellinger M, Haag K et al. Transjugular intrahepatic portosystemic stent-shunt in the treatment of Budd-Chiari syndrome. *J. Hepatol.* 1993; 18: 217.
- Ochs A, Rossle M, Haag K et al. TIPS for hepatorenal syndrome. *Hepatology* 1994; 20: 114A.
- Odievre M, Pige G, Alagille D. Congenital abnormalities associated with extrahepatic portal hypertension. *Arch. Dis. Child.* 1997; 52: 383.
- Ohta M, Kuwano H, Hashizume M et al. Development of esophageal cancer after endoscopic injection sclerotherapy for esophageal varices : three case reports. *Endoscopy* 1995 Aug; 27(6) : 455-8.
- Okumura S, Takei Y, Kawano S et al. Vasoactive effect of endothelin-1 on rat liver in vivo. *Hepatology* 1994; 19: 155.
- Orloff J, Orloff MS, Orloff SL, Rambott M, Girard B. Three decades of experience with emergency portocaval shunt for acutely bleeding esophageal varices in 400 unselected patients with cirrhosis of the liver. *J. Am. Coll. Surg.* 1995 ; 179 : 257-72.
- Orloff MJ, Bell RH Jr, Orloff MS et al. Prospective randomized trial of emergency portacaval shunt and emergency medical therapy in unselected cirrhotic patients with bleeding varices. *Hepatology* 1994; 20: 863.
- Pagliaro L, D'Amigo G, Sorensen TIA et al. Prevention of first bleeding in cirrhosis. A meta-analysis of randomized trials of nonsurgical treatment. *Ann. Intern. Med.* 1992; 117: 59.
- Pak JeM, Lee SS. Glucagon in portal hypertension. *J. Hepatol.* 1994; 20: 825.
- Panes J, Pique JM, Bordas JM et al. Reduction of gastric hyperemia by glypressin and vasopressin administration in cirrhotic patients with portal hypertensive gastropathy. *Heptology* 1994; 19: 55.

- Paquet KJ, Fuessner H: Endoscopic sclerosis and esophageal balloon tamponade in acute haemorrhage from oesophagogastric varices: a prospective controlled randomized trial. *Hepatology* 1983; 5: 580-583.
- Paquet KJ, Operhammer E. Sclerotherapy of bleeding esophageal varices by means of endoscopy. *Endoscopy* 1978; 10-17.
- Paquet KJ. Prophylactic endoscopic sclerosing treatment of the esophageal varices: A prospective controlled randomized trial. *Endoscopy* 1982; 14: 4-5.
- Park JH, Cha SH, Han JK et al. Intraheptic portosystemic venous shunt. *Am. J. Roentgenol.* 1990; 155: 527.
- Paterlini A, Salmi A, Buffoli F et al.: Heart failure and endoscopic sclerotherapy of variceal bleeding. *Lancet* 1984; 6: 1241.
- Patterson CO: The sclerosing therapy of esophageal varices. *Gastroenterology* 1947; 9: 391-398 (Abstract).
- Payen J-L, Cales P, Voigt J-J et al. Severe portal hypertensive gastropathy and antral vascular ectasia are distinct entities in patients with cirrhosis. *Gastroenterology* 1995; 108: 138.
- Perakos PG, Cirbus JJ, Camara DS: Persistent bradyarrhythmia after sclerotherapy for esophageal varices. *South Med.J.* 1984; 77: 531-532.
- Planas R, Quer JC, Boix J et al. A prospective randomized trial comparing somatostatin and sclerotherapy in the treatment of acute variceal bleeding. *Hepatology* 1994; 20: 370.
- Plson KJ, Westaby D, Gimson AE et al.: Sucralfate for the prevention of early rebleeding following injection sclerotherapy for esophageal varices. *Hepatology* 1989; 10: 279-292.

- Potzi R, Bauer P, Reichel W, Kerstan E et al. Prophylactic sclerotherapy of esophageal varices : a multicentre prospective controlled randomized trial in Vienna Gut 1989; 30 ; 873-9.
- Potzi R, Bauer P, Reichel W et al.: Prophylactic endoscopic sclerotherapy of esophageal varices in liver cirrhosis. A multicenter, prospective controlled randomized trial in Vienna. Gut 1989; 30: 876-879.
- Poynard T, Cales P, Pasta L et al. beta adrenergic antagonist drugs in the prevention of gastrointestinal bleeding in patients with cirrhosis and esophageal varices. An analysis of data and prognostic factors in 589 patients from four randomized clinical trials. Franco Italian Multicenter Study Group. N. Engl. J. Med. 1991; 22: 717.
- Propper H, Elias H, Petty DE. Vascular pattern of the cirrhotic liver. Am. J. Clin. Path. 1952; 22:717.
- Pugh RNH, Murray-Lyon M, Dawson JL, Pietroni MC, Williams R. Transection of the oesophagus for bleeding esophageal varices. Br J Surg 1973; 60:646-9.
- Quintero E, Pique JM, Bombi JA et al. Gastric mucosal vascular ectasias causing bleeding in cirrhosis. Gastroenterolgy 1987; 93: 1054.
- Rasbridge S, Sheldon C, Hardman SMC et al.: Intestinal pseudo-obstruction: a new complication of esophageal sclerotherapy. Brit Med.J. 1986; 292-991.
- Reilly J, Schide R, Van Thiel D: Esophageal function after injection sclerotherapy: Pathogenesis of esophageal stricture. Am. J. Surg. 1984; 147: 85-88.
- Rigau J, Bosch J, Bordas JM et al. Endoscopic measurement of variceal pressure in cirrhosis: correlation with portal pressure and variceal hemorrhage. Gastroenterology 1989; 96: 873.

- Riggion O, Merli M, Pedretti G et al. Hepatic encephalopathy after transjugular intra-hepatic portosystemic shunts to control variceal bleeding before liver transplantation. *Ann. Intern. Med.* 1992; 116: 304.
- Ring EJ, Lake JR, Roberts JP et al. Using transjugular intrhepatic portosystemic shunts to control variceal bleeding before liver transplantation. *Ann. Intern. Med.* 1992; 116: 304.
- Ritchie MT, Lightdale CJ, Botet JF: bilateral perinephric abscesses: a complication of endoscopic injection sclerotherapy *Am. J. Gastroenterol.* 1987; 82: 670-673.
- Rizzi PM, Kane PA, Ryder SD et al. Accuracy of radiology in detection of changes in liver cirrhosis and hepatocellular carcinoma : *Gastroenterology* 1994; 107 : 1425.
- Rodman T, Sobel M, Close HP. Arterial oxygen unsaturation and the ventilation perfusion defect of Laennec's cirrhosis. *N. Engl. J. Med.* 1960; 263: 73.
- Rollins BJ. Hepatic veno-occlusive disease. *Am. J. Med.* 1986; 81:297.
- Rosch J, Hanafec WN, Snow H. Transjugular portal venography and radiologic portocaval shunt: an experimental study. *Radiology* 1969; 92: 1112.
- Rossle M, Deibert P, Haag K et al TIPS versus sclerotherapy and β -blockade: preliminary results of a randomized study in patients with recurrent variceal hemorrhage. *Hepatology* 1994; 20: 107A.
- Rossle M, Haag K, Ochs A et al. The transjugular intrahepatic portosystemic stent-shunt procedure for variceal bleeding. *N. Engl. J. Med.* 1994; 330: 165.
- Ruff F, Hughes JMB, Stanley N et al. Regional lung function in patients with hepatic cirrhosis. *J. Clin. Invest.* 1971; 50: 2403.

- Russo A, Giannone G, Magnano A et al.: Prophylactic sclerotherapy in non-alcoholic liver cirrhosis: preliminary results of a prospective controlled randomized trial. *World J. Surg.* 1989; 13: 149-153.
- Rutgeerts P, Beboes K, Vantrappen G.: Experimental studies of injection therapy for evere non variceal bleeding in dogs. *Gastroenterology* 1989; 97: 610-621.
- Saari A, Klvilaakso E, Inberg M et al. Comparison of somatostatin and vasopressin in bleeding esophageal varices. *Am. J. gastroenterol.* 1990; 85: 804.
- Sabanathan K, Dean J, Carr-Lock D et al.: Acute gasteic dilatation after endoscopic infection sclerotherapy. *Lancet* 1984, ii: 1240-1241.
- Salmeron JM, Del Arbol LR, Gines A et al. Renal effects of acute isosorbide-5-mononitrate administration in cirrhosis. *Hepatology* 1993; 17: 800.
- Samuels T, Lovett MC, Campbell It, et al: Respiratory function after injection sclerotherapy of esophageal varices. *Gut* 1994; 35: 1459-63.
- Sanchez RB, Roberts AC, Valji K et al. Wallstent misplaced during transjugular placement of an intraheptic portosystemic shunt: retrieval with a loop snare. *Am. J. Roentgenol.* 1992; 159: 129.
- Sandy H, Korsten MA. Esophhageal acid-clearance and motility after endoscopic sclerotherapy of esophageal varices. *Am J Gastreenterol* 1986; 81: 419-22.
- Sanowski RA, Waring JP: Endoscopic techniques and complications in variceal sclerotherapy. *J. clin. Gastroenterol.* 1987; 9: 504-513.
- Sanyal AJ, Freedman AM, Purdum PP et al. The hematologic consequences of transjugular intra-hepatic portosystemic shunts. *Hepatology* 1996; 23: 32.

- Sanyal AJ, Freedom AM, Purdum PP et al. The hematologic consequences of transjugular intrhepatic portosystemic shunt: results of a prospective controlled study. *Hepatology* 1994; 18: 325.
- Sarfeh IJ, Rypin EB. Partial versus total portacaval H-graft diameters. *Ann. Surg.* 1986; 204 : 356-62.
- Sarin SK, Kumar A: sclerosants for variceal sclerotherapy: a critical appraisal. *Am. J. Gastroenterol.* 1990; 85: 641-649.
- Sarin SK, Nanda R, Vij JC et al.: Esophageal ulceration after sclerotherapy - a complication or an accompaniment ? *Endoscopy* 1986; 18: 44-45.
- Sauerbruch T, Weinzierl M, Kopcke W et al.: Long term sclerotherapy of bleeding esophageal varices in patients with liver cirrhosis: an evaluation of mortality and rebleeding risk factors. *Scand. J. Gastroenterol.* 1985; 20: 51-58.
- Scandalis N, Archimandritis A, Kastanas K et al. Colonic findings in cirrhotics with portal hypertension. A prospective colonoscopic and histological study. *J. Clin. Gastroenterol.* 1994; 18: 325.
- Schluger LK, Cubukcu O, Klion F et al. Unexplained Budd-Chiari syndrome in a young man. *Hepatology* 1995; 21 : 584.
- Schmassmann A, Zuber M, Livers M et al. Recurrent bleeding after variceal hemorrhage: predictive value of portal venous duplex sonography. *Am. J. Roentgenol.* 1993; 160: 41.
- Schuman B.M. Beckman JW, Tedesco FJ et al.: Complications of endoscopy injection sclerotherapy: a review. *Am. J. Gastroenterol.* 1987; 82: 823-830.

- Schuman BM, Beckman JW, Tedesco FJ et al. complications of endoscopic injection sclerotherapy: A review. *Am J Gastroentrol* 1987; 82: 823-30.
- Seidman E, Weber AM, Morin CL et al.: Spinal cord paralysis following sclerotherapy for esophageal varices. *Hepatology* 1984;4: 950-954.
- Sellinger M, Ochs A, Haag K et al. Incidence of hepatic encephalopathy and follow-up of liver function in patients with transjugular intrahepatic portosystemic stent-shunt. *Gastroenterology* 1992; 102: A833.
- Shemesh E, Bat L: Esophageal perforation after fiberoptic endoscopic injection sclerotherapy for esophageal varices. *Arch. Surg.* 1986; 121: 243-245.
- Shemesh E, Czerniak A, Klin E et al.: A comparison between emergency and delayed endoscopic injection sclerotherapy of bleeding esophageal varices in non-alcohol portal hypertension. *J. Clin. Gastroenterol*, 1990; 12; 5-9.
- Sherlock S. The liver-lung interface. *Semin. Resp. Med.* 1988; 9: 247.
- Sherlock S. Vasodilatation associated with hepatocellular disease: relation to functional organ failure. *Gut* 1990; 31: 365.
- Shiffman ML, Jeffers L, Hoofnagle JH et al. The role of transjugular intra-hepatic protosystemic shunt for treatment of portal hypertension and its complications: a conference sponsored by the national Digestive Diseases Advisory Board. *Hepatology* 1995; 22: 1519.
- Shiha, El-Dayed SS. Gastric variceal ligation : a new technique. *Gastrointest. Endosc.* 1999 Apr; 49 : 4 pt 1, 437-41.

- Shinagawa T, Ohto M, Kimura K et al. Diagnosis and clinical features of small hepatocellular carcinoma with emphasis on the utility of real-time ultrasonography : a study in 51 patients. *Gastroenterology* 1984; 86:495.
- Shocnut JP, Micflikier AB: Retrosternal pain subsequent to sclerotherapy. *Gastrointest. Endosc.* 1986; 32: 84-87.
- Shocnut JP, Mictlikier AB: Retrosternal pain subsequent to sclerotherapy. *Gastrointest. Endosc.* 1986; 32: 84-87.
- Siringo S, Bolondi L, Gaiani S et al. Timing of the first variceal hemorrhage in cirrhotic patients: prospective evaluation of Doppler flowmetry, endoscopy and clinical parameters. *Hepatology* 1994; 20: 66.
- Sivak MV, Blue MG. Endoscopic sclerotherapy of esophageal varices. In: Stephen Silvis. Ed. *Therapeutic gastrointestinal endoscopy*. New York: Igaku-shoin, 1990: 42-97.
- Skrainka B, Stahlhut J, Fullbeck CL et al. Measuring liver span. Beside examination versus ultrasound. *J. Clin. Gastroenterol* 1986; 8 : 267.
- Smith JL, Graham D. Variceal haemorrhage, a critical evaluation of survival analysis. *Gastroenterology* 1982; 82: 968.
- Smith-Laing G, Camilo ME, Dick R et al. Percutaneous transhepatic portography in the assessment of portal hypertension. *Gastroenterology* 1980; 78: 197.
- Snady HA, Korstein MA, Wayne JD: The relationship of bacteremia to the length of injection needle in endoscopic variceal sclerotherapy *Gastrointest. Endosc.* 1985; 31: 243-246.
- Soderlund C, Weichel KL: Esophageal perforation after sclerotherapy for variceal haemorrhage. *Acta Chir. Scand.* 1983; 149: 491-495.

- Sorensen T, Burcharth F, Pedersen ML et al.: Oesophageal stricture and dysphagia after endoscopic sclerotherapy for bleeding varices. *Gut* 1984; 25: 473-477.
- Soriano G, Guarner C, Tomas A et al. Norfloxacin prevents bacterial infection in cirrhotics with gastrointestinal hemorrhage. *Gastroenterology* 1992; 103: 1267.
- Stanley NN, Williams AJ, Dewar CA et al. Hypoxia and hydrothoraces in a case of liver cirrhosis: correlation of physiological, radiographic, scintigraphic and pathological findings. *Thorax* 1977; 32: 457.
- Stanley NN, Woodgate DJ. Mottled chest radiograph and gas transfer defect in chronic liver disease. *Thorax* 1972; 27: 315.
- Stiegmann GV, Goff JS, Michaletz-Onody PA et al. Endoscopic sclerotherapy as compared with endoscopic ligation for bleeding esophageal varices. *N. Engl. J. Med.* 1992; 326: 1527.
- Stoltenberg PH, Goodale RL, Silvis SE: Portal vein thrombosis following combined endoscopic variceal sclerosis and vasopressure therapy for bleeding varices. *AM.J. Gastroenterol.* 1987; 82: 1297-1300.
- Subramanyam K, Patterson M: Chronic esophageal ulceration after endoscopic sclerotherapy. *J. Clin. Gastroenterol.* 1986; 8: 58-60.
- Sugiura M, Futagawa S. Esophageal transection with para-esophago-gastric devascularization (Sugira procedure) in the treatment of esophageal varices. *World J Surg* 1984; 8: 673-82.
- Sukigara M, Omuta R, Tatsuya M: Systemic dissemination of ethanolamine oleate after injection sclerotherapy for esophageal varices. *Arch. Surg.* 1985; 120: 833-836.

- Svoboda P, Kantorov I, Ochmann J et al. A prospective randomized controlled trial of sclerotherapy vs ligation in the prophylactic treatment of high-risk esophageal varices. *Surg. Endosc.* 1999 Jun.; 13(6) : 580-4.
- Takayasu K, Muramatsu Y, Moriyama N et al. Radiological study of idiopathic Budd-Chiari syndrome complicated by hepatocellular carcinoma. A report of four cases. *Am. J. Gastroenterol.* 1994; 88: 249.
- Tam F et al. *Gastrointest. Endosc.* 1990; 38: 131.
- Tamura S, Ahio-aki H, Kobayashi K et al.: Prospective randomized study on the effect of ranitidine against injection ulcer after endoscopic injection sclerotherapy for esophageal varices. *Am. J. Gastroenterol.* 1991; 86: 477-480.
- Tanoue K, Hashizume, Ohta M, Kitano S et al. Development of early squamous cell carcinoma of esophagus after endoscopic injection sclerotherapy for esophageal varices. *Hepatogastroenterology* 1995 Nov; 42(6): 792-6.
- Tavill AS, Wood EJ, Kreel L et al. The Budd-Chiari syndrome: correlation between hepatic scintigraphy and clinical radiological findings in nineteen cases of hepatic venous out flow obstruction. *Gastroenterology* 1975; 68:509.
- Taylor CR. Computed tomography in the evaluation of the portal venous system. *J. Clin. Gastroenterol.* 1992; 106: 59.
- Teres J, Bosch J, Bordas JM et al. Propranolol versus sclerotherapy in preventing variceal rebleeding: a randomized controlled trial. *Gastroenterology* 1993; 105: 1508.
- Toyonaga A, Iwao T. Portal hypertensive gastropathy. *J. Gastroenterol Hepatol.* 1998; 13:9, 865-77.

- Triger DR, Smart HL, Hosking SW, Johnson AG. Prophylactic sclerosing of esophageal varices, long term results of a single-center trial. *Hepatology* 1991; 13 : 149-53.
- Tripodis SP, Burnstein AV, Wenger J: Gastric ulcers after endoscopic sclerosis of esophageal varices. *J. Clin. Gastroenterol.* 1985;1: 77-79.
- Tsokos M, Bartel A et al. Fatal pulmonary embolism after endoscopic embolization of down hill esophageal varix. *Deutsche Medizinische Wochenschrift.* 123(22):691-5, 1998 May 29.
- Uchibori S, et al: pulmonary circulatory disturbances following endoscopic injection sclerotherapy. *Japanese Journal of thoracic diseases* 1993; 31 (7): 833-9.
- Uribarrenal R, Kimene J, Fortun MT et al.; Esophageal motility disorders in cirrhotics treated by sclerosing the varices. *Rev. Esp. Enferm. Dig.* 1990; 78: 1-5. (in Spanish)
- Valla D, Benhamon JP. Obstruction of hepatic veins or supra-hepatic inferior vena cava. *Dig. Dis.* 1996; 14:99.
- Valla D, Casadevall N, Huisse MG et al. Etiology of portal thrombosis in adults. *Gastroenterology* 1988; 94:1063.
- Valla D, Girod C, Lee SS et al. Lack of vasopressin action on splanchnic hemodynamics during bleeding; a study in conscious, portal hypertensive rats. *Hepatology* 1988; 8: 10.
- Vallgren S, Sigurdsson GH, Moberger G, Christenson JT: Influence of intravenous injection sclerotherapy of respiratory function. *Acta Chir Scand* 1998; 154: 271-76.
- Van Ruiswyk J, Byrd JC. Efficacy of prophylactic sclerotherapy for prevention of a first variceal hemorrhage *Gastroenterology* 1992; 102: 587.

- Veterans affairs cooperative variceal sclerotherapy group. Sclerotherapy for male alcoholic cirrhotic patients who have bled from esophageal varices: results of a randomized multicenter clinical trial. *Hepatology* 1994; 20: 618.
- Vianna A, Hayes PC, Moscoso G et al. Normal venous circulation of the gastresophageal junction. A route to understanding varices. *Gsterenterology* 1987; 93: 618.
- Villanueva C, balanzo J, Novella MT et al. Nadolol plus isosorbide mononitrate compared with sclerotherapy for the prevention of variceal rebleeding. *N. Engl. J. Med.* 1996; 334: 1624.
- Vorobioff J, Picabea E, Gamen M et al. Propranolol compared with propranolol plus isosorbide dinitrate in portal hypertensive patients: long-term hemodynamic and renal effects. *Hepatology* 1993; 18: 477.
- Vorobioff J, Picabea E, villavicencio R et al. Acute and chronic hemodynamic effects of propranolol in unselected cirrhotic patients. *Heptology* 1987; 7: 648.
- Vorovioff J, Garcia-Tsao G, Groszmann R et al. Long-term hemodynamic effects of ketanserin, a 5-hydrotryptamine blocker, in portal hypertensive patients. *Hepatology* 1989; 9: 88.
- Waldram R et al. Detection and grading of esophageal varices by fibroptic endoscopy and barinm swallow with or without buscopan. *J Clin Radiology* 1977; 28:137.
- Waren WD, Millkian WJ et al. Distal splenorenal shunt with spleno-pancreatic disconnection. A 4 years assessment. *Ann Surg* 1989; 210:332-341.
- Webb LJ, Berger LA, sherlock S. Grey-scale ultrasonography of portal vein. *Lancet* 1977; ii: 675.

- Webb LJ, Scherlocks. The aetiology, presentation and natural history of extrahepatic portal venous obstruction. *Q.J. Med.* 1979; 48: 627.
- Weinshel E, Chen W, Falkenstein DB et al. Hemorrhoids or rectal varices: defining the cause of massive rectal hemorrhoidal varices: defining the cause of massive rectal hemorrhage in patients with portal hypertension. *Gastroenterology* 1986; 90: 744.
- Wernze H, Tittor W, Goerig M. Release of prostanoids into the portal and hepatic vein in patients with chronic liver disease. *Hepatology* 1986; 6: 911.
- Westaby D, Hayes PC, Gimson AE et al.: Controlled clinical trial of injection sclerotherapy for active variceal bleeding. *Hepatology* 1989; 9: 274-277.
- Westaby D, Polson RJ, Gimson AES et al. A controlled trial of oral propranolol compared with injectin sclerotherapy for the long-term management of variceal bleeding. *Hepatology* 1990; 11: 353.
- Westaby D, Hayes PC, Gimson AE et al.: Comparison of propranolol with injection sclerotherapy in prevention of rebleeding from esophageal varices in cirrhotic patients. *Drugs* 1989; 37 (suppl 2): 42-46.
- Wilborn SL, Rector WG, Schaefer JW: An esophagobronchial fistula after variceal sclerotherapy. Development and successful nonsurgical management. *J. Clin. Gastroenterol.* 1988; 10: 81-83.
- Willett IR, Sutherland RC, O'Rourke MF et al. Pulmonary hypertension complicating hepato-cellular carcinoma. *Gastroenterology* 1984; 87: 1180.
- Williams A, Trewby P, Williams R et al. Structural alterations to the pulmonary circulation in fulminant hepatic failure. *Thorax* 1979; 34: 447.

- Williams R, Westaby D, McDougal BRD: Injection sclerotherapy indications; techniques, results and complications. Endoscopic sclerotherapy of esophageal varices, Ed. Sivak MV Jr. Gastroenterology Series V.I. Praeger 1984: 121-128.
- Witte MH, Witte CL, Dumont AE. Progress in liver disease : physiological factors involved in the causation of cirrhotic ascites. Gastroenterology 1971; 61:742.
- Wong A, Rosenstein AH, Rutherford RE, James SP. Bacterial endocarditis following endoscopic variceal sclerotherap. J. Clin. Gastroenterol 1997 Mar; 24(2):90-1.
- Yamaga H, Hashizume M, Kitano S et al.: Acute renal failure after endoscopic injection sclerotherapy; a report of two cases. Endoscopy 1989; 21:43.
- Yamaga H, Hashizume M, Kitano S, Higashi H, Yoshino I, Sugimachi K. Acute renal failure after endoscopic injection sclerotherapy: a report of two cases Endoscopy 1989; 21: 43.
- Yeh YY, Hou MC, Lin HC, Cheng FY, Lee SD. Case report of duodenal varix using endoscopic ligation. J. Gastroenterol Hepatol, 1998 Jun, 13 : 6, 591-3.
- Zeller F, et al: Thoracic manifestations after esophageal variceal sclerotherapy. Mayo Clinic proceedings 1991 (July): 727-32.
- Zemel G, Katzen BT, Becker GJ et al. Percutaneous transjugular portosystemic shunts. JAMA 1991; 266: 390.
- Zoli M, Iervese T, Merkel C et al. Prognostic significance of portal hemodynamics in patients with compensated cirrhosis. J. Hepatol. 1993; 17: 56.