



# REFERENCES




---

## REFERENCES


- 1-**Aglietta, M. (1998):**Ex vivo expansion of hematopoietic cells and their clinical use. *Hematologica Rev*:83:824.
- 2-**Al-Homaidhi, A.; Prince, H.M.; Al-Zahrani. H .; Doucette, D.; Koating, A. (1998):** Granulocyte macrophage colony stimulating factor associated histiocytosis and capillary leak syndrome following autologous bone marrow transplantation Bone marrow transplant, 21(2).209-14.
- 3-**Almici, C.; Manoni, L.; Carlo-Stella, C.; Garau, D.;Cottafavi, L. and Rizzoli, V. (1995):** Natural killer cell regeneration after transplantation with mafosfamide purged autologous bone marrow. *Bone Marrow Transplant.*, 16(1):95-101.,
- 4-**Anderson, K.C. and Dzik, W.H. (1991):** Transfusion medicine in bone marrow and solid organ transplantation. In: *Haematology basic principles and practice*, edited by Hoffmans R, Benz EJ, Shattil SJ, Furite B and Cohen H, (1st ed.) Churchill Livingston. NewYork, Edinburgh, London Melbourne, Tokyo. PP. 1670.
- 5-**Antonin, G.; Ceschin, V.; Moeion., S. and et aL, (1998):** Early neurologic complication following allogeneic bone marrow transplant for leukemia. *Neurology*, 50(5): 1441-5.
- 6-**Appelbaum F.R.:** Bone marrow transplantation for leukaemia-current status and strategies for improvement. *Ann Acad. Med Singapore*, 33 (5): 4-6,2004.
- 7-**Appelbaum, F.R. (1996):** The Use of Bone Marrow and Peripheral Blood Stem Cell Transplantation in the Treatment of Cancer. *J Clin.*, 46:142-164.



- 
- 8-Appelbaum, F.R.; Clift, R.A, and Buckner, C.D. (1990):** Allogeneic marrow transplantation for acute non lymphoblastic leukemia after first relapse. *Blood*, 61;949.
- 9-Armitage J.O. (1994):** Bone marrow transplantation . *N. Engl. J. Med.*, 330:827-829.
- 10-Ashihara,E.; Shimazaki, C. and Tlirata, T. (1993):** Auto immune thrombocytopenia following peripheral blood stem cell autografting. *Bone marrow transplant* 12:297-305.
- 11-Ball, E.D.; Mills, L.E. and Cornewell, G.G. (1990):** Autologous bone marrow transplantation for acute myeloid leukemia using monoclonal antibody purged bone marrow. *Blood*, 75:1199.
- 12-Barlogic, B. and Gahrton, G. (1991):** Bone marrow transplantation in multiple myaloma. *Bone Marrow Transplant*, 7:71-77.
- 13-Barnett, M.J.; Eaves C.J, and Philips, C.L. (1992):** Successful autografting in chronic myeloid leukemia after maintenance of marrow in culture. *Bone Marrow Transplant*, 4-345.
- 14-Barrett, A.J. (1992):** Graft versus host disease. In: *Bone marrow transplantation in practice*, edited by Treleven. J.; Barret, J. and Gale, R.P., Churchill Livingston, PP. 257-272.
- 15-Bastion, Y.; Brice, P. and Haoum, C. (1995):** Intensive therapy with peripheral blood progenitor cell transplantation in 60 patient with poor prognosis follicular lymphoma *Blood*, 86:3257-3263.
- 16-Bellou. A.; Kanny,. G.; Fremont. S. and Moneret-Vautrin. D.A. (1997):**Transfer of atopy following bone marrow transplantation. *Ann. Allergy. Asthma. Immunol..* 78(5):513-6.
-




- 17-Bern, M.M; Lokich, Z.Z. and Walloch, S.R. (1990):** Very low doses of warfarin can prevent thrombosis in central venous catheter: a randomized prespective trial. *Ann. Intern. Med*, 122:423-428.
- 18-Bethge. w.a.; Hegenbart U., Stuart M.J. and et al., (2004):** Adoptive immuno therapy with donor lymphocyte infusions after allogeneic hematopoietic cell transplantation. *Blood*, 103:790-795.
- 19-Beyer, N.; Schwella, N. and Zingsem, Z. (1995):** Hematopoietic rescue after high dose chemotherapy using autologous peripheral blood progenitor cells or bone marrow:a randomized comparison, *J, Clin.Oncol.*, 13:1328-3335.
- 20-Bierman, P.J.; Warkentin, P.; Huchins, M.R. and Klassen, L.W. (1993):**Pure red cell aplasia following ABO mismatched marrow transplantation for chronic lymphocytic leukemia: response to antithymocyte globulin. *Leuk. Lymphoma*, 9(1-2):169-71.
- 21-Biggs, J.C; Horowitz, M.M and Gale, R.P. (1992):** Bone marrow transplantation may cure patients with acute leukemia never achieving remission with chemotherapy. *Blood*, 80: 1090-1093.
- 22-Billingham R.E.:** Biology of graft versus- host reaction the hervey lectures. Academic Press, 62: 21-78,**1999**.
- 23-Blaise, D.; Gaspard, M.H, and Stoppa, A.M. (1990):** Allogeneic or autologous bone marrow transplantation for acule lymphoblastic leukemia in first complete remission. *Bone Marrow Transplant*, 5:7.
- 24-Blaise, D.; Maranichi, D. and Arhcimbaud, E. (1992):** Allogeneic bone marrow transplantation for acute myeloid leukemia in first remission: a randomized trial of a busulfancytoxan versus cytoxan total body irradiation as preparative regimen: a report from the groupe d'Etudes de




---

la Greffe de moelle Osseuse. Blood, 97:2578.


- 25-Blume, K.G. (1990):** Marrow transplantation. In: HaematoLogy, edited by Williams WJ, Beutler E, Erslev AJ and Lichtman MA, (4th ed., Vol, 2). McGraw-Hill publishing company. New York, London, Hamburg. Tokyo, PP. 1674.
- 26-Boiron, J.M.; Reiffers, and Lowenthal R.M. (1996):** Blood cell transplantation: past, present and future. Hematol Cell Ther; 38 no 5: 381-39146.
- 27-Boiron, Z.M.; Marit, G. and Faberes, C. (1993):** Collection of peripheral blood stem cell in multiple myeloma following single high dose cyclophosphamide with and without recombinant human granulocyte macrophage colony stimulating factor. Bone Marrow transplant., 12:49-57.
- 28-Bonetti. F.; Montagna. D.; Forta. F. and et al., (1995):** autologous bone marrow transplantation for acute myelogenous leukemia in children using total body irradiation and melphalan as conditioning regimen. Leukemia. 9(4):570-5.
- 29-Bornhauser. M.; Kiehl. M.; Siegert. W. and et al (2001):** Dose reduced conditioning for allografting in 44 patients with chronic myeloid leukemia: a retrospective analysis. British Journal of Haematology, 115:119-124.
- 30-Brenner. M.K.; Rill. D.R.; Moen. R.C. and et al., (1993):** Gene-marking to trace origin of relapse after autologous bone marrow Transplantation Lancet: 341:85-86.
- 31-Broudy, V.C.; Zuckerman, K.S.; Jetmalani, S. and et al (1990):** Monocyte stimulate fibroblastoid bone marrow hemopoietic growth factors. Blood 68 : 530.



- 32-Broxmeyer, H.E.; Douglas, G. W.; Hangoc, G. and et aL, (1992):** Human umbilical cord blood as a potential source of transplantable, .hematopoietic stem/progenitor cells. Proc Nati. Acad. Sci. USA86:3828-3832.
- 33-Bunin, N.; Carston M.; Wall D. and el al., (2002):** Unrelated marrow transplantation for children with acute lymphoblastic leukemia in second remission. Blood, 99:3151-3157.
- 34-Campana, S; Corradini, P.; Astolfi, M. and el al, (1997):** Analysis of the immunoglobulin heavy chain gene rearrangement providing molecular evidence of second lymphoma in a patient in apparent relapse after autotransplantation. Bone Marrow Transplant, 20(4):341-3.
- 35-Cao T,M., Lo B., Ranheim E.A, et al:**Variable hematopoietic graft rejection and graftversus host disease in MHC-matched strains of mice-PNAS: 100 (20), 11571-11576, **2003**.
- 36-Carlo-Stella, C .;Mangoni. L.: Almici, C. and et al.,(1994):** Autologoustransplant for chronic myelogenous leukemia using marrowtreated ex vivo with mafosfamide. Bone Marrow Transplant. 14(3):425-32.
- 37-Carlo-Stella, C.; Cazzola, M.; De Fabritiis.P. and et al, (1995):**CD34-positive cells: biology and clinical relevance,Haematologica:80:367-87.
- 38-Cashman. J.; Bockhold. K.: Hogge, D.E. and et al, (1997):** SuStained proliferation. Multilneage differentiation. And maintenance of primitive human haemopoietic cells in NOD/SC1D mice Transplanted with human cord blood, Br. J. Haematol; 98:1026-1036.
- 39-Cassens, U.; Ostkamp, O.P.; Garritsen. H. and et al.,(1997):** Efficacy and kinetics of bone marrow processing and enrichment of haemaropoietic




- progenitor cells (HPC) by a large volume apheresis procedure. Bone Marrow Transplant, 19(8):835-40.
- 40-Cavins, J.A.; Scheer, S.C.; Thomas, E.D and Ferrebee, J. W. (1991):** The recovery of lethally irradiated dogs given infusions of autologous leukocytes preserved at -80 C- Blood; :23:38- 43.
- 41-Champlin, R.E.; Schmitz, N.; Horowitz M.M. and et al (2000):** Blood stem cells compared with bone marrow as a source of hematopoietic cells for allogeneic transplantation. Blood, 95:3702-3709.
- 42-Champlin. R.E., Ho, W., Arenson, E. and Gale, R.P. (1993):** allogeneic bone marrow transplantation for chronic myelogenous leukemia in chronic or accelerated phase. Blood, 60:1038.
- 43-Chao, N.J.; Emerson S.G, and Weinberg K.I. (2004):** Stem cell transplantation (cord blood transplants). Hematology, (1):354-371.
- 44-Charbort, P. (2001):**Mediators involved in the control of hematopoiesis by the micro-environment, Hematopoiesis: A developmental approach (LI Zon, ed.) Oxford University Press, New York, B.707-717.
- 45-Chon, S.R.; Marks, D.I.; Cornish, J.M, and et al, (1997):** Unrelated donor bone marrow transplantation in children and young adults with acute myeloid leukemia in remission. Br- J. Haematol, 99(1):36-40.
- 46-Chung, D.H.; Belyakov I.M; Derby M.A. and et al, (2001):** Competitive inhibition in vivo and skewing of the T cell repertoire of antigen-specific CTL priming by an anti-peptide-MHC monoclonal antibody. The Journal of Immunology, 167:699-707.
- 47-Clark, B.R.; Gallagher, J.T. and Dexter, T.M. (1992):** Cell adhesion in the stromal regulation of hematopoiesis .Baillieres Clin Haematol, 5: 619-652.



- 48-Clift, R.A. (1992):** Treatment of acute lymphoblastic leukemia by allogeneic marrow transplantation, *Bone Marrow Transplant*, 2:243-249.
- 49-Collins, R.H.; Shpilberg, O.; Drobyski, W. and et al, (1997):** Donor leukocyte infusion in 140 patients with relapsed malignancy after allogeneic bone marrow transplantation. *J. Clin. Oncol.*, 15:433-444.
- 50-Cornelissen, J.J. and Lowenberg, B. (2005):** Stem cell transplantation in current treatment of acute myeloid leukemia, *Hematology (The American Society of Hematology)*, 151-155.
- 51-Corradini P.; Voena, C. and Asfolfi, M. (1995):** High dose sequential chemotherapy in multiple myeloma. *Blood*, 85:1596-1603.
- 52-Cox, CV; Evely R.S.; Oakhill A. and et al, (2004):** Characterization of acute lymphoblastic leukemia progenitor cells. *Blood*. 104:2919-2925.
- 53-Craddock C. and Chakraverty R.:** Stem cell transplantation, in Hoffbrand A.V., Catovsky D., Tuddenham Edward G.D. (eds): *Post graduate haematology*, ed- 5. USA: Blackwell Publishing, Inc., 419-435, **2005**.
- 54-Crawford, S. and Petersen, F.B. (1992):** Long term survival from respiratory failure after marrow transplantation for hematological malignancy. *American Review of Respiratory Disease*. 145:510-514.
- 55-Crown. Z.; Kirtz A. and Vahdat, L (1993):** Rapid administration of multiple cycle of high dose myelosuppressive chemotherapy in patients with metastatic breast cancer. *J. Clin. Oncol.*, 11:1144-1150
- 56-Cutler C. and Antin J.H.:** Peripheral blood stem cells for allogeneic transplantation, A review. *Stem cells*, 19(2): 108-117, **2001**.
- 57-Cutler, C and Antin, J.H. (2001):** Peripheral blood stem cells for allogeneic




- transplantation. A Review. Stem Cells., 19 (2):108-117.
- 58-Davies, S.M.; Rowley, S.D. and Braine, H.G. (1990):** Clinical toxicity of cryopreserved bone marrow graft infusion. Blood, 75:781.
- 59-De Bant ES , kimpfen JL , Tamminga RY and Niemmarkt AE . ( 2001 ) :** Intrinsic capacity of monocytes to produce cytokines ex vivo patients with acute lymphoblastic leukemia . Cytokine ; Nov ; 12 (11 ) : 1723 – 6.
- 60-Deeg, H.J. and witherspon, R.P (1993):** Risk factors for the development of secondary malignancy after bone marrow Transplantation. Hematol. Oncol. Clin-North, Am, 7(2):417-29.
- 61-Domenech, J.; Roingeard, F. and Binet, C (1997):** The mechanisms involved in the impairment of hematopoiesis after autologous bone marrow transplantation. Leuk. Lymphoma, 24(3-4);239-56.
- 62-Dopfer,R.;Henze,G. and Bender-Gotze,C.(1991):**Allogeneic bone marrow transplantation for children acute lymphoblastic leukemia in second remission after intensive primary according to The BFM and co ALL protocols; Results of the German cooperative study, Blood, 78:2780.
- 63-Dracker, R.A. (1995):** Hematopoietic Stem Cell: Form, Method. Characteristics. Immunological Investigation, 24.443-449.
- 64-Duncombi, A. (1997):** Bone marrow and stem cell transplantation, BMJ;314:1179, 19April.
- 65-Elmaagacli, A.H.; Basoglu S; Peceny R. and et al (2002):** Improved disease free survival after transplantation of peripheral blood stem cells as compared with bone marrow from HLA-identical unrelated donors in patients with first chronic phase chronic myeloid leukemia



.Blood.99:1130-135.

- 66-Essell, J.H.; Schroeder, M.T.; Harman, G.S. and et al., (1998):** Ursodiolprophylaxis against hepatic complications of allogeneic bone marrow transplantation, *Ann, Intern. Med.*, 128(12):975-81.
- 67-Fahmy, O.A.; Mahmoud, H.K.; Haddad A.E. and et al, (2001):** Peripheral blood: The challenge in hematopoietic stem cell transplantation. *ISH. European African. Division meeting.*
- 68-Fefer, A.; Cheever, M.A. and Greenberg, P, (1993):** Treatment of chronic granulocytic leukemia with chemoradiotherapy and transplantation of marrow from identical twins. *N. Engl. J. Med.*, 306:63.
- 69-Fegan, C; Thomas, H. and Coleman, S. (1995):** In vitro lymphokine activated killeer (LAK) activity following autologous peripheral blood stem cell is significantly greater than that following autologous bone marrow and allogeneic bone marrow transplantation. *Bone Marrow Transplant*, 16:277-282.
- 70-Feinstein, L.C; Sandmaier, B.M.; Hegenbart, U. and et al, (2003):** Non myeloablative allografting from human leucocyte antigen identical sibling donors for treatment of acute myeloid leukemia in first complete remission. *British Journal of Haematology*, 120:201-208.
- 71-Flicdnr T., Gracssle D., Paulsen C. and Rcimcrs K . (2002) :** Structure and function of bone marrow hemopoicisis: meehanisms of response to ionizing radiation exposure. *Cancer Biotherap.Radiopham.*, 17:405.
- 72-Foerster, J. (1993):** Bone marrow transplantation: In: *Wintrobe's clinical haematology*, Lee GR, Bithell TC, Foerster J, Athens JW and Lukens




- JN, (9th ed, Vol. 1). Lea and Febiger, Philadelphia, London. PP.701.
- 73-Fontanilles A., Corbcrand J., Pinicaud L. et al. (2001) :** Inflammatory / hematopoietic cytokin production by human bone marrow adipocytes. Eur. Cytokine Network, II :634 .
- 74-Forman, S.J.; O'Domell, M.R. and Nadermane A.P. (1991):** Bone marrow transplantation for patients with Philadelphia chromosome positive acute lymphoblastic leukemia. Blood, 70:587.
- 75-Forman. S,J.; Schmidt. G.M. and Nadermane, A.P. (1991):** Allogeneic Bone marrow transplantation as therapy for primary induction patients for patients with acute leukemia, J, CL in. Oncol,9:1570.
- 76-Francis J. Giles, Armand Keating, Anthony H. Goldstone, and Hagop M. Kantarjian. (2002) :** Role of BMM in acute myeloid leukemia . Hematology ; (14) : 1239 – 1246 .
- 77-Fujimoir, Y.; Kanamaru, A.; Hashimoto, N. and et al, (1996):** Second transplantation with CD34+ bone marrow cells selected from a two-loci HLA mismatched sibling for a patient with chronic myeloid leukaemia, 94(1):123-5.
- 78-Gahrton, G.; Tura, S. and Ljungman, P. (1991):** Allogeneic bone marrow transplantation in multiple myeloma. N. Engl. J. Med., 325:1267.
- 79-Gajewski, J.; Gjertson, D; Cecka, M. and et al, (1997):** The impact of T-cell depletion on the effects of HLA DR beta 1 and DQ beta allele matching in HLA serologically identical donor bone marrow transplantation. Biol. Blood Marrow Transplant. 3(2):76-82.
- 80-Gale, R.P, (1992):** Blood stem cell transplants come of age. Bone Marrow




---

transplant, 9:151-159.


- 81-Gallardo, D; GarcíA, J.; Sureda, A. and et al, (1997):** Low dose donor CD8+ cells in the CD4- depleted graft prevent allogeneic marrow graft rejection and severe graft versus host disease for chronic myeloid leukemia patients in first chronic phase. *Blood Marrow transplant* .20(11):945-52.
- 82-Gallicchio, V.S. (1998):** Hematopoiesis and Review of Genetics, Chapter 5, in *Clinical Hematology*, 2nd edition, E. Anne Stiene- Martin, PhD. MT (ASCP) et. al, Lippincott Philadelphia. New York.
- 83-Gilimore, J.D.; Daviess J.; Iqbal, A. and et al ., (1998):** Allogeneic bone marrow transplantation for systemic AL amyloidosis, *Br. J, Haematol.*, 100(1 );266-8.
- 84-Gluckmam, E.; Rocha, V.; Boyer-Chammard. A, and et al, (1997):**Outcome of cord blood transplantation from related and unrelated donors, *N EngL J. Med.*; 337: 373- 381.
- 85-Goldberg, S.L.; Mangan, K.F. amf Klumpp, T.R. (1993):** Complications of peripheral blood stem cell collections. *Blood*, 82:631-639.
- 86-Golomb, H.M. and Verdeman, J.W. (1990):** Hairy cell leukemia. In. . *Hematology*, edited by Williams WJ,Beutier E,Erslev AJ and Lichtman MA (eds): (4th ed, Vol. 2) McGrawHill publishing company. New York, London, Hamburg, Tokyo, PP. 1025.
- 87-Goodman R.S., Ewing J., Evans. P-C, et al:**Donor CD31 genotype and its association with acute graft-versus-host disease in HLA identical sibling stem cell transplantation. *Bone marrow transplantation*, 36: 151-156, **2005**.



- 88-Gordon M.:** Stem cells and haemopoiesis, in Hoffbrand AV., Catovsky D., Tuddenham Edward G,D, (cds): Postgraduate haematology, ed. (5). USA:Blackwell Publishing, Inc., 1-12,2005.
- 89-Gorin. N.C. (1994):** Autografts and acute leukemia 15 years later. Presses, Med,26(37):1710-6.
- 90-Gorin. N.C.; Aegerter, P. and Auvert , B. (1990):** Autologous bone marrow transplantation for acute myeloid leukemia in first remission; An European survey of the role of marrow purging blood, 75:1606.
- 91-Goulmy E. (1997):** Human minor histocompatibility antigens: new concepts for marrow transplantation and adoptive immunotherapy. Immunol Rev, 157:125-40.
- 92-Gratwohl, A; Baldomero, H. and Zohn, L. (1995):** Transplantation of G-CSF mobilized allogeneic peripheral blood stem cells in rabbits,Bone Marrow Transplant, 16:63-69.
- 93-Gribben. J.G; Freedman, A.S; Neuberg. G. (1991):** Immunologic purging of marrow assessed by PCR before autologous bone marrow transplantation for B-cell lymphoma, N, Engl. Med., 325:1525.
- 94-Gross, T.G.; Hoge, F.J.; Jaks, on, J,D.; Sammut, P.H. and Warkentin, P.L. (1994):** Fatal eosinophilic disease following autologous bone marrow transplantation. Bone Marrow Transplant. 14(2):333-7.
- 95-Guglielmi C., Arcese W, Hermans J., et al:** Risk assessment in patients with PH+ chronic myelogenous leukemia at first relapse after allogeneic stem cell transplant: an EBMT retrospective analysis. Blood, 95: 3328-3334, 2000.



- 96-Hagglund, H.; Ringden, O.; Agren, B. and et al., (1998):** Intraosseous compared to intravenous infusion of allogeneic bone Marrow .Bone Marrow Transplant, 21(4):333-5.
- 97-Harousseau, Z.L.; Attal, M. and Divine, M. (1995):** Comparison of autologous bone Marrow transplantation and peripheral blood stem cell transplantation after first remission induced treatment m multiple myeloma. Bone Marrow Transplant. 15:963-971.
- 98-Hernandez-Navarro, F.; Oieda, E. and et al., (1998):** Haemtopoietic cell transplantation using plasma and MDSO without HES, with non programmed freezing by immersion in a methanol bath. Bone MarrowTransplant ,21(5):511-7
- 99-Heslop, H.E.; Brenner, M.K. and Kranec R.A. (1999):** Bone marrow transplantation . In postgraduate haemalology edited by Hoffbrand AB, Lewis SM and Tuddenham EGD. Fourth edition butter worth Heinemann Oxford. Ch, 25. P. 530.
- 100-Hess, C.E. (1993):** Hairy cell leukemia, malignant histiocytosis and related disorders. In: Wintrobe's clinical hematology, edited by Lee, GR, Bitheil, TC, Foerster J, Athens JW and Lukens JN, (9th ed.,. Vol. 1) Lea and Febiger. Philadelphia. London, PP, 21 70.
- 101-Hidalgo A., Andres S., Sanz-recariguez J. et al., (2001) :** Chemokine SDF-1alpha modulates VLA-4 integrin-mediated multiple myeloma cell adhesion to CS-1/fibronectin and VCZM-. Blood 97:346.
- 102-Hoffbrand A., pettit J. An dmoss P.(Eds.) (2001) :**Blood cell formation (hemopoiesis). In: Essential Hematology,4th End., Blackwell-science,P. 1.



---

**103-[http://employees.csbsju.edu/hjakubowski/classes/ch331/dna/oldn\\_alang\\_uage.html](http://employees.csbsju.edu/hjakubowski/classes/ch331/dna/oldn_alang_uage.html)**

**104- <http://www.hemacare.com/stemcell.html>**

**105- <http://www.txtwriter.com/Backgrounders/Genetech/Gepage/html>**

**106- Huhn, R.D.; Yurkow. E.J.; Tushinski. R. and et al. (1996):**  
Recombinant human interleukin-3 (rhIL-3) enhances the mobilization of Peripheral blood progenitor cells by recombinant human granulocyte colony-stimulating-factor (G-CSF) in normal volunteers. Exp. Hematol; 24: 839-847.

**107- Hunault, .M.Harosseau. J.L: Delain. M. and et al., (2004):** Better outcome of adult acute lymphoblastic leukemia after early genoidential allogeneic bone marrow (BMT) than after late high dose therapy and autologous BMT Blood, 104:3028-3037.


**108- Jackson, G.H.; Taylor, P.R.; Lennard, A.L. and Proctor, S.J. (1994):**Autologous bone marrow transplantation in acute lymphoblastic leukemia Blood Rev,8(3):161-8

**109- Jakscb M. and Mattson J.:** The pathophysiology of acute graft-versus-host disease. Scandinavian Journal of Immunology, 61: 398-409,2005.

**110- Jansen, J.; Hank, S.; Akard, L.P. et al, (1996):** Immunomagnetic CD4+ and CD8+ cell depletion for patients at high risk for severe , acute GVHD, Bone Marrow Transplant. 17(3): 377-82.

**111- Joanna Cichy and Ellen Pure, (2003) :**The liberation of cd44 . J. of cell Biology, Vol. 161 , (5) : 839\_843.

**112- Kanfer, E. (1992):** Bone marrow transplantation conditioning




- schedules. In: Bone marrow transplantation in practice, edited by Treleaven J. Barren J and Gale PR. Churchill Livingstone, PP. 247-251.
- 113- Kanfer, E.; Abahamson, G; Taylor. J. and et al., (1994):** Severe rotavirus associated diarrhea following BMT: treatment with oral immunoglobulin. Bone marrow transplant. 14:651-652,
- 114- Kernan, N.A.; Bartsch, G. and Ash. R.C and et al., (1993):** Analysis of 462 transplantation from unrelated donors facilitated by the national marrow donor program. N.Engl. J.Med., 328:593-600.
- 115- Kessinger, A. ;Armitage, J.O.: Landmark, J.D. and et al., (1993):** autologous peripheral hematopoietic stem cell transplantation restores hematopoietic function following marrow ablative therapy. Blood; 71:723-727.
- 116- Kessinger, A. ;Armitage, J.O.: Smith, D.M. and et al, (1992):** High dose therapy and autologous peripheral blood stem cell transplantation for patients with lymphoma. Blood, 74:1260-1268
- 117- Kessinger, A. and Armitage. J.O. (1991):** Harvesting marrow for autologous transplantation from patients with malignancies. Bone Marrow. Transplant. 215.
- 118- Keung Y.K.; Lau, S.; Elkayam, .M. and et al, . (1994):** Cardiac arrhythmia after infusion of cryopreserved stem cell. Bone Marrow Transplant. 14:3693-376.
- 119- Kiehl, M.G.: Kraut, L.: Schwerdtfeger, R. and et al., (2004):** Outcome of allogeneic hematopoietic stem cell transplantation in adult patients with acute lymphoblastic leukemia: No difference in related compared with un-related transplant in first complete remission, Journal. Of



Clinical Oncology, 22:2816-2825.

- 120- Kim Y.J., Kim D.W., Lee S., et al:** Minimal residual disease: Preemptive treatment of minimal residual disease posttransplant in CML using real time quantitative RT-PCR : A prospective, randomized trial- Bone marrow transplantation, 33 :535-542, **2004**.
- 121- Kline; R,M and Bertolone S.J(1998):** Umbilical Cord Blood transplantation, Providing a Donor for Everyone Needing a Bone Marrow Transplant? South Med J 91(9); 821-828.
- 122- Klumpp, T.R. (2005):** Complications of peripheral blood stem cell transplantation. Semin, Oncol., 22:199-205.
- 123- Korbling M, Katz R.L., Khanna A, et al:**Hepatocytes and epithelial cells of donor origin in recipients of peripheral blood stem cells. N Engl J Med, 346: 738, **2002**.
- 124- Korbling, M.; Przepiorka, Huh, Y.O. and et al, (1995):** Allogeneic blood stem cell transplantation for refractory leukemia and lymphoma: potential advantage of blood over marrow allografts. Blood, 85:1665-1673.
- 125- Korbling, M. and Anderlini ,P. (2001):** Peripheral blood stem cell versus,bone marrow allotransplantation: does the source of hematopoietic stem cells matter? Blood, 98:2900-2908.
- 126- Korbling, M.; Holle, R, and Haas, R. (1990):** Autologous blood stem cell transplantation in patients with advanced Hodgkin's disease and poor radiation to the pelvise site. J.Clin. Oncol., 8:978-983.
- 127- Krause, D.S.; Fackler, M.J.; Civin, C.L and Stratford M.W. (1996):**CD34: structure, biology, and clinical utility. Blood; 87:1-13.



- 128- Lacopino, P.; Pucci,G.; Arcese, W. and et al, (1999):** Severe thrombotic microangiopathy: an infrequent Complications of bone marrow transplantation. *Bone Marrow Transplant*, 24(1):47-51.
- 129- Lane, T.A.; Law P.; Maruyama, M. and et al, (1995):** Harvesting andenrichment of hematopoietic progenitor cells mobilized into peripheral blood of normal donors by, granulocyte- macrophage colony-stimulating factor (GM-CSF) and G-CSF: potential role in allogeneic marrow transplantation. *Blood*; 85: 275- 282.
- 130- Lazarchick. J, (2001):** Acute megakaryoblastic leukemia. *ASH, Image Bank*, 100-184.
- 131- Lee, S.J.;Churchill, W.H; Konugres. A.: Gilliland-Dg and Antin. J.H. (1997):** Idiopalhtc thrombocytopenic purpura following allogenic bone marrow transplantation- treatment with anti-D immunoglobuiin. *Bone Marrow Transplant*, 19(2): 173-4.
- 132- lenarsky, C.; weinberg, K. and Guinan, E. (1993):** Bone marrow transplantation for constitutional pure red cell aplesia. *Blood*, 71;226.
- 133- Lewis, J.L, and Gordn, M.Y. (2003):** Haemopoietic cytokines. The cytokine handbook edited by Thomposon EAW and Lotze MT, fourth edition,Elsceier Science, London, PP. 1255-1277.
- 134- Linker, C.A; Ries, C.A. and Damon, L.E. (1993):** Autologous bone marrow transplantation for acute myeloid leukemia using busulfan plus etoposide as a preparative regimen *Blood* 81:311.
- 135- Long, G.D. and Blume, K.G. (1995):** Allogeneic and Autologous marrow transplantation. In: *Williams Hematology*, edited by Beutler E. Lichtman MA,Coller BS and Kipps TJ, Me Graw. Hm Inc. PP. 172-



173.


- 136- Longhurst, HJ.; Grady, C.O.; Evans, G. and et al (2002):** Anti D immunoglobulin treatment of thrombocytopenia associated with primary antibody deficiency *Journal of Clinical Pathology*,55:64-66.
- 137- Lowell C. (2001) :** Fundamentals of blood cell biology. In: *Medical Immunology*,Parslow T., Stites D., Terr A. and Imboden J. (Eds.), 10th Edn., McGraw-Hill, p. 1.
- 138- MacQuillan, G.C. and Mutimer, D. (2004):** Fulminant liver failure due to Severe veno-occlusive disease after haematopoietic cell transplantation: a depressing experience, *QJM*, 97(9):581 -589.
- 139- Martin, P.J (1997):** How much benefit can be expected from matching for minor antigens in allogeneic marrow transplantation, *Bone Marrow Transplant*- 20(2): 97-100.
- 140- Martin, P.J, (1992):** Determinant of engraftment after allogeneic marrow transplantation. *Blood* 79: 1647.
- 141- Matsuishi, E.; Saito, S. and Mayamoto,Y. (1995)**Allogeneic peripheral blood stem cell transplantation for treatment of induction failure a patient with Philadelphia chromosome positive acute lymphoblastic leukemia-*Int J. HematoI.*. 61:43-48.
- 142- Mattiuz. P.L; Di Paolo. E.; Fossombroni, V. and et al.,(1997):** HLA-B44 subtypes and the chance of finding HLA compatible donor/recipient pairs for bone marrow transplantation; a haplotype study of 303 Italian families. *Tissue Antigens*.50(6)602-9.
- 143- Mavroudis, D.A.; Jiang, Z.Y; Heensel, N. and et al, (1996):** Specific depletion of alloreactivity haplotype mismatches related individuals by




- a recombinant immunotoxin: a new approach to graft-versus-host disease prophylaxis in haploidentical bone marrow transplantation. bone marrow transplant. 17(5);793-9.
- 144- Mc Glave P., Xerfaiffia C. and Miller J. (1999) :** Infection of primitive human myeloid and lymphoid progenitor with the marrow microenvironment . Blood . 20 (1) : 121 .
- 145- McCullough, .J; Hansan, J.; Perkins, H. and et al, (1992):** The National Marrow Donor Program: How it works, accomplishments to date. Oncology;3: 63-72.
- 146- McGlave, P.B.; Arthur, D.; Haake, R. (1991):** Therapy of chronic myelogenous leukaemia with allogeneic bone marrow transplantation. J. Clin. OncL, 5:1033.
- 147- McNiece, LK. and Briddel, R.A. (2003):** Stem cell factor. The cytokine handbook. edited by Thompson EAW and Lotze MT. fourth edition, Elsevier Science, London, PP, 1011-1016
- 148- Meignin, V.; Devergie, A.; Bice. P. and et al, (1998):** Hodgkin's disease of donor origin after allogeneic bone marrow transplantation for myelogeneous chronic leukemia transplantation. 65(4):595-7.
- 149- Menichella, G.; Pierelli, L .and Foddai, M.L, (1991):** Autologous blood stem cell harvesting and transplantation in patient with advanced ovarian cancer. Br. L Hematol.. 79:444-451.
- 150- Metcalf. A (1992):** The molecular control of cell division, differentiation commitment and maturation in haemopoietic cells, Nature;339:27-30.
- 151- Michallet A.S., Nicolini F., Furst S-, et al.:** Outcome and long term follow up of alloreactive donor lymphocyte infusions given for relapse after




- myeloablative allogeneic hematopoietic stem cell transplantation (HSCT). Bone marrow transplantation, 35; 601-608, **2005**.
- 152- Michallet, M; Corront, B. and Hollard, A (1991):** Allogeneic bone marrow transplantation in chronic lymphocytic leukemia; 17cases Report from the EBMTG. Bone Marrow Transplant, 7:275.
- 153- Miller, C.B. and Mills, S. (1994):** Erythropoietin after bone marrow transplantation-HemotoL Oncol. Clin. North. Am, 8(5); 975- 92.
- 154- Molineux, G.; Podja, Z.; Hampson, I.N. and et al, (1990):**Transplantation potential or peripheral blood stem cells induced by granulocyte colony- stimulating factor. Blood ; 76: 2153-2158.
- 155- Morrison S., Ushida N. and Weissman (1995) :** The biology of hematopoietic stem cells. Ann. Rev. Cell Diev Biol., 35 : 11 .
- 156- Morrison, S.J.; Shah, N.M. and Andersen, D.J. (2001):** Regulatory-mechanisms in stem cell biology. Cell; 88:287-98.
- 157- Nakahata, T. and Ogawa, M (1993):** Hemopoietic colony- forming cells in umbilical cord blood with extensive capability to generate mono-and multipotential hemopoietic progenitors. J. Clin. Invest.; 70:1324-1328.
- 158- Nergin R.S. and Blume K.G.** Allogenic and autologous hematopoietic cell transplantation, in Beutler E., Lichtman M.A., Coller B.S; Kips T.J., Seligsohn U (eds): Williams Hematology, ed. 6.USA : The McGraw-Hill companies, Inc., 209-247, **2001**.
- 159- Netzel, B.; Rodt, H. and Lau, B. (1992):** Transplantation of syngeneic bone marrow incubated with - leukocyte antibodies: Cytotoxic , activity of anti-c globulin on leukemic cells and normal hemopoietic precursor cells in man- Transplantation, 26:157.
- 160- Neubaur, M.A.; Benyunes, M.C. and Thompson, J-A.**




- (1994):Lymphokine activate killer precursor cell activity is present in infused peripheral stem cells and in the blood after autologous peripheral blood stem cell transplantation. Bone Marrow Transplant, 13:311-317.
- 161- Nevo, S.; Swan, K; Enager, C. and et al, (1998):** Acute bleeding after bone marrow transplantation (BMT) incidence and effect on survival. Blood, 91(4): 1469-77.
- 162- Nicola, N.A.; Begley, C.G. and Metcalf, D.; (1991):** Identification of the human analogue- of a regulator that induces differentiation in murine leukaemic cells. Nature. 314:625.
- 163- Norton, J. (1995):** Graft versus host disease. In: Color Atlas and Test of Bone Marrow Transplantation, edited by Treleaven J and Wiernik P.Mosby wolfe.PP. 185-191.
- 164- Nusair. S. Breuer. R.; Shapira, M.Y. and et al, (2004):** Low incidence of pulmonary Complications following non-mycloablative stem cell transplantation. Eur. Respir., 23:440-445.
- 165- O'ebler V.G., Radich .LP, Storer B., et al.:**Randomzied trial of allogeneic related bone Marrow transplantation versus peripheral blood stem cell transplantation for chronic myeloid leukemia-Biology of blood and marrow tranpslantation, 11:85-92,**2005**.
- 166- Ogawa M. ( 1993 ) :** Differentiation and proliferaton of hematopoietic stem cell . Blood 81 : 2844 – 53 .
- 167- Okamoto Y; Takaue, V and Saito, S. (1993):** Toxicities associated with cryopreserved and thawed peripheral blood stem cell autografts in children with active cancer. Transfusion, 33:578-583.
- 168- Olavarria E., Graddock C., Dazzi F., et al:**Imatinib mesylate (STI 571)




- in the treatment of relapse of chronic myeloid leukemia after allogeneic stem cell transplantation. *Blood*, 99: 3861-3862, **2002**.
- 169- Or, R, Shapira, M.Y.; Resnick, I and et al., (2003):** Non myeloablative allogeneic stem cell transplantation the treatment of chronic myeloid leukemia in first chronic phase. *Blood*. 101:441-445.
- 170- Orazi, A.; Hromas, R.A.; Neiman, R.S. and et al, (1997):** Post transplantation lymphoproliferative disorders in bone marrow transplant recipients are aggressive diseases with a high incidence of adverse histologic and immunological features. *Am. J. Clin. Pathol.* 107(4) 419-29.
- 171- O'Shea, J.; Madrigan, A.; Davey, N. and et al, (1997):** Measurement of cytotoxic T lymphocyte precursor frequencies reveals cryptic HLA class I mismatches in the context of unrelated donor bone marrow transplantation. *transplantation*. 64(9): 1353-6.
- 172- Ottinger, H.D; Beelen, D.; Schailen, B, and et al., (1996):** Improved immune reconstitution after allotransplantation of peripheral blood stem cells instead of bone marrow. *Blood*. 88:2775-2779.
- 173- Pavletic, S.Z.; Khauri. I.F.; Haangenson. M. and et al. (2005):** Unrelated donor marrow transplantation for B-cell chronic lymphocytic leukemia after using myeloablative conditioning: results from the center for international blood and marrow transplant research-*Journal of Clinical Oncology*. 23:5788-5794.
- 174- Pei, J.; Martin, P.J.; Longton, G. and et al., (1997):** Evaluation of pretransplant donor anti-recipient cytotoxic and helper T lymphocyte responses as correlates of acute graft- versus- host disease and survival after unrelated marrow transplantation. *Biol. Blood. Marrow. Transplant*. 3(3): 142-9.




- 175- Peranteau, W.H.; Hayashi, S.; Hsieh, M. and et al, (2002):** High level allogeneic chimerism achieved by prenatal tolerance induction and postnatal non myeloablative bone marrow transplantation. *Blood*, 15:2225-2234.
- 176- Quesenberry, P.J (1995):** Hemopoietic stem cell progenitor cells and cytokines, in *Williams Hematology* edited by William JW et al, 5th edition. Chapter 22, McGraw-Hill book company.
- 177- Quesenberry P.J. and Colvin C.A.:** Hematopoietic stem cells, progenitor cells and cytokines, in Beutler E., Lichtman M.A., Coffey B.S., Kipps T.J., Seligsohn U, (eds); *Williams Hematology*- ed (6). USA; The McGraw-Hill Companies, Inc., 153-174, **2001**.
- 178- Rabinowe, S.N.; Soiffer, R.J. and Gribben, J.D. (1993):** Autologous and allogeneic bone marrow transplantation for poor prognosis patients with B- cell chronic lymphocytic leukemia, *Blood* 82:1366
- 179- Radich J.P., Olavarria E. and Apperley J.F.:** Allogeneic hematopoietic stem cell transplantation for chronic myeloid leukemia. *Hematol Oncol Clin N Am*, 18: 685-702, **2004**.
- 180- Randolph T-R. :** Chronic myelocytic leukaemia-Part II: Approaches to and molecular monitoring of therapy. *Clinical laboratory science*, 18 (1); 49-56, **2005**.
- 181- Ratajczak, M.Z.; Ratajczak, J. Machalinski, B. and et al, (1998):** In vitro and in vivo evidence that ex vivo cytokine priming of donor marrow cells may ameliorate posttransplant thrombocytopenia, *Blood*. 91(1)353-9.




- 182- Re, A.; Cattaneo, C.; Michieli, M. and et al (2003):** High dose therapy and autologous peripheral blood stem cell transplantation as salvage treatment for HIV-associated lymphoma in patients receiving highly active antiretroviral therapy. *Journal of Clinical Oncology*, 21:4423-4427.
- 183- Rencher, S.D.; Houston, J.A.; Lackey, T.D. and Hurwitz, J.L. (1996):** Eliminating graft-versus-host potential from T-cell immunotherapeutic populations. *Bone Marrow Transplant.* 18(2);415-20.
- 184- Rill, D.R.; Mpen, R.C. and Buschle, M (1992):** An approach for the analysis of relapse and Marrow reconstitution using retrovirus mediated gene transfer *Blood* 79:2594.
- 185- Rodriguez L., Garcia J. and Querol S.: Predictive utility to the attached segment in the quality control of a cord blood graft. *Biology of blood and marrow transplantation*, 11: 247-251, 2005.**
- 186- Ross, A.A.; Miller, C.W. and Moss, T.J. (1995):** Immunocytochemical detection of tumor cells in bone marrow and peripheral blood stem cell collections from patients with ovarian cancer. *Bone Marrow Transplant.* 15:929-937
- 187- Rowley, S. D.; Jones, R.J. and Piantadosi, S. (1995):** Efficacy of ex vivo purging for autologous bone marrow transplantation in the treatment of acute non- lymphoblastic leukemia. *Blood* 74:501.
- 188- Rowley, S.D.; Miller, C.B. and Piantadosi, S. (1991):** Phase 1 study of combination drug purging for autologous bone marrow transplantation. *J. Clin Oncol*, 9:2210.




- 189- Rubiostein P., Carrier C., Scaradavou A., et al.:** Outcomes among 562 recipients of placental blood transplants from unrelated donors. *N Engl J Med.*, 339: 1565-1577, **1998**.
- 190- Sanchez-GuijO F,M., Sanchez Abarca L,L, Bueno C-, et al.:** Long term immune recovery of patients undergoing allogeneic stem cell transplantation: a comparison with their respective sibling donors, *Biology of blood and marrow transplantation.* 11:354-361, **2005**.
- 191- Scheid, C; Pettengel, R. and Ghielmini, M. (1995):** Time course of recovery of cellular immune function after high dose chemotherapy and peripheral blood progenitor cell transplantation for high grade non Hodgkin's lymphoma. *Bone Marrow transplant,* 15:901-911.
- 192- Schibler, K.R.; Li, Y.; Ohls, R.K. and et al, (1994):** Possible mechanisms accounting for the growth factor independence of hematopoietic progenitors from umbilical cord blood. *Blood* 84: 3679-3684
- 193- Schiller, G.; Feig, S.A.; Terrtto, M. and et al, (1994):** Treatment of advanced acute leukemia with allogeneic bone Marrow transplantation from unrelated donors *Br, J. Haematol.,* 88(1) :72-8,
- 194- Schlegel, P.G. and Chao, N.J. (1996):** Immunododulatory peptides with high binding affinity for class II MHC molecules for the prevention of graft-versus-host disease. *Leuk. Lymphoma.* 23(1-2):11- 6
- 195- Schmitz, N, Linch, D.C and Driger, P. (1996):** Randomised trial of filgrastim mobilized peripheral blood progenitor cell transplantation versus autologous bone marrow transplantation in lymphoma patient. *Lancet..* 347:353-361.




- 196- Schubert. M.A.; Sultivan, K.M. and Schubert, M.M, (1990):**  
Gynecological abnormalities following allogeneic bone marrow transplantation. Bone Marrow Transplant. 5:425.
- 197- Scott L, O'Shea J., Bunce M., et al.:** Molecular typing shows a high level of HLA class I incompatibility in serologically well matched donor/patient pairs: Implications for unrelated bone marrow donor selection. Blood, 92 (12); 4864-4871, **1998**.
- 198- Shimamura, M; Kobayashi, Y; You, A. and et al., (2002);** Effect of human recombinant granulocyte colony stimulating factor on hematopoietic injury mice induced by 5-fluorouracil. Blood 69:353.
- 199- Shpall, E.J, Jones, R.B. and Bast, R.C. (1991):** 4- hydroperoxy cyclophosphamide purging of breast cancer from the mononuclear cell fraction of bone marrow in patients receiving high- dose chemotherapy and autologous marrow support: A phase 1 trial- J. Clin- Oncol., 9:85.
- 200- Silvestri, F.; Banayali, S.; Baccarani, M. and Preisler, H.G. (2000):**  
Progenitor cell associated antigen CD34: biology and clinical applications. Haematologica. 77:65-272.
- 201- Sim, K.M.; Boey, S.K. and Wong, L,T. (1996):** Bone manow harvesting using local anesthesia, and PCA-alfentaniI: a feasible alternative to general or regional anesthesia, Bone Marrow transplantation , 18(4)787-90.
- 202- Sintasath, D.M.; Bei, M.: Steiner, N. and et al, (1997):** Analysis of HLA-A and B serologic typing of bone marrow registry donors using polymerase chain reaction with sequence specific oligonucleotides probes and DNA sequencing. Tissue Antigens.50(4): 366-71.



- 203- Slavin, S; Naparstek, E.; Nagler, A. and et al, (1997):** Allogeneic cell therapy with donor peripheral blood cells and recombinant human interleukin-2 to treat leukemia relapse after allogeneic bone marrow transplantation. *Blood*, 87:2195-2204.
- 204- Smith, T.J.; Hillner, Z.E. and Yanvich, S. (1995):** Economic analysis of peripheral blood progenitor cell or autologous bone marrow transplantation in relapsed Hodgkin's disease and non Hodgkin's lymphoma. *Proc. Am. Soc. Clin. Oncol.*, 14:314-321.
- 205- Socie, G.; Tone, J.V; Wingard, J.R. and et al, (1999):** Long term survival and late deaths after allogeneic marrow transplantation. Late effects working committee of the international bone marrow transplant registry. *New England Journal of Medicine*, 341:14.
- 206- Socinski, M.A, Cannistra, S.A.; Elias, A. and et al, (1993):** Granulocyte-macrophage colony stimulating factor expands the circulating haemopoietic progenitor cell compartment in man, *Lancet*, 1194-1198.
- 207- Soiffer, R.J.; Mauch, P.; Fairclough, D. and et al, (1997):** CD6+ T cell depleted allogeneic bone marrow transplantation from genotypically HLA nonidentical related donors. *Biol. Blood. Marrow Transplant*, 3(1): 11-7.
- 208- Spitzer G.; Adkins, D.R. and Spencer, V.D. (1994):** Randomised study of growth factors post peripheral blood stem cell transplant. *J. Clin. Oncol*, 12:661-668.
- 209- Spitzer, T.R.; Cirenza, E. and Afee, S. (1995):** Phase I-II trial of high dose cyclophosphamide, carboplatin and autologous bone marrow or peripheral blood stem cell rescue. *Bone Marrow Transplant*, 15:537-543.



- 210- Stephens L.C; Haire. W.D.: Schmit-Pokorny, K. and et al, (1993).**  
Granucocyte macrophage colony stimulating factor. High incidence of apheresis catheter thromobosis during peripheral stem cell collection. Bone Marrow Transplant, 11:51-54.
- 211- Sullivan. K.M.; Dykewicz, C.A.; Long warth, D.L, and et al, (2001):**  
Preventing appportunistic infections after hematopaietic stem cell transplantation the canters for disease control and prevention, infectious diseases society f America, and American society for blood and marrow transplantation practice guidelines and beyond, Hemotology, 392.
- 212- Sykes, M.; Szot, G.L.; Swenson, K.A. and Pearson, D.A. (1997):**  
Induction of high levels of allogeneic hematopiotic reconstituion and donor-specific tolerance without myelosuppressive conditioning Nat. Med,3(7):783-7.
- 213- Szilvassy S.J; Meyerrose, T.E.; Ragland, P.L. and Grimes, B. (2001):**  
Differential homing and engraftment properties of hemaipoietic progenitor cells from murine bone marrow, mobilized peripheral blood and fetal liver Blood, 98(7): 2108-2115.
- 214- Takahashi, S.; Oshima, S.; Okamoto S. and et al, (1998):** Recombinant human grarulocyte colony stimulating factor (G-CSF) combined conditioning regimen for allogeneic bone marrow transplantation in standard risk myeloid leukemia, Am. J. Hemnatol. 57(4)-303-8.
- 215- Taylor. P.A.; McElmurry. R.T.; Lees. CJ. And et al (2002):** Allogenic fetal liver cells have a distinct competitive engraftment advantage over adult bone marrow cells when infused into fetal as compared with adult severe combined immunodeficient recipients.Blood, 99(5):1870-1872.



- 216- Testo FC , Unkeless JC, (1995 ) :** Function and heterogeneity of human FC receptors for immunoglobulin G. *J Clin Invest* ; 83 : 355-361 .
- 217- Thirukkumaran, C.M.; Luider, J.M.: Stewart, D.A., and et al (2003):** Reovirus oncolysis as a novel purging strategy for autologous stem cell transplantation . *Blood*. 102(1) : 377-387.
- 218- Thomas E.D.; Collins, J.A.; Herman, E.C. and et al., (1989):** Marrow transplants in lethally Irradiated dogs given methotrexate *Blood*, 19:217-228.
- 219- Thomas, E.D.; and Storb. R. (1990);** Technique for human marrow grafting. *Blood* 36:507.
- 220- Thomson K.J.; Potler M. and Mackinnon S.:** Non-myelablative transplantation, in Hoffbrand A.V, Catovsky D., Tuddenham Edward G.D. (eds): *Postgraduate Haematology*, ed- 5. USA. Blackwell Publishing, Inc., 436-448, 2005.
- 221- Vargas-Diez E., Carcial-Diez A., Marin A. and Fernaodez-Herrera J.:** Life threatening graft-versus-host disease clinics in dermatology, 23 ; 285-300,2005.
- 222- Vela-Ojeda J., Reyes-Maldonado E., Moreno -Lafont M-, et al.;** Donor lymphocyte infusions for relapse of chronic myeloid leukemia after allogeneic stem cell transplantation : prognostic significance of the dose of CD3+ and CD4+lymphocytes. *Ann Hematol*, 83: 295-301, 2004.
- 223- Verbik, DJ; Jackson, J.D. and Patil, K.D. (1995):** Functional and phenotypic characterization of human peripheral blood stem cell harvests: A comparative analysis of cells from consecutive collections. *Blood*, 85:1964-1972.



- 224- **Vose, J.M; Armitage, J.O. and Kessinger, A. (1993):** High dose chemotherapy and autologous transplant with peripheral blood stem cells. *Oncology*, 7:23-41.
- 225- **Wanko, S.O. and Carlos de Castro, (2006):** Hairy cell leukernia. An elusive but treatable disease. *The oncologist* 11.780-789.
- 226- **Weaver. C.H; Buckner, C.D. Longin, K. and et al, (1993):** Syngeneic transplantation with peripheral blood mononuclear cells collected after the administration of recombinant human granulocyte colony-stimulating factor *Blood*; 82:1981-1984.
- 227- **Webb, I.J.; Soiffer, R.J.; Andersen, J.W. and et al, (1997):** In vivo adsorption of isohemagglutinins with fresh frozen plasma in major ABO incompatible bone marrow transplantation, *Biol. Blood. Marrow, Transplant.* 3(5):267.
- 228- **Weisdarf, D.J.; Anasetti, C; Antin J.H. and et al., (2002):** Allogeneic bone marrow transplantation for chronic myelogenous leukemia comparative analysis of unrelated versus matched sibling donor transplantation. *Blood.* 99(6):1971-1977.
- 229- **Weston, L.E, Geczy, A.F. and Farrell, C (1997):** Donor helper T-cell frequencies as predictors of acute graft versus host disease in bone marrow transplantation between HLA- identical siblings. *Transplantation* 64(6):8313-41.
- 230- **Wheeler, K ;Richards, S.; Bailey, C and Chessells, J, (1998):** Comparison of Bone Marrow Transplant and chemotherapy for relapsed childhood acute lymphoblastic leukemia. *Br, J. Haematol* .101(1);94-103.



- 231- **Wilson C. and Sylvanus T.:** Graft failure following allogeneic blood and marrow transplant. Evidence based nursing case study review. Clinical journal of oncology nursing, 9 (2): 151-159, **2005**.
- 232- **Wingard J.R.; Vogelsang, G.B. and Deeg .H.J. (2002):** Stem cell Transplantation: Supportive care and long term complication. Hematology, the American Soc. Of Hematology; 422.
- 233- **[www.tissuetyping.org.au/NSWTT Wep/tt methods.html](http://www.tissuetyping.org.au/NSWTT_Wep/tt_methods.html)**
- 234- **Zauli, G.; Vitale, M.; Visani, G. and et al, (1994):** In vitro growth of human fetal CD34+ cells-in the presence of various combinations of recombinant cytokines under serum- free culture conditions. Br. J. HaematoL 89: 463- 467.