

References

- Aach, R.D.; and Stevens, C.E.; and Hollinger, F.B. (1991):**
Hepatitis C virus infection in post-transfusion hepatitis: An analysis with first and second generation assays.
N. Engl. J. Med; 325:1325-1329.
- Abdel-Ghaffar, F.; El-Jaylani, A.E.; and Khalil, A.(1993):**
Hepatitis B seromarkers among personnel working in Mansoura Fever Hospital.
Abst. Arab Medical Uni.; Feb: 21-27.
- Abdel-Nasser, M.A.; Mostafa, M.M.; and El-Deeb, A.M. (1998):**
HCV as an occupational hazard in medical and paramedical personnel.
Egypt. J. Commun. Med.; 16 (1): 9-17.
- Abdel-Wahab, M.F.; Zakaria, S.; and Kamel, M. (1994):**
High seroprevalence of hepatitis C infection among risk groups in Egypt.
Am. J. Trop. Med. Hyg.; 51 (5): 563-567.
- Abdou, S.A.; Abdou, A.S.; and Fahmy, R.R. (1995) :** A study of the prevalence of HCV antibody and HBV markers among patients with HCC and chronic liver diseases in Egypt.
Benha M.J.; 12 (3) : 299-311 .
- Abildgard, N.; Peterslund, N.A.; and Reip, A. (1991):**
HCV transmitted by tattooing.
Lancet; 337:105-107.
- Akahane, Y.; Yamanaka, T.;and Suzuki, H. (1990) :**
Chronic active hepatitis with hepatitis B virus DNA and antibody against and secretion of antigen from the pre-core region.
Gastroenterology; 99 : 1113-1119.
- Al-Ahdal, M.N.; and Kessie, G. (1997) :**
Serological diagnosis of HCV in patients with liver disease in Saudi Arabia.
Diagn. Microbiol. Infect. Dis.; 27(3) : 69 - 73.

Al-Amoudi, M.A. (1997) :

The prevalence of HCV genotypes in Egyptian patients with chronic HCV.

MSc Thesis, Internal Medicine, Faculty of Medicine, Cairo University; P: 92-102.

Altamirano, M.; Delancy, A.; and Wong, A. (1995) :

Identification of HCV genotypes among hospitalized patients in British Columbia, Canada.

J. infect. dis.: 171 : 1034-8 .

Alter, H.J. (1989) :

Chronic consequences of non-A, non B hepatitis, Current Prospective. In Hepatology., Seeff, L.B.; and Lewis, J.H. (eds), P : 83-89. Plenum. Medical; New York .

Alter, H.J. (1993) :

The detection, transmission and outcome of HCV infection. Infect. Agent Dis.; 2 : 155 .

Alter, H.J.; Purcell, R.H.; and Shih, J.W.(1989-a) :

Detection of antibody to HCV.

N.Engl. J.Med.; 321 : 1494-1499 .

Alter, M.J. (1995):

Epidemiology of hepatitis C in the West.

Sem .Liver Dis.; 15: 5-14.

Alter, M.J. (1997):

Epidemiology of Hepatitis C.

Hepatology; 26:625-631.

Alter, M.J.; Coleman, P.J.; and Alexender, W.J. (1989-b):

Importance of heterosexual activity in the transmission of hepatitis B.

JAMA; 262:1201-1209.

Alter, M.J.; Hadler, S.C.; and Judson, F.N. (1990) :

Risk factors for acute non-A, non-B hepatitis in United States.

JAMA; 462 : 2231-2235 .

- Alter, M.J.; Margolis, H.S.; and Krawczynski, T. (1992):**
Natural history of community-acquired Hepatitis C in USA.
N.Engl. J. Med.; 327 : 1899-1905 .
- Ampatti, A.; Alsanti, M.G.; and Ponapa, S. (1993):**
Viral hepatitis and drugs.
Int. J. Epidemiol.; 22:1-5.
- Angelico, M.; Gandin, C.; and Bini, A. (1995):**
Recombinant interferon alpha and ursodoxycholic acid in
treatment of chronic hepatitis C.
Am.J. Gastroenterol.; 90 : 263-270 .
- Angelico, M.; Renganathan, E.; Gandin, C.; and Fathy, M. (1997):**
Chronic liver disease in the Alexandria governorate, Egypt.
J. Hepatol.; 26(2): 236-243.
- Aoki, S.k.; and Kuramoto, I.K. (1994) :**
Evidence that use of a second generation HCV antibody assay
prevents additional cases of transfusion-transmitted hepatitis.
J. Virol. Hepatitis; 1 : 73-78.
- Aragona, M.; Macagno, S.; and Careda, F. (1987):**
Serological response to the hepatitis delta virus in hepatitis D.
Lancet; 2:478-481.
- Argos, P.; and Fuller, S.D. (1988):**
A model for the hepatitis B virus core protein.
EMBO J.; 7:819-824.
- Backman, K.C.; and Wang, C.J. (1989):**
Methods for detecting a target nucleic acid sequence.
European Patent Office Publication, P: 439-455.
- Backman, K.C.; Carrino, J.J.; and Bond, S.B. (1991):**
Improved methods of amplifying target nucleic acids applicable
to PCR and LCR.
European Patent Office Publication, P: 320-338.
- Baker, B.L.; DiBisceglie, A.M.; and Kaneko, S. (1991):**
Determination of hepatitis B virus DNA in serum.
Hepatology; 13:632-641.

- Balayan, M.S.; Ajaparidze, A.G.; and Savinskya, S.S. (1983):**
Evidence for a virus in non-A, non-B: Hepatitis transmitted via the faecal-oral route.
Inter. virol.; 20:23-31.
- Barany, F. (1991):**
Genetic disease detection and DNA amplification using cloned thermostable ligase.
Proc. Natl. Acad. Sci. USA; 88 : 189-195.
- Barrera, J.M.; Braguera, M.; and Eralla, G. (1991):**
Incidence of non-A, non-B hepatitis after screening blood donors for antibodies to hepatitis C virus and Surrogate markers.
Ann. Intern. Med; 115:569-575.
- Barrera, J.M.; Francis, B.; and Eralla, G. (1995) :**
Improved detection of anti HCV in post-transfusion hepatitis by a third generation ELISA.
Vox Sang; 68 : 15 - 18.
- Basaras, M.; Lowbera, N.; and de las Heras, B. (1997) :**
Distribution of HCV genotypes.
Res, Virol; 148(5) : 367-376.
- Battegay, M.; Moskophidis, D.; and Rahematulla, A. (1994):**
Enhanced establishment of a virus carrier state in adult CD4+ T-cell defined mice
J. Virol; 68 : 4700-4709.
- Battegay, M. (1996):**
Immunity to HCV.
Hepatology; 24 : 961-268.
- Bauer, H.M.; Greer, C.E. ;and Manson, M.M. (1992):**
Determination of genital human papilloma virus infection by consensus PCR amplification. In: Diagnostic molecular pathology: A practical approach. Herrington. C.S.; McGee, J.D. (eds) p:131-152. Oxford University Press.
- Bayoumi, A.M. (1992):**
An epidemiological study on intrafamilial spread of viral hepatitis in Alexandria.

Thesis MD, High Institute of Public Mealth; P. 175.

Beloqui, O.; Prieto, J.; and Gil, B. (1993):

N-acetyl cystine enhances the response to interferon alpha in chronic hepatitis C.

J. Interferon. Res.; 13 : 279-287.

Benveggu, L.; Pontisso, P.; and Cavalletto, D. (1997) :

Lack of correlation between HCV genotypes and clinical course of HCV related cirrhosis.

Hepatology; 25 : 212-217.

Bergmann, K.F.;and Gerin, J.L. (1986):

Antigens of hepatitis delta virus in the liver and serum.

J. Infect. Dis.; 514:702-705.

Blight, K.; Lesniewski, R.R.; and LaBoory, J.T. (1994) :

Detection and distribution of hepatitis C-specific antigens.

Hepatology; 20 : 553-559.

Bloom, H.E. (1995) :

Variant of hepatitis B and C viruses : Molecular biology and clinical significance.

Digestion; 56 : 85-91.

Blum, H.E. (1994) :

Hepatology elsewhere.

Hepatology; 19 : 251-253.

Blumberg, B.S.; Alter, H.J.;and Visnich, S. (1965) :

A "new" antigen in leukemia sera.

JAMA; 191 : 541-547.

Bond, S.; Carrino, J.; and Hampl, H. (1990):

New methods of detection of HPV In : Papilloma virus in epidermoid precancers. Monsonego, J., (ed) P : 425-439. Raven Press; New York.

Bonino, F.; Hoyer, B.; and Shih, J.W. (1984):

Delta hepatitis agent.

Infect. and Immunit.; 43:1000 - 1007.

- Bonino, F.; Heerman, K.H.; and Rizetto, M. (1986):**
Hepatitis delta virus.
J. Virol.; 58:945-952.
- Bonkovsky, H.L. (1997) :**
Therapy of hepatitis C.
Hepatology; 26 (suppl. 1) : 143 .
- Boom, R.; Sol., C.J.; and Saliman, M.M. (1990):**
Rapid and simple method for purification of nucleic acids.
J. Clin. Microbiol.; 28 : 495-502 .
- Bouffard, P.; Hayashi, P.H.; and Acevedo, R. (1992) :**
HCV is detected in monocyte / Macrophage subpopulation of
peripheral blood mononuclear cells.
J. Infect. Dis.; 166 : 1276.
- Bowden, D.S.; Noaven, L.D.; and Locarnini, S.A. (1996):**
New hepatitis viruses: are there enough letters in the alphabet?
Med.J. Aust.; 15;164(2): 87-89.
- Bradley, D.W.; Maynard, J.E.; and Cook, E.H. (1980) :**
None-A, non- B hepatitis in experimentally infected chimpanzees
J. Med. Virol.; 6 : 185-194.
- Bradley, D.W.; Maynard, J.E.; and Cook, E.H. (1985) :**
Posttransfusion non-A, non-B hepatitis in chimpanzees.
Gastroenterol.; 88 : 773-781.
- Bradley, D.W.; Krawczynski, K.; and Cook, E.H. (1988):**
Enterically transmitted non-A, non-B hepatitis. In: Viral hepatitis.
Zuckerman, A.J.; (ed), P: 138-155.
Alan R. Liss; New york.
- Bradley, D.W.; Krawczynski, K.; and Purdy, M.A. (1993):**
Diagnosis of hepatitis E virus. In: Viral hepatitis, 1st edition
Zackerman, A.J.; and Thomas, H.C.(eds).P: 385-389. Churchill
Livingstone; London, Sydney, Toronto.
- Branch, A.D.; and Robertson, H.D. (1984) :**
A replications cycle for viroids and small infectious RNAs.
Science; 223:450-456.

Brechot, C. (1998) :

Applications of molecular biology to the diagnosis of viral hepatitis. In : Viral hepatitis, 2nd edition. Zuckerman, A.J.; and Thomas H.C. (eds) chapter 45, p: 585-602. Churchill Livingstone; London, Sydney, Toronto.

Bresters, D.; Cuypers, H.T.; Reesink, H.W. (1992):

Enhanced sensitivity of a second generation ELISA for antibody antibody to HCV.

Vox Sang; 62:213-217.

Bresters, D.; Zaaijer, H.L.; and Cuypers, H.T.M. (1993) :

RIBA reaction patterns and HCV RNA in blood donors. Transfusion; 33 : 634-637 .

Brillianti, S.I; Foli, M.; and Gianini, S. (1993) :

Persistent hepatitis C viremia without liver disease.

Lancet; 341 : 464-465.

Brisson-Neol, A.; Gicquel, B.; Lecossier, D.; and Levy-Frebault, V. (1989):

Rapid diagnosis of tuberculosis by amplification of mycobacterial DNA in clinical samples.

Lancet; 2:1069-1071.

Brouwer, J.T.; Nevens, F.; and Kleter, G. (1995):

Efficacy of Interferon dose and factors predictive of sustained response in chronic hepatitis C.

J. Hepatol.; S1 : 85-91.

Brown, D.; Manolakopoulos, S.; and Dusheiko, G. (1998):

Diagnosis of acute and chronic hepatitis C. In: Viral hepatitis, 2nd edition. Zuckerman, A.J.; and Thomas, H.C. (eds), section IV P: 319-329. Churchill Livingstone; London, Sydney, Toronto.

Brown, E.A.; Zhang, H.; Ping, L.H.; Lemon, S.M. (1992) :

Secondary structure of the 5' NTR of HCV:

Nucleic Acids Res.; 20:5041-5045.

Bukh, J.; Miller, R.H.; and Purcell, R.H. (1995) :

Genetic heterogeneity of HCV.

Sem. Liver Dis., 15 : 41-63 .

- Bukh, J.; Purcell, R.H.; and Miller, R.H. (1993-a) :**
Genotypes of HCV predicted by sequence analysis of the putative E1 gene of isolates collected worldwide .
Proc. Natl. Acad. Sci. USA; 89 : 4942-4949 .
- Bukh, J.; Wantzin, P.; and Krogsgaard, K. (1993-b):**
High prevalence of HCV RNA in dialysis patients.
J. Infect. Dis.; 168: 1343-1348.
- Bukh, J.; Purcell, R.H. ; and Miller, R.H. (1992) :**
Sequence analysis of the 5' NTR of HCV.
Proc. Natl. Acad. Sci. USA; 89 : 4946-4950.
- Burg, J.L.; Grover, C.M., Pouletty, P.; and Bootnroyd, J.C. (1989):**
Direct and sensitive detection of a pathogenic protozoan, toxoplasma gondii, by polymerase chain reaction.
J.Clin. Microbiol.; 27:1787-1792.
- Busch, M.P.; Wilber, J.C.; and Johnson, P. (1992) :**
HCV replication.
N. Engl. J. Med.; 326: 64-69.
- Buti, M.; Esteban, R.; and Jardi, R. (1987):**
Clinical and serological outcome of acute infection.
J. Hepatitis; 5:59-64.
- Buti, M.; Esteban, R.; and Roggendorf, M. (1988):**
Hepatitis D virus RNA in acute delta infection.
Hepatology; 8:1125-1131.
- Buti, M.; Amengual, J.; and Esteban, R. (1989):**
Serological profile of tissue autoantibodies during acute and chronic delta hepatitis.
J. Hepatol.; 9:345-349.
- Cahen, D.L., Van Leeuwen, D.J.; and Blok, A. (1996) :**
Do serum ALT values reflect the inflammatory activity in the liver
Liver; 16 : 105-112.
- Campbell M.J. and Machin D. (eds) (1993) :**
Medical statistics. A common sense approach. 2nd E.

References

- John Wiley & Sons. New-York ; Chichester ; Brisbane ; Toronto & Singapore.
- Carithers, R.L.; Karter, J.R.; and Emerson, S.S. (1997) :**
Therapy of HCV : Interferon alpha-2b trials.
Hepatology, 26 (suppl 1) : 83 .
- Cassidy, M.J.; Jankelson, D.; Becker, M.; and Dunnet, T. (1995):**
The prevalence of antibodies to HCV at two hemodialysis units in South Africa .
S. Afr. Med. J., 85 : 996-1002.
- Causse, X.; Godinot, H.; and Chevallier, M. (1991) :**
Comparison of 1 or 3 MU of interferon alpha -2b in patient with chronic non-A, non-B hepatitis.
Gastroenterol ; 101 : 497-502.
- Center for Diseases control (CDC) (1993):**
Recommended infection control practices for Dentistry.
MMWR; 42:1-12.
- Chalmers, T.C. (1965):**
A note on Fatality in serum hepatitis.
Gastroenterol., 49 : 22-28.
- Chambers, T.J.; Mc Court, D.W.; and Rice, C.M. (1990) :**
Production of yellow fever virus proteins in infected cells.
Virology; 170: 159-174.
- Chan, S.W.; McOmish, F.; and Holmes, E.C. (1992) :**
Analysis of a new HCV type .
J.Gen. Virol., 73 : 1131 -1137 .
- Chang, F.L.; Chen, P.J.; and Tu, S.R. (1991):**
The large form of hepatitis antigen is crucial for assembly of hepatitis delta virus.
Proc. Natl. Acad. Sci., USA; 83:8774-8782.
- Chang, T.T.; Lion, K.C.; and Young, K.C. (1994):**
Intrafamilial Transmission of HCV.
J. Med. Virol.; 42:91-96.
-

- Chant, K.; Kociuba, K.; Munro, Y.R.; and Crone, S. (1994):**
Investigation of possible patient to patient transmission of HCV in hospitals.
New South Wales Pub. Health Bull.; 5 : 47-54.
- Chao, M.; Hsieh, S.Y.; and Taylor, J. (1990):**
Role of two forms of hepatitis delta virus antigen: evidence for a mechanism of self-limiting genome replication .
J.Virol.; 64:5066-5069.
- Chao, Y.C.; Lee, C.M.; and Tang, H.S. (1991):**
Molecular cloning and characterization of an isolate hepatitis delta from Taiwan.
Hepatology; 13:345-352.
- Chemczynski, P.; and Sacchi, N. (1987) :**
Single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction.
Anal. Biochem.; 162 : 156-162.
- Chemello, L.; Alberti, A.; and Rose, K. (1994):**
HCV serotypes and response to interferon therapy.
N.Engl. J.Med.; 330 : 143-148.
- Chemello, L.; Cavaletto, L.; and Bernardinello, E. (1995):**
The effect of IFN- α and ribavirin combination on chronic Hepatitis C patients
J. Hepatol.; 23 (suppl-2): 8-12.
- Chernesky, M.A.; Jang, D.; and Lee, H. (1994):**
Diagnosis of chlamydia Trachomatis infection by LCR.
J. Clin. Microbiol; 32:2682-2685.
- Chiaramonte, M.; Stroffolini, T.; and Lorenzoni, V. (1996):**
Risk factors in community acquired HCV chronic infection.
J. Hepatol.; 24:129-134.
- Chien, D.S.; Choo, Q.L.; Kuo, C.; and Tabrizi, A. (1992):**
Diagnosis of HCV infection.
Proc. Natl. Acad. Sci., USA; 89 : 10011-10018.

References

- Choo, Q.L.; Kuo, G.; and Weiner, A.J. (1989) :**
Isolation of cDNA clone derived from blood born non-A, non-B viral hepatitis genome.
Science; 244 : 359 - 362 .
- Choo, Q.L.; Weiner, A.J.; and Overby, L.R. (1990) :**
HCV : the major causative agent of non-A, non-B viral hepatitis genome.
Br. Med. Bull., 46 : 423-441 .
- Choo, Q.; Richman, K.H.; and Han, J.H. (1991) :**
Genetic organization and diversity of the hepatitis C virus infection
Proc. Natl. Acad. Sci. U.S.A; 88 : 2451-2455.
- Choo, Q.L.; Kuo, G.; and Ralston, R. (1994):**
Vaccination of chimpanzees against infection by HCV.
Proc. Natl. Acad. Sci. USA; 91 : 1294-1299.
- Chou, W.H.; Vonemaya, T.; and Takeuchi. H.(1991) :**
Discrimination of HCV in liver tissue from different patients with HCC.
J. Clin. Microbiol.; 29 : 2860-2868.
- Chu, C.M.; and Liaw, Y.F. (1995) :**
Simultaneous acute hepatitis B virus and HCV infection.
Clin. Infect. Dis.; 20 : 703-710.
- Clemens, J.M; Tasker, S.; and Chauk. (1992) :**
IgM antibody response in acute HCV infection.
Blood; 79 : 169-172 .
- Cline, B.L.; Richards, F.O.; and El.Alamy, M.A. (1989):**
1983 Nil delta shistosomiasis survey.
Am.J. Trop. Med.Hyg., 41:65-69.
- Cockaine, E.A. (1912):**
Catarrhal Jaundice.
Q.J.Med.; 6:1-6.

- Cohen, J.I; Feinstone, S.;and Purcell, R.H. (1989):**
Hepatitis A virus infection in chimpanzee: Detection of virus in saliva and throat swab.
J. Infect. Dis.; 160:887-890.
- Collins, M.L.; Zayati, C.; and Detmer, JJ. (1995) :**
Preparation and characterization of RNA standards for use in quantitative bDNA assays.
Ann. Biochem.; 226 : 120-126.
- Compton, J. (1991):**
Nucleic acid sequence- based amplification.
Nature; 350:91-99.
- Courouce, A.M.; Le Marrec, N.; and Janot, G. (1994):**
Anti hepatitis C virus seroconversion in patients undergoing haemodialysis.
Transfusion; 34 : 790 - 794.
- Cramp, M.E.; and Rossal, S. (1998):**
HCV-specific T-helper cell responses in HCV : Exposed but uninfected cases.
Hepatology; 28 (suppl. 2) : 200.
- Crespo, J.; Lozano, J.L.; de la Cruz, F.; Rodriga, L.; and Rodriguez, M. (1994):**
Prevalence and Significance of hepatitis B&C viremia in chronic active hepatitis B.
Am. J Gastroenterol; 89 : 1147-1153.
- Cuthbert, J.A. (1994) :**
Hepatitis C progress and problems.
Clin. Microbiol. Rev.; 7 : 505-32 .
- Damen, M.; and Zaaijer, H.L. (1995):**
Reliability of the third generation recombinant immunoblot assay for hepatitis C virus.
Transfusion; 35 : 745-449.
- Dane, D.S.; Cameron, C.H.; and Briggs, M. (1970) :**
Virus-Like particles in serum of patients with Australia - antigen-associated hepatitis.

- Lancet; i: 695-698.
- Daniel W.W. (ed) (1987) :**
Biostatistics, A. foundation for analysis in the health sciences .
4th Ed.. John Wiley & Sons. New-York; Chichester; Brisbane ;
Toronto & Singapore.
- Darwish, N.M.; Abbas, M.O.; Abdel-Fattah, F.M., and Darwish, M.A. (1992):**
HCV in blood donors in Egypt.
J. Egypt. Public Health Associat; LXVII, 3, 4; 224-236.
- Darwish, M.A.; Raouf, T.A.; Ruohdy, P.; Constantine, N.T.; Rao M.A.; and Edelman, R. (1993):**
Risk factors associated with light seroprevalence of hepatitis C virus infection in Egyptian blood donors.
Am. J. Trop. Med. Hyg.; 49:440-447.
- Davis, G.L. (1999):**
Hepatitis C virus. In : Schiff's of diseases of the Liver, 8th edition
vol 1, p: 793, Schiff, E.R.; E.R.; Sorrell, M.E.; Maddrey, Wc. (eds.), Lippincott Raven, Philadelphia, New York.
- Davis, G.L.; Weber, D.J.;and lemon, S.M. (1989):**
Horizontal transmission of hepatitis B virus.
Lancet; 1:889-892.
- Davis, G.L.; Balart L.A.; and Schiff, E.R. (1994) :**
Assessing health-related quality of life in chronic hepatitis C using the sickness impact profile.
Clin. Ther.; 16:334-339.
- De Cock, K.M.; Govindarjan, S.; and Chin, K.P. (1986):**
Delta hepatitis in the Los Angeles area: a report of 126 cases.
Ann. Intern. Med.; 105:108-114.
- De Cock, K.M.; Bardley, D.W.; and Sandford, N.L. (1987):**
Epidemic non-A, non-B hepatitis in patients from Pakistan.
Ann. Intern. Med.; 106:227-230.
- Davidson, F.; Simmonds, P., and Ferguson, J.C. (1995):**
Surveny of major genotypes and subtypes of HCV.

J. Gen. Virol; 76:1197-1204.

Decker, R.H. (1993):

Diagnosis of hepatitis B virus. In: Viral hepatitis 1st ed. Zuckerman, A.J.; Thomas, H.C.; (eds.), P: 165-184. Churchill Livingstone, London.

DeMitri, S.; Poussin, K.; and Baccarin, P. (1995) :

HCV associated liver cancer without cirrhosis. Lancet ; 345 : 413-415.

Desmet, V.J.; Gerber, M.; and Hoofnagle, J.H. (1994) :

Classification of chronic hepatitis. Hepatology; 12 : 1513-1521.

Dhib-Jalbut, S.; Jiang, H.; and Xia, Q. (1997) :

Comparative effects of interferons consensus-1, interferon alpha-2a. J. Interferon cytokine Res.; 16 : 195-202.

Diamantis, I.; Vafiadis, I.; and Voskaridou, E; (1998) :

Genotype distribution of HCV infection in Greece Eur. J. Gastroenterol. Hepatol.; 10 : 75-82.

Dienhardt, F.; Holmes, A.W.; and Capps, R.B. (1967):

Studies on the transmission of human viral hepatitis to marmoset and monkey. J.Ex.Med.; 125:673-679.

Diepolder, H.M.; Zachoval, R.; and Hoffmann, R.M. (1995) :

Possible mechanism involving T-lymphocytes response to NS3 in viral clearance of acute HCV. infection . Lancet; 346 : 1006-1013.

Dinestage, J.; Katov, W.; and Cooly, H. (1991) :

Evidence of non-A, non-B hepatitis agents besides HCV. In: Viral hepatitis and liver disease. Hollinger F.B.; Lemon, S.M.; and Margolis, H (eds.), p: 349-355. Williams & Wilkins; Baltimore.

Dow, B.C.; Buchman, I.; and Munro, H. (1996) :

Prevalence of RIBA-3 supplementary test to HCV-PCR positivity

- J. Med. Virol.; 49 : 132-136 .
- Dubuisson, J.; Hsu, H.H.; and Cheung, R.C. (1994) :**
Formation and Localization of HCV envelope glycoprotein complexes .
J. Virol ; 68 : 6147 - 6152 .
- Dusheiko, G.M.; Smith, M.; and Scheuer, P.J. (1994) :**
HCV genotypes .
Hepatology; 19 : 13 -18 .
- Eisenstein, B.I. (1990):**
Polymerase chain reaction; A new method of using molecular genetics for medical diagnosis.
New. Engl. J. Med., 18:178-183.
- El-Boushara, H.J. (1998):**
Correlation between HCV genotypes and response to treatment with interferon alfa.
M.D. Thesis of Microbiology. Faculty of Medicine, Cairo University.
- El-Gohary, A.; Hassan, A.; Nooman, Z.; Lavanchy, D.; Mayerat, C.; and El-Ayat, A. (1995):**
High prevalence of hepatitis C virus among urban and rural population groups in Egypt.
Acta Trop; 59 (2) : 155-161.
- El-Khanany, H.F. (1996):**
Some epidemiological aspects of HCV antibodies among certain groups in Mansoura.
Msc. thesis, Community Dept., Mansoura University. P:122-135.
- El-Nanawy, A.A.; El-Azzouni, O.F., Soliman, A.T.; and Amer, A.E. (1995):**
Prevalence of hepatitis C antibody seropositivity in healthy Egyptian children.
J. Trop. Pediatr.; 41(6): 341-343.
- El-Sahly, A.M.; Nour El-Dien, M.A.; and Abdel-rahman, H. (1991):**
Prevalence of antibodies to hepatitis C virus in Egyptian patients with schistosomiasis.

- The Annual Meeting of Egyptian Soc. of hepatology, April 1991, Cairo.; Abst. P:18.
- EL-Sayed, N.M.; Gomatos, P.J.; Rodier, G.R.; Wierzba, T.F.; Darwish, A.; khashaba, S.; and Arthur, R.(1996):**
Seroprevalence survey of Egyptian Tourism workers for hepatitis B Virus, hepatitis C virus, human immunodeficiency virus and treponema pallidum infections.
Am. J. Trop. Hyg.; 55 (2) : 179 - 184.
- El-Shazly, Y.; Abdel-Salam, A.; and Abdel-Ghaffar, A. (1994) :**
Schistosomiasis as an important determining factor for the response of Egyptian patients with chronic hepatitis C to recombinant interferon alpha-2.
Trans. R. Soc. Trop. Med. Hyg.; 88 : 229-237.
- El-Zayadi, A.R.; Selim,O.; Ibrahim, E.H.; Hamdy, H.; Dabbus, H.; Ahdy, A.; and Moneim, S.A. (1997):**
Does Schistosomiasis play a role in the high seroprevalence of HCV?
Trop. Gastroenterol.; 18 (3): 98-100.
- Enomoto,N.; Skuma, I.; and Asahina, Y. (1995) :**
Comparision of full length sequences of interferon sensitive and resistant HCV1b.
J.Clin. Invest.; 96 : 224-230 .
- Enomoto, N.; Sakuma, I. and Murakami, T. (1996) :**
Mutation in NS 5A gene and response to interferon.
N.Engl. J.Med.; 334 : 77-81.
- Eric, D.; Valarie, T.; and Marie, D. (1993):**
High level of hepatitis C endemicity in Gabon.
Trans. Soc. Trop. Med. Hyg.; 87(6): 636-639.
- Erlich, H.A.; Gelfand, D.; and Sninky J.J. (1991) :**
Recent advances in the PCR .
Science; 75 : 1361-1367.
- Esteban, J.I.; Gonzolez, A.; and Hernandez, J.M. (1990) :**
Evaluation of antibodies to HCV in posttransfusion hepatitis .
J.N.Engl. Med.; 323 : 1107 -1111 .

References

- Esteban, J.I.; Lopez, J.C.; and Genese, J. (1991):**
High rate of infectivity and liver disease in blood donors with antibodies to HCV.
Arch. Intern. Med.; 115:443-449.
- Esterly, J. R.; Shusser, R.J.; and Reubner, B.H. (1976) :**
Hepatitis lesions in the congenital Rubella syndrome.
J. Pediatr.; 71 : 676-679.
- Fahy, E.; Kowh, D.; and Gingeras, T. (1991):**
Self-sustained sequence replication.
PCR Methods, Applications; 1:25-33.
- Failla, C.; Tomei, L.; and De Francesco, R. (1994):**
Both NS3 and NS4A are required for proteolytic processing of HCV. J. Virol.; 68 : 3753-3758.
- Farci, P.; Alter, H.J.; Wong, D.; Miller, R.H.; Shin, J.W.; Jett, B.; and Purcell, R.H. (1991):**
A long term study of hepatitis C virus replication in non-A, non-B hepatitis.
N. Engl. J. Med.; 325: 98-104.
- Farci, P.; Alter, H.J.; and Wong, D.C. (1992):**
Lack of protective immunity against reinfection with HCV.
Science; 258 : 135-139.
- Farrell, G.C. (1997):**
Interferon alpha n1 in trials : hepatitis C therapy.
Hepatology; 26 (suppl. 1) : 96 .
- Fathalla, S.E. (1992):**
HCV infection among Egyptians in Dammam, Saudia Arabia.
Ann. Saud. Med.; 12(4) : 418-419.
- Fattovich, G.; Boscaro, S.; and Noventa, F. (1987):**
Influence of hepatitis delta virus infection on progression to cirrhosis in chronic hepatitis B.
J. Infect. Dis.; 155:931-935.
- Fattovich, G.; McIntyre, G.; and Thursz, M. (1995) :**
Hepatitis B virus precore variation and interferon therapy.

- Hepatology; 22 : 1355-1362.
- Feinstone, S.M.; Kapiklan, A.Z.; and Purcell, R.H. (1973):**
Hepatitis A.
Science; 182:1026 - 1031.
- Feinstone, S.M.; Kapikian, A.Z.; and Purcell, R.H. (1975):**
Transfusion associated hepatitis not due to viral hepatitis type A or B .
N.Engl. J.Med.; 292 : 767-772.
- Feinstone, S.M.; Alter, H.J.; and Dienes, H.P. (1981):**
Non-A, non-B hepatitis in chimpanzees and marmosets.
J. infect. Dis.; 144:588-598.
- Feinstone, S.M.; Mihalik, K.B.; and Kamimura, T. (1983):**
Inactivation of HBV and non-A, non-B hepatitis by chloroform.
Infect. Immun.; 41: 816-820 .
- Feray, C.; Samuel, D.; and Gigan, M. (1992):**
Reinfection of liver graft by HCV after liver transplantation.
J. Clin. Invest.; 89 : 1361-1370.
- Ford, J.C. (1943):**
Infective hepatitis.
Lancet; J.; :675-677.
- Frosner, G.G.; Overby, L.R.; and flehming, B. (1977):**
Seroepidemiological investigation of patients and family contacts in an epidemic of hepatitis A.
J. Med. Virol.; 1:163-170.
- Frosner, G.G.; Scheid, R.;and Wolf.H. (1979):**
Immunoglobulin M anti-hepatitis A virus determination.
J.Clin. Microbiol., 9:476-482.
- Fujimura, Y.; Ishimoto, S.; Shimoyama, T.; Kuze, Y. and Narita, N. (1996) :**
Genotypes and multiple infection with HCV in patients with haemophilia A in Japan.
J. viral. Hepat., 3 (2) : 79-84 .

- Fujimura, Y.; Ishimoto, S.; Okamoto, H.; and Tanaka, T. (1997) :**
Genotypes and multiple infection with HCV in Japan.
J. viral Hepat.; 3(2) : 79-88.
- Galivanes, S.F.; Gonzales-Ros, A.; and Peterson, D. (1982):**
Structure of hepatitis B surface antigen.
J. Biol. Chem.; 257:7770-7778.
- Gane, E.; Naoumov, N.; and Qian, K.P. (1996) :**
A longitudinal analysis of HCV replication following liver transplantation.
Gastroenterol; 110 : 167-173.
- Ganem, D.; and Varmus, H.E. (1987):**
The molecular biology of the HBV.
Ann. Rev. Biochem.; 56: 651-693.
- Garcia, J.; Bernal, C.; Cerertzo, S.; Garcia, F. (1995) :**
HCV RNA in patinets with anti-HCV on hemodialysis relationship to transaminase level.
A.S.A.I.O.J., 40(3) :450-453.
- Garson, J.A. (1994) :**
The PCR and HCV diagnosis.
FEMS Microbiol. Rev.; 14 : 229-238.
- Garson, J.A.; Ring, C.; and Tuke, P. (1990-a) :**
Enhanced detection by PCR HCV RNA .
Lancet ; 336 : 878-890 .
- Garson, J.A.; Tedder, R.S.; and Briggs, M. (1990-b) :**
Detection of HCV sequences in blood donation by nested PCR.
Lancet; 335 : 1419-1423 .
- Garson, J.A.; Clewley, J.P.; and Simmonds, P. (1992) :**
Hepatitis C virmemia in United Kingdam blood donors.
Vox Sang ; 62 : 218-222 .
- Gelfand, D.M.; and White, T.J. (1990):**
Thermostable DNA polymerase. In: PCR protocols: A guide to methods and applications. Innis. M.A.; Gelfand. D.H.; Sninsky. J.J. (eds), P: 129-141. Academic press. New York.
-

- Glikson, M.; Galun, E.; and Oren, E. (1992):**
Relapsing of hepatitis A.
Medicine; Baltimore; 71:14-19.
- Gonzalez-Peralta, R.F.; Fong, J.W.; and Davis, G.L. (1995):**
Significance of hepatic expression of HCV antigens in chronic hepatitis C.
Dig. Dis. Sci.; 40 : 2595-2599.
- Gorden, S.G.; Elloway, R.S.; Long, J.C.; and Dmuchowski, C.F. (1993):**
The pathology of hepatitis C as a function of mode of transmission.
Hepatology; 18:1338-1343.
- Govindarajan, S.; Chin, K.P.; and Redecker, A.G. (1984):**
Fulminant B virus hepatitis: role of delta agent.
Gastroenterology; 86:1417-1420.
- Govindarajan, S.; DeCock, K.M.; and Redeker, A.G. (1986):**
Natural course of delta superinfection in chronic hepatitis B virus infected patients: histopathologic study with multiple liver biopsies.
Hepatology; 6:640-649.
- Govindarajan, S.; Smedile, A.; and DeCock, K.M. (1989):**
Study of reactivation of chronic hepatitis delta infection.
J. Hepatitis; 9:204-213.
- Grakoui, A.; McCourt, D.W.; and Wychowsky, C. (1993):**
Characterization of HCV encoded serine proteinase .
J.Virol.; 67 : 2832 -2837 .
- Gregorio, G.V.; Vergani, G.; and Mowat, A.P. (1994) :**
Viral hepatitis.
Arch. Dis. Child hood; 70 : 343-348.
- Gretch, D.R.; Wilson, J.J.; and Carthiers, R.L. (1993) :**
Detection of HCV RNA.
J. Clin. Microbiol.; 31 : 289-295.

References

- Gretch, D.R.; Corey, L.; and Wilson, J. (1994):**
Assesment of HCV RNA Levels by quantitative competitive RNA PCR.
J. Infect Dis.; 169 : 1219-1223 .
- Gretch, D.R.; dela Rosa, D.; and Gerrey, L. (1996) :**
Assessment of hepatitis C viremia using molecular amplificatipn technologies
Viral hepatitis Rev., 2 : 85 - 96.
- Grob, P. (1995) :**
Introduction to epidemiology and risk factors of hepatitis B.
Vaccine; 13 : S 14.
- Guadagnino, V.; Stroffolini, T.; Rapicetta, M.; Costantino, A.; and Kondili, L.A. (1997):**
Prevalence, Risk factors and genotype distribution of hepatitis C virus infection in the general population: A community based survey in Sothern Italy.
Hepatology: 26: 1006-1011.
- Guatelli, J.C.; Whitfield, K.M.; and Kwoh, DY. (1990) :**
Isothermal, invitro amplification of nucleic acids by a multienzyme reaction.
Proc. Natl. Acad. Sci., USA; 87 : 381-388 .
- Hagiwara, H.; Hayashi, N.; and Mita, E. (1992) :**
Detection of HCV RNA in serum of patients with chronic hepatitis C treated with interferon- α .
Hepatology, 15 : 37-41 .
- Hagiwara, H.; Hayashi, N.; and Mita, E. (1993-a) :**
Quantitation of HCV RNA in serum of asymptomatic blood donors and patient with type C chronic liver diseases.
Hepatology; 104 : 877-883.
- Hagiwara, H.; Hayashi, N.; and Naito, M. (1993-b):**
Quantitation of HCV RNA in serum of asymptomatic blood donors.
Hepatology.; 17: 545-550.

- Hahm, B.; Han, D.S.; and Back, S.H. (1995) :**
NS3-4A of HCV is a chemotrypsin -like protease.
J.Virol.; 69 : 2534 -2538 .
- Han, C.J.; Lee, H.S.; and Kim, H.S. (1997) :**
HCV genotypes in korea
Korean J.Intern. Med.; 12 : 21-29.
- Han, J.H.; Shymala, V.; and Richman, K.H. (1991) :**
Charcterization of the terminal regions of HCV RNA.
Proc. Natl. Acad. Sci. USA; 88 : 1711-1717 .
- Harris, R.J.; Gowans, E.; and Lanser, J. (1996):**
Nucleic acid techniques in diagnostic microbiology In : Mackie
& McCartney Practical Medical Microbiology Cruickshank. 14th
edition. Collee, J.G.; Fraser, A.G.; Marmion, B.P.; and Simmons,
A.(eds). vol 1, chapter 10, P : 205-242. Churchill Livingstone;
London, New York.
- Haruna, Y.; Hayashi, N.;and Katayama, K. (1991):**
Experssion of X protein and hepatitis B virus replication in
chronic hepatitis.
Hepatology; 13:417-421.
- Hassan, M.E. (1996) :**
Seroprevalence of HCV infection amongrural and urban pregnant
women.
Msc thesis, Obstet and Gyn. Dept., Mansoura University; p:113-
123.
- He, L.F.; Alling, D.; and Popkin, T. (1987) :**
Determining the size of non-A, non-B hepatitis virus by filtration.
J. Infect. Dis.; 156 : 636-641.
- Healy, C.J.; Smith, D.B.; and Sabharwal, N.K. (1995) :**
Acute hepatitis C following sexual exposure .
Gut; 36 : 148 .
- Heathcote, E.J.; Keelfe, E.; and Lee, S. (1998) :**
Re-treatment of chronic hepatitis C with consensus interferon.
Hepatology; 27 : 1136-1143.

- Hedrick, S.M.; Cohen, D. I.; and Nielson, E.A. (1984):**
Isolation of cDNA clone encoding T-cell specific membrane-associated proteins.
Nature; 308: 149-153.
- Heermann, K.H.; Goldmen, U.; and Schwartz, W. (1984):**
Large surface proteins of hepatitis B virus.
J. virol.; 52:396-402.
- Heintges, T.; and Wands, J.R. (1997) :**
HCV : Epidemiology and transmission.
Hepatology; 26 : 521-529.
- Heinze, F.X. (1992) :**
Comparative Molecular biology of flaviviruses and HCV.
Arch. Virol.; suppl. (4) : 163 .
- Hibbs, R.G.; Corwin, A.L.; Hassan, N.F.; Kamel, M.; Darwish, M.; Edelman, R.; Constantine, N.T.; Rao, M.R.; Khalifa, A.S.; Mokhtar, S.; Fam, N.S.; Ekladiows, E.M.; and Bassily, S.B. (1993):**
The epidemiology of antibody to hepatitis C in Egypt.
J. Infect. Dis.; 168: 789-790.
- Highuchi, R.; and Kwok, S. (1989):**
Avoiding false positive with PCR.
Nature; 339:237-248.
- Hijikata, M.; Shimizu, Y.K.; and Kato, H. (1993):**
Equilibrium centrifugation studies of HCV.
J. Virol.; 67 : 1953 -1957 .
- Hiramatsu, N.; Hayashi, N.; Katayama, K.; and Kamada, T. (1994) :**
Immunohistochemical detection of Fas antigen in liver tissue of patient with chronic hepatitis C.
Hepatology; 19 : 1354-1361.
- Hoffmann, R.M.; Dipolder, H.M.; and Zachoval, R. (1995):**
Mapping of immunodominant CD4⁺ lymphocyte epitopes of HCV antigens
Hepatology; 21 : 632 .

- Hollinger, F.B.; Khan, N.E.; and Oefinger, P.E. (1983) :**
Post-transfusion hepatitis type A.
JAMA; 250 : 2313-2319.
- Hollinger, F.B.; and Ticehurst, J.R. (1996) :**
Hepatitis A virus. In: Field's Virology, 3rd edition. Field, B. N.;
Knipe, D.M.; Howley, P.M. (eds.), Vol.1, P: 1005-1028.
Lippincott Raven; New York, Philadelphia.
- Hollingworth, R.C.; Sillikene, L.; Deursen, P. (1996):**
Serum HCV RNA levels assessed by NASBA.
J. Hepatol.; 25: 301-306.
- Honda, M.; Brown, E.A.; and Lemon, S.M. (1996):**
Stability of a stem-loop involving the initiator AUG controls the
efficiency of internal initiation of translation of HCV .
RNA; 2 : 955-963.
- Hong, Z.; Ferrari, E.; and Wright, J. (1996):**
Enzymatic characterization of HCV NS3/4A complex expressed
in mammalian cells.
J. Virol.; 70 : 4261-4269.
- Hoofnagle, J.H. (1981) :**
Serologic markers of hepatitis B virus infection.
Ann. Rev. Med.; 32 : 1-8.
- Hoofnagle, J.H. (1997) :**
Hepatitis C : The clinical spectrum of the disease.
Hepatology; 26 (suppl. 3) : 15 .
- Hoofnagle, J.H.; Gerety, R.J.; and Barker, L.F.(1973):**
Antibody to hepatitis B virus core.
Lancet, 2:869-872.
- Houghton, M.; Weiner, A.; and Han, J. (1991):**
Molecular biology of HCV.
Hepatology ; 14 : 381 -386 .
- Howard, C.; Burrell, C.J.; and Thomas, H.C. (1995):**
International Committee and Taxonomy of viruses.
Arch. Virol.; suppl. 10:179-184.

- Hsu, H.H.; Wright, T.L.; and Luba, D. (1991) :**
Failure to detect HCV genome with PCR.
Hepatology ; 14 : 763 - 769 .
- Hughes, J.R.; Wilfert, C.M.; and Moore, M. (1972) :**
ECHO virus 14 infection associated with fatal neonatal hepatitis
necrosis.
Am. J. Dis. Child.; 123 : 61-66.
- Hussy, P.; Langen, H.; and Mous, J. (1996):**
HCV core protein.
Virology ; 224 : 93-97 .
- Ibrahim, A.E.; Khattab, N.A.; El-Ekiaby, M. (1995) :**
HBV and HCV among volunteer blood donors.
Benha, M.J., (12 (3) : 129-135.
- Innis, M.A.; and Gelfand, D.H. (1990):**
Optimisation of PCR in: PCR protocols: A guide to methods and
applications. Innis, M.A.; Gelfand, D.H.; Sninsky, J.J. and White,
J.J. (eds) P: 3-12. Academic press; New York.
- Innis, M.A.; Gelfand, D.H.; and Seninky J.J. (1990) :**
PCR protocols : A guide to methods and applications.
Academic Press Inc.; New York.
- Irving, W.L.; and Cunningham, L. (1990) :**
Serological diagnosis of infection with human herpes - 6.
Br.J. Med.; 300 : 156-164.
- Itoh, N.; Yonehara, S.; and Ishii A.; (1991):**
The polypeptide encoded by the DNA for human cell surface
antigen Fas can mediate epitope.
Cell; 66 : 233 - 238.
- Jackson, S.R.; Carter, J.M.; and Jackson, T.W. (1994):**
HCV seroprevalance in bone marrow transplant recipients and
hemophiliacs.
N.Z. Med.J.; 107: 10 -15 .
- Janson, R.W.; Siegl, G.; and Lemon, S.M. (1990):**
Molecular epidemiology of human hepatitis A virus.
-

Proc. Natl. Acad. Sci. USA; 87:2867-2871.

Jiang, X.I.; Estes, M.K.; and Metcalf, T.G. (1989) :

In situ hybridization for quantitative assay of hepatitis A virus.

J. Clin. Microbiol.; 27 : 874-879.

Johnson, K.M. (1979) :

Ebola virus an hemorrhagic fever.

Ann. Intern. Med.; 91 : 117-124.

Joller-Jemelka, H.I.; Wichi, A.N.; and Grob, P.J. (1994):

Detection of HBs antigen in anti-HBc alone positive sera.

Hepatology; 21:269-266.

Kaito, M.S.; Watanabe, K.; and Tsukiyama-Kohara, K. (1994) :

HCV particle detected by IEM study .

J.Gen. Virol.; 75 : 1755-1762.

Kamel, M.A.; Ghaffar, Y.A.; and Wassef, M.A. (1992):

High prevalence in Egyptian blood donors.

Lancet.; 340: 427.

Kann, M.; and Gerlich, W. (1998):

Structure and molecular biology of HBV.

In: Viral hepatitis, 2nd edition Zuckerman A.J.; and Thomas, H.C.; (eds) section III, P: 80-92. Churchill Livingstone; London, Sydney, Toronto.

Kao, J.H.; Chen, P.J.; and Yang, P.M. (1992) :

Intrafamilial transmission of HCV

J.Infect. Dis.; 166 : 900 .

Kao, J.H.; Tsai, S.L. ; and Chen, P.J. (1994) :

A clinicopathologic study of chronic hepatitis C in Taiwan.

J.Hepatology, 21 : 244 - 249.

Kao, J.H.; Yong, P.M.; Lai, M.Y.; Chen, P.J.; Wang, T.H.; and Chen D.S. (1995):

Evaluation of third generation hepatitis C antibody assay in chronic hepatitis C.

Viral immunol, 813: 135 - 139.

- Lee, S.D.; Chan, C.Y.; Wang, Y.J.; and Wn, C.J. (1991):**
Seroepidemiology of hepatitis C virus infection in Taiwan.
Hepatology; 13(5) : 830-833.
- Lee, S.R.; Wood, C.L.; and Chan, C.Y. (1995):**
Increased detection of HCV infection in commercial plasma donors by 3rd generation screening assay.
Transfusion.; 35:845-849.
- Lefkowitz, J.H.; Schiff, E.R.; and Davis, G.I. (1993) :**
Pathological diagnosis of chronic hepatitis C.
Gastroenterol.; 104 : 595-602.
- Lemon, S.M. (1985) :**
Type A Viral hepatitis.
N.Eng. J. Med.; 313 : 1059-1067.
- Leruez Ville, M.; Nguyen, Q.T.; and Cohen, P. (1998) :**
Large scale analysis of HCV serological typing assay.
J.Med. Virol.; 55 : 18-29.
- Liang, T.J.; Yankee, R.; Brown, N.V.; and Change, K. (1994) :**
Presence of hepatitis B and C viral genomes in U.S. blood donors as detected by PCR.
J. Med. Virol., 42 : 151-157 .
- Liaw, Y.F. (1995):**
Role of hepatitis C virus in dual and triple hepatitis infection.
Hepatology; 22 : 1101-1108.
- Liaw, Y.F.; Tsai, S.L.; Chang, J.; and Sgeen, R.N. (1994):**
Displacement of HBV by HCV as the cause of chronic hepatitis.
Gastroenterol.; 106 : 1048-1056.
- Lin, H.H.; Liaw, Y.F.; and Chen, T.J. (1989):**
Natural course of patients with chronic type hepatitis following acute hepatitis delta.
Liver; 9:129-134.
- Lin, C.K.; Chu, R.; and Lik, B. (1992) :**
A study of HCV antibody and serum ALT in blood donors in Hong Kong.

- Vox Sang; 62 : 98 -101 .
- Lin, C.; Lindenbach, B.D.; and Pragai, B.M. (1994) :**
Processing in the HCV E2-NS2 region.
J.Virol.; 68 : 5063 -5068 .
- Lin, C.; Thomson, J.A.; and Rice, C.M. (1995):**
A central region in HCV NS₄A serine protease complex in vivo
and in vitro .
J. Virol.; 69 : 4373 - 4377 .
- Lindsay, K.L. (1997):**
Therapy of HCV.
Hepatology, 26 (suppl.3) : 71 .
- Lindsay, K. L.I.; and Hoofnagle, J.H. (1992) :**
Serologic tests for viral hepatitis . In : Biliary Diseases,
Koplowitz, N. (ed), P:195.
Williams & Wilkins : California.
- Linnen, J.; Wages, J.J.; and Zhang-keck, Z.Y. (1996):**
Molecular cloning and disease association of hepatitis G virus.
Science; 48:505-512.
- Lo, S.Y.; Masiarz, F.; and Hwang, S.B. (1994) :**
Differential subcellular localization of HCV core gene products.
J. Virol.; 213 : 455-460.
- Locarnini, S.A.; Garland, S.M.;and Lechmann, N.I. (1978):**
Solid phase enzyme linked immunosorbant assay for detection of
hepatitis A virus.
J. Clin. Microbiol.; 8: 277-285.
- Lok, A.S. ;and Gunaratnam, N.T. (1997) :**
Diagnosis of hepatitis C .
Hepatology; 26(Suppl.1) : 48 - 56.
- Lopez-Labrador, F.X.; Ampurdanes, S.; and Forns, X. (1997) :**
HCV genotypes in Spanish patients with HCV infection
J.Hepatol.; 27(6) : 959-65.

- Love, R.A.; Parge, H.E.; and Wickershons, J.A. (1996) :**
The crystal structure of HCV NS3 proteinase.
Cell ; 87 : 331-335 .
- Mabrouk, G.M. (1997):** Prevalence of HCV and Schistosomiasis in
Egyptian patients with HCC.
Dis. Markers; 13 (3): 177-182.
- MacCallum, F.O. (1944) :**
Transmission of infective hepatitis to human volunteer.
Lancet; 2:228.
- Machida, A.; Ohrunatt, J.; and Tsuda, F. (1992):**
Two distinct subtypes of HCV defined by antibodies directed to
the putative core protein.
Hepatology; 16 : 886-889.
- Madejon, A.; Castillo, I.; and Beertoleme, J. (1990):**
Detection of HBV-RNA by PCR in serum of patients with
chronic.
J. Hepatol.; 11:381-387.
- Magnius, L.O.; and Espmark, J.A. (1972):**
A new antigen complex occurring with Australia antigen.
Acta Pathol. Microbiol. Scand.; B 80:335-337.
- Major, M.E.; and Feinstone, S.M. (1997) :**
The Molecular virology of HCV.
Hepatology ; 25 : 1527-1526.
- Malaguarnera, M.; Di-Fazio, I.; and Laurino, A. (1997) :**
Decrease of interferon gamma serum levels in patients with
chronic hepatitis C.
Biochem. Pharmacother., 51(9) : 391-398.
- Marcellin, P.; Martint-Peignsux, M.; and Lariot, M.A. (1990):**
Persistence of hepatitis B virus DNA demonstrated by
polymerase chain reaction in serum and liver after loss of HBsAg
induced by antiviral therapy.
Ann.Intern. Med.; 112:227-234.

- Naito, M.; Hayashi, N.; and Hagiwara, H. (1994) :**
Serum HCV-RNA quantity of HCV carrier.
Hepatology ; 19 : 871-876 .
- Naito, M.; Hayashi, N.; and Moribe, T. (1995):**
Hepatitis C Viral quasispecies in HCV carriers with normal liver enzymes.
Hepatology; 22:407-412.
- Najarian, R.; Caput, D.; and Gee, W. (1985):**
Primary structure and gene organization of human hepatitis A virus.
Proc. Natl. Acad. Sci. USA; 82:2627-2631.
- Nakijima, N.; Hijikata, M.; and Yoshikuro, H. (1996):**
Characterization of long -term cultures of HCV.
J.Virol., 70 : 3325 -3331 .
- Naoumov, N.V.; Thomas, M.G.; and Mason, A.L. (1995) :**
Genomic variation in the hepatitis B core gene : a possible factor influencing response to interferon alfa treatment.
Gastroenterology; 108 : 505-511.
- Nasoaf, M.; and Scheller, H. (1996):**
Hepatitis B virus replication- an update.
J. Viral Hepatitis; 3:217-226.
- Nassef, M.S.; Zebedee, S.L.; and Prince, A.M. (1991) :**
Identification of an immunodominant epitope within the capsid protein of HCV.
Proc. Natl . Acad. Sci. USA; 88 : 5462 -5465 .
- Neefe, J.R. (1946):**
Homologous serum hepatitis and infectious hepatitis.
Am. J. Med.; 1:3-6.
- Negro, F.; Emersen, S.; and McRill, C. (1991):**
A polymerase chain reaction based assay for serum HDV RNA..
In: Hepatitis delta virus. Gerin, J.L.; Purcell, R.H.; and Rizzetto, M. (eds), P: 173-178. Wiley-Liss; New York.

References

- Negro, F., Pacchioni, D.; and Shimizu, Y. (1992) :**
Detection of intrahepatic replications of HCV.
Proc. Natl. Acad. Sci. USA.; 89 : 2247-2255.
- Nelson, D.R.; Bhardwai, B.; Xu, Y.L.; and Davis, G.L. (1998):**
HCV specific CD8⁺ CTL and CD4⁺ proliferative activities in
chronic hepatitis C patients.
Hepatology; 28 (suppl. 2) : 277 A .
- Nguyen, T.; Sedghi-Vaziri, A.; and Wilks, L. (1996):**
Fluctuation of viral load (HCV RNA) in untreated patients with
chronic HCV infection.
J. Viral Hepatitis.; 3 : 75-82.
- Nguyen, T.; Leruez Ville, M.; and Ferriere, F. (1998) :**
HCV genotypes in mixed cryoglobulinemia.
J. Med. Virol.; 54 :20-27.
- Noder, H.; Courouce, A.M.; and Magnius, L.O. (1994) :**
Complete genomes, phylogenetic relatedness and structural
proteins of six new genotypes.
Virology; 198 : 489-058.
- Nooman, Z.M.; El-Gohary, A.; and Hassan, A.H. (1991) :**
Antibody to HCV in blood donors in Suiz Egypt.
9th annual scientific meeting of the Egypton society of
Hepatology, Abst. :10 .
- Nordoy, I.; Krarup, H.; and Bell, H. (1997) :**
Interferon-alpha-2b therapy in low activity of hepatitis C.
Scand. J. Gastroenterol.; 32 : 1256-1263.
- Nousbaum, J.B. (1998) :**
Genomic subtypes of HCV.
Bull. Soc. Pathol. Exot.; 91 : 29-38.
- Nousbaum, J.B.; Pol, S.; and Nalpas, B. (1995) :**
HCV types infection in France and Italy .
Ann. Intern. Med.; 122 : 161-167.
- Nuesch, J.P.; Weitz, M.; and Siegl, G. (1993):**
Proteins specifically binding to the 3 NTR of hepatitis A RNA.

Arch. Virol.; 128:65-79.

Obayah, E.M., (1996) :

Diagnosis of viral hepatitis C and B by PCR.

MSc. Thesis, Medical Biochemistry, Faculty of Medicine, Cairo University.; P: 45-110.

Ockner R.K. (1996) :

Acute viral hepatitis. In : Cecil Textbook of Medicine 19th edition. Wyngaarden J.; Smith L.; and Bennett, J. (eds). vol 1, chapter 117, p : 763-782. W.B.saunders, Co.; Philadelphia, London, Tokyo.

Ohno, O.; Mizokami, M.; Wu, R.; and Saleh M. (1997) :

New HCV genotyping system.

J. Clin. Microbiol.; 35 : 201-213.

Ohto, H.; Terazawa, S.; and Sasak, N. (1994) :

Transmission of HCV from mother to infant.

N. Eng. J. Med.; 330 : 744-748 .

Okamoto, H.; Kojima, M.; and Okada, S.I. (1992):

Full length sequence of a HCV genome.

Virol.; 188:331-341.

Okanoue, T.; Tasui, K.; and kuwana, K. (1996) :

Circulating HCV-RNA genotypes in asymptomatic individuals reactive for anti-HCV. antibody.

Liver; 16 : 241-249.

Oliveri, F.; Brunetto, M.R.; and Bladi, M. (1991) :

Hepatitis delta virus infection and HCC. In: The hepatitis delta virus. Gerin, J.L.; Purcell, R.H.; and Rizzetto, M. (eds), P : 217-229.

Wiley - Liss; New York.

Osaima, S.; EL-Zayadi, A.; Abou EL-Hana, S.; and Abaza, H. (1993):

Prevalence of HCV antibody among Egyptian blood donors.

J.Trop. Med., 2 (4) : 23-27 .

References

- Parker, S.P.; Cubitt, W.D.; and Ades, A.E. (1997) :**
A method for detection and confirmation of antibodies to HCV in dried blood spots.
J.Virol. Methods; 68(2): 199-205.
- Pawlotsky, J.M.; Tsakiris, L.; and Roudot, F. (1995) :**
Relationship between HCV genotypes and source of infection.
J.Infect Dis.; 171 : 1607-1612.
- Pereira, B.J.; Milford, E.L.; and Kirkman, R.L. (1992) :**
Transmission of HCV by organ transplantation.
N. Engl. J. Med.; 325 : 454-459.
- Pereira, L.M.; Mero, M.C.; and Saleh, M.G. (1995) :**
HCV infection in schistosomiasis mansoni in Brazil.
J.Med. Virol.; 45(4) : 423-428.
- Perrillo, R.P. (1992):**
Chronic hepatitis. In: Diseases of the liver and biliary tract.
Gitnick, G.; Labrecque, D.R.; and Moody, F.G. (eds). P: 299-310.
Mosby-Year Book; St. louis.
- Petit, M.A.; Zoulim, F.; and Capel, F. (1990):**
Variable expression of pres antigen in serum during chronic hepatitis B infection: an accurate marker for the level of hepatitis B virus replication.
Hepatology; 11:809-817.
- Pfeifer, U.; Thomssen, R.; and Gerlich, W. (1980) :**
Experimental non-A, non-B hepatitis.
Arch. B cell. Pathol.; 33 : 233-241.
- Pickles, W.N. (1930):**
Epidemic Catarrhal Jaundice.
Br. Med. J.; 1:944-952.
- Pinho, J.R.; and Silva, L.C. (1998):**
GB virus C/hepatitis G virus and other hepatitis non-A-E viruses.
Rev. Int. Med. Trop. Sao-Paulo; 381(6):441-447.
-

- Pozzato, G.; Kaneko, S.; and Moretti, M. (1994) :**
Different genotypes of HCV are associated with different severity of chronic hepatitis disease.
J. Med. Virol.; 43 : 291-299.
- Prati, D.; Capelli, C.; and Zanella, A. (1996) :**
Influence of different HCV genotypes on the course of asymptomatic HCV infection.
Gastroenterol.; 110 : 178-184.
- Prieto, M.; Olasso, V.; and Verdu, C. (1995):**
Does the healthy HCV carrier state really exist?
Hepatology; 22:413-417.
- Puoti, C.; Magrini, A.; and Stati, T. (1997):**
Clinical, histological and virological features of HCV carriers.
Hepatology; 26:1393-1398.
- Purcell, R.H. (1994) :**
Hepatitis viruses.
Proc. Natl. Acad. Sci. USA; 91 : 2401-2413 .
- Purcell, R.H., (1997) :**
The HCV : overview.
Hepatology; 26 suppl. (3) : 11 .
- Puro, V.; Petrosillo, N.; and Ippolito, G. (1995):**
Risk of HCV seroconversion after occupational exposures in health care workers .
Am.J.Infect. Control.; 23 : 273 -277 .
- Quer. J.; and Esteban, J.I. (1998):**
Epidemiology of HCV. In: Viral hepatitis, 2nd edition.
Zuckerman, A.J.; and Thomas (eds), section IV, P:271-281.
Churchill Livingstone, London, Sydney, Toronto.
- Quint, W.G.; Heijtkink, R.A.; and Wands, J.R. (1995) :**
Reliability of methods for hepatitis B virus DNA detection.
J. Clin. Microbiol.; 33 : 225-228.

References

- Quiroga, J.A.; Martin. J.; and Pernas, M. (1994) :**
Evidence of subtype specific antibodies to antigenic epitopes in the NS5 region of HCV.
Clin. Diag. Lab. Immunol.; 1 : 545 -548 .
- Rapicetta, M.; Argentini, C.; Dettori, S.; and Gandin, C. (1998):**
Different patterns of distribution of HCV 4 subtypes in different geographical areas.
Hepatology; 28 (suppl. 2) : 204 A .
- Rashid, A.; Farag, Abou-Bakr; and El-Qersh. (1993):**
Epidemiology of viral hepatitis in Egypt in the ninties.
Amual congress 8th (Cairo) Egypt. P: 19.
- Rijnbrand, R.; Bredenbeek, P.; and Van de stralen. (1995) :**
Almost the entire 5 NTR of HCV is required for cap independent translation.
FEBS Lett; 365 : 115-121.
- Rizzetto, M. (1983):**
The delta agent.
Hepatology; 3:729-736.
- Rizzetto, M.; Canese, M.G.; and Arico, S. (1977):**
Immunofluorescence detection of a new antigen-antibody system (delta/anti-delta) in serum.
Gut; 18:997-1003.
- Rizzetto, M.; Ponzetto, A.; and Forzani, H. (1991):**
Epidemiology of HDV In: "The Hepatitis delta virus" Guerine, J.; Purcell, R.H.; Rizzetto, M.(eds) P:1-12.
Wiley Liss; New York.
- Robbins, D.J.; Karter, J.; Kiang, W.; and Carlos, J. (1991):**
Detection of total antibody against hepatitis A virus by an automated enzyme immunoassay.
J. Virol. Methods 32 : 255-263.
- Robertson, E.H.; Jansen, K.W.; and Khanna, B. (1992) :**
Genetic relatedness of hepatitis A virus strains recovered from different geographical regions.
J. Gen. Virol.; 37 : 1365-1377.
-

Robertson, B.H.; and Lemon, S.M. (1998):

Hepatitis A and E. In: Topley & Wilson's Microbiology and Microbial infection, 9th edition., Collier, L., Balows, A.; and Sussman, M.(eds) Vol 1, Chapter 34, P: 693-716. Arnolds; London, Sydney, New York.

Robinson, W.S. (1990):

Hepadnavirdea and their replication. In: Field's virology, 1st edition Field, B.; Knipe, D.; and Howley, P. (eds), P:2137-2177. Raven Press; New York.

Robinson, W.S. (1996):

Biology of human hepatitis viruses. In: Hapatology textbook 3th ed, Zakim, D.; Boyer, T.D.; (eds), vol.2 P:1146-1162. W.B.; Sauder's Company; Philadelphia.

Roggendorf, M.; Frosner, G.G.;and Deinhardt, F. (1980):

Comparison of soild phase test systems for demonstrating antibodies against hepatitis A.
J. Med.Virol.; 5:47-51.

Romeo, J.M.; Ulrich, P.P.; and Busch, M.P. (1993):

Analysis of HCV RNA prevalence and surrogate markers of infection among seropositive voluntary blood donors.
Hepatology.; 17: 188-195.

Roth, W.K.; Lee, J.H.; and Zeuzem, S. (1996) :

Comparison of two quantitative HCV RT-PCR assays.
J.Clin. Microbiol.; 34 : 261-267 .

Rueckert, R.R.; and Wimmer, E. (1984):

Systematic nomenclature of picornavirus proteins.
J.Virol. 50:957-959.

**Saeed, A.A.; Al-Admawi, A.M.; Al- Rasheed, A., Fairclough, D.;
Bachus. R.; Ring, C.; and Garson, J. (1991):**

Hepatitis B virus infection in Egyptian volunteer blood donors in Riayadh.
Lancet; 338: 454-460.

References

- Saha, V.; John, T.J.; and Carman, R.H. (1988):**
Highly sensitive tests for HBsAg in Transfusion centers of developing countries Br. Med. J.; 297:334-340.
- Saiki, R.; Scharf, S.; Faloona, F. and Erlich, H. (1985):**
Enzymatic amplification of beta-globin genomic sequence. Science; 230: 1350-1354.
- Sakugawa, H.; Nakasone, H.; and Nakayoshi, T. (1995) :**
High proportion of false positive reactions among donors with anti-HCV antibodies in a low prevalence area. J.Med. Virol., 46 : 334-338 .
- Saleh, H.A. (1995):**
Prevalence of hepatitis C antibodies in patients with diabetes Mellitus,
MSc. Thesis Clin. Path., Benha Faculty of Med. Zagazig Uni.
- Saleh, M.B.; Pereiera, L.M.; and Tibbs, C.J. (1994):**
High prevalence of hepatitis C virus in normal Libyan population. Trans. R. Soc. Trop. Med. Hyg.; 88(3): 292-297.
- Sambrook, J.; Fritsch, E.F.; and Manniatis, T. (eds) (1989):**
Molecular cloning. In: A laboratory Manual, 2nd edition. P: 25-39.
Cold Spring Harbor Laboratory Press; New York;.
- Santolini, E.; Migliacco, G.; and La Monica, N. (1994) :**
Biosynthesis and biochemical properties of HCV core protein. J. virol.; 68 : 3631 -3635 .
- Santolini, E.; Paciani, L.; and Fipaldini, C. (1995) :**
The NS-2 protein of HCV. J.Virol.; 69 : 7461-7464 .
- Scheuer, P.J.; Ashrafzadeh, P.; and Sherlock, S. (1992) :**
The pathology of hepatitis C. Hepatology ; 15 : 567-571 .
- Schiff, E.R. (1993) :**
The patient with chronic hepatitis C.

Hosp. Pract.; 28 : 25-28.

Schiff, L.; and Schiff, E.R. (eds) (1993):

Viral hepatitis. In: Disease of the liver, vol.1, 7th edition, P: 492-545.

J. B.Lippincott Co.; Philadelphia.

Selby, M.J.; Choo, G.L; and Berger, K. (1993):

Expression, Identification of protein encoded by HCV genome.

J. Gen. Virol.; 74 : 1103 -1107 .

Selby, M.J; Glazer, E.; and Masiarz, F. (1994) :

Complex processing and protein-protein interaction in the E2 / NS2 region of HCV.

Virology; 204 : 114-119.

Shaffer, D.R.; and Lemon, S.S.M. (1995):

Temperature-sensitve hepatitis A virus mutants.

J. Virol.; 69:6498-6506.

Shakil, A.O.; Conry, C.; and Alter, H.J. (1995):

Volunteer blood donors with HCV antibody.

Ann. Intern. Med.; 123 : 330-335.

Shattock, A.G.;and Morgan, B.M. (1984):

Sensitive enzyme immunoassay for the detection of the delta antigen and anti-delta.

J. Med.Virol.; 13:73-82.

Shattock, A.G.; Morris, M.;and Kinane, K. (1989):

The serology of delta hepatitis by EIA.

J. Virol. Methods; 23:233-240.

Sheiner, P.; Schluger, L.K.; and Emre, S. (1997) :

Retransplantation for recurrent hepatitis C.

Liver Transpl. Surg.; 3(2) : 130-139.

Sherlock, S.; and Dooley, J. (eds) (1997):

Viral hepatitis . In: Diseases of the liver and biliary system, 10th edition., P: 271-315. Blackwell Scientific Publication, Oxford; London, Boston.

References

- Shieh, Y.S.C.; Baric, R.S.; and Sobsey, M.D. (1991):**
Detection of hepatitis A virus.
J. Virol. Methods; 31:119:136-145.
- Shimizu, Y.K.; Purcell, R.H.; and Yoshitura, H. (1993) :**
Correlation between the infectivity of HCV in vivo and its infectivity in vitro.
Proc. Natl. Acad. Sci. USA; 90 : 6037-6042.
- Shimizu, Y.K.; Feinstone, S.M.; and Kohara, M. (1996):**
HCV: detection of intracellular virus particles by IEM.
Hepatology; 23 : 205 -212 .
- Shimotohno, K.; and Feinstone, S.M. (1997):**
Hepatitis C virus. In: Clinical Virology, 1st edition, Richman, D.; Whitley, R.J.; and Hayden, F.G., (eds). Chapter 50, P : 1187 - 1215. Churchill Livingstone; New York, London, Tokyo.
- Shindo, M.; Di-Bisceglie, A.M.; and Cheung, L. (1991) :**
Decrease in serum HCV RNA during alpha interferon therapy for chronic hepatitis C.
Ann. Intern. Med., 155 : 700-704 .
- Shindo, M.; Arai, K.; Sokawa, Y.; and Okeeno, T. (1995):**
The virological and histological states of anti-hepatitis C virus positive subjects with normal liver biochemical values.
Hepatology; 22:418-425.
- Siegel, G. (1984):**
Structure and biology of hepatitis A. In: Hepatitis A. Gexety, R.J. (ed), P: 9-32.
Academic press; New York .
- Siegel, D.; and Hirschman, S.Z. (1977) :**
Hepatitis dysfunction in acute measles infection of adults.
Arch. Intern. Med.; 137 : 1178-1185.
- Simmonds, P.; Zhang, L.Q.; and Watson, H.G. (1990) :**
HCV quantification and sequencing in blood products.
Lancet ; 336 : 1469-1472.

- Simmonds, P.; McOdmich, F.; and Yap, P.L. (1993-a) :**
Sequence variability in the 5 non coding region of HCV.
J. Gen. Virol.; 74 : 661 - 668.
- Simmonds, P.; Rose, K.A.; and Graham, S. (1993-b):**
Mapping of serotype specific, immunodominant epitopes in the NS4 region of HCV.
J.Clin. Microbiol.; 31 : 1493-1496.
- Simmomds, P.; Mutmir, D.; and Follett, E.A. (1998):**
Hepatitis C. In: Topley & Wilson's Microbiology and Microbial Infections, 9th edition. Collier, L.; Balows, A., and Sussman, M. (eds). Vol. 1, chapter 35, p : 717-739. Arnold; London, Sydney, New York.
- Skidmore, S. (1993) :**
HCV : epidemiology and serological diagnosis.
J.Med. Microbiol.; 39 : 321-330.
- Smith, D.B.; Mellar, J.; and Jarvis, L.M. (1995) :**
Variation of HCV 5 NTR.
J. Gen. Virol.; 76 : 1749-1754.
- Smith, D.B.; Davidson, F.; and Yapp, L. (1996) :**
Levels of HCV in blood donors infected with different genotypes.
J. Infect, Dis.; 173 : 727-734.
- Soto, B.; Rodrigo, L.; and Garcia, M.A. (1994) :**
Heterosexual transmission of HCV.
J.Intern. Med.; 236 : 515 -517 .
- Stibbe, W.; and Gerlich, W.H. (1983):**
Structural relationships between minor and major proteins of hepatitis B surface antigen.
Virol.; 46:626-629.
- Stocklin, E.; Gudat, F.;and Krey, G. (1981):**
Delta antigen in hepatitis B.
Hepatology; 1:238-242.

References

- Stroffolini, T.; Menchinelli, M.; Taliani, G.; Dambruso, V.; Poliandri, G.; Bozza, A.; and Lecce, R. (1995):**
High prevalence of hepatitis C virus infection in a small central Italian town.
Ital-J. Gastroenterol.; 27: 235-238.
- Strong, W.B. (1965) :**
Adenovirus isolation from patients with infection hepatitis.
CDC Hepatitis Surveillance; Report. 22 Atlanta P : 17.
- Stuyver, L.; Rossau, R.; and Wyseur, A. (1993) :**
Typing of HCV isolates and characterization of new subtypes using LiPA assay.
J. Gen. Virol ; 74 : 1093-1099.
- Stuyver, L.; Van Arnhem, W.; and Wyseur, A. (1994) :**
Clonning and phylogenetic analysis of the core, E2, and NS3/4 epitope regions of HCV.
Biochems. Biophys. Res. Comm.; 202 : 1308-1315.
- Stuyver, L.; Wyseur, A.; and Van Arnhem, W. (1996) :**
Second-Generation Line Probe Assay for hepatitis C virus genotyping.
J. Clin. Microbiol.; 34(9) : 2259 - 2266.
- Sun, N. C.;and Smith, V.M. (1966) :**
Hepatitis associated with myocarditis : unusual manifestation of infection with coxsaki virus group B type3.
N.Engl. J.Med. 274 : 190-198.
- Takada, N.; Takase, S.; Takado, A.; and Date, T. (1992):**
HCV genotypes in different countries.
Lancet; 339:808.
- Takamatsu, K.; Okayasu, I.; and Koyangi, Y. (1992) :**
HCV propagates in salivary glands.
J. Infect. Dis.; 165 : 973-977.
- Takamizawa, A.; Mori, C.; and Fuke, I. (1991):**
Structure and organization of HCV genome isolated from human carrier.
J. Virol.; 65 : 1105 -1110 .

- Takehara, T.; Hayashi, N.; and Mita, E. (1992) :**
Detection of the minus strand of HCV RNA by RT-PCR.
Hepatology ; 15 : 387 -394.
- Taliani, A.W.; Pounder, R.E.; and Braun, D. (1992):**
Viral hepatitis.
Hepatology; 61:235-240.
- Tam, A.W.; and Bradley, D.W. (1998):**
Structure and molecular virology of HEV. In : Viral hepatitis, 2nd
edition Zuckerman, A.J.; and Thomas, H.C.; (eds). Section V. P :
395-400.
Churchill Livingstone; London, Sydney, Toronto.
- Tam, A.W.; Smith, M.M.; and White, R. (1991):**
Hepatitis E: Epidemiology, aetiology and molecular biology.
Rev. Med. virol.; 2:19-28.
- Tanaka, H.; Hiyama, T.; and Tsukuma, H. (1994):**
Prevalence of second generation antibody to hepatitis C virus
among voluntary blood donors in Japan.
Cancer, Causes, control; 5(5): 409-414.
- Tanaka, T.; Koto, N.; and Cho, M.J. (1995) :**
A novel sequence found at the 3 terminus of HCV genome.
Biochem. Biophys. Res. Commun.; 215 : 744 -749 .
- Tanji, Y.; Hijikata, M.; and Satoh, S. (1995) :**
HCV encoded NS4 A has versatile function in viral protein
processing .
J. Virol .; 69 : 1575 -1579 .
- Tao, Q.M.; Wang, Y.; Du, S.C.; and Guo, J.P. (1994) :**
Epidemiology of hepatitis B and C in China. In: Viral hepatitis and
Liver disease. Nishioka, K.; Suzuki, H., and Mishiro, S. (eds), P:
412-425. Springer-Verlog; Tokyo.
- Telfer, P.; Garson, J.A.; and Whitby, K. (1997) :**
Combination therapy with interferon alpha and ribavirine for
chronic HCV infection.
Br. J. Haematol.; 98 : 850-859.

References

- Thomas, H.C.; Pickering, J.; and Karayiannis, P. (1997):**
Identification, prevalence and aspects of molecular biology hepatitis G virus.
J. Viral Hepat.; 4 (suppl.1):51-54.
- Thomssen, R.; Bonk, S.; and Propfe, C. (1993) :**
Association of HCV in human sera with lipoprotein.
Med. Microbiol. Immunol.; 181 : 293 - 296 .
- Tobler, L.H.; Busch, M.P.; Wilber, J.; and Quan, S. (1994) :**
Evaluation of indeterminate c-22 -3 reactivity in volunteer blood donors.
Transfusion; 34 : 130-135.
- Tomei, L.; Failla, C.; and Santollini, E. (1993):**
NS3 is a serine protease required for protein processing of HCV polyprotein.
J.Virol.; 67 : 1065 -1071 .
- Tong, M.J.; EL-Farra, N.S.; and Co, R.L. (1995) :**
Clinical outcome after transfusion associated hepatitis C.
N. Engl. J. Med; 332 : 1463-1470.
- Tong, M.; Blatt, L.; and Resser, K. (1998) :**
Treatment of chronic HCV infection with recombinant consensus interferon.
J. Interferon-Cytokine Res.; 18 : 81-90.
- Tsukuma, H.; Hiyama, T.; and Tanako, A. (1993) :**
Risk factors for hepatocellular carcinoma among patients with chronic liver diseases.
N. Engl. J. Med ; 328 : 1797-1792.
- Ueruma, K.; Kawaguchi, T.; Dodeyma, T.; and Kiyosawa, K. (1992):**
Antibody to hepatitis C virus in patients with chronic schistosomiasis.
Ann. Trop. Med. Parasitol.; 86 (3): 257-262.
- Van Gemen, B.; Kievits, T.; and Schukink, R. (1993):**
Quantification of HIV.1 RNA in plasma by NASBA.
J. Virol. Methods; 43:177-185.

Vander Poel, C.L. (1994):

HCV infection: Epidemiology, transmission and prevention. In: Hepatitis C virus. Reesink, H. (eds), P: 137-163. Karger.; Amsterdam.

Vander Poel, C.L.; Reesink, H.W.; and Plaisier, A.D. (1991) :

Perinatal risk factors in HCV infected blood donors .
Proceeding of Int. Sympos. on HCV, Strasbourg, France; P: 103.

Vander Poel, C.L.; Bresters, D.; and Reesink, H.W. (1992) :

Early anti-HCV responses with second generation ELISA .
Vox Sang; 62 : 209 -212.

Vrielink, H.; and Vander Poel, C.L. (1995):

Transmission of hepatitis C virus by anti HCV negative blood transfusion.
Vox Sang; 68 : 55 - 56.

WHO (1991) :

Blood-Transmitted Non-A-non B. Hepatitis.
L.Bs.; P: 6-8.

W.H.O. (1993):

Hepatitis Programme.
Lancet; (2): 350-352.

W.H.O. (1995):

Report on Intercountry workshop on the prevention and control of viral hepatitis, P: 1-3.

Wagdan, A.A.; Berry, M.E.; Ismail, M.A.; and El-Koly, A. (1994):

Prevalence of antibodies to hepatitis C virus in Egyptian blood donors.
Egypt J. Med. Microbiol; 3(2): 381-384.

Wakita, T.; Wands, J.R.; and Bruns, R. (1994) :

Specific inhibition of HCV expression by antisense oligonucleotides.
Biol. Chem.; 269 : 14205-14212.

References

- Wang, J.G.; Jansen, R.W.; and Brown, E. (1990):**
Immunogenic domains of hepatitis delta virus antigen: peptide mapping of epitopes recognized by human and woodchuck antibodies.
J. Virol.; 64:1108-1116.
- Wang, J.T.; Sheu, J.C.; and Lin, J.T. (1992) :**
Detection of replicative forms of HCV RNA in peripheral blood mononuclear cells.
J. Infect. Dis.; 166 : 1167 -1172 .
- Wards, R.; Krugman, S.; Giles, J.P. (1958):**
Infectious Hepatitis.
N. Engl. J. Med.; 258:407.
- Wassef, O.M.; AL-Hendi, M.A.; and Al-Anwar, R.A. (1995) :**
An Epidemiological study of hepatitis B and C among adults attending primary health care centres.
Benha. M.J., 12 (3) : 287-297 .
- Watanabe, J.; Minegishi, K.; and Mitsumori, T. (1990) :**
Prevalence of HCV antibody in blood donors in Tokyo.
Vox sang ; 59 : 86-89.
- Watson, H.G.; Ludlam, C.A.; Rebus, S. (1992):**
Using of several 2nd generation assays to determine the true HCV infection.
Br. J. Haematol.; 80:514-518.
- Weiner, A.J.; Brauer, M.J.; and Rosenblott, J. (1990) :**
Detection of HCV sequences.
Lancet ; 335 : 13-15 .
- Weller, T.H. (1962):**
The Cytomegalovirus. virologic and clinical observations.
N. Engl. J. Med.; 285:203-207.
- Winship, P.R.; Rees, D.J.; and Alkan, M. (1989):**
Detection of polymorphism at cytosine phosphoguanidine dinucleotides and diagnosis of haemophilia B carriers.
Lancet; 1:631-634.

- Wong, D.C.; Purcell, R.H.; and Sreenivasan, M.A. (1980):**
Epidemic and endemic hepatitis in India.
Lancet; ii: 876 - 878.
- Wonke, B.; Hoffbrand, A.V.; and Brown, D. (1990) :**
Antibody to HCV in multitransfused patients with thalassaemia major.
J.Clin. Pathol.; 43 : 638 -641 .
- Wright, D.K.; and Manos, M. (1990) :**
Sample preparation from perraffin embeded tissue In: PCR Protocols. Innis MA; Gelfand DH; Sninky J, (eds). Acad. Press; Saundiego.
- Wright, P.A.; and Thomas, D.W. (1990):**
The polymerase chain reaction: a critical review of its uses and limitations in diagnosis and research.
J. Pathol.; 162:92-117.
- Wright, T.L.; Donegan, E.; and Hsu, H. (1992) :**
Recurrent and required HCV infection in liver transplant recepients.
Gastroenterol : 103 : 317-322.
- Wright, T.L.; Terrault, N.; Ganem, D. (1997):**
Hepatitis B virus.In: Clinical Virology. Richman, D.D.; Whitley, R.J.; Hayden, F.G. (eds). Chapter 29, P: 633-675. Churchill Livingstone; New York , London, Tokyo.
- Yamada, N.; Tanihara, N.K.; andTakada, A. (1996):**
Genetic organization and diversity of 3 NTR of HCV.
Virology; 223 : 255-259.
- Yarbough, P.O.; Tam, A.W.; and Fry, K.E. (1991):**
Hepatitis E virus: Identification of type common epitopes.
J. Virol.; 65:5790-5795.
- Yoshizawa, H.; I Tah, Y.;and Iwakim, S. (1980):**
Diagnosis of type A hepatitis by fecal IgA antibody.
Gastroenterol.; 78:114-119.

References

- Yuki, N.; Hyashi, N.; and Kamada, T. (1994) :**
HCV viremia and liver injury in symptom free blood donors.
Lancet; 342 : 444-447.
- Zaaijer, H.L.; Cuypers, H.T.; and Reensink, H.W. (1994):**
New immunoblot resolves intermediate results for antibody to HCV.
Transfusion.; 34:184-189.
- Zanetti, A.R.; Tanzi, E.; and Paccagnini, S. (1995) :**
Mother to infant transmission of HCV.
Lancet; 345 : 289 -291 .
- Zarski, J.P.; Bohn, B.; and Bastie, A. (1998) :**
Characteristic of patients with dual infection by hepatitis B and C viruses.
J. Hepatol., 28 : 27-34.
- Zeuzem, S.; Schmidt, J.M.; and Lee, J.H. (1996) :**
Effect of interferon alpha on HCV in vivo.
Hepatology ; 23 : 366-369.
- Zhou, S.; Terrault, N.; and Ferrel, L. (1996) :**
Severity of liver disease in liver transplantation recipients with HCV infection.
Hepatology; 24 : 1041-1049.
- Zanotto, P.M.; Gould, E.A.; and Gao, G.F. (1996):**
Population dynamics of Flavivirus revealed by molecular phylogenies.
Proc. Natl. Acad. Sci. USA; 93:531-548.
- Zuckerman, A.J.; Zuckerman, N.Z.; and Harisson, T.J. (1993):**
Prevention of HBV infection. In: Viral hepatitis, 1st edition.
Zuckerman, A.J.; and Thomas, H.C. (eds)., P : 217-225. Churchill Livingstone, London, Sydney, Toronto, Philadelphia.
- Zueler, W.W.; and Stulberg, C.S. (1952):**
Hepres simplevirus.
Am. J. Dis Child.; 83:421- 428.