

REFERENCES

Abd El-Maksoud, A.M. (1994):

Present situation of virulence and drug resistance of *M.tuberculosis* in Dakahlia Governorate. Thesis of Master Degree in chest diseases and tuberculosis, Mansoura University.

Abe, C.; Hirano, K. and Tomiyama, T. (1999):

Simple and rapid identification of the *M. tuberculosis* complex by immunochromatographic assay using Anti-MPB64 monoclonal antibodies. J. Clin. Microbiol.; 37: 3693-3697.

Aderem, A. and Underhill, D.M. (1999):

Mechanisms of phagocytosis in macrophages. Ann. Rev. Immunol.; 17: 593-623.

Alcaide, J.; Altet, M. and Plans, P. (1996):

Cigarette smoking as a risk factor for tuberculosis in young and adults. Tubercul. Lung. Dis.; 77(2): 112.

Al-Helaly, A.; Hamdy. A and Negm, M. (1991):

Incidence of primary resistance to first row drugs used in treatment of pulmonary tuberculosis in Dakahlia Governorate. Egypt J. Chest Dis. Tub.; 38, 1:33-44.

Al-Moamary, M.S.; Black, W.; Bessuille, E. and Elwood, R.K. (1999):

The significance of the persistent presence of acid fast bacilli in sputum smears in pulmonary tuberculosis. Chest; 116: 726-731.

Alnemri, E.S.; Livingston, D.J.; Nicholson, D.W. and Salvesen, G. (1996):

Human ICE/CED-3 protease nomenclature. Cell; 87: 171.

Amsen, D. and Kruisbeek, A. (1998):

Thymocyte selection: not by TCR alone. *Immunol. Rev.*; 165: 209-229.

Amsterdam, D. (1996):

The laboratory diagnosis of tuberculosis in a period of resurgence: challenge for the laboratory. *Clin. Lab. Sci.*; 9(4): 207-212.

Antonsson, B. and Martinou, J.C. (2000):

The Bcl-2 protein family. *Exp. Cell Res.*; 256: 50-57.

Apt, A.S.; Avdienko, V.G. and Nikonenko, B.V. (1993):

Distinct H-2 complex control of mortality and immune responses to tuberculosis infection in virgin and BCG-vaccinated mice. *Clin. Exp. Imm.*; 94(2): 322-329.

Aranda, C.P. (1996):

Pyrazinamide. In: *Tuberculosis*. 1st ed; Rom, W.W. and Garay, S.M. (eds), Boston, Little Brown, Chapt 65; p: 799.

Ashkenazi, A. and Dixit, V.M. (1998):

Death receptors: signaling and modulation. *Science*, 281: 1305-8.

Ashok, R.; Kamal, K. and Sarman, S. (1994):

Evaluation of a safe sputum processing method for detecting tuberculosis. *J. Clin. Path.*; 47: 411-413.

ATS (1994):

Treatment of tuberculosis and tuberculosis infection in adults and children. *Am. J. Respir. Crit. Care Med.*; 149: 1359-1374.

ATS (1997):

Diagnosis and treatment of disease caused by non tuberculous mycobacteria. *Am. J. Respir. Crit. Care Med.*; 156(Supp 1): 21-25.

ATS (2000):

Diagnostic standards and classification of tuberculosis in adults and children. *Am. J. Respir. Crit. Care Med.*; 161: 1376-95.

Attorri, S.; Dunbar, S. and Clarridge, J.E. (2000):

Assessment of morphology for rapid presumptive identification of *M. tuberculosis* and *M. Kansaii*. *J. Clin. Microbiol.*; 38: 1426-1429.

Bacsó, I.; Everson, R.B. and Eliason, J.F. (2000):

The DNA of annexin V-binding apoptotic cells is highly fragmented. *Cancer Research* 60: 4623-4628.

Badak, F.Z.; Kiska, D.L.; Setterquist, S. and Hartley, C. (1996):

Comparison of Mycobacteria growth indicator tube with BACTEC 460 for detection and recovery of mycobacteria from clinical specimens. *J. Clin. Microbiol.*; 34: 2236-2239.

Badak, F.Z.; Goksal, S.; Sertoz, R. and Nafie, B. (1999):

Use of nucleic acid probes for identification of *M. tuberculosis* directly from MB/Bac T bottles. *J. Clin. Microbiol.*; 37: 5, 1602-5.

Baldwin, S.L.; D'Souza C.D.; Orme, I.M. and Liu, M.A. (1999):

Immunogenicity and protective efficacy of DNA vaccines encoding secreted and non-secreted forms of *M. tuberculosis* Ag 85 A. *Tuber. Lung. Dis.*; 79(4): 251-259.

Barnes, P.F.; Abrams, J.S.; Lu, S. and Sieling, P. (1993):

Patterns of cytokine production by mycobacterium-reactive human T cell clones. *Infect. Immun.*; 16: 197-203.

Baron, E.J.; Peterson, L.R. and Finegold, S.M. (1994):

Mycobacteria. 9th ed; In: *Diagnostic Microbiology*, Mosby, p: 590-620.

- Barrientos, A.; Arroyo, A.; Canton, R. and Nombela, C. (2000):**
Applications of flow cytometry to clinical microbiology. Clin. Microbil. Rev.; 13: 167-195.
- Bateman ED (1993):**
Is tuberculosis prophylaxis necessary for patients receiving corticosteroids for respiratory disease? Respir Med; 87: 485-7.
- Bauman, R.W. (2004):**
Mycobacterium. In: Microbiology, Benjamin Cummings, p: 555-559.
- Bayomi, H.A. (1996):**
Serodiagnosis of pulmonary tuberculosis. Thesis of Master Degree in Clinical pathology, Mansoura University.
- Behr, M.A.; Wilson, M.A. and Gill, W.P. (1999a):**
Comparative genomics of BCG vaccines by whole-genome DNA microarray. Science; 284: 1520-1523.
- Behr, M.A.; Warren, S.A.; Salamon, H. and Hopewell, P. (1999b):**
Transmission of *M. tuberculosis* from patients smear-negative for acid fast bacilli. Lancet 353; 9151: 444-9.
- Belanger, A.; Besra, G.; Ford, M. and Mikusova, K. (1996):**
The *emb AB* genes of *M. avium* encode an arabinosyl transferase involved in cell wall arabinan biosynthesis that is the target for the antimycobacterial drug ethambutol. Proc. Natl. Acad. Sci. USA; 93: 11919-11924.
- Bemer, P.; Palicova, F.; Rusch-Gerdes, S. and Drugeon, H.B. (2002):**
Multicenter evaluation of fully automated BACTEC Mycobacteria Growth Indicator Tube 960 system for susceptibility testing of *M. tuberculosis*. J. Clin. Microbiol.; 40(1): 150-4.
- Benjamin, W.H.; Waites, K.B. and Beverly, A. (1998):**
Comparison of the MB/Bac T system with a revised antibiotic

supplement kit to the BACTEC 460 system for detection of mycobacteria in clinical specimens. *J. Clin. Microb.*; 36: 3234-3238.

Bergmann, J.S.; Youh, G.; Fish, G. and Woods, G.L. (1999):

Clinical evaluation of the enhanced Gen-probe Amplified *M. tuberculosis* Direct Test for rapid diagnosis of tuberculosis in prison inmates. *J. Clin. Microbiol.*; 37: 1419-25.

Bergmann, J.S.; Keating, W.E. and Woods, G.L. (2000):

Clinical evaluation of the BD Probe Tec ET system for rapid detection of *M. tuberculosis*. *J. Clin. Microbiol.*; 38: 863-865.

Bishop, P.J. and Neumann, G. (1970):

The history of Ziehl Neelsen stain. *Tubercle*; 51(2): 196-206.

Blaschke, T. and Skinner, M. (1996):

The clinical pharmacokinetics of rifabutin. *Clin. Inf. Dis.*; 22: S15-S21.

Bloch, A.; Simone, P. and McRay, E. (1996):

Preventing multidrug resistant tuberculosis. *JAMA*; 275: 487-489.

Bothamley, G.H.; Beck, J.S. and Stone, M.M. (1989):

Association of tuberculosis and *M. tuberculosis*-specific antibody levels with HLA. *Infect. Dis.*; 159: 549-55.

Boyd, R.J. and Ehrlich, R.M. (1983):

Genitourinary tuberculosis. Short course chemotherapy. AUA update series; vol. 2: lesson4, p: 1.

Boyem, A. (1967):

Isolation of lymphocytes, granulocytes and macrophages. *J. Immunol.*; 5: 312-319.

Brennan, P.J. and Nikaido, H. (1995):

The envelope of mycobacteria. *Ann. Rev. Biochem.*; 64: 29-63.

Brunello, F.; Favari, F. and Fontana, R. (1999):

Comparison of the MB/Bac T and BACTEC 460 TB systems for recovery of mycobacteria from various clinical specimens. *J. Clin. Microb.*; 37: 1206-1209.

Cangelosi, G.; Brabant, W. and Britschgi, T. (1996):

Detection of rifampin and ciprofloxacin resistant *M. tuberculosis* by using species-specific assay for precursor rRNA. *Antimicrob. Agents Chemother.* 40; 1790-1795.

Carson, D. and Ribereiro, J.M. (1993):

Apoptosis and disease. *Lancet*; 341: 1251.

Catanzaro, A.; Davidson, B.L. and Fujiwara, P.I. (1997):

Rapid diagnostic tests for tuberculosis. *Am. J. Resp. Crit. Care Med.*; 155: 1804-1814.

Catanzaro, A.; Perry, S. and Clarridge, J.E. (2000):

The role of clinical suspicion in evaluating a new diagnostic test for active tuberculosis. *JAMA*; 283: 639-645.

Caviedes, L.; Lee, T.; Gliman, R. and Sheen, P. (2000):

Rapid, efficient detection and drug susceptibility testing of *M. tuberculosis* in sputum by microscopic observation of broth cultures. *J. Clin. Microbiol.*; 38: 1203-1208.

Chan, E.D.; Heifets, L. and Iseman, M.D. (2000a):

Immunologic diagnosis of tuberculosis: a review. *Tuber. Lung Dis.*; 80(3):131-140.

Chan, E.D.; Reves, R.; Belisle, J.T. and Brennan, P.J. (2000b):

Diagnosis of tuberculosis by a visually detectable immunoassay for lipoarabinomannan. *Am. J. Respir. Care Med.*; 161: 1713-1719.

Chang, Z.; Primm, T.P. and Jakana, J. (1996):

M. tuberculosis 16KDa antigen function as an algometric structure in vitro to suppress thermal aggregation. J. Biol. Chem.; 271: 7218-23.

Chatterjee, D.; Hunter, S.W. and Lowell, K. (1992):

Lipoarabinomannan: multiglycosylated form of the mycobacterial mannosyl-phosphatidylinositols. J. Biol. Chem.; 267: 6228-33.

Chedore, P. and Jamieson, F.B. (1999):

Routine use of the Gene-Probe MTD2 amplification test for detection of *M. tuberculosis* in clinical specimens. Diag. Microbiol. Infec. Dis. 35; 3: 185-91.

Cheng, J.; Liu, C.; Koopman, W.J. and Mountz, J.D. (1995):

Characterization of human Fas gene. J. Immunol.; 154: 1239-1245.

Chew, W.K.; Lasaitis, R.M. and Schio, F.A. (1998):

Clinical evaluation of the MGIT compared with BACTEC and solid media for isolation of Mycobacterium species. J. Med. Microbiol.; 47: 821-827.

Chiarugi, V.; Cinell, M.; Magnelli, L. and Sbarba, P. (2001):

Molecular regulation of cell death and hematologic malignancies In: Hematologic Malignancies, Methods and Techniques. Faguet, G. (ed.); PP, 323-338, Human Press, New Jersey.

Cohen, J.J. (1993):

Apoptosis. Immunol. Today 14: 26-130.

Cohen, R.A.; Muzaffar, S. Schwartz, D. and Bashir, S. (1998):

Diagnosis of pulmonary tuberculosis using PCR assays on sputum collected within 24 hours of hospital admission. Am, J. Resp. Care Med.; 157: 156-161.

Cohn, D.L.; Raviglione, M.C. and Bustreo, F. (1997):

Drug resistant tuberculosis: review of the worldwide situation and the WHO/IUATLD Global Surveillance Project. Clin. Infect. Dis. 24: 5121-5130.

Colditz, G.A.; Brewer, T.F. and Berkey, C.S. (1994):

Efficacy of BCG vaccine in the prevention of tuberculosis. JAMA; 227: 698-702.

Cole, R.A.; Lu, H.M.; Wang, J. and Zhou, A.T. (1996):

Clinical evaluation of a rapid immunochromatographic assay based on the 38 KDa antigen of *M. tuberculosis* on patients with pulmonary tuberculosis in china. Tubercle and Lung Dis.; 77: 363-368.

Collins, C.H.; Grange, J.M. and Yates, M.D. (1997):

Tuberculosis bacteriology: organization and practice. p: 98-110. Butterworth Heinemann, Oxford, England.

Comstock, G.W. and Geiter, L.J. (1999):

Prophylaxis. In: Tuberculosis and Nontuberculous Mycobacterial infection. 4th ed. Schlossberg D (ed.) p: 98-103.

Costello, A.M.; Kumar, A. and Miller, F. (1992):

Does antibody to mycobacterial antigens limit dissemination in childhood tuberculosis? Trans. R. Soc. Trop. Med. Hyg.; 86: 686-92.

Cotran, R.S.; Kumar, V. and Collins, T. (1999):

Cell injury and cell death. In Robbins: Pathologic basis of disease. 6th ed, Saunders Company, Philadelphia; p: 18-28.

Cotter, T.G.; Lennon, S.V. and Glynn, J.G. (1991):

Cell death via apoptosis and its relationship to growth and differentiation of both tumour and normal cells. Anticancer Res.; 10: 1153-1160.

Cummings, M.C.; Witerford, C.M. and Walker, N.I. (1997):

Apoptosis. *Am. J. Surg. Pathol.*; 21: 88-101.

Daffé, M. and Etienne, G. (1999):

The capsule of *M. tuberculosis* and its implications for pathogenicity. *Tuber. Lung Dis.*; 79(3): 153-169.

Damjanov, I. and Linder, J. (1996):

Mycobacterial diseases. In *Anderson's Pathology*. Mosby, 10th ed, New York, Tokyo, Toronto; pp: 844-848.

Daniel, T.M.; Bates, J.H. and Dawnes, K.A. (1994):

History of tuberculosis. In: Bloom BR, *Tuberculosis: Pathogenesis, protection and control*. Am. Society for Microbiology, Washington; p: 13-24.

Dannenberg, A.M. (1999):

Immunology of tuberculosis. In: *Tuberculosis and Nontuberculous Mycobacterial infections*, 4th ed. Schlossberg D (ed.). Saunders Company; p: 29-47.

Darzynkiewicz, Z. (1997):

Methods in analysis of apoptosis and cell necrosis. In: *Advanced Methodologies in Flow Cytometry*. Andrea Cossarizza (ed), Modena Italy; p: 9-34.

David, H.L. (1984):

Carotenoid pigments of the mycobacteria. In: *the mycobacteria*. Kubica, G. and Wagne, L. (eds.), Marcel Dekker, New York, USA; p: 537-545.

Davies, P.D. (1996):

Clinical tuberculosis. 2nd ed. Chapman and Hall Medical, London, New York; p: 131-136.

Davies, P.D. (1998):

Interpretation of tuberculin skin test. In: *Clinical Tuberculosis*. 2nd ed, Chapman and Hall Medical, New York; pp: 115-137.

Dawood, M.A. (2000):

Value of modern microbiological techniques in diagnosis of renal tuberculosis. Thesis of the Master Degree in Clinical Pathology, Mansoura University.

Del Prete, R.; Picca, V.; Mosca, A. and Miragliotta, G. (1998):

Detection of anti-lipoarabinomannan antibodies for the diagnosis of active tuberculosis. *Int. J. Tuberc. Lung Dis.*; 2: 160-163.

Dlugovitzky, D.; Bay, M.L.; Rateni, L. and Fiorenza, G. (2000):

Influence of disease severity on nitrite and cytokine production by peripheral blood mononuclear cells from patients with pulmonary tuberculosis. *Clin. Exp. Immunol.*; 122: 343-349.

Dockrell, D.H., Lee, M., Lynch, D.H. and Read, R.C. (2001):

Immune-mediated phagocytosis and killing of *streptococcus pneumoniae* are associated with direct and bystander macrophage apoptosis. *J. Infect. Dis.*; 184: 713-22.

Dong, Z.; Saikumar, P.; Joel, M. and Manjeri, A. (1997):

Internucleosomal DNA cleavage triggered by plasma membrane damage during necrotic cell death. *Am. J. Pathol.*; 151: 1205.

Donnabella, V. and Martiniuk, F. (1996):

Rifampin. In: *Tuberculosis*. 1st ed. Rom, W.W. and Garay, S.M. (eds.), Boston, Little Brown, Chapt 63; p: 779.

Drobniewski, F.A. (1997):

Is death inevitable with multiresistant TB plus HIV infection? *Lancet*; 349: 71-72.

Drobniewski, F.A.; Pablos-Mendes, A. and Raviglione, M. (1997):

Epidemiology of tuberculosis in the world today. *Semin. Respir. Crit. Care Med.*; 18: 419-429.

Drobniewski, F.A. and Wilson, S.M. (1998):

The rapid diagnosis of isoniazid and rifampicin resistance in *M. tuberculosis*. J. Med. Microbiol.; 47: 189-196.

Drobniewski, F.A.; Watterson, S.A.; Wilson, S.M. and Harris, G.S. (2000):

A clinical, microbiological and economic analysis of a national service for the rapid molecular diagnosis of tuberculosis and rifampicin resistance in *M. tuberculosis*. J. Med. Microbiol.; 49: 271-278.

Dunlap, N.E.; Bass, J.; Fujiwara, P. and Hopewell, P. (2000):

Diagnostic standards and classification of tuberculosis in adults and children. Am. J. Respi. Crit. Care Med.; 161: 1376-1395.

Dutt, A.K. and Stead, W.W. (1999):

Epidemiology and host factors. In: Tuberculosis and Nontuberculous Mycobacterial infections. 4th ed. Schlossberg D (ed.). Saunders Company; pp: 3-16.

Dye, C.; Scheele, S.; Dolin, P. and Raviglione, M.C. (1999):

Global burden of tuberculosis. Estimated incidence, prevalence and mortality by country. WHO Global surveillance and Monitoring Project. JAMA; 282(7): 677-686.

El-Deek, B.S. (2002):

Some epidemiological features of tuberculosis as a re-emerging disease in Dakahlia Governorate. Thesis of MD Degree in Community medicine and public health, Mansoura University.

El-Gazzar, A.G.; Hamdy, A.B. and Eissa, S.A. (1996):

Initial drug resistance of *mycobacterium tuberculosis* of Dakahlia Governorate in 1994. Egypt. J. Chest Dis. Tub.; 45(1): 107-114.

- El-Gazzar, A.G.; Abdel-Rahman, M. and Rifaat, M. (1998):**
Molecular genetics of drug resistance of *M. tuberculosis*.
Egypt J. Chest Dis. Tub.; 47: 9.
- El-Hajj, H.H.; Marras, S.A.; Tayagi, S. and Kramer, F.R. (2001):**
Detection of rifampin resistance in *M. tuberculosis* in a single
tube with molecular beacons. J. Clin. Microbiol.; 39(11):
4131-7.
- El-Jawahri, J.J. (2003):** Update view of tuberculosis diagnosis. Thesis
of Master Degree in Clinical Pathology, Mansoura University.
- Ellis, H. and Horvitz, H. (1986):**
Genetic control of programmed cell death in the nematode
C.elegans. Cell; 44: 817-829.
- Ellner, J.; Himman, S. and Dooly, S.W. (1993):**
Tuberculosis symposium: emerging problems and promise.
J. Infect. Dis.; 168: 537-555.
- Ellner, J.J. (1997):**
Review: The immune response in human tuberculosis-
implications for tuberculosis control.
J. Infect. Dis.; 176: 1351-9.
- El-Sayed, M. (1998):**
Diagnosis of pulmonary tuberculosis from peripheral blood
using PCR. Thesis of Master Degree in Microbiology and
Immunology, Benha Faculty of Medicine, Zagazig University.
- El-Sherbini, S.M. (1989):**
Study of defaulters at Mansoura chest hospital. Thesis of
Master Degree in Chest. Mansoura University.
- Eltringham, I.J.; Drobniewski, F.A.; Mangan, J.A. and Butcher, P.D.
(1999a):**
Evaluation of reverse transcription-PCR and a bacteriophage-
based assay for rapid phenotypic detection of rifampin

resistance in clinical isolates of *M. tuberculosis*. J. Clin. Microbiol.; 37: 3524-3527.

Eltringham, I.J.; Wilson, S.M. and Drobniewski, F.A. (1999b):

Evaluation of a bacteriophage based assay (phage amplified biologically assay) as a rapid screen for resistance to isoniazid, ethambutol, streptomycin, pyrazinamide and ciprofloxacin among clinical isolates of *M. tuberculosis*. J. Clin. Microbiol.; 37: 3528-3532.

Escalante, P.; Ramaswamy, S.; Sanabria, H. and Soini, H. (1998):

Genotypic characterization of drug resistant *M. tuberculosis* isolates from Peru. Tuberc. Lung Dis.; 79(2): 111-118.

Evans, K.D.; Nakasone, A.S. and Suther, P.A. (1998):

Identification of *M. tuberculosis* and *mycobacterium avium*, directly from primary BACTEC. Infec. Dis.; 11: 203-5.

Fang, Z.; Doig, C. Rayner, A. and Kenna, D.T. (1999):

Molecular evidence for heterogenicity of the multiple drug resistant *M. tuberculosis* population in Scotland (1990-1997). J. Clin. Microbiol.; 37(4): 998-1003.

Ferguson, J.S. and Schlesinger, L.S. (2000):

Pulmonary surfactant in innate immunity and the pathogenesis of tuberculosis. Tubercle and Lung Dis.; 80: 173-184.

Fernando, A.; Miguel, A.B. and Josep, M.E. (2000):

Evaluation of the Bactec MGIT960 and the MB/Bac T system for recovery of mycobacteria from clinical specimens. J. Clin. Microbiol. Jan; 398-401.

Florido, M.; Appelberg, R.; Orme, I.M. and Cooper, A.M. (1997):

Evidence for a reduced chemokine response in the lungs of beige mice infected with *M. avium*. Immunology; 90: 600-606.

Floyd, M.M.; Guthertz, L.S.; Silcox, V.A. and Duffey, P.S. (1996):

Characterization of an SAV organism and proposal of

-
- Mycobacterium triplex* Sp nov. J. Clin. Microbiol.; 34: 2963-2967.
- Floyd, M.M.; Gross, W.M.; Bonato, D.A. and Silcox, V.A. (2000):**
Mycobacterium kubicar Sp nov, a slowly growing
ochratochromogenic mycobacterium. Int. J. Syst. Evol.
Microbiol.; 50: 181.
- Fluit, A.C.; Visser, M.R. and Schmitz, F.J. (2001):**
Molecular detection of antimicrobial resistance. Clin.
Microbiol. Rev.; 14: 836-871.
- Fontana, D.; Pozzi, E. and Porpiglia, F. (1997):**
Rapid identification of *M. tuberculosis* complex in urine
samples by Gene-probe amplification test. Urol. Res.; 25: 391.
- Fréhel, C.; Rastogi, N. and Benichou, J.C. (1988):**
Do test tube grown pathogenic mycobacteria possess
a protective capsule? FEMS Microbiol. Lett.; 56: 225-230.
- Gansert, J.L.; Kiebler, V.; Engele, M. and Wittke, F. (2003):**
Human NK-T cells express Granulysin and exhibit
antimycobacterial activity. J. Immunol.; 170(6): 3154-3161.
- Garrino, M.G.; Glupczynski, Y.; Degroux, J.; and Nizet, H. (1999):**
Evaluation of the Abbott LCX *M. tuberculosis* assay for direct
detection of *M. tuberculosis* complex in human samples.
J. Clin. Microbiol.; 37: 229-232.
- Gasal, M.; Ruiz, P. and Herreás, A. (2000):**
Study of the in vitro susceptibility of *M. tuberculosis* to
ofloxacin in Spain. Int. J. Tuberc. Lung Dis.; 4: 588-591.
- Gaynor, C.D.; McCormack, F.X. and Voelker, D.R. (1995):**
Pulmonary surfactant protein A mediates enhanced
phagocytosis of *M. tuberculosis* by a direct interaction with
human macrophages. J. Immunol.; 155: 5343-5351.

Gerszten, P.C.; Gerszten, E. and Allison, M.J. (2001):

Diseases of the spine in South Africa mummics. *Neurosurgery*; 48(1): 208-213.

Glostein, P. (1997):

Controlling cell death. *Science*; 275: 1081-1082.

Good, R.C. and Shinnick, T.M. (1998):

Mycobacteria. In: Topley and Wilson's Microbiology and Microbial Infections. 19th ed. Balows, A. and Duerden, I.B. (eds.); vol. 2; pp: 549-576.

Goren, M.B. (1982):

Immunoreactive substances of mycobacteria.
Am. Rev. Respir. Dis.; 125: 50-69.

Goren, M.B.; Vatter, A.E. and Fiscus, J. (1987):

Polyanionic agents do not inhibit phagosome-lysosome fusion in cultured macrophages. *J. Leuk. Biol.*; 41: 22-9.

Gow, J.G. (1998):

Genitourinary tuberculosis In: Cambell's Urology. 7th ed. Walsh, P.C. and Wein, A.J. (ed.), Philadelphia, WB Saunders, chapt 42, p 807.

Grange, J.M. (1984):

The humoral immune response in tuberculosis: its nature, biological role and diagnostic usefulness. *Adv. Tuberc. Res.*; 21: 1-78.

Grange, J.M. (1990):

Mycobacteria. In: Topley and Wilson's Principles of Bacteriology, Virology and Immunology, 8th ed. Edward Arnold, 2: 74-88.

Grange, J.M. (1998):

Tuberculosis. In: Microbiology and Microbial infections. 9th ed.

Hausler, W. and Sussman, M. (eds.), Arnold; volume 3, p: 391-414.

Grange, J.M. (2002):

Mycobacteria. In: Microbiology. 16th ed. Greenwood, D.; Slack, R.C. and Peutherer, J.F. (eds.); p: 200-210.

Green, D.R. and Reed, J.C. (1998):

Mitochondria and apoptosis. Science; 281: 1309-1312.

Gregory, C.D.; Dive, C. and Henderson, S. (1991):

Activation of Epstein Barr virus latent genes protects human B cells from death by apoptosis. Nature; 349: 612.

Gross, A.; McDonnell, J.M. and Korsmeyer (1999):

Bcl-2 family members and the mitochondria in apoptosis. Genes. Dev.; 13: 1899-1911.

Gupta, S. (1999):

Molecular and biochemical pathways of apoptosis in lymphocytes from aged humans. Vaccine; p: 22-29.

Gupta, S. (2000):

Molecular steps of cell suicide: An insight into immune senescence. J. Clin. Immun.; 20: 229-239.

Halford, W.P.; Falco, V.C. and Gebbhardt, B.M. (1999):

The inherent quantitative capacity of the reverse transcription-polymerase chain reaction. Anal. Biochem.; 266: 181-191.

Hanna, B.; Ebrahimzade, A.; Elliott, L. and Morgan, M. (1999):

Multicenter evaluation of the BACTEC MGIT 960 system for recovery of mycobacteria. J. Clin. Microbiol.; 37: 748-752.

Hazbón, M.H.; Orozco, M.S.; Labrada, L.A. and Tovar, R. (2000):

Evaluation of E test for susceptibility testing of multidrug resistant isolates of *M. tuberculosis*. J. Clin. Microbiol.; 38: 4599-4603.

Heaf, F. (1951):

Multiple puncture tuberculin test. *Lancet*; 2: 151-3.

Heifets, L. (2000):

Conventional methods for antimicrobial susceptibility of *M. tuberculosis*. In: Multidrug-resistant tuberculosis. Bastian, I. and Portales, F. (eds.). Kluwer Academic Publications, Amsterdam; p: 1333-143.

Heifets, L. and Sanchez, T. (2000):

New agar medium for testing susceptibility of *M. tuberculosis* to pyrazinamide. *J. Clin. Microbiol.*; 38: 1498-1501.

Hellyer, T.J.; Des Jardin, L.E.; Hehman, G.L. and Cave, M.D. (1999):

Quantitative analysis of mRNA as a marker for viability of *M. tuberculosis*. *J. Clin. Microbil.*; 37: 290-295.

Hengartner, M.O. (1998):

Death cycle and Swiss army knives. *Nature*, 391: 441.

Hengartner, M.O. (2000):

The biochemistry of apoptosis. *Nature*, 407: 770-776.

Henkart. P.A. (1994):

Lymphocyte-mediated cytotoxicity two pathways and multiple effector molecules. *Immunity*; 1: 343-346.

Herold, C.D.; Fitzgerald, R.L. and Herold, D.A. (1996):

Current techniques in mycobacterial detection and speciation. *Cit. Rev. Clin. Lab. Sci.*; 33(2): 83-138.

Hertoghe, T.; Wajja, A.; Ntambi, L. and Okwera, A. (2000):

T cell activation, apoptosis and cytokine dysregulation in the co-pathogenesis of HIV and pulmonary tuberculosis. *Clin. Exp. Imm.*; 122: 350-357.

Heymann, S.J.; Brewer, T.F.; Wislon, M.E. and Fineberg, H. (1999):

The need for global action against multidrug resistant tuberculosis. JAMA; 281: 2138-2141.

Hirano, K.; Kazumi, Y.; Abe, C. and Mori, T. (1996):

Resistance to anti-tuberculosis drugs in Japan. Tuberc. Lung Dis.; 7: 130-135.

Hirano, K.; Abe, C. and Takahashi, M. (1999):

Mutations in the *rpo B* gene of rifampicin-resistant *M. tuberculosis* strains isolated mostly in Asian countries and their rapid detection by line probe assay. J. Clin. Microbiol.; 37: 2663-2666.

Hirsch, C.S.; Toossi, Z.; Ellner, I.J. and Johnson, J.L. (1997):

A role for apoptosis in suppressed T-cell response in patients with tuberculosis in Uganda. Tubercle and Lung Dis.; 78(1) 75-84.

Hirsch, C.S.; Toossi, Z.; Vanham, G.; Johnson, J.L. and Peters, P. (1999):

Apoptosis and T cell hyporesponsiveness in pulmonary tuberculosis. J. Infec. Dis.; 179: 945-53.

Hirsch, C.S.; Toossi, Z.; Johnson, J.L. and Luzze, H. (2001):

Augmentation of apoptosis and interferon-gamma production at site of active *M. tuberculosis* infection in human tuberculosis. J. Infect. Dis.; 183(5): 779-88.

Hodge, G.L.; Flower, R. and Han, P. (1999):

Optimal storage condition for preserving granulocyte viability as monitored by Annexin V binding in whole blood. J. Imm. Methods; (225): 27-38.

Hongmanee, P.; Stender, H. and Rasmussen, O. (2001):

Evaluation of a fluorescence in situ hybridization assay for differentiation between tuberculous and non tuberculous

mycobacterium species in smear of Lowenstein-Jensen and Mycobacteria Growth Indicator Tube cultures using peptide nucleic acid probes. J. Clin. Microbiol.; 39: 1032-1035.

Ibrahem, Z.A. (1999):

Multi-drug resistant mycobacteria among Egyptian tuberculous patients. Thesis of MD Degree in Microbiology and immunology, Cairo University.

Inderlied, C.B. and Salfinger, M. (1995):

Antimicrobial agents and susceptibility tests: mycobacteria. In: Manual of Clinical Microbiology, 6th ed. Murray, P.R.; Tenover, M.A. and Tenover, R.A. (eds.). Washington, USA; p: 1385-1404.

Inderlied, C.B. and Salfinger, M. (1999):

Antimicrobial agents and susceptibility tests. In: Murray, P.R. (ed.). Manual of Clinical Microbiology. 7th ed. Washington DC: ASM Press; p: 1601-1623.

Israel, H.L. (1993):

Chemoprophylaxis for tuberculosis. Resp. Med.; 87: 81-3.

Israeli, R.S. and Fair, W.R. (1997):

The polymerase chain reaction. Applications in Urology, AVA update series, vol: 6(4).

Jacobson, M.D. (1997):

Apoptosis: Bcl-2 related proteins get connected. Curr. Biol.; 7: R277-R281.

Jenkins, P.A. (1998):

The microbiology of tuberculosis. In Clinical tuberculosis. Davies PD (ed.) 2nd ed. Published by Chapman and Hall Medical; p: 69-79.