

REFERENCES

References

- **Adler S. (1992):** Hospital transmission of CMV. *Infect Agents Dis.* 1 (1): 43 – 9.
- **Aitken C., Booth D. and Breuer J. (1996):** Molecular epidemiology and significance of a cluster of cases of CMV infection occurring on a special care baby unit. *J Hosp. Infect.* 34 (3): 183 – 9.
- **Albreacht T., and Weller T. (1980):** Heterogeneous morphologic features of plaques induced by five strains of human CMV. *Am J Clin. Pathol.* 151: 648 – 654.
- **Alford C., and Britt W. (1990):** CMV. In fields B.N et al., (eds), *Virology* (2nd ed.), Raven Press.
- **Arribas J., Clifford D. and Fichtenbaum C. (1995):** Level of CMV DNA in cerebrospinal fluid of subjects with AIDS and CMV infection of the central nervous system. *J. Infect. Dis.*, 172: 527-531.
- **Ayliffe G. and Babb J. (1995):** Viral infections . p: 132 – 137. In A. Yeager, P. Palumbo, B Malachowskil (eds.) *In Pocket Reference to Hospital-acquired Infections* (2nd ed), London, Science Press.
- **Bacigalupo A., Van Lint M., and Tedone E. (1994) :** Early treatment of CMV infections in allogeneic bone marrow transplant recipients with foscarnet or ganciclovir. *Bone Marrow Transplant*, 13: 753-758.
- **Bacigalupo A., Tedone E., and Sanna M. (1992):** CMV infections following allogeneic BMT: risk factors, early treatment and

correlation with transplant related mortality. *Haematol.* 77 : 507 – 513.

- **Balcarek K., Bagley R., and Pass R. (1990):** CMV infection among employees of a children's hospital. No evidence for increased risk associated with patient care. *JAMA* 9; 263 (6): 840 – 4.
- **Baldanti F., Revello M., and Gerna G. (1998):** Use of human CMV antigenemia assay for diagnosis and monitoring of HCMV infections and detection of antiviral drug resistance in the immunocompromised. *J. Clin. Virol.* 11 : 51 – 60.
- **Baldanti F., Zavattoni M., and Gerna G. (1997):** Comparative quantification of human CMV DNA in blood of immunocompromised patients by PCR and Murex Hybrid Capture System. *Clin. Diagn. Virol.* 8 : 159 – 165.
- **Bale J., Zimmerman B., and Murph J. (1999):** CMV transmissions in child care homes. *Arch Pediatric Adolesc Med.* 153 (1): 75 – 9.
- **Bennett J. and Brachman P. (1998):** Viruses. pp. 38-51. In: M.L. Weil, H.A. Itabashis S.R. Cremer (eds). *Hospital Infections*, 4th ed, Philadelphia.
- **Bennion D., Wright L., Watt R., and Carlquist J. (1998):** Optimal recovery of CMV from urine as a function of specimen preparation. *Diagn. Microbiol. Infect.* 31: 337 – 342.
- **Bein G., Bitsch A., and Kirchner H. (1991):** The detection of human CMV immediate early antigen in peripheral blood leukocytes. *J. Immunol. Methods*, 137: 175-180.
- **Blod M., Goosens V., and Bruggeman C. (1998):** Diagnostic value of monitoring human CMV late pp67 mRNA expression in

- renal – allograft recipients by nucleic acid sequence – based amplification. *J. Clin. Microbiol.* 36 : 1341 – 1346.
- ***Blok M. Christiaans M. and Bruggeman C. (1999):*** Early detection of human CMV infection after kidney transplantation by nucleic acid sequence based amplification. *Transplantation* 15; 67 (9): 1274-7.
 - ***Blok M., Lautenschlager L., and Bruggeman C. (2000) :*** Diagnostic implications of HCMV immediate early-1 and pp 67 m RNA detection in whole – blood samples from liver transplant patients using nucleic acid sequence based amplification, *J Clin. Microbiol*, 38 (12) 4485 – 4491.
 - ***Boeckh M., Gooley T., and Bowden R. (1996):*** CMV .pp 65 antigenemia – guided early treatment with ganciclovir versus ganciclovir at engraftment after allogenic marrow transplantation: a randomized double-blind study. *Blood*, 88: 4063 – 4071.
 - ***Boeckh M., Riddell S. and Dowden R. (1996):*** Increased incidence of late CMV disease in allogenic marrow transplant recipients after ganciclovir prophylaxis is due to a lack of CMV – specific T cell responses. *Blood*, 88: (Suppl. 1): 302 – 305.
 - ***Boivin G., Olson C., and Jordan M. (1995):*** Quantitation of human CMV glycoprotein H gene in cells using competitive PCR and a rapid fluorescence – based detection system. *J. Virol. Methods*, 51: 329 – 342.
 - ***Boivin G., Handfield J., and Bergeron T. (1997):*** Quantitation of CMV DNA in leukocytes of human immunodeficiency virus-infected subjects with and without CMV disease by using PCR and the sharp signal detection system. *J. Clin. Microbiol*, 35: 525-526.

- **Boivin G., Quirk M., and Jordan M. (1997):** Early effects of ganciclovir therapy on the quantity of CMV DNA in leukocytes of immunocompromised patients. *Antimicrob. Agents Chemother*, 41: 860 – 862.
- **Boivin G., Handfield J., and Bergeron M. (1998):** Comparative evaluation of the CMV DNA in polymorphonuclear leukocytes and plasma of human immunodeficiency virus-infected subjects. *J Infect. Dis.*, 177: 355-360.
- **Boivin G., Belanger R., and Roy J. (2000):** Quantitative analysis of CMV viremia using the pp 65 antigenemia assay and the COBAS AMPLICOR CMV MONITOR PCR test after blood and marrow allogeneic transplantation. *J Clin Microbiol.* 38: 4356 – 60.
- **Boland G., Mesker W., and de Gast G. (1995):** Detection improvement of CMV antigen in human peripheral blood using monoclonal antibody and automated reading of cell preparations. *Euro. J. Clin. Invest* 25: 639-646.
- **Boom R., Sol C., and Wertheim van Dillen P. (1999):** A highly sensitive assay for detection and quantitation of human CMV DNA in serum and plasma by PCR and electrochemiluminescence. *J. Clin Microbiol*, 37 : 1489 – 1497.
- **Brady M. (1986):** CMV infections: occupational risk for health professionals. *Am J Infect control*, 14 (5): 197 – 203.
- **Brady M., Demmler G., and Reis S. (1987) :** Methods of blood processing affects the prevalence of CMV excretion in newborn nurseries. *Am J Infect control*; 15 (16): 245 – 8.
- **Brady M., Demmler G. and Reis S. (1988):** Factors associated with CMV excretion in hospitalized children. *Am J Infect control*; 16 (2): 41 – 5.

- **Brennan D., Garlock K., and Stroch G. (1997):** Control of CMV – associated morbidity in renal transplant patients using intensive monitoring and either preemptive or deferred therapy. *J. Am. Soc. Nephrol*, 8: 118 – 125.
- **Britt W., Vugler L. and Fay J. (1990):** Cell surface expression of human CMV gp 55-116 (gB): use of HCMV-Vaccinia recombinant virus infected cells in analysis of the human neutralizing antibody response. *J. Virol*, 64: 1079: 1085.
- **Britt W. and Alford C. (1996) :** CMV, pp 2496 – 2499. In : B.N. fields, D.M. Knipe, P.M. Howley (eds.), *Fields virology* (3rd ed.) vol. 2, Lippincott-Raven publisher, N.Y.
- **Britt W. (1998)** Beta Herpesviruses: CMV, human Herpesviruses 6 and 7, pp 339 – 350. In L. Collier, A. Balows, M. Sussman (eds.), *Topley and Wilson's Microbiology and microbial infections* (9th ed.) Vol. 1, Arnold, London.
- **Boppana S., Polis M., and Corey L. (1995):** Virus specific antibody responses to human cytomegalovirus in human immunodeficiency virus type 1-infected individuals with HCMV retinitis, *J Infect Dis*, 171: 182 – 5.
- **Bossart W., Bienz K. and Wunderli W. (1997):** Surveillance of CMV after solid-organ transplantation: comparison of pp 65 antigenemia assay with a quantitative DNA hybridization assay. *J. Clin. Microbiol*, 35: 3303 – 3304.
- **Bown E., Sabin C., and Emery V. (1997):** CMV viraemia detected by polymerase chain reaction identifies a group of HIV – positive patients at high risk of CMV disease. *AIDS* 11: 889 – 893.
- **Brown H. and Abernathy M. (1998):** CMV infection. *Semin Perinatol*. 22 (4): 260 – 6.

- **Calrendo A., George K., and Rinaldo C. (2000):** Comparison of quantitative CMV PCR in Plasma and CMV antigenemia assay: Clinical utility of the Prototype AMPLICOR CMV MONITOR test in transplant recipients. *J. Clin Microbiol.* 38: 2122 – 27.
- **Campbell M. and Machin D. (1993) :** Medical statistics. A common sarse. Approach. 2nd Ed. John Wiley & Sons New York; Chicherter, Brisban; Toronto & Singapore.
- **Cha T., Tom E., and Urbany L. (1996):** Human CMV clinical isolates carry at least 19 genes not found in laboratory strains. *J. Virol*, 70: 78.
- **Chernoff D., Miner R., and Kolberg J. (1997):** Quantification of CMV DNA in peripheral blood leukocytes by a branched – DNA signal amplification assay. *J. Clin. Microbiol*, 35: 2740 – 2744.
- **Clementi M., Menzo S., and Varaldo P. (1993):** Quantitative PCR and RT-PCR in virology. *PCR methods Appl.*, 2: 191 – 196.
- **Compton T., Nepomuceno R., and Nowlin D. (1992):** Human CMV penetrates host cells by pH- independent fusion of the cell surface. *Virology*. 191; 387 – 95.
- **Chou S. (1990):** Newer methods for diagnosis of CMV infection. *Rev. infect. Dis.* 12: 7.
- **Daniel W. (1987):** Biostatistics, A foundation for analysis in the health sciences. 4th ed. John Wiley & Sons New-York, Chichester, Brisbane; Toronto & Singapore.
- **Damani, N. (1997) :** Infections, pp 23 – 43. In : RJ Whitly and A.J Soong (eds) *Manual of Infection Control Procedures*, London, Medical Media.

- **Dargan D. (1986)** : The structure and assembly of herpesviruses, pp 359 – 436. In J.R. Harris, R.W. Horne (eds.), *Electron Microscopy of proteins*, Vol. 5, Academic Press, London.
- **Davison A. and Clements J. (1998)** : Herpesviruses : general properties, pp 309- 323. In : L. Collier, A. Balows, M. Sussman (eds.), *Topley and Wilson's Microbiology and microbial infections* (9th ed.), vol. 1, Arnold, London.
- **Demmler G., O'Neil, G., and Yow M. (1986)** : Transmission of CMV from husband and wife. *J. Infect. Dis.* 154 : 545 – 546.
- **Demmler G., Yow M. and Taber L. (1987)** : Nosocomial CMV infections within two hospitals caring for infants and children. *J Infect Dis*; 156 (1) : 9 – 16.
- **Demmler G., Istas A., and Kovacs A. (2000)** : Results of a quality assurance program for detection of CMV infection in the pediatric pulmonary and cardiovascular complications of vertically transmitted HIV infection study. *J Clin. Microbiol.* 38 : 3942 – 45.
- **Dworsky M., Welch K., and Stagno S. (1983)** : Occupational risk for primary CMV infection among pediatric health – care workers *N. Engl J Med*; 20; 309 (16) : 950 – 3.
- **Ehrnst A. and Einsele H. (1995)** : Towards standardizations of CMV DNA PCR assays. *Scand. J. Infect. Dis., Suppl.* 99 : 16 – 18.
- **Einsele H., Ehninger G., and Loffler J. (1995)**: Polymerase chain reaction monitoring reduces the incidence of CMV disease and the duration and side effects of antiviral therapy after bone marrow transplantation. *Blood*, 86 : 2815 – 2820.
- **Emmerson A. and Ayliffe G. (eds) (1996)** : Surveillance of Nosocomial Infections, *Baillieres Clinical Infections Diseases*, Vol. 3, No. 2, London, Bailliere Tindall.

- **Emmerson A., Enstone J. and Symth E. (1996)** : The second national prevalence survey of infections in hospitals. *J. Hosp. Infect.*; 32 : 175 – 90.
- **Evans P., Soin A., and Alexander G. (1998)** : Qualitative and semiquantitative PCR testing for CMV DNA in serum allows prediction of CMV related disease in liver transplant recipients. *J Clin Pathol*; 51 : 914 – 921.
- **Fahle G. and Fischer S. (2000)** : Comparison of six commercial DNA extraction kits for recovery of CMV DNA from spiked human specimens. *J Clin Microbiol.* 38 : 3860 – 63.
- **Ferre F. (1992)** : Quantitative or semi-quantitative PCR : reality versus myth. *PCR methods Appl.*, 2 : 1-9.
- **Flood J., Drew W., and Posher M. (1997)** : Diagnosis of CMV polyradiculopathy and documentation of in vivo-anti-CMV activity in cerebrospinal fluid using branched DNA amplification and antigen assays. *J. Infect. Dis.*, 176 : 348 – 352.
- **Forbes B. (1989)** : Acquisition of CMV infection : An update. *Clinical Microbiology Reviews*; 2 (2), 204 – 16.
- **Fowler K., Stagno S., and Stevens C. (1993)** : Maternal age and congenital CMV infection : screening of two diverse newborn populations, 1980 – 1990. *J Infect Dis*, 168 : 552 – 6.
- **Fox J., Kidd I. , and Emery V. (1995)**: Longitudinal analysis of CMV load in renal transplant recipients using a quantitative polymerase chain reaction : correlation with disease. *J. Gen. Virol.*, 76 : 309 – 319.
- **Gallez-Hawkins G., Tegtmeyer B., and Zaia J. (1997)** : Evaluation of a quantitative plasma PCR plate assay for detecting CMV

- infection in marrow transplant recipients. *J. Clin. Microbiol.*, 35 : 788 – 790.
- ***Gardner J. and Peel M., (1998) :*** Control of hospital infections pp 76-91 in A.Mlake, B.A Lauer (eds). *Sterilization Disinfection and Infection Control*, 3rd ed, Edinburgh, Churchill Livingstone.
 - ***Gerard J., Leport C., and Vilde J. (1997):*** CMV viremia and the CD⁴⁺ lymphocyte count as protector of CMV disease in patients infected with human immunodeficiency virus. *Clin Infect. Dis.*, 24 : 836 – 840.
 - ***Gerna G., Zipeto D., and Milanese G. (1992) :*** Human CMV infection of the major leukocyte subpopulations and evidence of initial replication in polymorphonuclear leukocytes from viremic patients. *J. Infect. Dis.* 166 : 1236 – 1244.
 - ***Gerna G., Percivalle E., and Revello M. (1998) :*** Diagnostic significance and clinical impact of quantitative assays for diagnosis of human CMV infection and disease. *New Microbiol.*, 21 : 293 – 308.
 - ***Gerna G., Zavattoni M., and Percivalle E. (1998) :*** Circulating cytomegalic endothelial cells are associated with high HCMV load in AIDS patients with late stage disseminated HCMV disease. *J. Med. Virol.*, 55 : 64-74.
 - ***Gerna G., Baldanti F., and Revello M. (1999) :*** Clinical significance of expression of human CMV pp 67 late transcript in heart, lung, and bone marrow transplant recipients as determined by nucleic acid sequence based amplification. *J. Clin. Microbiol.*, 37 : 902-911.

- **George K., and Rinaldo C. (1997) :** Comparison of commercially available antibody reagents for the CMV pp65 antigenemia assay. Clin. Virol., 7 : 147-152.
- **Gilbert C., Handfield J., and Boivin G. (1998) :** Emergence and prevalence of CMV UL97 mutations associated with ganciclovir resistance in AIDS patients. AIDS, 12 : 125-129.
- **Gleaves C., Smith T., and Pearson G. (1984):** Rapid detection of CMV in MRC-5 cells inoculated with urine specimens by using low-speed centrifugation and monoclonal antibody to an early antigen. J. Clin. Microbiol., 19 : 917-919.
- **Gleaves C., Hursh D. and Meyers J. (1992) :** Detection of human CMV in clinical specimens by centrifugation culture with a nonhuman cell line. J. Clin. Microbiol., 30 : 1045-1048.
- **Gold E. and Namkervis G. (1982) :** CMV, pp 167 – 186. In :A.S. Evans (ed.), Viral infection of humans: Epidemiology and control (2nd ed.), Plenum Press, N.Y.
- **Gonzalez J., Colon M. and Ronda C.(1991):** CMV as nosocomial infection. Bol Asoc Med PR; 83 (8) : 346 – 8.
- **Goodpasture E. (1929) :** Cellular inclusions and the etiology of virus diseases. Arch Pathol; 7: 114 – 132.
- **Gor D., Sabin C., and Emery V. (1998) :** Longitudinal fluctuation in CMV load in bone marrow transplant patients relationship between peak virus load, donor/ recipients serostatus, acute GVHD and CMV disease. Bone Marrow Transplant., 21 : 597-605.
- **Grefte A., Blom N. , and Lafort E. (1993):** Ultrastructural analysis of circulating cytomegalic cells in patients with active CMV infection : evidence for virus production and endothelial origin. J. Infect. Dis., 168 : 1110.

- ***Gretch D., Krungman S., and Kumar A. (1988)*** : Identification and characterization of three distinct families of glycoprotein complexes in the envelopes of human CMV. *J. Virol*, 62 : 875.
- ***Griffin M., O'shea M., and Wilfert C. (1990)*** : CMV infection in a neonatal intensive care unit. Subsequent morbidity and mortality of seropositive infants. *J. Perinatal.*; 10 (1) : 43 – 5.
- ***Griffith P., Baboonian C., and Grundy J. (1991)*** : Congenital and material CMV infection in a London population. *Birt. Obstet. Gyecol.*, 98 : 135-140.
- ***Griffith P. and Emery V. (1997)*** : CMV. In Richman D.D., Whitly R.J. and Hayden F.G (eds.), *clinical Virology*, PP 445 – 470 (1st ed.), Churchill livingstone, London.
- ***Grossi P., Minoli L., and Germa G. (1995)*** : Clinical and virological monitoring of human CMV infection in 294 heart transplant recipients. *Transplantation*, 59 : 847 – 851.
- ***Hebart H., Muller C., and Einsele H. (1996)*** : Monitoring of CMV infection : a comparison of PCR from whole blood, plasma – PCR, pp 65-antigenemia and virus culture in patients after bone marrow transplantation. *Bone Marrow Transplant* 17 : 861 – 868.
- ***Heininger A., Jahn G., and Hamprecht K. (2001)*** : Human CMV infections in non immunosuppressed critically ill patients, *Crit. Care Med* 29 (3) : 681 – 2.
- ***Hiyoshi M., Tagawa S., and Tatsumi N. (1997)*** : Evaluation of the AMPLICOR CMV test for direct detection of CMV in plasma specimens *J. Clin. Microbiol.*, 35 : 2692-2694.
- ***Ho S., Li F., and Chan T. (2000)*** : Comparison of the CMV brite turbo assay and the digene hybrid capture CMV DNA (version 2.0)

assay for quantitation of CMV in renal transplant recipients. J. Clin Microbiol. 38 : 3743 – 45.

- **Hodinka R., and Friedman H. (1995)** : Human CMV, pp 884 – 894. In : P.R. Murray, E.J. Baron, M.A. Pfaller, F.C. Tenover and R.H. Tenover (eds), Manual of Clinical Microbiology, (6th ed.), ASM. Washington, D.C.
- **Hursh D., Abbot A., and Sung R. (1989)** : Evaluation of latex particle agglutination assay for the detection of CMV antibody in patients serum J. Clin. Microbiol. 27 : 2827 – 9.
- **Imbertemarcille B., Cantarovich D., and Billaudel S. (1997)** : Usefulness of DNA viral load quantification for CMV disease monitoring in renal and pancreas/ renal transplant recipients. Transplantation, 63: 1476-1481.
- **Jabs D., Forman M., and Jackson B. (1999)** : Comparison of CMV loads in plasma and leukocytes of patients with CMV retinites. J. Clin. Microbiol; 37 (5), 1431 – 5.
- **Jacobson M., Zegans M., and Pollard R. (1997)** : CMV after initiation of highly active antiretroviral therapy. Lancet., 349 : 1443 – 1445.
- **Jones, R., Neale M., and Fox J. (2000)**: Development and application of a PCR – based method including an internal control for diagnosis of congenital CMV infection. J. Clin. Microbiol., 38 : 1 – 6.
- **Keay S., Merigan T., and Rasmussen L. (1989)** : Identification of cell surface receptors for the 86-kilodalton glycoprotein of human CMV. Proc. Natl. Acad. Sci. USA, 86 : 101 - 103.

- **Klemola E., and Kaariainen L. (1965)** : CMV as a possible cause of a disease resembling Infections Mononucleosis. Br. Med J. 2 : 1099 – 1102.
- **Kimmel N., Friedman M. and Sarov I. (1980)** : Detection of human CMV specific IgG antibodies by a sensitive solid phase radioimmunoassay and by a rapid screening test J.Med. Virol. 5 : 195 – 203.
- **Kollert Jons A., Bogner E. and Radsak K.(1991)** : A 15-kilobase – pair region of the human CMV genome which includes US1 through US13 is dispensable for growth in cell culture. J. Virol, 65 : 5184 - 86.
- **Koskinen P., Krogerus L.,and Lautenschlager I. (1994)** : CMV infection-associated generalized immune activation in heart allograft recipients : a study of cellular events in peripheral blood and endomyocardial biopsy specimens. Transplant. Int., 7 : 163 – 71.
- **Krajden M., Shankaran P., and Lau W. (1996)** : Detection of CMV in blood donors by PCR using the digene SHARP signal system assay : effects of sample preparation and detection methodology. J. Clin. Microbiol., 34 : 29 – 33.
- **Kulski J. (1994)** : Quantitation of human CMV DNA in leukocytes by end-point titration and duplex polymerase chain reaction. J.Virol. Methods, 49 : 195 – 198.
- **Landini M. (1993)** : New approaches and perspectives in CMV diagnosis. Prog. Med. Virol., 40 : 157 – 177.
- **Landini M. and Spaete R. (1993)** : Human CMV structural proteins : a report of the first nomenclature workshop. pp.65. In

- Michelson S, Plotkin SA (eds) : Multidisciplinary approach to understanding CMV disease. Elsevier Amsterdam.
- **Landry M. and Ferguson D. (1993):** Comparison of quantitative CMV antigenemia assay with culture methods and correlation with clinical disease. J. Clin. Microbiol., 31 : 2851 – 2856.
 - **Lang D.(1975):** The epidemiology of CMV infection, pp 35 – 45. In : S. Krugman, A.A. Gershon (eds.), Infection of the fetus and newborn infant. Alan R. Liss., N.Y.
 - **Landry M. and Ferguson D. (2000):** 2-hour CMV pp 65 antigenemia assay for rapid quantitation of CMV in blood samples. J. Clin. Microbiol. 38 : 427 – 8.
 - **Lazzarotto T., Campisi B., and Landini M. (1996) :** A quantitative test (HCMV – Hybrid – Capture TM to detect human CMV DNA in the blood of immunocompromised patients compared with antigenemia and polymerase chain reaction. Microbiologica, 19 : 193 – 201.
 - **Liesnard C., Donner C., and Rodesch F. (2000) :** Prenatal diagnosis of congenital CMV infection: prospective study of 237 pregnancies at risk. Obstet. Gynecol., 95 (6) : 881 – 8.
 - **Limaye A., Bowden R., and Boeckh M. (1997) :** CMV disease before engraftment in marrow transplant patients. Clin. Infect. Dis., 24 : 830 – 835.
 - **Lipitz S., Yagel S. and Shalev E. (1997) :** Prenatal diagnosis of fetal primary cytomegalovirus infection. Obstet. Gynecol., 89 : 763 – 767.
 - **Lipscomb J., Linnemann C., and Hummond J. (1984) :** Prevalence of CMV antibody in nursing personnel. Infect. control; 5 (11) : 513 – 8.

- **Locatelli F., Percivalle E., and Gerna G. (1994)** : Human CMV infection in paediatric patients given allogeneic bone marrow transplantation : role of early antiviral treatment for HCMV antigenaemia on patients outcome. *Br. J. Haematol.*, 88 : 64 – 71.
- **Long C., Drew L., and Kao S. (1998)** : Detection of CMV in plasma and cerebrospinal fluid specimens from human immunodeficiency virus-infected patients by the AMPLICOR CMV test. *J. Clin. Microbiol.*, 36 : 2434 – 2438.
- **Ljungman P. and Griffith P. (1993)** : Definitions of CMV infection and disease. P. 233 – 237. In S. Michelson and S.A. Plokin (eds)., *Multidisciplinary approach to understanding CMV disease*. Excerpta Medica, Amsterdam, The Netherlands.
- **Macartney M., Gane E., and Williams R. (1997)** : Comparison of a new quantitative CMV DNA assay with other detection methods. *Transplantation*, 63 : 1803 – 1807.
- **Matsunaga T., Sakamaki S., and Matsumoto Y. (1999)** : Use of PCR serum in diagnosing and monitoring CMV reactivation in bone marrow transplant recipients. *Int. J. Hematol.*, 69 : 105 – 111.
- **Mazzulli T., Wood S., and Walmsley S. (1996)** : Evaluation of the Digene Hybrid Capture System for detection and quantitation of infected patients. *J. Clin. Microbiol.*, 34 : 2959 – 2962.
- **Mazzulli T., Drew L., and Walmsley S. (1999)** : Multicenter comparison of the digene hybrid capture CMV – DNA assay (version 2.0), the pp65 antigenemia assay, and cell culture for detection of CMV viremia. *J. Clin. Microbiol.*, 37 : 958 – 963.
- **Mendez J., Espy M., and Paya C. (1998)** : Evaluation of PCR primer for early diagnosis of CMV infection following liver-transplantation. *J. Clin. Microbiol.*, 36 : 526 – 530.

- **Meyer-König U., Serr A, and von Laer D. (1995) :** Human CMV immediate early and late transcripts in peripheral blood leukocytes : diagnostic value in renal transplant recipients. *J. Infect. Dis*, 171 : 705 - 708.
- **Minson A. (1989) :** herpesviridae, pp 293 – 332. In : J.S. Porterfield (ed.), *Andrewes' viruses of vertebrates* (5th ed.), Bailliere Tindall, London.
- **Mocarski E.(1993) :** CMV biology and replication, p.p. 173 - 198. In Roizman B, Whitley R.J. Lopez C (eds) : *The Human Herpesviruses*. Lippincott : Raven, Philadelphia.
- **Mocarski, E. (1996):** CMV and their replication, 76 : 2447-92. In : *Fields Virology*, 3rd ed., Fields, B.N. et al., Lippincott. Raven, Philadelphia, New York.
- **Murray B., Amsterdam D., and Venuto R. (1997) :** Monitoring and diagnosis of CMV infection in renal transplantation. *J. Am. Soc. Nephrol.*, 8 : 1448 – 1457.
- **Myerow S., Lee M., and Kloberg J. (1997) :** Development of a branched DNA assay with improved sensitivity for monitoring CMV viral load in immunocompromised patients. Presented at the 13th Annual clinical Virology Symposium, Clearwater, Fla.
- **Myers J. and Amsterdam D. (1997) :** The laboratory diagnosis of CMV infections. *Immunol. Invest.*, 26 : 383 – 394.
- **Nankervis G., Kumar M., and Cox I. (1984):** A prospective study of maternal cytomegalovirus infection and its effect on the fetus. *Am. J. Obstet. Gynecol.*; 11: 435 – 450.
- **Naraqi S. (1991) :** CMV. In Robert B Belshe (eds), *Text book of Human Virology* PP 889 – 924 (2nd ed.), Mosby Year Book, London.

- **Navarro D., Paz P., and Tugizov S. (1993)** : Glycoprotein B of human CMV promotes virion penetration into cells, transmission of infection from cell to cell, and fusion of infected cells. *Virology*, 197 : 143 - 147.
- **Nelson C. and Demmler G. (1997)** : CMV infection in the pregnant mother, fetus, and newborn infant. *Clin. Perinatol.* 24 (1) : 151 – 60.
- **Nicholson V., Whimbey E., and Goodrich J. (1997)** : Comparison of CMV antigenemia and shell vial culture in allogeneic marrow transplantation recipients receiving ganciclovir prophylaxis. *Bone Marrow Transplant.*, 19 : 37- 41.
- **Nitche A., Steur N., and Siegert W. (2000)** : Detection of HCMV DNA by Real – time Qumtitative PCR. *J. Clin Microbiol.* 38 : 2734 – 37.
- **Numazaki K. (1997)** : Human CMV infection of breast milk. *FEMS Immunol. Med. Microbiol*; 18 (2) : 91 – 8.
- **Numazaki K. and Chiba S. (1997)** : Current aspects of diagnosis and treatment of CMV infections in infants. *Clin. Diagn. Virol.* 8 (3) : 169 – 81.
- **Numazaki K. (1998)** : CMV routes of transmission and their clinical significance. *Nippon Rinso*; 56 : 167 – 83.
- **Pamphilon D., Rider J., and Williamson L. (1999)** : Prevension of transfusion – transmitted CMV infection. *Transfuse Med.* 9 (2): 115 – 123.
- **Pass R. and Kinney J. (1985)** : Child care workers and children with congenital CMV infection. *Pediatrics*, 75 : 971 – 973.

- **Perez J., DeOna M., and Martin R. (1995)** : Comparison of several fixation methods for CMV antigenemia assay. *J. Clin. Microbiol.*, 33 : 1646 – 1649.
- **Plachter B., Wieczorek L., and Scholl B. (1992)** : Detection of CMV antibodies by an enzyme-linked immuno sorbent assay using recombinant polympeptides of the large phosphorlated tegument protein pp 150. *J. Clin. Microbiol.*, 30 : 201 - 206.
- **Podzamczar D., Ferrer E.,and Gudiol F. (1997):** pp65 antigenemia as a marker of future CMV disease and mortality in HIV- infected patients. *Scand. J.Infect. Dis.*, 29 : 223 – 227.
- **Poiriertoulemonde A ., Imbertmarcille B., and Billaudel S. (1997):** Successful quantitation of CMV DNA by competitive PCR and detection with capillary electrophoresis. *Mol. Cell. Probes*, 11 : 11-23.
- **Rasmussen L. (1990):**Immune response to human CMV infection. *Curr. Top. Microbiol. Immunol.*, 154 : 222 – 254.
- **Rasmussen L., Zipeto D., and Merigan T. (1997)** : Risk for retinitis in patients with AIDS can be assessed by quantitation of threshold levels of CMV DNA burden in blood. *J. Infect. Dis.*, 176 : 1146 – 1155.
- **Reina J., Surina J., and Munar M. (1998):** An increase in the number of polymorphonuclear leukocytes inoculated on shell vial culture increases the sensitivity of this assay in the detection of CMV in the blood of immunocompromised patients. *Diagn. Microbial. Infect. Dis.*, 31: 425 – 428.
- **Reina J., Fernandez-Baca V., and Munar M. (1998)** : Shell-vial culture and pp65 antigenemia assay in the detection of CMV in the

first blood sample of renal transplant recipients. *J. Med. Virol.*, 55 : 240 – 242.

- **Riddell S., Gilbert M., and Meyers J. (1993)** : Reconstitution of protective CD⁸⁺ cytotoxic T lymphocyte responses to human CMV in immunodeficient humans by the adoptive transfer of T cell clones, pp 155 – 164. In : S. Michelson, S.A. Plotkin (eds.) *Multidisciplinary approaches to understanding CMV disease*. Elsevier Science, Amsterdam.
- **Roberts T., Buller R., and Stroch G. (1997)**: Effects of storage temperature and time on qualitative and quantitative detection of CMV in blood specimens by shell vial culture and PCR. *J. Clin. Microbiol.*, 35 : 2224-2228.
- **Roman J., Colon M. and Ramirez C.(1991)**: CMV as nosocomial infection. *Bol. Asoc. Med. P.R.* 83 (8) : 346 – 8.
- **Sakamaki H., Yuasa K., and Minamishima Y. (1997)**: Comparison of CMV antigenemia and CMV in bronchoalveolar lavage fluid for diagnosis of CMV pulmonary infection after bone marrow transplantation. *Bone Marrow Transplant.*, 20 : 143 – 147.
- **Salzberger B., Bowden R., and Boeckh M. (1997)**: Neutropenia in allogeneic marrow transplant recipients receiving ganciclovir for prevention of CMV disease : risk factors and outcome. *Blood*, 90 : 2502 – 2508.
- **Santos D., Souza M., and Andrade G.M. (2000)**: Congenital CMV infection in neonatal intensive care unit in Brazil evaluated by PCR and association with perinatal aspects. *Rev. Inst. Med. Trop. Sao Paulo*; 42 (3): 129 – 32.

- **Schaade L., Kockelkorn P., and Kleines M. (2000):** Detection of CMV DNA in human specimens by light cyclor PCR. J. Clin. Microbiol. 38 : 4006 – 9.
- **Schafer P., Tenschert W., and Laufs R. (1998):** Utility of major leukocyte subpopulations for monitoring secondary CMV infections in renal allograft recipients by PCR. J. Clinical Microbiol; 36, (4); 1008 – 1014.
- **Schafer P., Tenschert W., and Laufs R. (2000) :** False positive results of plasma PCR for CMV DNA due to delayed sample preparation. J. Clin. Microbiol. 38 : 3249 – 53.
- **Schlunger N. and Rom W. (1995):** The polymerase chain reaction in the diagnosis and evaluation of pulmonary infections. Am. J. Respir. Crit. Care Med., 152 : 11 – 16.
- **Schmidt N. (1989):** Cell culture procedures for diagnostic virology, pp 78 – 79. In : N.J. Schmidt and R.W. Emmons (eds.), Diagnostic procedure for viral, rickettsial and chlamydial infections, 5th ed. American public Health Association, Washington, D.C.
- **Schulman L., Smith C., and Drusin R. (1988) :** Respiratory complications of cardiac transplantation. Am. J. Med. Sci. 296 : 1-20.
- **Shibata M., Terashima M., and Morishima T. (1992) :** Quantitation of CMV DNA in lung tissue of bone marrow transplant recipients. Human Pathology, 23 : 911 – 915.
- **Shinkai M. and Spector S. (1995) :** Quantitation of human CMV DNA in cerebrospinal fluid by competitive PCR in AIDS patients with different HCMV central nervous system disease. Scand. J. Infect Dis., 27 : 559-561.

- **Smith M.(1956):** Propagation in tissue cultures of cytopathogenic virus from human salivary gland virus disease. Proc. Soc. Exp. Biol. Med; 92 : 424 – 430.
- **Sobaszek A., Fantoni – Ouiton S., and Edme J. (2000) :** Prevalence of CMV infection among health care workers in pediatric and immuno suppressed adult units. Occup. Environ. Med; 42 (11) : 1109 – 14.
- **Spector S., Wong R., and Stempien M.(1998) :** Plasma CMV DNA load predicts CMV disease and survival in AIDS patients. J. Clin. Invest. 101 : 497 – 502.
- **Stackhouse F., Kumar A., and Dyke J. (1991):** CMV infection and excretion in residents of anursing home. J. Med Virol; 34 (4) : 209 – 11.
- **Stagno S., Reynolds D., and Lakeman A. (1973) :** Congenital CMV infection : Consecutive occurrence due to viruses with similar antigenic compositions. Pediatrics; 53 : 778-794.
- **Stagno S. Richard J. and Whitely S. (1985) :** Current concepts. Herpesvirus infections of pregnancy. The New England Jornal of Medicine; 14 (20) : 1270 – 3.
- **Stagno S., Pass R., and Reynolds D. (1982):** Congenital CMV infection : The relative importance of primary and recurrent maternal infection. N. England. J. Med., 306: 945 – 949.
- **Stagno S., Britt W. and Pass R. (1989) :** CMV, pp 321 – 378. In: N.J. Schmidt, R.W. Emmons (eds.), Diagnostic procedures for viral, rickettsial and clamydia infections (5th ed.), American Public Health Association, Washington, D.C.

- **Stagno S. and Cloud G. (1994)** : Working parents : the impact of day care and breast – feeding on CMV infections in off springs. Proc. Natl. Acad. Sci. USA; 91 : 3284 – 9.
- **Stinski M. (1990)** : CMV and its replication, pp 1959 – 1980. In : B.N. Fields, D.M. Knipe (eds.), Fields' Virology (2nd ed.), Vol. 2, Raven Press, N.Y.
- **Thaler M. (1977)** : Algorithmic diagnosis of conjugated and unconjugated hyperbilirubinemia. JAMA : 22: 237 – 258.
- **Tong C. (1997)** : Diagnosis of CMV infection and disease. J. Med. Microbiol. 46 : 717 – 9.
- **Tong C., Cuevas L., and Barkran A. (1998)** : Use of laboratory assay to predict CMV disease in renal transplant patients. J. Clin. Microbiol. 36 : 2681 – 2685.
- **Tong C., Cuevas L., and Bakran A. (2000)**: Comparison of two commercial methods for measurement of CMV load in blood samples after renal transplantation. J. Clin. Microbiol. 38 : 1209 – 13.
- **Trincado D., Scolt G., and Rawlinson W. (2000)** : Human cytomegalovirus strains associated with congenital and perinatal infections. J. Med. Virol, 61 (4) : 481 – 7.
- **Tugizov S., Navarro D., and Cochi S. (1994)** : Function of human CMV glycoprotein B : syncytium formation in cells constitutively expressing gB is blocked by virus-neutralizing antibodies. Virology, 201 : 263.
- **Van der Bij W., Torensma R., and The T. (1988)** : Rapid immunodiagnosis of active CMV infection by monoclonal antibody staining of blood leucocytes. J. Med. Virol., 15 : 179 – 188.

- **Vochem M., Hampecht K., and Christain P. (1998) :** Transmission of CMV to preterm infants through breast milk. *Pediatr. Infect. Dis. J.*, 17 : 53 – 8.
- **Vogel J., Cinatl J., and Doerr H. (1996):** New PCR assay for rapid and quantitative detection of human CMV in cerebrospinal fluid. *J. Clin. Microbiol.*, 34 : 482-483.
- **Walmsley S., O'Rourke K., and Mazzulli T. (1998) :** Predictive value of CMV antigenemia and digene hybrid capture DNA assays for CMV disease in human immunodeficiency virus-infected patients. *Clin. Infect. Dis.*, 27 : 573 – 581.
- **Weller T., Macaulay J., Craig J. (1957):** Isolation of intranuclear inclusion producing agents from infants with illnesses resembling cytomegalic inclusion disease. *Proc. Soc. Exp. Biol. Med*; 94 : 4 – 12.
- **Weller T., Hanshaw J., and Scott D. (1960):** Serologic differentiation of viruses responsible for cytomegalic inclusion disease. *Virology*; 122 : 532 – 539.
- **Weller T. (1970) :** CMV , The difficult years. *J. Infect. Dis.*; 122 : 532 – 539.
- **Wildemann B., Haas J., and Storch-Hagenlocher B. (1998):** Diagnosis of CMV encephalitis in patients with AIDS by quantitation of CMV genomes in cells of cerebrospinal fluid. *Neurology*, 50 : 693 – 697.
- **Wilson J. (1995) :** Nosocomial viral infections : pp: 57-66 in W.Magon , In.Watabe (eds) *Infection Control in Clinical Practice*. London. Bailliere Tindall.
- **Witt D., Kemper M., and Epsy M. (2000):** Atypical performance and clinical utility of a nucleic acid sequence based amplification

assay for detection of CMV infection, J. Clin Microbiol, Nov.; 383 (11) 994 – 9.

- ***Wu J., Tang Z.Y., and Li W. (1989):*** Acquired CMV infection of breast milk in infancy. Chin Med J. (Engl), 102 (2) : 124 – 8.
- ***Zaia J.A., Gallez – Hawkins G., and Forman S. (1997):*** Late CMV disease in marrow transplantation is predicted by virus load in plasma. J. Infect. Dis., 176: 782 – 785.