

REFERENCES

- Abramson, J. S. and Wheeler, J.G. (1994):*** Virus-induced neutrophil dysfunction: role in the pathogenesis of bacterial infections. *Pediatr. Infect. Dis. J.* 13:643-652.
- Abuhammour, W. M., Abdel-Haq, N.M., Asmar B.I. and Dajani A.S. (1999):*** *Moraxella catarrhalis* bacteremia: a 10-year experience. *South. Med. J.* 92:1071–1074.
- Aitken, C. and Jeffries, D.J. (2001):*** Nosocomial spread of viral disease. *Clin. Microbiol. Rev;* 14 (3): 528-546.
- Alexander, D.J. (2000):*** A review of avian influenza in different bird species. *Vet Microbiol;* 74:3-13.
- Alho, O. P., Koivu, M., Sorri, M. and Rantakallio, P. (1990):*** Risk factors for recurrent acute otitis media and respiratory infection in infancy. *Int. J. Pediatr. Otorhinolaryngol.* 19:151-161
- Allwinn, R., Preiser, W., Rabenau, H., Buxbaum, S., Sturmer, M. and Doerr, H.W. (2002):*** Laboratory diagnosis of influenza--virology or serology? *Med Microbiol Immunol (Berl);* 191: 157-60.
- Almazán, F., González, J.M., Péñzes, Z., Izeta ,A., Calvo, E., Plana-Durán, J. and Enjuanes, L. (2000):*** Engineering the largest RNA virus genome as an infectious bacterial artificial chromosome. *Proc. Natl. Acad. Sci. USA* 97:5516-5521.
- Alper, C.M., Blustone, C.D., Casselbrant, M.I., Dohar, J.E. and Mandel, E.M. (eds) (2004):*** Advanced therapy of otitis media. 1st edition. BC Decker Inc Hamilton London.
- Al-Shawwa, B.A. and Wegner, D. (2005):*** Trimethoprim-sulfamethoxazole plus topical antibiotics as therapy for acute otitis media with otorrhea caused by community-acquired methicillin-resistant *Staphylococcus aureus* in children. *Arch Otolaryngol Head Neck Surg;* 131(9):782-4.

- American Academy of Pediatrics (2003):** American Academy of Pediatrics. Haemophilus influenzae infections. Red Book 2003: The Report of the Committee on Infectious Disease; 23rd edition: 293-301.
- Anderson, L.J. (2000):** Respiratory syncytial virus vaccines for otitis media. Vaccine; 8:19S1:S59-65.
- Andersson, B., Gray, B.M. and Dillon, H.C. (1999):** Clinical role of respiratory virus in acute otitis media. Pediatrics; 68:848-855.
- Apisarnthanarak A., Kitphati R. and Thongphubeth K. (2004):** Atypical avian influenza (H5N1).Emerg Infect Dis; 10: 1321-4.
- Arason, V.A., Kristinsson, K.G., Sigurdsson, J.A., Stefansdottir, G., Molstad, S. and Gudmundsson, S. (1996):** Do antimicrobials increase the carriage rate of penicillin resistant pneumococci in children? Cross sectional prevalence study. BMJ; 313:387–391.
- Arbour, N., Day R., Newcombe, J. and Talbot, P.J.(2000):** Neuroinvasion by human respiratory coronaviruses. J. Virol. 74:8913-8921.
- Arguedas, A., Sierra, H., Soley, C., Guevara, S. and Brilla, E.(2005):** Activity of trimethoprim-sulfamethoxazole against middle ear fluid pathogens obtained from Costa Rican children with otitis media. Pediatr Infect Dis J; 24(9):839-41.
- Arola, M., Ruuskanen, O., Ziegler, T., Mertsola, j. and Nanto-Salonen, K. (1990):** Otitis media. Pediatr. 86:848-55.
- Austrian, R., Howie, V.M. and Ploussard, J.H. (1999):** The bacteriology of pneumococcal otitis media. Annals Otolaryngology; 141:104-111.
- Baba, S. (2000):** Recent aspects of clinical bacteriology in otitis media. Presented at Presymposium on Management of Otitis Media. Kvoto, Japan. Auris nasus; 12:120-127.
- Barenkamp, S.J. and Leininger, E.(1992):** Cloning, expression, and DNA sequence analysis of genes encoding nontypeable Haemophilus influenzae high-molecular-weight surface-exposed proteins related to

- filamentous hemagglutinin of *Bordetella pertussis*. *Infect Immun.*; 60(4):1302–1313.
- Barid, D. (1996):** *Staphylococcus: Cluster –forming Gram-positive cocci*. In: Collee, J.G., Marmion, B.P., Fraser, A.G. and Simmons, A. (eds) *Mackie and McCartney Practical Medical Microbiology Vol., 1*, 14th edition. Chirchill Livingstone, P. 245-261.
- Barzilai, A., Dekel, B., Dagan, R., Passwell, J.H. and Leibovitz, E. (1999):** Cytokine analysis of middle ear effusions during acute otitis media: significant reduction in tumor necrosis factor alpha concentrations correlates with bacterial eradication. *Pediatr. Infect. Dis. J.* 18:301-303
- Baum, S.G. (2000):** *Adenoviridae*. In: Mandell, G.L., Bennett, J.E., and Dolin, R. (eds). *Principles and practice of infectious diseases*. 5th edition. New York: John Wiley and Sons, p: 1624-1630.
- Beigel, J.H., Farrar, J. and Han A.M. (2005):** Avian influenza A (H5N1) infection in humans. *N. Engl. J. Med.* 353: 1374-1385.
- Bergelson, J.M., Cunningham, J.A. and Kurt- Jones, E. (1997):** Isolation of a common receptors for coxsackie B viruses and adenovirus 2 and 5. *Science*; 275: 1320-1323.
- Berry, A.M. and Paton, J.C. (2000):** Additive attenuation of virulence of *Streptococcus pneumoniae* by mutation of the genes encoding pneumolysin and other putative pneumococcal virulence proteins. *Infect. Immun*; 68:133-140.
- Berry, Q.C., Dole, W.J. and Cantekin, E.L. (1999):** Different bacterial strains in otitis media among Mexican population. *Ann. Otol. Rhinol. Laryngol*; 89 (68): 28-33.
- Billy, J. and Bakaletz, L.O. (1995):** Biological effects of isolated spherical outer membrane vesicles produced by nontypeable *Haemophilus influenzae*. In chinchilla. In: Lim D.J. (ed.): *Abstracts of the sixth*

International Symposim on Recent Advances in Otitis media. Ft Lauderdale., Fla.; 234

Black, S., Shinefield, H. and Fireman, B. (2000): Efficacy, safety and immunogenicity of heptavalent pneumococcal conjugate vaccine in children. Northern California Kaiser Permanente Vaccine Study Center Group. *Pediatr Infect Dis J*; 19:187-195.

Block, S.L. (1997): Causative pathogens, antibiotic resistance and therapeutic considerations in acute otitis media. *Pediatr. Infect. Dis. J.* 16:449–456

Block, S.L., Hammerschlag, M.R., Hedrick, J., Tyler, R., Smith, A. and Roblin, P. (1997): Chlamydia pneumoniae in acute otitis media. *Pediatr Infect Dis J*; 16:858-62.

Block, S.L., Harrison, C.J. and Hedrick, J. (2001): Restricted use of antibiotic prophylaxis for recurrent acute otitis media in the era of penicillin non-susceptible streptococcus pneumonia. *Int. J. Pediatr. Otorhinolaryngol*; 61:47-60.

Block, S.L., Hedrick, J. and Harrison, C.J. (2002): Pneumococcal serotypes from acute otitis media in rural Kentucky. *Pediatr Infect Dis J*; 21:859-865.

Block, S.L., Hedrick, J. and Harrison, C.J.(2004): Community-wide vaccination with the heptavalent pneumococcal conjugate significantly alters the microbiology of acute otitis media. *Pediatr Infect Dis J*; 23:829-833.

Block, S.L., Hedrick, J.A. and Harrison, C.J. (2004): Widespread use of conjugated pneumococcal vaccine significantly reduces rates of AOM and antibiotic usage. *Pediatr Res*; 55(suppl):201A.

Block, S.L., Hedrick, J.A., Tyler, R.D., Smith, and R.A. and Harrison, C.J. (2001): Microbiology of acute otitis media recently treated with aminopenicillins. *Pediatr Infect Dis J*; 20:1017-1021.

- Blomgren, K. and Pitkaranta, A. (2005):** Current challenges in diagnosis of acute otitis media. *Int J. Pediatr Otorhinolaryngol*; 69(3):295-9.
- Bluestone, C. D. (1996):** Pathogenesis of otitis media: role of Eustachian tube. *Pediatr. Infect. Dis. J.* 15:281-291.
- Bluestone, C. D. and Klein, J.O. (2001):** Microbiology. In: Bluestone,C.D. and Klein, J.O. (ed.).Otitis media in infants and children. 3rd edition. W. B. Saunders, Philadelphia, Pa.; 79-101.
- Blumer, J.L. (1998):** Pharmacokinetics and pharmacodynamics of new and old antimicrobial agents for acute otitis media. *Pediatr Infect Dis J*; 17:1070-5.
- Bondy, J., Berman, S., Glazner, J. and Lezotte, D. (2000):** Direct expenditures related to otitis media diagnosis: extrapolations from a pediatric Medicaid cohort.*Pediatrics*; 105: E 72.
- Booth, C.M., Matukas, L.M. and Tomlenson, G.A. (2003):** Clinical features and short-term outcomes of 144 patients with SARS in the greater Toronts area. *JAMA.*, 289: 2801-2809.
- Briles, D.E., Ades, E., Paton, J.C., Sampson, J.S., Carlone, G.M. and Huebner, R.C. (2000):** Intranasal immunization of mice with a mixture of the pneumococcal proteins PsaA and PspA is highly protective against nasopharyngeal carriage of *Streptococcus pneumoniae*. *Infect Immun*; 68:796–800.
- Brook, I. and Gober, A.E. (1998):** Bacterial interference in the nasopharynx following antimicrobial therapy of acute otitis media. *J Antimicrob Chemother*; 41:489-92.
- Brook, I. and Yocum, P. (1995):** Bacteriology and beta-lactamase activity in ear aspirates of acute otitis media that failed amoxicilline therapy. *Pediatr Infect Dis J*; 14:805-8.
- Brook, I. and Yocum, P. (1999):** Bacterial interference in the adenoids of otitis media-prone children. *Pediatr Infect Dis J*; 18:835-6.

- Brooks, G.F., Butel, J.S. and Morse, S.T. (2007):** Pathogenesis of bacterial infection, General properties of viruses, Adenoviruses, Picornaviruses, Orthomyxoviruses and Paramyxoviruses & Rubulaviruses. In: Jawetz, E., Melnick, J.I. and Adelberg, E.A, (eds). Medical Microbiology. 24rd edition. Norwalk, Lange, California. P.147-160, 378-381, 419-472, 486-500, 533-545 and 551-556.
- Brown, M., Grydusk, J.D. and Munoz, B. (1997):** Structural features unique to enteric adenoviruses. Arch. Virol. Suppl.; 12: 301-307.
- Brown, R., Collee, J.G. and Poxton, I.R. (1996):** Bacteroides, Fusobacterium and other Gram-negative anaerobic cocci; identification of anaerobes. In: Callee, J.G., Marmion, G. P., Fraser, A.G. and Simmons, A. (eds) Mackie and McCartney Practical Medical Microbiology, Vol. 2, 4th edition. Churchill Livingstone. P. 501-511.
- Bunnell, B.A. and Morgan, R.A. (1998):** Gene therapy for infectious diseases. Clinical Microbiology Reviews; 11 (1):42-56.
- Canafax, D. M., Yuan, Z., Chonmaitree, T., Deka, K., Russlie, H.Q. and Giebink, G.S. (1998):** Amoxicillin middle ear fluid penetration and pharmacokinetics in children with acute otitis media. Pediatr. Infect. Dis. J. 17:149-156.
- Cane, P. A., Thomas, H.M., Simpson, A.F., Evans, J.E., Hart, C.A. and Pringle, C.R. (1996):** Analysis of the human serological immune response to a variable region of the attachment (G) protein of respiratory syncytial virus during primary infection. J. Med. Virol. 48:253-267.
- Cane, P. A. and Pringle, C. (1997):** Evolution of subgroup A respiratory syncytial virus: evidence for progressive accumulation of amino acid changes in the attachment protein. J. Virol. 69:2918-2925.

- Carballal, G., Videla ,C.M., Espinosa ,A., Savy, V., Uez ,O., Sequera, M.D., Knez, V., Requeijo, P.V., Posse, C.R. and Miceli, I.(2001):** Multicentered study of viral acute lower respiratory infections in children from four cities of Argentina, 1993- 1994. J. Med. Virol. 64:167-174.
- Carlsen, K.A. and Orstavik, I. (2000):** Respiratory syncytial virus infection in Oslo Clinical and laboratory studies. Acta Paediatr Scand; 69(6):723-9.
- Carson, J.L., Collier, A.M. and Hus, S. (2001):** Acquired ciliary defects in nasal epithelium of children with acute viral upper respiratory infection. Engl. J. Med.; 312:463-468.
- Casey, J.R. and Pichichero, M.E. (2004):** Changes in frequency and pathogens causing acute otitis media in 1995-2003. Pediatr Infect Dis J; 23:824-828.
- Casselbrant, M.L., Brostoff, L.M. and Cantekin, E.I. (1985):** Otitis media with effusion in preschool children. Laryngoscope; 95:428-436.
- Casselbrant, M.L., Kaleida, P.H. and Rockette, H.E. (1992):** Efficacy of antimicrobial prophylaxis and of tympanostomy tube insertion for prevention of recurrent acute otitis media: results of a randomized clinical trial. Pediatr Infect Dis J; 11:278-86.
- Casselbrant, M.L., Mandel, E.M. and Fall, P.A. (1999):** The heritability of otitis media. A Twin and triplet study. JAMA; 282:2125-30.
- Casselbrant, M.L., Okeowo, P.A. and Flaherty, M.R. (1999):** Antibody coated bacteria in otitis media with effusion. In: Recent advances in otitis media with effusion. B.C. Decker Inc; 42-47.
- CDC, (2005a):** Influenza viruses. Centers for Disease Control and Prevention, Department OF Health and Human Services, October, 13. Atlanta, USA.

- CDC, (2005b):** Centers for Disease Control and Prevention. Prevention and Control of Influenza Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR; 54 (RR08): 1-40.
- CDC (2005c):** Avian influenza infection in Humans. Centers for Disease Control and Prevention. Department of Health and Human services. November, 15. Atalanta, USA.
- CDC (2006):** Update: influenza activity-United States, March 5-11, MMWR Morbid. Mortal. Wkly. Rep. 24 (11): 311-313.
- Chan, P.K. (2002):** Outbreak of avian influenza A(H5N1) virus infection in Hong Kong in 1997. Clin Infect Dis; 34: Suppl 2.
- Chanock, R. M. and McIntosh, K. (1985):** Parainfluenza viruses. In: Fields, B.N. (ed.), Virology. Raven Press, New York, N.Y. p: 1241.
- Chase, C. (2005):** Learning how SARS spikes its quarry. Press Release PR-HHMI-05-4. Howard Hughes Medical Institute; 305-310.
- Cheesbrough, M. (2002):** Culturing bacterial pathogen. In: District Laboratory Practice in Tropical Countries. Part 2, low price edition Cambridge University Press. P. 45-62.
- Chole, R.A. and Hubbell, R.N. (1995):** Antimicrobial activity of silastic tympanostomy tubes impregnated with silver oxide: a randomized, double-blind trial. Arch Otolaryngol Head Neck Surg; 121:562.
- Chonmaitree, T., Owen, M.J., Patel, J.A., Hedgpeth, D., Horlick, D. and Howie, V.M. (1992):** Presence of cytomegalovirus and herpes simplex virus in middle ear fluids from children with acute otitis media. Clin. Infect. Dis. 15:650-653.
- Chonmaitree, T., Patel, J.A. and Garofalo, R. (1996):** Role of leukotrienne B4 and interleukin-8 in acute bacterial and viral otitis media. Ann Oto Rhinol Laryngol; 105:968-74.
- Chonmaitree, T. and Heikkinen, T. (1999):** Role of viruses in middle ear disease. Ann NY Acad Sci; 830:143-57.

- Chonmaitree, T. (2000):** Viral and bacterial interaction in acute otitis media. *Pediatr Infect Dis J*; 19:524-30.
- Chonmaitree, T. and Henrickson, K.J. (2000):** Detection of respiratory viruses in the middle ear fluids of children with acute otitis media by multiplex reverse transcription- polymerase chain reaction assay. *Pediatr Infect Dis J*; 19:258-60.
- Chonmaitree, T. (2004):** Viral otitis media. In: Alper C.M., Blustone C.D., Casselbrant M.I., Dohar J.E. and Mandel E.M.(eds). *Advanced therapy of otitis media*, 1st edition. BC Decker Inc. Hamilton London P. 63-68.
- Chotpitayasunondh, T., Ungchusak, K. and Hanshaoworakul, W. (2005):** Human disease from influenza A (H5N1), Thailand, 2004. *Emerg Infect Dis*; 11: 201-9.
- Clarke, S.C., Jefferies, J.M., Smith, A.J., McMenamin, J., Mitchell, T.J. and Edwards, G.F.S.(2006):** Potential impact of conjugate vaccine on the incidence of invasive pneumococcal disease among children in Scotland. *J. Clin. Microbiol*; 44(4): 1224-1228.
- Clements-Mann, M.L., Makhene, M.K., Mrukowicz, M.J., Wright, P.F., Hoshino, Y., Midthun, K., Sperber, E., Karron, D. and Kapiklan, A.Z.(1999):** Safety and immunogenicity of live attenuated human boring (UK) rotavirus vaccines with VP7 specificity for serotypes 1,2,3 or 4 in adults, children and infants. *Vaccine*; 17:2715-2725.
- Collee, J. G and Marr. W. (1996):** Culture of bacteria In: Collee, J.G. Marmion, B.P., Fraser, A.G. and Simmons, A. (eds) *Mackie and McCartney Practical Medical Microbiology Vol 1*, 4th edition. Churchill livingstone. P. 113-129.
- Collee, J.G., Miles, R.S. and Watt, B. (1996):** Tests for identification of bacteria, in: Collee, J.G., Marmion, B.P., Fraser, A.G. and Simmons,

- A. (eds) Mackie and McCartney Practical Medical Microbiology. Vol 1, 4th edition. Churchill livingstone. P. 131-150.
- Collier, L.H. and Oxford, J.S. (2000a):** Upper respiratory tract and eye infections due to adenoviruses, coronaviruses and rhinoviruses. In: human virology 2nd edition. Oxford University press. P: 101-109.
- Collier, L.H. and Oxford, J.S. (2000b):** Child hood infections caused by paramyxoviruses. In: human virology 2nd edition. Oxford University press. P: 111-122.
- Collins, P. L., McIntosh, K. and Chanock, R.M. (1996):** Respiratory syncytial virus. In: Fields, B.N. (ed.) Fields virology. Raven Press, New York, N.Y. p: 1313-1351.
- Collins, P.L., Whitehead, S.S., Bukreyev, A., Fearn, R., Teng, M.N., Juhasz, K., Chanock, R.M. and Murphy, B.R. (1999):** Rational design of live-attenuated recombinant vaccine virus for human respiratory syncytial virus by reverse genetics. Adv. Virus Res; 45:423-451.
- Cox, N.J. and Kawaoka, Y. (1997):** Orthomyxoviruses: Influenza. In: Collier, L., Balows, A. and Sussman, M., (eds.). Topley & Wilson's Microbiology and Microbial Infections 9th edition. Edward Arnold, London Vol.1, p: 385-433.
- Cox, N.J. and Subbarao, K. (1999):** Influenza. Lancet; 354:1277-82.
- Cripp, A.W. and Kyd, J. (2003):** Bacterial otitis media: current vaccine development strategies. Immunol. Cell Biol; 81:46-51.
- Culpepper, L., Blumer, J.L., Casselbrant, M.L. and Dowell, S.F. (2000):** Recurrent acute otitis media: Medical versus surgical options. In: Medical Crossfire, vol 2, No3:45-55.
- Cundell, D.R., Gerard, N.P., Gerard, C., Idanpaan-Helkkila, I. and Tuomanen, E.I. (1995):** Streptococcus pneumoniae anchor to activated human cells by the receptor for platelet-activating factor. Nature; 377:435-438

- Cutts, F.T., Zaman, S.M.A., Enwere, G., Jaffar, S., Levine, O.S. and Okoko, J.B. (2005):** Efficacy of nine-valent pneumococcal conjugate vaccine against pneumonia and invasive pneumococcal disease in The Gambia: randomised, double-blind, placebo-controlled trial. *Lancet*; 365:1139–46.
- Dabernat, H., Plisson-Sauné, M.A., Delmas, C., Séguy, M., Faucon, G., Pélissier, R., Carsenti, H., Pradier, C., Roussel-Delvallez, M., Leroy, J., Dupont, M.J., De Bels, F. and Dellamonica, P. (2003):** Haemophilus influenzae carriage in children attending French day care centers: a molecular epidemiological study. *J. Clin. Microbiol*; 41(4):1664-1672.
- Daly, K.A., Brown, J.E., Lindgren, B.R., Meland, M.H., Le, C.T. and Giebink, G.S. (1999):** Epidemiology of otitis media onset by six months of age. *Pediatrics*; 103:1158-1166.
- Danniel, J., Wenig, B.M. and Tos, M. (1999):** Non-neoplastic diseases of the ear. In: *Atlas of Head and Neck Pathology*. Philadelphia: WB Saunders, 345-360.
- Daum, R. (2000):** Haemophilus influenzae. In: Behrman, R.E., Kliegman, R. (eds.) *Nelson Textbook of Pediatrics*. 16th edition. Philadelphia, Pa: WB Saunders and Co. P. 833-837.
- Davies, H.D., Wang, E.E., Manson, D., Babyn, P. and Shuckett, B. (1996):** Reliability of the chest radiograph in the diagnosis of lower respiratory infections in young children. *Pediatr. Infect. Dis. J.* 15:600-604.
- Davies, J.I., Carlstedt, A., Nilsson, A.K., Hakansson, A., Sabharwal, H., van Alphen, L., van Ham, M. and Svanborg, C. (1995):** Binding of Haemophilus influenzae to purified mucins from the human respiratory tract. *Infect. Immun*; 63:2485-2492

- de Jong, M.D., Bach, V.C. and Phan, T.Q.(2005):** Fatal avian influenza A (H5N1) in a child presenting with diarrhea followed by coma. *N Engl J Med*; 352: 686-91.
- De, B.K., Sampson, J.S., Ades, E.D., Huebner, R.C., Jue, D.L., Johnson, S.E., Espina, M., Stinson, A.R., Briles, D.E. and Carlone, G.M. (2000):** Purification and characterization of *Streptococcus pneumoniae* palmitoylated pneumococcal surface adhesin A expressed in *Escherichia coli*. *Vaccine*; 18:1811-1921
- Del Beccaro, M.A., Mendelman, P.M. and Inglis, A.F. (2000):** Bacteriology of acute otitis media: A new perspective. *J Pediatr*; 120:81-84.
- Dennehy, P.H. (2001):** Active immunization in the United States: Developments over the past decade. *Clinical microbiology reviews*; 14(4): 872-908.
- Deshmukh, C.T. (1998):** Acute otitis media in children--treatment options. *Journal of Postgraduate Medicine*; 44(3):81-4.
- Dohar, J.(2005):** Microbiology of otorrhea in children with tympanostomy tubes: implications for therapy. *Int J Pediatr Otorhinolaryngol*; 67:1317–23.
- Dowell, S.F., Butler, J.C. and Giebink, G.S. (1999):** Acute otitis media management and surveillance in an era of pneumococcal resistance. A report from the drug resistant *streptococcus pneumoniae*. Therapeutic Working group. *Pediatr Infect Dis J*; 18:1-9.
- Drews, A.L., Atmar, B.L., Glezen, W.P., Baxter, B.D., Piedra, P.A. and Greenberg, S.B. (1997):** Dual respiratory virus infections. *Clin. Infect. Dis.* 25:1421-1429.
- Duffy, I.C., Faden, H. and Wasielewski, R. (2003):** Exclusive breast feeding protects against bacterial colonization and day care exposure to otitis media. *Pediatric*; 100: E 7.

- Easterday, B.C., Hinshaw, V.S. and Halvorson, D.A. (1997):** Influenza. In: Calnek, B.W., Barnes, H.J., Beard, C.W., McDougald, L.R. and Saif, Y.M. (eds.) Diseases of poultry. Iowa State University Press, Ames. p. 583-605.
- Ecevit, I.Z., McCrea, K.W., Pettigrew, M.M., Sen, A., Marrs, C.F. and Gilsdorf, J.R. (2004):** Prevalence of the hifBC, hmw1A, hmw2A, hmwC, and hia genes in Haemophilus influenzae isolates. J. Clin. Microbiol; 42(7): 3065-3072.
- Echevarria, J.E., Erdman, D.D., Swierkosz, E.M., Holloway, B. P. and Anderson, L.J. (1998):** Simultaneous detection and identification of human parainfluenza viruses 1, 2 and 3 from clinical samples by multiplex PCR. J. Clin. Microbiol. 36: 1988-1391.
- Ekdahl, K., Ahlinder, I., Hansson, H.B., Melander, E., Molstad, S. and Söderström, M. (1997):** Duration of nasopharyngeal carriage of penicillin-resistant Streptococcus pneumoniae: experiences from the South Swedish Pneumococcal Intervention Project. Clin Infect Dis; 25:1113–1117.
- El Ahmer, O. R., Raza ,M.W., Ogilvie, M.M., Weir, D.M. and Blackwell, C.C. (1999):** Binding of bacteria to HEp-2 cells infected with influenza A virus. FEMS Immunol. Med. Microbiol. 23:331-341.
- Ernst-Kruis, M.R., Rutger, M.I., Revesz, T., Walf, T.F., Flee, A. and Geelen, S.P. (2003):** Invasive infection with Moraxella catarrhalis in two children with lymphatic leukemia and granulocytopenia. Med. Tijdschr. Geneesk. 147: 1126-1128.
- Eskola, J. and Anttila, M. (1999):** Pneumococcal conjugate vaccines. Pediatr. Infect. Dis. J; 18:543-551
- Falsey, A. R., McCann, R.M., Hall, W.J. and Criddle, M.M. (1996):** Evaluation of four methods for the diagnosis of respiratory syncytial virus infection in older adults. J. Am. Geriatr. Soc. 44:71-73.

- Feldman, S. A., Hendry, R.M. and Beeler, J.A. (1999):** Identification of a linear heparin binding domain for human respiratory syncytial virus attachment glycoprotein G. *J. Virol.* 73:6610-6617.
- Felmingham, D. and Gruneberg, R.N. (2000):** The Alexander Project 1996–1997: latest susceptibility data from this international study of bacterial pathogens from community-acquired lower respiratory tract infections. *J. Antimicrob. Chemother.* 45:191–203.
- Fiore, A.E., Iverson, C., Messmer, T., Erdman, D., Lett, S.M., Talkington, D.F., Anderson, L.J., Fields, B., Carlone, G.M., Breiman, R.F. and Cetron, M.S. (1998):** Outbreak of pneumonia in a long-term care facility: antecedent human parainfluenza virus 1 infection may predispose to bacterial pneumonia. *J. Am. Geriatr. Soc.* 46:1112-1117.
- Fireman, B., Black, S.B., Shinefield, H.R., Lee, J., Lewis, E. and Ray, P. (2003):** Impact of the pneumococcal conjugate vaccine on otitis media. *Pediatr Infect Dis J*; 22:10-16.
- Fogle-Hansson, M., White, P., Hermansson, A. and Prellner, K. (2001):** Short-term penicillin-V prophylaxis did not prevent acute otitis media in infants. *Int J Pediatr Otorhinolaryngol*; 59:119–123.
- Frisbie, B., Tang, Y.W. and Griffin, M. (2004):** Surveillance of childhood influenza virus infection: what is the best diagnostic method to use for archival samples? *J Clin Microbiol*; 42:1181-4.
- Fritz, R. S., Hayden, F.G., Calfee, D.P., Cass, L.M., Peng, A.W., Alvord, W.G., Strober, W. and Straus, S.E. (1999):** Nasal cytokine and chemokine responses in experimental influenza A virus infection: results of a placebo-controlled trial of intravenous zanamivir treatment. *J. Infect. Dis.* 180:586-593.
- Fusi, M. and Orvostud, K. (1964):** New selective medium for the isolation of Hemophilus Species. *Acta. Microbiol. Acad. Sci. Hung.* 27: 141-145.

- Galiano, M.C., Palomo, C., Videla, C.M., Arbiza, J., Melero, J.A. and carballal, G. (2005):** Genetic and antigenic variability of human RSV group A and B isolated over seven consecutive seasons in Argentina J. Clin. Microbiol. 43: 2266-2273.
- Garcia-Rodrigues, J.A. and Fresnadillo Martinez, M.J. (2002):** Dynamics of nasopharyngeal colonization by potential respiratory pathogens. J. Antimicrob. Chemother; 50(Suppl. S2):59-73
- Garcia-Sastre, A., Egorov, A., Matassov, D., Brandt, S., Levy, D.E., Durbin, J.E., Palese, P. and Muster, T. (1998):** Influenza A virus lacking the NS1 gene replicates in interferon-deficient systems. Virol; 252:324-330.
- Garner, D. and Weston, V. (2003):** Effectiveness of vaccination for Haemophilus influenzae type b. Lancet 1; 361(9355): 395-6.
- Gates, G.A. (1998):** Acute otitis media and otitis media with effusion. In: Cumming, C.W., Fredrickson, J.M. and Harker, L.A. (eds). Otolaryngology, Head & Neck surgery, Vol 5,3rd edition. St.Louis,MO,Mosby; P.461-477.
- Gentile, D. A., Doyle, W.J., Fireman, P. and Skoner, D.P. (2001):** Effect of experimental influenza A infection on systemic immune and inflammatory parameters in allergic and nonallergic adult subjects. Ann. Allergy Asthma Immunol. 87:496-500
- Ghaffar, F., Friedland, I.R. and McCracken, G.H. (1999):** Dynamics of nasopharyngeal colonization by Streptococcus pneumoniae. Pediatr Infect Dis J; 18:638–646.
- Gilbert, D.N., Moellering, R.C., Eliopoulos, G.M. and Sande, M.A. (2003):** The Sanford guide to antimicrobial therapy. 33rd ed. Hyde Park, VT: Antimicrobial Therapy; 24–7.

- Gilsdorf, J.R., McCrea, K.W., and Marrs, C.F. (1997):** Role of pili in *Haemophilus influenzae* adherence and colonization. *Infect. Immun*; 65:2997-3002.
- Ginsburg, H.S. and Prince, G.A. (1994):** The molecular basis of adenovirus pathogenesis. *Infect. Agents Dis.* 3: 1-15.
- Glezen, W.P., Frank, A.L., Taber, L.H. and Kasel, J.A. (1984):** Parainfluenza virus type 3: seasonality and risk of infection and reinfection in young children. *J. Infect. Dis.* 150: 851-857.
- Glezen, W.P., Keitel, W.A., Taber, L.H., Piedra, P.A., Clower, R.D. and Couch, R.B. (1991):** Age distribution of patients with medically attended illnesses caused by sequential variants of influenza A/H1N1: comparison to age specific infection rates, 1978-89. *Am J Epidemiol*; 133: 296-304.
- Glezen, W.P., Taber, L.H., Frank, A., Gruber, W.C. and Piedra P.A. (1997):** Influenza virus infections in infants. *Pediatr Infect Dis J*; 16:1065-8.
- Glezen, W.P. (2000):** Prevention of acute otitis media by prophylaxis and treatment of influenza virus infections. *Vaccine*; 19(Suppl 1): 56-8.
- Glezen, W. P., Greenberg, S.B., Atmar, R.L., Piedra, P.A. and Couch, R.B. (2000):** Impact of respiratory virus infections on persons with chronic underlying conditions. *JAMA*; 283:499-505.
- Gould, P.S. and Easton, A.J. (2005):** Coupled translation of the RSV M₂ open reading frames required upstream sequence. *J. Biol. Chem.* 280: 21972-21980.
- Goycoola, M.V. and Hueb, M.M. (1991):** Definitions and terminology. *Otolaryngology Clinics of North America*; 24:757-61.
- Goycoolea, M.V. (1997):** Otitis méedia aguda. *Manual de ORL Pediátrica de la IAPO*. 1: 223- 228.
- Graham B. S. (1996):** Immunologic determinants of RSV-induced disease. *Trends Microbiol.* 4:290-293.

- Grdanoska, T., Petravska, M., Cvetkovic, D. (2001):** Pneumoslide: serological investigation of human respiratory infections. 2nd Balkan Conference of Microbiology. Thessaloniki.
- Grosfeld, H., Hill, M.G. and Collins, P.L. (1995):** RNA replication by respiratory syncytial virus (RSV) is directed by the N, P, and L proteins; transcription also occurs under these conditions but requires RSV superinfection for efficient synthesis of full-length mRNA. *J. Virol.* 69:5677-5686.
- Gu, X.X., Rudy, S.F., Chu, C., McCullagh, L., Kim, H.N., Chen, J., Li, J., Robbins, J.B., Van Waes, C. and Battey, J.F. (2003):** Phase I study of a lipooligosaccharide-based conjugate vaccine against nontypeable *Haemophilus influenzae*. *Vaccine*; 21(17-18):2107-14
- Håkansson, A., Kidd, A., Wadell, G., Sabharwal, H. and Svanborg, C. (1994):** Adenovirus infection enhances *in vitro* adherence of *Streptococcus pneumoniae*. *Infect. Immun.* 62:2707-2714.
- Hall, C. B., Walsh, E.E., Long, C.E. and Schnabel, K.C. (1991):** Immunity to and frequency of reinfection with respiratory syncytial virus. *J. Infect. Dis.* 163:693-698.
- Hall, C. B. and McCarthy, C.A. (1996):** Respiratory syncytial virus. In: Mandell, G., Bennett, J. and Dolin, R. (eds.), *Mandell, Douglas and Bennett's principles and practice of infectious disease*. Churchill Livingstone, New York, N.Y. p: 1501-1519
- Hall, C.B. (2000):** Respiratory syncytial virus. In: Zukerman, A.J., Banatvala, J.E. and Pattison, J.R. (eds). *Principles and Practice of Clinical virology*. 4th edition. P: 293-306.
- Hall, C.B. (2001):** Respiratory syncytial virus and parainfluenza virus. *N.Engl. J. Med.* 344: 1917-1958.

- Hall, C. B., Long, C.E. and Schnabel, K.C. (2001):** Respiratory syncytial virus infections in previously healthy working adults. *Clin. Infect. Dis.*; 33(6): 792-6.
- Hallet, C.P. (1982):** The screening and epidemiology of middle ear disease in a population of primary school entrants. *J Laryngol Otol*; 96:899.
- Hardy, G.G., Tudor, S.M. and St Geme, J.W. III. (2003):** The pathogenesis of disease due to nontypeable *Haemophilus influenzae* *Methods Mol Med*; 71:1-28.
- Harley, D., Harrower, B., Lyon, M. and Dick, A. (2001):** A primary school outbreak of pharyngoconjunctival fever caused by adenovirus type 3. *Communicable Diseases Intelligence*, 25: 9-12.
- Hasegawa, K., Chiba, N. and Kobayashi, R. (2004):** Rapidly increasing prevalence of β -lactamase-nonproducing ampicillin-resistant *Haemophilus influenzae* type b in patients with meningitis. *Antimicrob Agents Chemother*; 48:1509–14.
- Hasten, G., Prellner, K., Heldrup, J., Kalm, O. and Kornfalt, R. (1989):** Recurrent acute otitis media, a prospective study of children during the first three years of life. *Acta Otolaryngol (Stockh)*; 107:111-9.
- Hayden, F.G. (2000):** Influenza virus and rhinovirus-related otitis media: potential for antiviral intervention *Vaccine*; 19 Suppl 1:S66-70.
- Hayden, F.G. (2004):** Rhinovirus and the lower respiratory tract. *Rev. Med. Virol.* 14: 17-30.
- He, B., Lin, G.Y., Durbin, J.E., Durbin, R.K. and Lamb, R.A. (2001):** The SHA integral membrane protein of the paramyxovirus simian virus 5 is required to block apoptosis in MDBK cells. *J. Virol.* 75: 4068-4079.
- Heikkinen, T. and Ruuskanen, O. (1994):** Temporal development of acute otitis media during upper respiratory tract infection. *Pediatr. Infect. Dis. J.* 13:659-661.

- Heikkinen, T., Thint, M. and Chonmaitree, T. (1999):** Prevalence of various respiratory viruses in the middle ear during acute otitis media. *New England journal of medicine (NEJM)*; 340(4): 260-264.
- Heikkinen, T. (2000):** The role of respiratory viruses in otitis media. *Vaccine*; 19(Suppl 1):51-5.
- Heikkinen, T. and Chonmaitree, T. (2000):** Importance of respiratory viruses in acute otitis media. *Clinical Microbiology Reviews*; 16(2):230-241.
- Heikkinen, T., Mattrila, J., Salmi, A. and Ruuskanen, O. (2002):** Nasal Swab versus nasopharyngeal aspirate for isolation of respiratory viruses. *Microbiol.* 40: 4337-4339.
- Heiskanen-Kosma, T., Korppi, M., Jokinen, C., Kurki, S., Heiskanen, L. and Luvonen, H. (1998):** Etiology of childhood otitis media: Serologic results of prospective, Population-based study *pediatr. Infect. Dis. J.*, 17: 986-991.
- Henderson, F. W., Collier, A.M., Sanyal, M.A., Watkins, J.M., Fairclough, D.L., Clyde, W.A. and Denny F.W. (1982):** A longitudinal study of respiratory viruses and bacteria in the etiology of acute otitis media with effusion. *N. Engl. J. Med.* 306:1377-1383.
- Henderson, F.W., Collier, A.M. and Sanyal, M.A. (2000):** A longitudinal study of respiratory viruses and bacteria in the etiology of acute otitis media effusion. *N. Engl. J. M.* 306: 1377-1383.
- Hendly, J.O. (2002):** Otitis media. *N Engl J Med*; 347:1169-1174.
- Henrickson, K. J. and Savatski, L.L. (1996):** Two distinct human parainfluenza virus type one genotypes detected during the 1991 epidemic. *J. Clin. Microbiol.* 34:695-700.
- Henrickson, K. J. and Savatski, L.L. (1997):** Antigenic structure, function, and evolution of the hemagglutinin-neuraminidase protein of human parainfluenza virus type 1. *J. Infect. Dis.* 176:867-875.

- Henrickson, K. J. (1998):** Viral pneumonia in children. *Semin. Pediatr. Infect. Dis.* 9:227-233.
- Henrickson, K.J. (2003):** Parainfluenz viruses. *Clin. Microbiol. Rev.*16: 242-264.
- Herberts, G., Jeppson, P.H., Nylen, O., Branefors, A. and Helander, P. (1999):** Acute otitis media: Etiological and therapeutical aspects of acute otitis media. *Acta Otorhinolaryngol*; 33:191-202.
- Hien, T.T., Liem, N.T. and Dung, N.T. (2004):** Avian influenza A (H5N1) in 10 patients in Vietnam. *N Engl J Med*; 350: 1179-88.
- Hoberman, A., Paradise, J.L. and Reynolds, E.A. (1997):** Efficacy of Auralgan for treating ear pain in children with acute otitis media. *Arch Pediatr Adolesc Med*; 151:675-678.
- Hoberman, A. and Paradise, J.L. (2000):** Acute otitis media: Diagnosis and management in the year 2000. *Pediatr Ann J*; 29:609-20.
- Hoberman, A., Greenberg, D.P. and Paradise, J.L. (2003):** Effectiveness of inactivated influenza vaccine in preventing acute otitis media in young children: a randomized controlled trial. *JAMA*; 290:1608-1616.
- Hoppe, J.E. and Wahrenberger, C. (1999):** Compliance of pediatric patients with treatment involving antibiotic suspensions: a pilot study. *Clin Ther*; 21:1193-201.
- Horga, M. A., Gusella, G.L., Greengard, O., Poltaratskaia, N., Porotto, M. and Moscona, A. (2000):** Mechanism of interference mediated by human parainfluenza virus type 3 infection. *J. Virol.* 74:11792-11799.
- Horimoto, T. and Kawaoka, Y. (2001):** Pandemic Threat Posed by Avian Influenza A Viruses. *Clinical Microbiology Reviews*; 14(1):129-149.
- Hornsleth, A., Frils, B., Gramballe, P.C. and Krasilintrof, P.A. (1984):** Detection by ELISA of IgA and IgM antibodies in secretion and IgM

- antibodies in primary lower respiratory syncytial virus infection. J. Med. Virol. 13: 149-161.
- Horowitz, M.S. (2001):** Adenoviruses in: Fields, B.N., Knipe, D.M. and Howely, P.M. (eds) Fields Virology, 4th edition, Vol. 2. Lippincott-Raven Publishers, New York. P.P. 2149-2171.
- Iverson, M., Birch, L. and Lundyvist, G.R. (1985):** Middle ear effusion in children and the indoor environment; an epidemiological study. Arch Environ Health; 40:74.
- Iwano, T., Kinoshita, T. and Hamada, E. (1999):** Otitis media with effusion and Eustachian tube dysfunction in adults and children. Acta. Otolaryngology (suppl.); 500:66-69.
- Jacobs, M.R. (2004):** Sterptococcus pneumoniae: epidemiology and patterns of resisittance. Am. J. Med.; 117 Suppl 3A: 3S:15.
- Jacobs, M.R., Dagan, R., Appelbaum, P.C. and Burch, D.J. (1998):** Prevalence of antimicrobial-resistant pathogens in middle ear fluid: multinational study of 917 children with acute otitis media. Antimicrob Agents Chemother; 42:589-595.
- Jacomy, H. and Talbot, P.J. (2003):** Vacuolating encephalitis in mice infected by human coronavirus OC43. Virology ;315:20-33.
- Janoff, E.N. and Rubins, J.B. (1999):** Editorial response: predicting protection against encapsulated pathogens. Clin. Infect. Dis; 29:289-291.
- Jiang, Z., Nagata, N., Molina, E., Bakaletz, L.O., Hawkins, H. and Patel, J.A. (1999):** Fimbria-mediated enhanced attachment of nontypeable Haemophilus influenzae to respiratory syncytial virus-infected respiratory epithelial cells. Infect. Immun. 67:187-192
- Joloba, M.L., Windau, A. and Bajaksouzian, S. (2001):** Pneumococcal conjugate vaccine serotypes of Streptococcus pneumoniae isolates and the antimicrobial susceptibility of such isolates in children with otitis media. Clin Infect Dis; 33:1489-1494.

- Jorgensen, F. and Holmyuist, J. (2000):** Toynbee phenomenon and middle ear disease. *Am. J. Otolaryngol*; 4:291-294.
- Joseph, B.D. and Helenc, F.R. (1999):** Respiratory syncytial virus infection: immune response, common pathogenesis and treatment. *Clin. Microbiol. Rev.*, 12: 298-309.
- Jossart, G. H., Canafax, D.M., Erdmann, G.R., Lovdahl, M.J., Russlie, H.Q., Juhn, S.K. and Giebink, G.S. (1994):** Effect of *Streptococcus pneumoniae* and influenza A virus on middle ear antimicrobial pharmacokinetics in experimental otitis media. *Pharm. Res.* 11:860-864.
- Juhn, and Huff, J.S. (1999):** Biochemical characteristics of middle ear effusions. *Ann. Otol. Rhinol. Laryngol*; 85(25):110-116.
- Kadi, D., Dali, S., Bakouri, S. and Bouguermouth, A. (1986):** Rapid diagnosis of RSV infection by antigen immunofluorescence detection with monoclonal antibodies and immunoglobulin-M immunofluorescence test. *J. Clin. Microbiol.* 24: 1038-1040.
- Kaleida, P.H., Csselbrant, M.L. and Rockette, H.E. (1991):** Amoxicillin or myringotomy or both for acute otitis media: Results of a randomized clinical trial. *Pediatrics*; 87:466-474.
- Kamerling, J.P. (2000):** Pneumococcal Polysaccharides: A chemical view. In: Tomasz A, (ed). *Streptococcus pneumoniae, Molecular biology & Mechanism of disease*. New York, Mary Ann Liebert pp. 81–114.
- Kao, H.T., Huang, Y.C. and Lin, T.Y. (2000):** Influenza A virus infection in infants. *J Microbiol Immunol Infect*; 33:105-8.
- Karlowsky, J.A., Critchley ,I.A., Blosser-Middleton ,R.S., Karginova , E.A., Jones, M.E., Thornsberry, C. and Sahm D.F.(2002):**Antimicrobial surveillance of *Haemophilus influenzae* in the United States during 2000-2001 leads to detection of clonal dissemination of a beta-

- lactamase-negative and ampicillin-resistant strain. *J. Clin. Microbiol.* 40:1063-1066
- Kathleen, D. (1991):** Otitis media: The pathogenesis approach; epidemiology of otitis media. *Otolaryngology Clinics of North America*; 24(4).
- Kelly, D.F., Moxon, E.R. and Pollard, A.J. (2004):** Haemophilus influenzae type b conjugate vaccines. *Immunology*; 113(2): 163-74
- Kero, P. and Piekkala, P. (1998):** Factors affecting the occurrence of acute otitis media during the first year of life. *Acta. Pediatr. Scand*; 76:618.
- Kilpi, T., Herva, E., Kaijalainen, T., Syrjänen, R. and Takala, A.K. (2001):** Bacteriology of acute otitis media in a cohort of Finnish children followed for the first two years of life. *Pediatr Infect Dis J*; 20:654–662.
- Kilpi, T., Ahman, H. and Jokinen, J. (2003):** Protective efficacy of a second pneumococcal conjugate vaccine against pneumococcal acute otitis media in infants and children: randomized, controlled trial of a 7-valent pneumococcal polysaccharide-meningococcal outer membrane protein complex conjugate vaccine in 1666 children. *Clin Infect Dis*; 37:1155-1164.
- Kim, E.J., Catten, M.D. and Lalwani, A.K. (2002):** Detection of fungal DNA in effusion associated with acute and serous otitis media. *Laryngoscope*; 112(11):2037-41.
- King, J. C. (1997):** Community respiratory viruses in individuals with human immunodeficiency virus infection. *Am. J. Med.* 102:19-23.
- Klein, B.S., Dollete, F.R. and Yolken, R.H. (1999):** The role of respiratory syncytial virus and other viral pathogen in acute otitis media. *J. Pediatr.* 101 (1):16-20.
- Klein, J.O. and Teele, D.W. (1976):** Isolation of viruses and mycoplasmas from middle ear effusions: a review. *Ann Otol Rhinol Laryngol*; 85:140-4. 89.

- Klein, J.O. and Marcy, S.M. (1991):** Bacterial sepsis and meningitis. Diseases of the fetus and newborn infant. 3rd edition. Philadelphia. W.B. Saunders: 49-50.
- Klein, J.O. (1999):** Management of acute otitis media in an era of increasing antibiotic resistance. *Int. J. Pediatr. Otorhinolaryngol.* 49(Suppl. 1): S15–S17.
- Klugman, K.P., Madhi, S.A., Huebner, R.E., Kohberger, R., Mbelle, N. and Pierce, N. (2003):** A trial of a 9-valent pneumococcal conjugate vaccine in children with and those without HIV infection. *N. Engl. J. Med.* 349: 1341–8.
- Koivunen, P., Kontiokari, T., Niemelä, M., Pokka, T. and Uhari, M. (1999):** Time to development of acute otitis media during an upper respiratory tract infection in children. *Pediatr. Infect. Dis. J.* 18: 303-305
- Koneman, E.W., Allen, S.D., Janda, M. W., Schreckenberger, R.C. and Winn, W.C. (1997):** Introduction to microbiology. Part II: Guidelines for the collection, transport, processing, analysis and reporting of cultures from specific specimen source. In: Koneman E.W., Allen S.D., Janda M.W., Schreckenberger R.C. and Winn W.C. (eds). *Color atlas and text book of diagnostic microbiology.* 5th edition. Lippincott, Philadelphia. P. 121-170.
- Kovach, A.L., Wald, E.R., Michaels, R.H., Blatter, M.M., Reisinger, K.S. & Wucher, F.P. (1984) In:** Recent Advances In OME. Decker Inc. Philadelphia/Toronto, pp 111-14.
- Kregre, K. (1996):** Biosecurity and avian influenza. *International Poultry Production* 4: 35.
- Kuby, J. (1991):** Immune response in infectious diseases. In: Freeman W.H and CO. (eds). *Immunology.* 2nd edition. New York. P. 487.

- Kyd, J. and Cripps, A. (2000):** Identifying vaccine antigens and assessing delivery systems for the prevention of bacterial infections. *J. Biotechnol.* 83:85–90.
- Lamb, R.A. and Krug, R.M. (2001):** Orthomyxoviridae: The viruses and their replication. In: Knipe, D.M. and Howley, P.M. (eds.) *Fields virology* 4th edition. Lippincott, Philadelphia, Pa. p: 1487-1531.
- Landry, M.L. and Ferguson, D. (2000):** SimulFluor respiratory screen for rapid detection of multiple respiratory viruses in clinical specimens by immunofluorescence staining. *J. Clin. Microbiol.* 378(2): 708-711.
- Leibovitz, E., Dagan, R., Laver, J.H., Piglansky, L., Raiz, S., Abboud, M.R., Fliss, D.M., Leiberman, A. and Barzilai, A. (2000):** Interleukin 8 in middle ear fluid during acute otitis media: correlation with aetiology and bacterial eradication. *Arch. Dis. Child.* 82:165-168.
- Leibovitz, E., Satran, R., Piglansky, L., Raiz, S., Press, J., Leiberman, A. and Dagan, R. (2003):** Can acute otitis media caused by *Haemophilus influenzae* be distinguished from that caused by *Streptococcus pneumoniae*? *Pediatr Infect Dis J.* 22(6):509-15
- Leibovitz, E., Jacobs, M.R. and Dagan, R. (2004):** *Haemophilus influenzae*: a significant pathogen in acute otitis media. *Pediatr Infect Dis J.* 23(12): 1142-52.
- Lennette, E. H. and Schmidt, N.J. (1979):** General Principles underlying laboratory diagnosis of viral and rickettsial infection. In: Lennette E.H. and Schmidt N.J. (eds). *Diagnostic procedure for viral and rickettsial infections* 5th edition, American Public Health Association P. 1-177.
- LeVine, A.M., Koeningsknecht, V. and Stark, J.M. (2001):** Decreased pulmonary clearance of *S. pneumoniae* following influenza A infection in mice. *J Virol Methods*; 94:173-86.

- Li and Fang (2005):*** Structure of SARS coronavirus spike receptor-binding domain complexed with receptor. *Science*; 309: 1864–1868.
- Linder, J.A. (2006):*** Influenza-associated death among children. *N. Engl. J. Med.* 354: 1317- 1318.
- Lowy, F. D. (1998):*** Staphylococcus aureus infections. *N Engl J Med*; 339(8):520-532.
- Ludman, H. and Wright, T. (1998):*** Otitis media. *Microbiology of otitis media.* In: Arnold (ed). *Diseases of the ear.* London.P. 321-345.
- Ludwig, B., Kraus, F.B., Allwinna, R., Doerr H.W. and Preiser, W. (2003):*** Viral zoonosis- 9 threat under control. *Intervirology*, 46: 71-78.
- Lynn, G.E. and Benitez, J. (2000):*** Temporal bone preservation in a 2600-year-old Egyptian mummy. *Science*; 183:200-202.
- Makela, M., Puhakka, T., Ruuskanen, O., Leinonen, M., Saikku, P., Kimpimaki, M., Blomqvist, S. and Arstila, P. (1998):*** Viruses and bacteria in the etiology of the common cold. *J. Clin. Microbiol*; 36(2):539-42.
- Malhotra, A. and Krilov, L.R. (2000):*** Influenza and respiratory syncytial virus. Update on infection, management and prevention. *Pediatr Clin North Am*; 47:353-72.
- Mandel, E.M., Casselbrant, M.L. and Kurs-Lasky, M.(1994):*** Acute otorrhea: bacteriology of a common complication of tympanostomy tubes. *Ann Otol Rhinol Laryngol*; 103:713–8.
- Mandell, G.L., Bennett, J.E. and Dolin, R. (2000):*** Principles and practices of infectious diseases. 5th edition. Philadelphia: Churchill Livingstone.
- Marchant, C.D., Shuyrin, P.A. and Turczyk, V.A. (2000):*** Course and outcome of otitis media in early Infancy: a prospective study. *J .Pediatr*; 104:826-831.
- Marcy, M. (2004):*** New guidelines on acute otitis media: An overview of their key principles for practice. *Cleveland Clin. J. Med*; 71(4):S3-9.

- Martinez, I. and Melero, J. (2000):** Binding of human respiratory syncytial virus to cells: implication of sulfated cell surface proteoglycans. *J. Gen. Virol.* 81: 2715-2722.
- Marx, A., Torok, T.J., Holman, R.C., Clarke, M.J. and Anderson, L.J. (1997):** Pediatric hospitalizations for croup (laryngotracheobronchitis): biennial increases associated with human parainfluenza virus 1 epidemics. *J. Infect. Dis.* 176:1423-1427.
- Marx, A., Gary, H.E., Marston, B.J., Erdman, D.D., Breiman, R.F., Torok, T.J., Plouffe, J.F., File, T.M. and Anderson, L.J. (1999):** Parainfluenza virus infection among adults hospitalized for lower respiratory tract infection. *Clin. Infect. Dis.* 29:134-140.
- Masters, P.S. (1999):** Reverse genetics of the largest RNA viruses. *Adv. Virus Res.* 53:245-264.
- Maw, R. and Bawden, R. (1993):** Spontaneous resolution of severe chronic glue ear in children and the effect of adenoidectomy, tonsillectomy, and insertion of ventilation tubes (grommets). *BMJ*; 306:756–760.
- McCormick, D.P., Lim-Melia, E., Saeed, K., Baldwin, C.D. and Chonmaitree, T. (2000):** Otitis media: can clinical findings predict bacterial or viral etiology? *Pediatr. Infect. Dis. J.* 19:256-8.
- McCrea, K.W., St. Sauver, J.M., Marrs, C.F., Clemans, D. and Gilsdorf, J.R. (1998):** Immunologic and structural relationships of the minor pilus subunits among *Haemophilus influenzae* isolates. *Infect. Immun.* 66:4788-4796
- McCullers, J.A., Facchini, S., Chesney, P.J. and Webster, R.G. (1999):** Influenza B virus encephalitis. *Clin Infect Dis*; 28: 898-900.
- McGregor, K., Chang, B.J., Mee, B.J. and Riley, T.V. (1998):** *Moraxella catarrhalis*: clinical significance, antimicrobial susceptibility and BRO beta-lactamases. *Eur. J. Clin. Microbiol. Infect. Dis*; 17:219–234.

- McIntosh, K., Halonen, P. and Ruuskanen, O. (1993):** Report of a workshop on respiratory viral infections: Epidemiology, diagnosis, treatment and prevention. *Clin Infect Dis*; 16:151-164.
- McMichael, J.C. (2000):** Progress toward the development of a vaccine to prevent *Moraxella* (*Branhamella*) *catarrhalis* infections. *Microbes Infect.* 2:561–568.
- McMichael, J.C. (2001):** Vaccines for *moraxella catarrhalis*. *Vaccine*; 19:S101–S107.
- Melander, E., Ekdahl, K. and Jonsson, G. (2000):** Frequency of penicillin-resistant pneumococci in children is correlated to community utilization of antibiotics. *Pediatr Infect Dis J*; 19(12):1172-7.
- Melero, J. A., Garcia-Barreno, B., Martinez, I., Pringle, C.R. and Cane, P.A. (1997):** Antigenic structure, evolution and immunobiology of human respiratory syncytial virus attachment (G) protein. *J. Gen. Virol.* 78:2411-2418.
- Meqdam, M.M., Subaih, S.H. and Thwiny, I.R. (2005):** Rapid detection and clinical features of influenza and parainfluenza in infants and young children hospitalized with acute lower respiratory illnesses. *J. trop. Pediatr.* 51: 166-165.
- Mhlanga-Mutangadura, T.G., Morlin Smith, A.L., Eisenstark, A. and Golomb, M. (1998):** Evolution of the major pilus gene cluster of *Haemophilus influenzae*. *J. Bacteriol.*; 180:4693-4703.
- Michael, J. (2002):** Otitis media. *Acta Otorhinolaryngol Esp.* 83:1120-1127.
- Mitchell, L.S., Taylor, B., Remels, W., Barret, F.F. and Devincenzo, J.P. (2000):** Adenovirus 7a: a community-acquired outbreak in a children's hospital. *Pediatr. Infect. Dis. J.* 19: 996-1000.
- Moisiuk, S. E., Robson, D., Klass, L., Kliewer, G., Wasylink, W., Davi, M. and Plourde, P. (1998):** Outbreak of parainfluenza virus type 3 in an intermediate care neonatal nursery. *Pediatr. Infect. Dis.* 17:49-53.

- Monobe, H., Ishibashi, T., Nomura, Y., Shinogami, M. and Yano, J. (2005):** Role of respiratory viruses in children with acute otitis media. International J. Pediatr. Otorhinolaryngology. 67:801-806.
- Morishima, T., Togashi, T. and Yokota, S. (2002):** Encephalitis and encephalopathy associated with an influenza epidemic in Japan. Clin Infect Dis; 35: 512-7.
- Moscona, A. and Peluso, R.W. (1992):** Fusion properties of cells infected with human parainfluenza virus type 3: receptor requirements for viral spread and virus-mediated membrane fusion. J. Virol. 66:6280-6287.
- Moshi, N.H., Minja, B.M., Ole-Lengine, L. and Mwakagile, D.S. (2000):** Bacteriology of chronic otitis media in Dar es Salaam, Tanzania. East Afr Med J; 77(1):20-2.
- Mouthon, L., Fouillard, L., Laporte, J.P., Isnard, F., Aoudjhane, M., Lucet, L.C., Wolf, M., Bricourt, F., Douay, L. and Lopez, M. (1998):** Severe respiratory syncytial virus pneumonia following bone marrow autograft 3 cases. Press Med 25:21(3): 119-123.
- Moxon, E.R. and Murphy, T.F. (2000):** Haemophilus influenzae. In: Mandell, G.L., Bennett, J.E., Dolin, R. (eds.) Mandell, Douglas and Bennett's Principles and Practice of Infectious Diseases. 5th edition. New York, NY: Churchill Livingstone; 2369-2378
- Murphy, B.R. and Webster, R.G. (1996):** Orthomyxoviruses. In: Fields, B.N., Knipe, D.M. and Howley P.M. (eds.) Fields virology, 3rd edition. Lippincott-Raven, Philadelphia, Pa. p: 1397-1445.
- Murphy, T.F. and Yi, K. (1997):** Mechanisms of recurrent otitis media: importance of the immune response to bacterial surface antigens. Ann N Y Acad Sci; 830:353–360.

- Murphy, T.F. (1998):** Lung infections 2 *Brahmella catarrhalis*: epidemiological and clinical aspect of human respiratory tract pathogen, *thorax*; 53: 124-128.
- Murphy, T.F. and Kasper, D.T. (1998):** Infections due to *Haemophilus influenzae*, other *Haemophilus* species, the HACEK group, and other gram-negative bacilli. In: Braunwald, E. and Fauci, A.S. (eds.) *Harrison's Principles of Internal Medicine*. 14th edition. New York, NY: McGraw-Hill; 924-928.
- Murphy, T.F. (2003):** Respiratory infections caused by non-typeable *Haemophilus influenzae*. *Curr. Opin. Infect. Dis.* 16:129-134
- Murray P.R., Baron E.J., Pfaller M.A., Tenover F.C. and Tenover R.H. (1995):** *Manual of clinical microbiology*. 7th edition. Washington, DC: ASM Press.
- Mygind, N. and Pedersen, M. (2001):** Nose, sinus and ear symptoms in 27 patients with primary ciliary dyskinesia. *Eur. J. Respir. Dis.* 64(127):96-101.
- Myint, S.H. (1994):** Human coronaviruses: A brief review. *Rev. Med. Virol.* 4: 35-45.
- Navarro-Marí ,J.M., Sanbonmatsu-Gómez ,S., Pérez-Ruiz, M. and De La Rosa-Fraile, M.(1999):** Rapid detection of respiratory viruses by shell vial assay using simultaneous culture of HEp-2, LLC-MK2, and MDCK cells in a single vial *J Clin Microbiol*; 37(7): 2346–2347.
- Nicholson, K.G., Webster, R.G. and Hay, A.J. (1998):** *Textbook of Influenza*. Blackwell Science, Oxford.
- Nicholson, K.G., Wood, J.M. and Zambon, M. (2003):** Influenza. *Lancet*. 362: 1733-1748.
- Novotny, L.A., Jurcisek, J.A., Pichichero, M.E. and Bakaletz, L.O. (2000):** Epitope mapping of the outer membrane protein P5-homologous

- fimbrin adhesin of nontypeable *Haemophilus influenzae*. Infect. Immun. 68:2119.
- Noyola, D.E., Rodriguez-Moreno, G., Sanchez-Alvarado, J., Marlinez-Wangener, R. and Ochoa-Zavala, J.R. (2004):** Viral etiology of lower respiratory tract infections in hospitalized children in Mexico. *Pediatr-Infect Dis. J.* 23: 118-123.
- Ofek, I. (2000):** Special lecture: Blocking bacterial adhesion: A new approach to prevention of infection. In: Lim. D.J., Bluestone, C.D. and Klein, J.O.. (eds) Recent advances in otitis media. Proceeding of the fifth international symposium, May 20-24, 1999. Ft Lauderdale FL. Burlington, Ontario. Decker periodicals: 215-221.
- Ona, M., Melon, S., Iglesia, P., Hidalgo, F. and Verdugo, A.F. (1995):** Isolation of influenza virus in human lung embryonated fibroblast cells (MRC-5) from clinical samples. *J.of Clin. Microbiol.* 33: 1948-1949.
- O'Neill, R.E., Talon, J. and Palese, P. (1998):** The influenza virus NEP (NS2 protein) mediates the nuclear export of viral ribonucleoproteins. *EMBO J.* 17:288-296
- Ostfeld, E. and Rubinstein, E. (2002):** Acute gram- negative bacillary infections of middle ear and mastoid. *Ann. Otol. Rhinol. Laryngol;* 89:33-36.
- Palma, C. and Manzini, S. (1998):** Substance P induces secretion of immunomodulatory cytokines by human astrocytoma cells. *J. Neuroimmunol;* 81:127-137.
- Palmu, A.A., Herva, E., Savolainen, H., Karma, P., Makela, P.H. and Kilpi, T.M.(2004):** Association of clinical signs and symptoms with bacterial findings in acute otitis media. *Clin Infect Dis.;* 38(2):234-42.

- Papadopoulos, N.G. (2004):** Do rhinoviruses cause pneumonia in children? Paediatr. Respir. Rev. Suppl A: S 191-195.
- Paparella, M.M., Shumrick, D.A., Gluckman, J.L. and Meyerhoff, W.L. (1991):** Otolaryngology, vol 2,3rd edition. Philadelphia: WB Saunders.P. 1306-9.
- Paradise, J.L., Bluestone, C.D., Colborn, D.K., Bernard, B.S., Smith, C.G. and Rockette, H.E. (1999):** Adenoidectomy and adenotonsillectomy for recurrent acute otitis media: parallel randomized clinical trials in children not previously treated with tympanostomy tubes. JAMA; 282:945–53.
- Paradise, J.L. (2004):** Otitis media. In: Behrman, R.E, Klegman, R.M and Jenson, H.B. (eds). Nelson Textbook of Pediatrics. 17th edition. Philadelphia: WB Saunders. Vol.1 P.2138-2149.
- Patel, J.A., Faden, H., Sharma, S. and Ogra, P.L. (1992):** Effect of respiratory syncytial virus on adherence, colonization and immunity of non-typable Haemophilus influenzae: implications for otitis media. Int. J. Pediatr. Otorhinolaryngol. 23:15-23
- Patel, J.A., Reisner, B., Vizirinia, N., Owen, M., Chonmaitree, T. and Howie, V. (1995):** Bacteriologic failure of amoxicillin-clavulanate in treatment of acute otitis media caused by nontypeable Haemophilus influenzae. J. Pediatr. 126:799–806.
- Pehler-Harrington, K. Khanna, M., Water, C. and Henrickson, K.J. (2004):** Rapid detection and identification of human adenovirus species by adenoplex, a multiplex PCR-enzyme hybridization assay. J. Clin. Microbiol. 42: 4072-4076.
- Peiris, J.S., Lai, S.T. and Poon, L.L. (2003a):** Coronavirus as a cause of severe acute respiratory syndrome. Lancet, 361: 1319-11325.

- Peiris, J.S., Chus, C.M. and Cheng, V.C. (2003b):** Clinical progression and viral load in a community-outbreak of coronavirus associated SARS pneumonia: a prospective study. *Lancet*, 361: 1767-1772.
- Peltola, H. (2000):** Worldwide *Haemophilus influenzae* type b disease at the beginning of the 21st century: global analysis of the disease burden 25 years after the use of the polysaccharide vaccine and a decade after the advent of conjugates. *Clin. Microbiol. Rev.*; 13:302–17.
- Perdue, M. L. and Swayne, D.E. (2005):** Public health risk from avian influenza viruses. *Avian Dis.* 49: 317-327.
- Peret, T.C., Hall, C.B., Schnabel, K. C., Golub, J.A. and Anderson, L.J. (1998):** Circulating patterns of genetically distinct group A and B strains of human respiratory syncytial virus in a community. *J. Gen. Virol.* 79: 2221-2229.
- Philip, A. and Brunell, M.D. (2002):** Studies of children with acute otitis media by the Calreston group by testing middle ear fluids and nasal wash specimens. *Pediatrics.* 109:826.
- Pichichero, M. E. and Pichichero, C.L. (1995):** Persistent acute otitis media. I. Causative pathogens. *Pediatr. Infect. Dis. J.* 14:178-183.
- Pichichero, M.E., McLinn, S. and Aronovitz, G. (1997):** Cefprozil treatment of persistent and recurrent acute otitis media. *Pediatr. Infect. Dis. J.* 16:471-477.
- Pichichero, M.E. (2000a):** Recurrent and persistent otitis media. *Pediatr. Infect. Dis J.* 19:911-916.
- Pichichero, M.E. (2000b):** Acute otitis media: Improving diagnostic accuracy. *Am Fam Physician*; 61:205-6.
- Pichichero, M.E. and Poole, M.D. (2001):** Assessing diagnostic accuracy and tympanocentesis skills in the management of otitis media. *Arch Pediatr Adolesc Med*; 155:1137-1142.

- Pichichero, M.E. (2005):** Evolving shifts in otitis media pathogens: relevance to a managed care organization. *Am J Manag Care*; 11:S192-S201
- Pirofiski, L. and Horwitz, M.S. (1998):** Adenovirus, infection and immunity. *Encyclopedia of Immunology*; 2: 1514-1516.
- Pitkäranta, A., Virolainen, A., Jero, J., Arruda, E. and Hayden, F.G. (1998):** Detection of rhinovirus, respiratory syncytial virus, and coronavirus infections in acute otitis media by reverse transcriptase polymerase chain reaction *Pediatrics*; 102 (2):291-295.
- Poolman, J.T., Bakaletz, L., Cripps, A., Denoel, P.A., Forsgren, A. and Kyd, J. (2000):** Developing a nontypeable *Haemophilus influenzae* (NTHi) vaccine. *Vaccine*; 19:S108–S115.
- Porras, O., Dillon, H.C., Gray, B.M. and Svanbor- Eden (2001):** Lack of correlation of in vitro adherence of *haemophilus influenzae* to epithelial cells with frequent occurrence of otitis media. *Pediatr. Infect. Dis*; 17:603-610.
- Post, J.C., Preston, R.A., Aul, J.J., Larkins-Pettigrew, M., Rydquist-White J. and Anderson, K.W. (1995):** Molecular analysis of bacterial pathogens in otitis media with effusion. *JAMA*; 273:1598–1604.
- Prasadarao, N.V., Lysenko, E., Wass, C.A., Kim, K.S. and Weiser, J.N. (1999):** Opacity-associated protein A contributes to the binding of *Haemophilus influenzae* to Chang epithelial cells. *Infect. Immun*; 67:4153-4160.
- Prellner, K., Fogle-Hansson, M., Jörgensen, F., Kalm, O. and Kamme, C. (1994):** Prevention of recurrent acute otitis media in otitis-prone children by intermittent prophylaxis with penicillin. *Acta Otolaryngol*; 114:182–187.
- Prellner, K., Kahlmeter, G., Marchisio, P. and Van Cauwenberge, P.B. (1995):** Microbiology of acute otitis media and therapeutic

consequences. International Journal of Pediatric Otolaryngology; 32:145-56.

Prince H.E. and Leber, A.L. (2003): Comparison of complement fixation and hemagglutination inhibition assays for detecting antibody responses following influenza virus vaccination. Clin Diagn Lab Immunol; 10: 481-2.

Prymula, R., Motlova, J. and Kriz, P. (2004): Comparison of Streptococcus pneumoniae serotypes causing acute otitis media & invasive disease in young children in the Czech Republic. Indian J Med Res; 119 Suppl: 168-70

Pukander, J. (1999): Occurrence of acute otitis media, academic dissertation. Acta Universitatis Tampernensis Ser; 135:123-125.

Raisanen, S. and Stenfors, L.E. (1999) Bacterial quantification--a necessary complement for the comprehension of middle ear inflammations. Int J Pediatr Otorhinolaryngol.; 23(2):117-24.

Räty, R., Ziegler, T. and Kleemola, M. (2004): The value of virus serology in epidemiological studies of acute otitis media in children. J. Clin. Virol. 29: 315-319.

Read, T.D., Satola, S.W. and Farley, M.M. (2000): Nucleotide sequence analysis of hypervariable junctions of Haemophilus influenzae pilus gene clusters. Infect. Immun.; 68:6896-6902.

Reddy, M.S., Bernstein, J.M., Murphy, T.F. and Faden, H.S. (1996): Binding between outer membrane proteins of nontypeable Haemophilus influenzae and human nasopharyngeal mucin. Infect. Immun; 64:1477-1479

Reddy M .S., Murphy T.F., Faden H.S. and Bernstein J.M. (1997): Middle ear mucin glycoprotein: purification and interaction with nontypable Haemophilus influenzae and Moraxella catarrhalis. Otolaryngol. Head Neck Surg; 116:175-189.

- Reid, A.H., Fanning, T.G., Hultin, J.V. and Taubenberger, J.K. (1999):** Origin and evolution of the 1918 "Spanish" influenza virus hemagglutinin gene. *Proc. Natl. Acad. Sci. USA* 96:1651-1656.
- Rennie, R.P. and Ibrahim, K.H. (2005):** Antimicrobial resistance in *Haemophilus influenzae*: How can we prevent the inevitable? Commentary on antimicrobial resistance in *H. influenzae* based on data from the TARGETed surveillance program. *Clinical infectious diseases*; 41:S234-S238
- Riding, K.H., Bluestone, C.D. and Michaels, R.H. (1998):** Microbiology of recurrent and chronic otitis media with effusion. *J. Pediatr*; 93:739-743.
- Roark, R. and Berman, S. (1997):** Continuous twice daily or once daily amoxicillin prophylaxis compared with placebo for children with recurrent acute otitis media. *Pediatr Infect Dis J*; 16:376–381.
- Rodrigues, J.C., Silva-Fillho, L.V. and Brush, A. (2002):** Etiological diagnosis of otitis media a critical view. *J. Pediatr. (Rio J)*. 78 Suppl 2: 129-140.
- Röhm, C., Süß, J., Pohle, V. and Webster, R.G. (1996):** Different hemagglutinin cleavage site variants of H7N7 in an influenza outbreak in chickens in Leipzig, Germany. *Virology* 218:253-257.
- Roland, P.S., Parry, D.A. and Stroman, D.W.(2005):** Microbiology of acute otitis media with tympanostomy tubes. *Otolaryngol Head Neck Surg*; 133:585–95.
- Roman, F., Canton, R., Perez-Vazquez, J., Baquero, F. and Campos, J. (2004):** Dynamics of long-term colonization of respiratory tract by *Haemophilus influenzae* in cystic fibrosis patients shows a marked increase in hypermutable strains. *J. Clin. Microbiol*; 42:1450–9.
- Roos, K., Håkansson, E.G. and Holm, S. (2001):** Effect of recolonization with "interfering" alpha streptococci on recurrences of acute and secretory

otitis media in children: randomized placebo controlled trial. *BMJ*; 322:210–212.

Rosenfeld, R.M., Vertrees, J.E. and Carr, J. (1994): Clinical efficacy of antimicrobial drugs for acute otitis media: Meta analysis of 5400 children from thirty three randomized trials. *J Pediatr*; 124:355-67.

Ross, P.W. (1996): *Streptococcus pneumoniae* in; Collee, J.G.; Fraser, A.G.; Marmion, B.P. and Simmons, A. (eds) *Mackie & McCartney Practical Medical Microbiology* 4th edition, Vol. 1 Churchill livingstone, Now York. P.P. 275-282.

Rovers, M., Schilder, A.M.G., Zielhuis, G.A. and Rosenfeld, R.M. (2004): Otitis media. *Lancet*; 363:465-473.

Rubins, J.B., Paddock, A.H., Charboneau, D., Berry, A.M., Paton, J.C. and Janoff, E.N. (1998): Pneumolysin in pneumococcal adherence and colonization. *Microb. Pathog*; 25:337-342.

Rudin, R., Welin, L., Svardsudd, K. and Tibblin, G. (2000): History of otitis media and otorrhea in relation to tympanic membrane pathology, the study on men born in 1913 and 1923. *Acta. Otolaryngol. (Stockh)*; 99:53-59.

Ruohola, A., Heikkinen, T., Waris, M., Puhakka, T. and Ruuskanen, O. (2000): Intranasal fluticasone propionate does not prevent acute otitis media during viral upper respiratory infection in children. *J Allergy Clin Immunol*; 106:467–471.

Ruohola, A., Meurman, O., Nikkari, S., Skottman, T., Salmi, A., Waris, M., Österback, R., Eerola, E., Allander, T., Niesters, H., Heikkinen, T. and Ruuskanen, O. (2006): Microbiology of Acute Otitis Media in Children with Tympanostomy Tubes: Prevalences of Bacteria and Viruses. *Clin. Infect. Dis.* 43:1417–1422.

Ruuskanen, O. and Meurman, O. (1997): *Coran Akusjarvi clinical virology. Adenoviruses*.p:553.

- Ruuskanen, O., Arola, M., Putto-Laurila, A., Mertsola, J., Meurman, O., Viljanen, M.K. and Halonen, P. (1989):** Acute otitis media and respiratory virus infections. *Pediatr. Infect. Dis. J*; 8:94-99.
- Ryan-Poirier, K. (1995):** Influenza virus infection in children. *Adv Pediatr Infect Dis*; 10:125-56.
- Sabirov, A., Kodama, S., Sabirova, N., Mogi, G. and Suzuki, M.(2004):** Intranasal immunization with outer membrane protein P6 and cholera toxin induces specific sinus mucosal immunity and enhances sinus clearance of nontypeable *Haemophilus influenzae*. *Vaccine*; 22(23-24):3112-21.
- Sack, F. (2005):** Evidence based medicine: An evidence based approach to the management of uncomplicated acute otitis media in children *International Pediatrics*; 20(1):44-46.
- Sagai, S., Suetake, M., Yano, H., Yoshida, M., Ohyama, K., Endo, H., Takayanagi, R., Nishimura, H. and Kobayashi, T.(2004):** Relationship between respiratory syncytial virus infection and acute otitis media in children. *Auris Nasus Larynx*. 31:341-345.
- Saito, M., Okada, K., Takemori, K. and Yoshida S. (2000):** Clonal spread of an invasive strain of *Haemophilus influenzae* type b among nursery contacts accompanied by a high carriage rate of non-disease-associated strains. *J. Med. Microbiol*. 49:845-847
- Sakakura, K., Chikamatsu, K., Furukawa, M., Shibasaki, M., Takegoshi, T., Takahashi, K. and Furuya, N. (2004):** Acute otitis media caused by drug-resistant bacteria: correlation with antibiotic treatment. *Acta Otolaryngol*; 124(9):1008-14
- Schaefer, O. (1999):** Otitis media and bottle feeding. An epidemiological study of infant feeding habits and incidence of recurrent and chronic middle ear disease in Canadian Eskimos. *Am. J. Public Health*; 62:478-4

- Schoub, B.D. (2002):** Influenza and influenza vaccination, Geneskunde: The Med. J. 33-37.
- Schrage, S.J. and Dowell, S.F.(2000):** Limiting the spread of resistant pneumococci : Biological and epidemiologic evidence for the effectiveness of alternative interventions. Clinical microbiology review; 13(4): 588-601.
- Schreckenberger, P. and Von Graevenitz, A. (1999):** Acinetobacter, Alcaligenes, Moraxella, Methylobacterium and other non-fermenting Gram negative rods. In: Murry, P., Baron, E. and Pfler, M. (eds). Mannual of Clinical Microbiology. 7th edition. Washington. D.C. ASM Press.
- Segal, N., Leibovitz, E., Dogan, R. and Leiberman, A.(2005a):** Acute otitis media-diagnosis and treatment in the era of antibiotic resistant organisms: updated clinical practice guidelines. Int. J. Pediatr. Otorhinolaryngol. Oct; 69(10):1311-9.
- Segal, N., Givon-Lavi, N., Leibovitz, E., Yagupsky, P., Leiberman ,A. and Dagan, R.(2005b):** Acute Otitis Media Caused by Streptococcus pyogenes in Children Clinical Infectious Diseases;41:35-41
- Senturia, B.S., Bluestone, C.D. and Klein, J.O. (1999):** Report of the Adhoc committee on definition and classification of otitis media with effusion. Ann. Otol. Rhino Laryngol; 89:3-4.
- Sethi, S. and Murphy, T.F. (2001):** Bacterial infection in chronic obstructive pulmonary disease in 2000: a State-of- the-art review. Clinical microbiology reviews; 14(2): 336-363.
- Shay, D. K., Holman, R.C., Newman, R.D., Liu, L.L., Stout, J.W. and Anderson, L.J. (1999):** Bronchiolitis-associated hospitalization among US children, 1980-1996. JAMA; 282:1440-1446.

- Shenk, T. (2001):** Adenoviridae. The viruses and their replication. In: Knipe, D.M. and Howley, P.M. (eds.) Fields virology 4th edition. Lippincott, Philadelphia, Pa. p: 1487-1531.
- Shigemi, H., Kurono, Y., Shimamura, K. and Mogi, G. (1999):** Role of secretory immunoglobulin A in nasopharyngeal bacterial adherence. In: Lim, D.J., Bluestone, C.D. and Klein, J.O. (eds) Recent advances in otitis media. Proceeding of the fifth international symposium. Ft Lauderdale FL. Burlington, Ontario. Decker periodicals: 215-221.
- Shinefield, H.R., Black, S. and Ray, P.(1999):** Safety and immunogenicity of heptavalent pneumococcal CRM₁₉₇ conjugate vaccine in infants and toddlers. *Pediatr Infect Dis J*; 18:757-763.
- Simoës, E.A. (1999):** Respiratory syncytial virus infection. *Lancet*. 354: 847-852.
- Sirakova, T., Kolattukudy, P.E., Murwin, D., Billy, J., Leake, E., Lim, D., DeMaria, T. and Bakaletz, L. (1994):** Role of fimbriae expressed by nontypeable *Haemophilus influenzae* in pathogenesis of and protection against otitis media and relatedness of the fimbrial subunit to outer membrane protein A. *Infect. Immun*; 62:2002-2020
- Sly, R.M., Zambie, M.F., Ernandes, D.A. and Fraser, M. (1999):** Tympanometry in Kider Garten children. *Ann.Allergy*; 44:1-7.
- Smith, M.C., Greytz, C. and Huang, Y.T. (1991):** Detection of respiratory syncytial virus in nasopharyngeal secretions by shell vial technique. *J. Clin. Microbiol*; 29:463-465.
- St. Geme, J.W. III. (1997):** Insights into the mechanism of respiratory tract colonization by nontypable *Haemophilus influenzae*. *Pediatr. Infect. Dis. J*; 16:931-935
- St. Geme, J.W. III., Falkow, S. and Barenkamp, S.J. (1993):** High-molecular-weight proteins of nontypable *Haemophilus influenzae* mediate

attachment to human epithelial cells. Proc. Natl. Acad. Sci.; USA 90:2875-2879

St. Geme, J.W. III., Kumar, V.V., Cutter, D. and Barenkamp, S.J. (1998): Prevalence and distribution of the *hmw* and *hia* genes and the HMW and Hia adhesins among genetically diverse strains of nontypeable *Haemophilus influenzae*. Infect. Immun; 66:364-368

Steele, R.W., Thomas, M.P. and Begue, R.E. (2001): Compliance issues related to the selection of antibiotic suspensions for children. Pediatr Infect Dis J; 20:1-5.

Steininger, C., Kundi, M., Aberle, S.W., Aberle, J.H. and Popow-Kraupp, T. (2002): Effectiveness of reverse transcription-PCR, virus isolation, and enzyme-linked immunosorbent assay for diagnosis of influenza A virus infection in different age groups. J Clin Microbiol; 40: 2051-6.

Stenfors, L.E. and Räisanen, S. (1993): Secretory IgA-, IgG- and C3b-coated bacteria in the nasopharynx of otitis-prone and non-otitis-prone children. Acta Otolaryngol; 113:191–195.

Stoft, E.J. and Garwes, D.J. (1990): Rhinoviruses, adenoviruses and coronaviruses: their role in respiratory disease. In: Tomparker, M. and Collier, L.H. (eds) Toppley & Wilson's Principles of Bacteriology, Virology and Immunology. 8th edition. Vol. 4 Butler and Tanner Ltd, Frome and London. P: 244-272.

Strateman, M., Sanders, E.A.M. and Veehoven, R.H. (2004): Pneumococcal vaccines for preventing otitis media. Cochrane Database Syst Rev; 1.

Subcommittee on Management of Acute Otitis Media. (2004): American Academy of Pediatrics and American Academy of Family Physicians. Clinical practice guideline: diagnosis and management of acute otitis media. Pediatrics ; 113:1451–1465.

- Swingler, G., Fransman, D. and Hussey, G. (2003):** Conjugate vaccines for preventing *Haemophilus influenzae* type b infection. *Cochrane Database Syst Rev.*; (4):CD001729.
- Syrjänen, R.K., Kilpi, T.M., Kaijalainen, T.H., Herva, E.E. and Takala, A.K. (2001):** Nasopharyngeal carriage of *Streptococcus pneumoniae* in Finnish children younger than 2 years old. *J Infect Dis.* 184:451–459.
- Syrjänen, R.K., Auranen, K.J., Leino, T.M., Kilpi, T.M. and Makela, P.H. (2005):** Pneumococcal acute otitis media in relation to pneumococcal nasopharyngeal carriage. *Pediatr Infect Dis J*; 24(9):801-6.
- Tamang, M.D., Dey, S., Makaju, R.K., Jha, B.K., Shivananda, P.G. and Bhramadatan, K.N. (2005):** Prevalence of *Moraxella catarrhalis* infections of the lower respiratory tract in elderly patients. *Katmandu University Medical Journal* ; 3(1) 9:39-44.
- Tapiainen, T., Luotonen, L., Kontiokari, T., Renko, M. and Uhari, M. (2002):** Xylitol administered only during respiratory infections failed to prevent acute otitis media. *Pediatrics*; 109(2).
- Teele, D.W., Klein, J.O. and Rosner, B.A. (1999):** Epidemiology of otitis media during the first seven years of life in children in Boston; A prospective, Cohort study. *J. Infect. Dis*; 160; 83-94.
- Tettelin, H., Nelson, K.E., Paulsen, I.T., Eisen, J.A., Read, T.D. and Peterson, S. (2001):** Complete genome sequence of a virulent isolate of *Streptococcus pneumoniae*. *Science*; 293:498–506.
- Tolan, R.W. Jr. (1993):** Toxic shock syndrome complicating influenza A in a child: case report and review. *Clin Infect Dis*; 17: 43-5.
- Tong, H.H., Blue, L.E., James, M.A. and DeMaria, T.F. (2000a):** Evaluation of the virulence of a *Streptococcus pneumoniae* neuraminidase-deficient mutant in nasopharyngeal colonization and development of otitis media in the chinchilla model. *Infect Immun*; 68:921–924.

- Tong, H. H., Fisher, L.M., Kosunick, G.M. and DeMaria, T.F. (2000b):** Effect of adenovirus type 1 and influenza A virus on *Streptococcus pneumoniae* nasopharyngeal colonization and otitis media in the chinchilla. *Ann. Otol. Rhinol. Laryngol.* 109:1021-1027.
- Tong, H.H., Weiser, J.N., James, M.A. and DeMaria, T.F. (2001):** Effect of influenza A virus infection on nasopharyngeal colonization and otitis media induced by transparent or opaque phenotype variants of *Streptococcus pneumoniae* in the chinchilla model. *Infect Immun*; 69:602–606.
- Tripp, R.A., Moore, D., Jones, L., Sullender, W., Winter, J. and Anderson, L.J. (1999):** Respiratory syncytial virus (RSV) G and/or SH proteins alter Th 1 cytokines, natural killer cells and neutrophils responding to pulmonary infection in BALBL/c mice. *J. Virol*; 73:7099-7107.
- Uhaa, I.J. Fishben, D.B., Olson, J.G., Rives, C.C., Waag, D.M. and Williams, J.C. (1994):** Evaluation of specificity of indirect Enzyme. Linked immunosorbent assay for diagnosis of human Q fever. *J. Clinc. Microbiol.* 32: 1560-1565.
- Uhari, M., Kontiokari, T. and Niemelä, M. (1998):** A novel use of xylitol sugar in preventing acute otitis media. *Pediatrics*; 102:879-884.
- Uhari, M., Mäntysaari, K and Niemelä, M. (1996):** A meta-analytic review of the risk factors for acute otitis media. *Clin. Infect. Dis.* 22:1079-1083.
- Ukkonen, P., Varis, K., Jernfors, M., Herva, E., Jokinen, J. and Ruokokoski, E. (2000):** Treatment of acute otitis media with an anti adhesive oligosaccharide: a randomized, double-blind, placebo-controlled trial. *Lancet*; 356:1398–402.
- Van Cauwenberge, P.B., Bellussi, L., Maw, A.R., Paradise, J.L. and Solow, B. (1995):** The adenoid as a key in upper airway infection. *Int. J. Pediatr. Otorhinolaryngol*; 32:S71-S80.

- Van Cauwenberge, P.B., De Moor ,S.E.G. and Dhooge, I. (1998):** Acute suppurative otitis media. In: Ludman, H., and Wright, T. (eds). Diseases of the ear. Oxford University Press; 25:353-360.
- Vega-Briceno, L.E., Perret, C., Holmgren, N. and Sanchez, I. (2005):** Non-typable *Haemophilus influenzae* severe pneumonia in an infant: case report. *Rev Chilena Infectol.*; 22(1):89-92.
- Verduin, C.M., Hol, C., Fleer, A., Dijk, H., and Belkum, A. (2002):** *Moraxella catarrhalis*: from Emerging to Established Pathogen *Clinical Microbiology Reviews*; 12(1): 125-144.
- Vikerfors, T., Grandien, M., Johansson, M. and Pettersson, G.A. (1988):** Detection of an IgM response in the elderly for early diagnosis of RSV infection. *J. Clin. Microbiol.* 26: 808-811.
- Virolainen, A., Salo, P., Jero, J., Karma, P., Eskola, J. and Leinonen, M. (1994):** Comparison of PCR assay to bacterial culture for detecting *Streptococcus pneumoniae* in middle ear fluid of children with acute otitis media. *J. of Clin. Microbiol.* 32: 2667-2670.
- Visseren, F. L. J., Bouwman, J.J.M., Bouter, K.P., Diepersloot, R.J.A., de Groot, G. and Erkelens, D.W. (2000):** Procoagulant activity of endothelial cells after infection with respiratory viruses. *Thromb. Haemostasis*; 84:319-324.
- Wald, E.R. (1999):** Expanded role of group A streptococci in children with upper respiratory infections. *Pediatr Infect Dis J*; 18:663–5.
- Wang, T.L., Chen, Z.M.; Tang, H.F.; Tang, L.F. and Zou, C.C. (2005):** Viral etiology of pneumonia in children. *Zhejiang Da Xue Xue Bao Yi Xue Ban.*, 34: 566-569.
- Wang, S.Z. and Forsyth, K.D. (2000):** The interaction of neutrophils with respiratory epithelium in viral infection. *Respiratory*;5: 1-10.

- Wanhong, X.U., McDonough, M.C. and Erdman, D.D. (2000):** Species-specific identification of adenoviruses by a multiplex PCR assay. *J. Clin. Microbiol.* 38: 4114-4120.
- Ward, A.C., Castelli, L.A., Lucantoni, A.C., White, J.F., Azad ,A.A. and Macreadie, I.G. (1995):** Expression and analysis of the NS2 protein of influenza A virus. *Arch. Virol.* 140:2067-2073.
- Ward, J.I. and Kenneth, M.Z. (1998):** *Haemophilus influenzae*. In: Feigin, R.D., Cherry, J.D., Fletcher, J. (eds.) *Textbook of Pediatric Infectious Diseases*. 4th edition. Philadelphia, Pa: WB Saunders and Co. P. 1464-1482.
- Wegner, J.D., Booy, R. and Heath, P. T. (1999):** Epidemiological impact of conjugate vaccines on invasive disease caused by *Haemophilus influenzae* type B. In: Levine, M.M., Woodrow, G.C. and Kaper, J. B. (eds). *Newer Generation vaccines*. Marcel Dekker Inc; 489-502.
- Weinberg, A., Mettenbrink, C.J., Ye, D. and Yang , C.F.(2005):** Sensitivity of diagnostic tests for influenza varies with the circulating strains. *J Clin Virol*; 33: 172-5.
- Weiser, J.N., Markiewicz, Z., Tuomanen, E.I. and Wani, J.H. (1996):** Relationship between phase variation in colony morphology, intrastain variation in cell wall physiology, and nasopharyngeal colonization by *Streptococcus pneumoniae*. *Infect. Immun*; 64:2240-2245
- Weissenbacher, M., Carballal, G. and Avila, M. (1990):** Etiologic and clinical evaluation of acute lower respiratorytract infections in young Argentinian children: An overview. *Rev Infect Dis*; 12(Suppl 8):889-898.
- Welliver, R.C. (2003):** Respiratory syncytial virus and other respiratory viruses. *Pediatr. Infect. Dis. J.* 22(2 suppl): 56-510.

- Wendt, C. H., Weisdorf, D.J., Jordan, M.C., Balfour, H.H., Jr., and Hertz, M.I. (1992):** Parainfluenza virus respiratory infection after bone marrow transplantation. *N. Engl. J. Med.* 326:921-926.
- Werk, L.N and Bauchner, H. (1998):** Practical considerations when treating children with antimicrobials in the outpatient setting. *Drugs;* 55(6):779-790.
- Whitby, P.W., Sim, K.E., Morton, D.J., Patel, J.A. and Stull, T.L. (1997):** Transcription of genes encoding iron and heme acquisition proteins of *Haemophilus influenzae* during acute otitis media. *Infect. Immun;* 65: 4696-4700.
- Whitley, R.J., Hayden, F.G., Reisinger, K.S., Young, N., Dutkowski, R. and Ipe, D. (2001):** Oral oseltamivir treatment of influenza in children. *Pediatr Infect Dis J;* 20:127–133.
- WHO, (1992):** Use of monoclonal antibodies for rapid diagnosis of respiratory viruses: Memorandum from a WHO meeting. *Bull World Health Organization* 1992; 70:699-703.
- WHO, (2004):** Basic Information about Avian Influenza. Centers for Disease Control and Prevention. Department of Health and human services. January, 29. Atlanta, USA.
- WHO, (2005a):** Recommendations on the use of rapid testing for influenza diagnosis. Geneva: World Health Organisation, (Accessed November 25, 2005).
- WHO, (2005b):** Recommended laboratory tests to identify avian influenza A virus in specimens from human. Geneva, World Health organization.
- WHO, (2005c):** WHO Manual on Animal Influenza Diagnosis and Surveillance. Geneva. World Health organization
- WHO, (2005d):** Recommended laboratory tests to identify avian influenza A virus in specimens from human. Geneva, World Health organization.

- William, A., Harriet, R. and Bruce, D. (2001):** Lippincott's Illustrated reviews: microbiology; 27:313.
- Winther, B., Hayden, F.G., Arruda, E., Dutkowski, R., Ward, P. and Hendley, J.O. (2002):** Viral respiratory infection in schoolchildren: effects on middle ear pressure. *Pediatrics* 109:826-832.
- Wong, R., Wu, A. and To, K.F. (2003):** Hematological manifestation in patients with severe acute respiratory syndrome: retrospective analysis. *B.M.J.* 326: 1358-1362.
- Wright, P.F., Karron, R.A., Belshe, R.B., Thompson, J., Crowe ,J.E. and Boyce, T.G.I. (2000):** Evaluation of a live, cold-passaged, temperature-sensitive, respiratory syncytial virus vaccine candidate in infancy. *J Infect Dis*; 182:1331–1342.
- Wright, P.F., Webster, R.G. (2001):** Orthomyxoviruses. In: Knipe, D.M. and Howley, P.M. (eds.) *Fields virology* 4th edition. Lippincott, Philadelphia, Pa. p: 1533-1579.
- Yamanaka, N. and Faden, H. (1993):** Antibody response to outer membrane protein of nontypeable *Haemophilus influenzae* in otitis-prone children. *J Pediatr*; 122: 212-218.
- Yano, H., Suetake, M., Endo, H., Takayanagi, R. and Kobayashi, T. (2003):** Acute otitis media associated with influenza virus infection. *Jpn J Chemother*; 51: 419-24.
- Zielhuis, G.A., Heuvelmans-Heinen, and Rach, G.H. (1989):** Environmental risk factors for otitis media with effusion in preschool children. *Second J. Prim Health Care*; 7:33.
- Zopf, D. and Roth, S. (1996):** Oligosaccharide anti-infective agents. *Lancet*; 347:1017–1021.
- Zsengeller, Z., Otake, K., Abuo Hossain, S., Berclaz, Y. and Trapnell, B.C. (2000):** Internalization of adenovirus by alveolar macrophages

initiates early proinflammatory signaling during acute respiratory tract infection. J. of Virol. 74: 9655-9667.