

REFERENCES

Adhoc Committee (1986):

Lancet 2: 380.

Aguero-Rosenfield, M.E. and Edelstein, P.H. (1988):

"Retrospective evaluation of the Dupont radio immunoassay kit for detection of *Legionella pneumophila* serogroup 1 antigen in urine in humans".
J. Clin.Microbiol. 26: 1775.

Alary, M. and Jaly, J. (1992):

Factors contributed to the contamination of hospital water distribution system by legionellae.
J. Infect. Dis.; 165: 565-569.

Alli, O.A.; Gao, L.Y.; Pedersen, L.L.; Zink, S. and Rodulic, M. (2000) :

Temporal pore formation-mediated egress from macrophages and alveolar epithelial cells by *L. pneumophila*.
Infect. Immun.; 68 (11) : 6431-6440.

Anderson, B.B. and Sogaard, I. (1987):

"Legionnaires' disease and brain abscess"
Neurology 37: 333-334.

Arakaki, N.; Higa, F.; Foide, M.; Tateyama, M. and Saito, A. (2002) :

Induction of apoptosis of human macrophages in vitro by legionella through activation of cas pase pathway.
J. Med. Microbial; 51 (2) : 159-168.

Arbeit, R.D. (1995):

Laboratory procedures for the epidemioloigc analysis of microorganisms. In: Manual of Clinical Microbiology. P.R. Murray, E.J. Baron, M.A. Pfler, F.C. Tenover, and R.H. Yoken (ed.),. , 6th ed. American Society for Microbiology P. 190-208..

Archibald, L K.;Gaynes, R.P and Mc Gowan ,J. E. (1997):

Hospital acquired infection in U.S.A.
Infect. Dis. Clin. North. AM. 11(2) 245-255.

- Arnow, P.M.; Chou, T and Weil, D. (1982):**
Nosocomial legionnaires' disease caused by aerolized tap water from respiratory devices.
J Infect Dis. 146 (4) :460-467.
- Arnow, P.M.; Flaherty, I.P. and Garcia, S. (1993) :**
An Outbreak of Gram negative bacteremia.
Ann. Intern. Med. 1: 119 (11) : 1072-1078.
- Atlas, R.M.; Williams., J.F. and Huntington, M.K. (1995):**
"Legionella contamination of dental unite water"
Apple. Environ. Microbiol 61 (4): 1208-1213.
- Baine W.B. (1988) :**
A phospholipase C from the Dalles, E strain of *L. pneumophila* serogroup 5.
J. Gen. Microbiol Feb: 134 (Pt 2) : 489-498.
- Balows, A. and Fraser, D.W. (1978):**
"International symposium on legionnaires' Disease"
Ann. Intern. Med. 90: 491.
- Bangsborg, J.M.; Gerner-Smidt, P.; Colding, H. (1991):**
Restriction fragment length polymorphism of rRNA genes for molecular typing of members of the family legionellaceae.
J. Clin. Microbiol 1995. 33 (2): 402-406.
- Bangsborg, J.M.; Uldum, S. and Jensen, J.S. (1995):**
"Nosocomial legionellosis in three heart lung transplant patients: Case report and environmental observations".
Eur-J-Clin-Microbiol-Infect-Dis 14 (2): 99-104.
- Barbaree, J.M.; Gorman, G.W.; Martin, B.S. and Morrill, W.E. (1987):**
"Protocol for sampling environmental sites for legionellae".
Appl. Environ. Microbiol. 35: 1454-1458.
- Barker J. and Brown M.R. (1995) :**
Intraphagocytic growth induce an antibiotic – resistant phenotype of *L. pneumophila*.
Anti microb. Agents. Chemother. Dec: 39 (12) : 2684-2688.

- Bartlett, C.L.R.; Macrae, A.D. and McFarlane J.T. (1986):**
Legionella infections.
Arnold, London.743- 752 .
- Basker Ville, A.; Conlon J.W. (1986):**
Pathology of legionella in experimental infected guinea-pigs
British Journal of Experimental Pathology.22(11):176-183.
- Baughman R. and Conrado C. (1998):**
Diagnosis of lower respiratory tract infections: what we have
and what would be nice.
Chest; 113 (Suppl 3): 219S-223S.
- Becks., Dooley, S. and Hulton, M. (1992):**
Hospital out breaks of multi drug resistance *Mycobacterium tuberculosis* infection.
JAMA.; 258: 1280-1286.
- Bein, T.; Ehret, W.; Metz, C.; Hobbhahn, J. and Taeger, K. (1995):**
"Severe legionellosis after abuse of anti-inflammatory drugs:
diagnostic and intensive care aspects based on a case report".
Anasthesiol-Intensivmed-Notfallmed-SchmerzTher. 30: 252-
525.
- Bender, L.; Luk, P.C. and OHM (1991) :**
Analysis of *L. Pneumophila* serogroup strains isolated from
hospital water by using genomic long-range mapping
technique.
Appl. Environ. Microbiol. Nov; 57 (11): 3226-3231.
- Benzanson, G; Ferandez, R. and Haldane ,D.(1994):**
Virulance of patient and water isolates of *L. Pneumophila* in
guinea pig and mouse L929 cells varies with bacterial
genotype.
Can.J.Microbiol.40 (6) :426 431.
- Berdal, B.P. Olsvik, O. and Myhere, S. (1982) :**
Demonstration of extracellular chemotypsin like activity
from variant legionella species.
J. Clin. Microbiol. Sep.; 16 (3) : 452-457.

- Bernstein, J. and Campbell, G. (1999):**
Treatment of pneumonia and its implication for antimicrobial resistance.
Chest; 115 (Suppl3: 1,S-2,S).
- Berthelot, P.; Garattard, F.; Mahul P. (1993):**
Ventilator temperature sensors: an unusual source of *pseudomonas cepacia* in nosocomial infection.
J. Hosp. Infect.; 25: 33-43.
- Blackmon, J.A.; Hicklin, MD.; and Chandler, F.W. (1978):**
Legionnaires' disease, pathological and historical aspect fo a new disease.
Arch.Pathol. Lab. Med. 102: 337-342.
- Bollin, G.F.; Para, M.F. and Fullw, K.A. (1985) :**
Oral ingestion of *L. Pneumophila*.
J. Clin. Lab. Immunol. Jul; 20 (3) : 113-117.
- Boulanger, C.A. and Edelstein, P.H. (1995):**
"Precision and accuracy of recovery of *Legionella pneumophila* from seeded tap water by filtration and centrifugation".
Appl. Environ-Microbiol 61 (5): 1805-1809.
- Bozzoni, M.; Radice, L.; Frosi, A. and Vezzoli, F. (1995):**
"Prevalence of pneumonia due to *Legionella pneumophila* and *Mycoplasma pneumoniae* in a population admitted to a department of internal medicine".
Respiration. 62 (6): 331-335.
- Brachman, P. (1993):**
Epidemiology of nosocomial infections. In: Bennett. J. and Brachman. P. eds. Hospital infections. 3rd ed.
Boston: litte, Brown and co.: 510-525.
- Brenner, D.J.; Steiger walt A.G. and McDade, J.E. (1979):**
Classification of legionnaires, disease bacterium *Legionella pneumonphilia*, genus novum, species nova of family legionnaceae familia nova.
Ann. Intern. Med., 90: 650.

- Brenner, D.J.; Steigerwalt, A.G.; Gorman, G.W. and Corcoran, L.K. (1985):**
"Ten new species of legionella"
Int. J. Syst. Bacteriol. 35: 50-59.
- Brooks, G.F.; Janet, S. and Stephen, A. (1998):**
Legionellae In: Medical Microbiology, Twenty first edition
Appleton and Lang: 273-277.
- Broome, C.V. and Fraser, D.W. (1979):**
"Epidemiologic aspects of legionellosis"
Epidemiol. Rev. 1: 1-16.
- Burgess, D. (1999):**
Pharmacodynamic principles of antimicrobial therapy in the
prevention of resistance
Chest; 115 (Suppl 3): 19S-23S
- Cadwallader, H.; Bradley, C. and Ayliffe, G. (1990):**
Bacterial contamination and frequency of changing
ventilator circuitry.
J. Hosp. Infect.; 15: 65-72.
- Campbell, J.; Bibb, W.F.; Lambert, M.A. and Brenner, D.J. (1984):**
"Legionella sainthelensi: a new species of legionella isolated
from water near Mt. St. Helens".
App. Environ. Microbiol. 47: 369-373.
- Campbell, G.; Niederman, M. and Broughton, W. (1995):**
Hospital-acquired pneumonia in adults: diagnosis,
assessment of severity, initial antimicrobial therapy and
preventive strategies, a consensus statement.
Am. J. Respir. Crit. Care. Med; 153: 1711-1725.
- Chandler, F.W.; Hicklin, M.D. and Blackmon, J.A. (1977):**
"Demonstration of the agent of legionnaires' disease in
tissue"
N. Engl. J. Med. 297: 1218-1223.
- Chandler, F.W.; Cole, R.M.; Hicklin, M.D. and Blackmon, J.A. (1979):**
"Ultrastructure of the legionnaires' disease bacterium".
Ann. Intern. Med. 90: 642-645.

- Chang, F.Y; Jacobs, S.L and Colodny, S.M. (1996):**
Nosocomial legionnaires' disease caused by *L. pneumophila* serogroup 5.
Infect. Dis ;147 (5) :1116-1119.
- Chastre, J. and Trouillet, J. (1997):**
Nosocomial Pneumonia: guidelines for initial management and empirical treatment.
Eur.Respir. Mon; 3: 101-117.
- Chastre, J.; Trouillet J.; Vuagnat, A.; Joly, Guillou, M.; Clavier, H., Dombret M.; and Gibert, C. (1998):**
Nosocomial pneumonia in patients with acute respiratory distress syndrome. Am. J. Respir Crit Care. Med.; 157: 1165-1172.
- Chendrasekhar, A. (1996):**
Are routine blood culture in the evaluation of patients clinically diagnosed to have nosocomial pneumonia?
Am. J. Sug.; 62: 273-276.
- Cherry, W.B.; Pittman, B.; Harris, P.P. and Hebert, G.A. (1978):**
"Detection of legionnaires' disease bacteria by direct immunofluorescence staining".
J. Clin. Microbiol. 8: 329.
- Cherry, W.B.; Gorman, G.W; Orrison, L.H.; Moss, C.W.; Steigerwalt, A.G.; Wilkinson, H.W.; Johnson. S.E.; Mckinney, R.J. and Brenner, D.J. (1982):**
"*Legionella jordanis*: a new species of legionella isolated from water and sewage".
J. Clin. Microbiol. 15: 290-297.
- Cianciotto, N.P.; Bangsberg, J.M. and Eisenstein, B.I. (1990) :**
Identification of mip-like genes in genus of legionellae.
Infect. Immun. 1990 Sep; 58 (9) : 2912-2918.
- Colbourne J.S.; Smith, M.S. (1984):**
In thornsberry, C.; Balows, A. et al., (eds) legionella. Proceedings of the Second International Symposium. American Society for Microbiology, Washington, D.C., P. 305.

- Colbourne, J.S.; Dennis, P.J.L. (1987):**
Treatment of water for aquatic bacterial growth.
Lancet 1: 684
- Conlan, J.W. and Ashworth, L.F.A. (1986):**
The relationship between the serogroup antigen and lps of *L. pneumophila*.
J. Hyg (Lond). 96 (1):39-48.
- Conlan, J.W.; William, A.; Ashworth, L.F.A. (1988):**
In vivo production of tissue destructive protease by *L. Pneumophila* in the lung of experimentally infected guinea – pig.
J. General Microbiology 134: 143-149.
- Costerton, J.W.; Mims, H.M. and Lappin-Scott. (1989):**
“Behaviour of bacteria on biofilms”
ASM News 55: 650-654.
- Cox, T.; Roland, W. and Dolan, M. (1998):**
Ventilator-related acientobacter outbreak in an I.C.U.
Mil. Med; 163 (6): 389-391.
- Craven, D.; Lichtenberg, D.; Goularte, T.; Mark, B. and McCabe W. (1984):**
Medication Neublizer in mechanical ventilator Circle
Am. J. Med., 77: 834-838.
- Crichton, P.B and Old, D.C. (1982):**
A biotyping scheme for sub specific discrimination of *E.coli*.
J. Med .Microbiol .15: 233-242.
- Crichton, P.B; Logan, J.M.J. and Old, D.C. (1993):**
Aminiaturized biotyping system for strain dissrimination in *E.coli*.
Epidemiol. Infect. 111: 81-88
- Cunnion, K.; Weber, D.; Broad, Head, W. and Hansonl (1996):**
Risk factors for nosocomial pneumonia: comparing adult
cirtical-care populations.
Am. J. Res. Pir. Crit. Care. Med; 153: 158-162.

Daniel, Jones, Heinz-Georg, Philipp Matthes. (2000):

Comparative evaluation of three different genotyping methods for investigation of Nosocomial outbreaks of legionnaires, disease in hospitals.

J. Clin. Microbiol, 2000, June; 38 (6): 2284-2291.

Deboisblance, B.; Castro, M.; Everret, B.; Grender, J.; Walker, C. and Summer, W. (1993):

Continuous, postural oscillation on the risk of early ICU pneumonia in non traumatic critically illness.

Chest; 103 (5): 1543-1547.

Dennis, P.J.L (1988):

Isolation of legionella from environmental samples. In: Laboratory Manual for legionella. Harrison, T.G and Taylor, A.G. (eds.). John Wiley and sons LTD. U.K. p.31-44.

Doebbeling, B.; Stanley, G.; Sheetz, C. et al., (1992):

Comparative efficacy of alternative hand-washing agents in reducing noscomial infections in intensive care units.

N. Engl J. Med.; 327: 88-93.

Dowling, J.N.; McDevitt, D.A. and Pasculle.; A.W. (1984):

Disk diffusion antimicrobial susceptibility of members of the family, legionellaceae include erythromycin resistant variants of *Legionella micdadei*.

J.Clin. Microbiol. 19: 7 23-726.

Dunn, M. and Wunderink, R. (1995):

Ventilator-associated pneumonia caused by *Pseudomonas aeruginosa* (Review).

Clinics in Chest Medicine; 16: 95-109.

Edelstein, P.H. (1981):

"Improved semiselective medium for isolation of *Legionella pneumophila* from clinical and environmental specimens".

J. Clin. Microbiol 14: 298-303.

Edelstein, P.H.; Brenner, D.J.; Moss, C. and George, W. (1982):

"*Legionella wadsworthii* species nova pneumonia".

Ann. Intern. Med. 97: 809-813.

Edelstein, P.H.; Bibb, W.F.; Gorman, (1984):

"*Legionella pneumophila* serogroup 9 pneumonia "
J. Clin. Microbiol. 23: 481.

Edelestine, P.H. (1986):

"Evaluation of the gene probe. DNA probe for the detection
of legionellae in culture".
Ann. Intern. Med. 101: 196-198.

Edelstein, P.H. (1993):

"Legionella: with special emphasis on antimicrobial
susceptibility testing".
In: Raoult, D. Antimicrobial agents and intracellular
pathogens.
Boca Raton, FL: CRC Press, p. 233-234.

Eisenberg, H. (1994):

"Culture of hospital water for members of the family
legionellaceae".
Clinical Microbiology Procedures Hand book and
Supplement Washington D.C. 11:3.

England, A.C.; Fraser, D.W. and Plexaytis, B.D. (1981):

Sporadic legionellosis in united states .
Ann. Intern .med .94 (2):164-170.

**England, A.C.; Fraser, D.W.; Mallison, G.F.; Mackel, D.C.; Skaliy P.
and Gorman, G.W. (1982):**

Faliure of *liegionella pneumophila* sensitivities to predict
culture from disinfectant-treated air condition cooling tower.
APP. Environ. Microbiol. 43: 240-244.

**England, A.C.; Fraser, D.W.; Plikaytis, B.D.; Tsai, T.F.; Storch, G. and
Broome, C.V. (1998):**

Sporadic legionellosis in united states: the first thousand
cases Ann. Intern. Med. 94: 164-170.

Estes, R. and Meduri G. (1995):

The pathogenesis of ventilator-associated pneumonia:
mechanisms of bacterial trnascolonization and airway
inoculation.
Intensive Care MED.: 21: 365-383.

Fagon, J.; Chastre, J.; Domart, Y.(1989):

Nosocomial pneumonia in patients receiving continuous mechanical ventilation.

Am. Rev. Respir Dis.: 139: 877-884.

Fagon, J.; Chastre, J.; Hance, A.; Montravers. P.; Novara, A. and Gibert C. (1993):

Nosocomial pneumonia in ventilated patients: a cohort study evaluating attributable mortality and hospital stay.

Am. J. Med.: 94: 281-288.

Fagon, J.;Chastre, J.;Hance, A.; Domart, Y.; Trouillet J. and Gibertc. (1993):

Evaluation of clinical judgement in identification and treatment of nosocomial pneumonia in ventilated patients. Chest; 103 (2): 547-553.

Fagon, J.; Patrick, H.; Hass, D.; Torres, A.; Gibert, C.; Cheadle, W.; Falcone, R.; Anholm, J.; and Litienthal, F. (2000):

Treatment of Gram postivie nosocomial pneumonia.

Am. J. Respir Crit care Med., 161: 753-762.

Fallon, R. J. and Brown, W.M. (1985):

In vitro sensitivity of legionellas, meningococci and mycoplasma to ciprofloxacin.

J. Antimicrob. Chemo. Therapy 15: 787 - 789.

Fallon, R.J. (1986):

"Identification of *Legionella pneumophila* with commerically available immunofluorescence test". Journal of Clinical Pathology 39: 693-694.

Fallon, R.J. (1990):

"Legionella" In: Principles of bacteriology, virology and immunology volume II. Ninth Edition Ed. Parker, M.T. and Colier, L.H. Bulter and Tamser Ltd. London. 13: 726-285.

Fallon, R.J. (1996):

Legionellaca In: Practical Medical Microbiology. Colle. J. G.; Fraser, A.G.; Marmion, B.P. et al.. (editors). Fourteenth edition, churchill livingstone, 489-500.

Fang, G.D.; Yu, V.L. and Vickers, R.M. (1989):

"Diseases due to the legionellaceae rather than *Legionella pneumophila*: historical, microbiological, clinical a epidemiological review". *Medicine (Baltimore)*; 68: 116-132.

Farshy, C.E.; Glein, G.C. and Feeley, T.C. (1978):

"Detection of antibodies to the Legionnaires' disease organism by microagglutination and micro Elisa tests"
J. Clin. Microbiol. 7: 327.

Favor, M. and Bond, W. (1991):

Clinical disinfection of medical and surgical materials. In: Block S. ed. *Disinfection, Sterilization, and preservation*. 4th ed. Philadelphia: Lea and Febiger: 617-641.

Feeley, J.C. Gorman, .W.; Weaves, R.E.; Mackel, D.C. and Smith, W. H. (1978a):

Primary isolation media for legionnaires' disease bacterium.
J. Clin. Microbiol 8: 320-326.

Feeley, J.C.; Gibson, R.J.; Gorman, G.W.; Longford, N.C.; Rasher, J.K. and Baine W.B. (1978b):

CYB agar: A primary isolation medium of legionnaires' disease bacterium
Microbiol 1: 93-95.

Ferrer, M.; Torres, A.; Gonzalez, J.; De La Bellacasa, J. and Rodriguez, Roisin, R. (1994):

Utility of selective digestive decontamination in mechanically ventilated patients.
Ann. Intern Med. 120 (5): 389-395.

Fiddian, Green, R. and Baakers, (1991):

Nosocomial pneumonia in the critically ill: product of aspiration or translocation?
Crit Care Med; 19: 763-769.

Finnerty, W.R.; Makula, R.A. and Feeley, J.C. (1979):

"Cellular lipids of the legionnaires' disease bacterium"
Ann. Intern. Med. 90: 631-639.

Fishman, J.; Roth, R.; Zanzot, E.; Enose, and Ferraro, M. (1994):

Use of induced sputum specimens for microbiologic diagnosis of infections due to organisms other than *Pneumocystis carinii*.

J. Clin. Microbiol. 32: 131-134.

Fitzgeorge, R.B.; Gibson, D.H and Jeprase, R. (1985):

Studies on ciprofloxacin therapy of experimental legionnaires' disease.

J. Infect. 10 (30) : 194-203.

Fliermans, C.B.; Cherry, W.B. (1979):

Isolation of *L. Pneumophila* from non epidemic - related aquatic habitats.

Applied and Environmental Microbiology, 37(6) : 1239-1242.

Fraser, D.W. and Wochsmuth, I.K. (1978):

Antibiotics for legionnaires' disease.

Lancet. 1(13) : 8072.

Fraser, D.W.; Tsai, T.R.; Orenstein, W.; Parkin, E.; Beecham, H.J.; Sharrar, R.G.; Harris, J.; Mallison, G.F.; Martin, S.M.; McDade, J.E.; Shepard, C.C. and Brachman, P.S. (1977):

Legionnaires' disease: description of an epidemic of pneumonia.

N. Engl. J. Med. 297: 1189-1197.

Fred, C. Tenover, Robert, D. Arbeit, Richard, V. (1995):

Interpreting chromosomal DNA restriction patterns produced by pulsed field gelelectrophoresis: criteria for bacterial strain typing.

J. clinic. Microbiol. Sep. 1995: 2233-2239.

Friedman, R.L.; Lochner, J.E. et al., (1982):

The effect of *L. Pneumophila* toxin on oxidative process and bacterial killing of human polymorph nuclear leukocytes.

J. Infect. Dis. 146 (3) : 328 - 334.

Fridkin, S.; Welbel, S. and Weinstein, R. (1997):

Magnitude and prevention of nosocomial infections in the intensive care unit.

Infect Dis. Clin North. Am.; 11: 479-496.

- Friedman, R.L.; Iglewski, G.H.; Miller, R.D. (1980):**
Identification of cytotoxin produced by *L. Pneumophila*
Infection and immunity, 29 (1) : 271 – 274.
- Gaby, J.E. and Horwitz, m. A. (1985):**
Isolation and characterization of the cytoplasmic membrane
of legionnaires' disease bacterium.
J.Expir. Med. 161 (2) :404-422.
- Gae, L.Y. and Abu K. Waik, Y. (1999) :**
Activation of caspase 3 during *L. Pneumophila* induced
apoptosis.
Infect Immun. 1999 Sep.; 67 (9) : 4886-4894.
- Garcia, M.; Galache, J.; Diaz, J.; Ceda, E.; Balsco, J.; Aguinaa, M.;
Reiz, A.; Marin, S.; Canavereral, J. and Castillo, J. (1998):**
Effectiveness and cost of selective decontamination of
digestive tract in critically ill intubed patients: a randomized,
double-blind, placebo-controlled, multicenterial.
Am. J. Respir Crit Care Med; 158: 908-916.
- Garner, J.; Jarvis, W. and Emori, T. (1988):**
CDC definitions for nosocomial infections.
Am. J. Infect. Control; 16: 128-140.
- Gary. (1997):**
Epidemiology of nosocomial infection. In: Gary L. (ed.)
Microbiology and infection control. 1st edition. Prentice.
Australia, 78-92.
- Gaynes, R.; Bizek, B.; Mory-Hanley, J. and Marvin, K. (1991):**
Risk factors for nosocomial pneumonia after coronary artery
by pass graft operations.
Ann. Thorac. surg; 51- 215-218.
- George, J.R.; Durham, T.M. and Harrell, W.K. (1978):**
"Indirect fluorescent antibody test".
In: Legionnaires' disease, the bacterium and methodology..
Ed: Jones, G.L. and Hebert, G.A.; Center for Disease
Control, Atlanta, Georgia, P. 155.

George, D.; Falk, P.; Wundorlk, R.; Leeper, K.; Meduri, G. and Steere, E.; (1998):

Epidemiology of ventilator-associated pneumonia based on protected bronchoscopic sampling.

Am. J. Res. Respire Crit Care Med., 158: 1839-1847.

Gording, D.; Larson, T.; Hughes, R.(1991):

Aminoglycoside resistance and aminoglycoside usage: 10 years of experience in one hospital.

Antimicrobial Agents chemothor: 35: 1284-1290.

Gibson, D.H.; Fitzgeore, R.B. and Baskerville, A. (1983):

Antibiotic therapy in experimentally legionnaires' disease

J. Infec. 7 (3) : 210-217.

Gjenero-Margan, I.; Vidovic, R. and Drazenovic, V. (1995):

"Pityriasis rosea Gibert: Detection of *Legionella micadadei* antibodies in patients"

Eur-J-Epidemiol Aug; 11 (4): 459-462.

Glauert, A.M. (1962):

The fine structure of bacteria.

Br. Med. Bull. 18: 245.

Glick, T.H.; Gregy, M.B. and Barman, B. (1978):

Pontiac fever : An epidemic of unknown etiology in health department

American journal of Epidemiology 107 (2) : 149-160.

Geopalakrishnan, R.; Hawley, H.; Czachor, J.; Markert R. and Bernestein, J. (1999):

Stenotrophomonas maltophilia infeciton and colonization in the intensive care unit of two community hospitals: a study of 143 patients.

Heart lung; 28 (2): 134-141.

Gorman, G.W.; Feeley, J.C.; Steigerwalt, A.G.; Edelstein, P.H. and Brenner, D.J. (1985):

"*Legionella anisa*: a new species of legionella isolated from potable waters and a cooling tower".

Appl. Environ. Microbiol. 49: 305-309.

Greco, P. and Eisenberg, J. (1993):

Changing physicians practices [Letter].
N. Engl. J. Med.; 329: 127-1274.

Greenwood, D. and Laverick, A. (1983):

Activates of newer quinolones against *Legionella* group
organism.
Lancet 2: 279-280.

Grundmann, H.; Schneider, C.; Tichy, H.V.; Slmon, R. (1995):

Automated laser fluorescence analysis of randomly
amplified polymorphic DNA: a rapid method for
investigation of nosocomial transmission of *Acinetobacter*
baumannii
J. Med. Microbiol. 43: 446-0451.

**Grundmann, H.; Towner, K.J.; Dijkshoorn, L.; Gerner, Smidt, P.
(1997):**

Multicenter study using standardized protocols and reagents
for evaluation of reproducibility of PCR based finger
printing of *Acinetobacter* spp.
J. Clin. Microbiol. 35: 3071-3077.

Harrison, T.G. Saunders, N.A.; Haththotuwa, A. and Hallas, G. (1990):

Phenotypic variation amongst genotypically homogenous *L.*
Pneumophila serogroup 1 isolates.
Epidemiol. Infect 1990; 104 : 171-180.

Harrison, T.G.; Saunders, N.A. and Haththotuma, A. (1992) :

Furthur evidence that genotypically closely related strains of
L. Pneumophila can expressed different serogroup specific
antigens.
J. Med. Microbial. 37 : 155-161.

Hebert, B.A. (1981):

"Hippurate hydrolysis by *Legionella pneumophila*.
J. Clin. Microbiol 13: 240-242.

Hebert, G.A.; Steigerwalt, A.G. and Brenner, D.J. (1980):

"*Legionella micdadei* species nova: classification of a third
species of *Legionella* associated with human pneumonia".
Curr. Microbiol. 3: 255-257.

Hedlund, K.W. (1981):

Legionella toxin.

Pharmacology and therapeutic 15(1): 123-130.

Herwaldt, L.A.; Gorman, G.W.; McGroth, T.; Toma, S.; Brake, B.; Hightower, A.W.; Jones, J.; Reingold, A.L.; Boxer, P.A. and Tang, P.W. (1984):

"A new legionella species, *Legionella feeleeii* species nova. causes pontiac fever in an automobile plant"

Ann. Intern. Med. 100: 333-338.

Heyland, D.; Bradley, C. and Manclell, L. (1992):

Effect of acidified enteral feeding on gastric colonization in critically ill patients.

Crit Care. Med; 20: 1388-1394.

Holloway, B.W. (1993):

Genetic for all bacteria.

Annu. Rev. Microbiol. 17: 215-221.

Horan, T.; White, J.; Jokisw. (1984):

Nosocomial infection surveillance.

MMWA; 35 (1SS): 17SS-29SS.

Horwitz, M.A. (1983):

Cell mediated immunity in legionnaires' disease.

J. Clin. Invest. 71: 1686-1689.

Horwitz, M.A.; Silverstein, S.C. (1981):

Activated human monocyte inhibit intracellular multiplication of legionnaires' disease bacterium.

J. Expire. Med. 4 (5) : 1618-1635.

Ieven, M. (1997):

"Reproducibility of nucleic acid amplification techniques for diagnosis of respiratory tract infections in the clinical laboratory".

Clin. Microbiol. Rev. 10 (2): 242-56.

Inglis, T. (1995):

New insight into the pathogenesis of ventilator-associated pneumonia.

J. Hosp. Infect.; 30 (Suppl 3): 409S-413S.

- Inglis, T.; Sherratt, M.; Sproat, L.; Gibson, J. and Hawkey, P. (1993):**
Gastro duodenal dysfunction and bacterial colonization of ventilated lung.
Lancet; 341: 911-913.
- Jarvis, W. (1996):**
Preventing the emergence of multi drug-resistant microorganisms through antimicrobial use controls the complexity of the problem.
Infect control Hosp Epidemiol., 17: 490-495.
- Jernigan, D.B.; Sanders, J.I. Waite, K.B.; Brookings, E.S.; Benson, R.F. and Pappas, P.G. (1994):**
"Pulmonary infection due to *Legionella cincinnatiensis* in renal transplant recipients: two cases and implications for laboratory diagnosis".
Clin. Infect. Dis. 18 (3) 385-389.
- Johanson, W.; Pierce, A.; Sandford, J. (1972):**
Nosocomial respiratory infections with Gram negative bacilli: the significance of colonization of respiratory tract.
Ann Intern. Med.; 77 (5): 710-716.
- Johnson, J.D.; Raff, M.Y. and VanArsdall, J.A. (1984):**
"Neurologic manifestations of legionnaires' disease"
Medicine, 63: 303-310.
- Joiner, K.A. (1997):**
Membrane protein-traffic in pathogen-infected cells.
J. clin. Invest (1997) April 15; 99 98) : 1814-1817.
- Jonas, D.; Rosenbaum, A. and Weyrich, S. (1995):**
ELISA for detection of PCR amplified DNA of legionella in brochoalveolar fluid.
J. clin. Icrobiol. 37 (4): 324-325.
- Joly, J.R.; McKinney, R.M. McKinney, R.M.; Tobin, J.O.H.; Bibb W.F.; Watkins, I.D. and Ramsay, D. (1986):**
Development of standardized subgrouping scheme for *Legionella pneumophila* serogroup 1 using monoclonal antibodies.
J. Clin. Microbiol 23: 768-771.

- Jourdain, B., Joly, Guillon, M.; Dombret, M.; Calvat, S.; Trouillet J.; Gibert, C. and Chastre, J. (1997):**
Usefulness of Quantitative cultures of bronchoalveolar. Lavage fluid for diagnosing nosocomial pneumonia in ventilated patients.
Chest. 1/1 (2): 411-418.
- Klustersky, J.; Huysmans, E.; Werts, D.; Hensgens, C. and Daneau D. (1974):**
Endotracheally administrated gentamycine for the prevention of infections of the respiratory tract in patients with tracheostomy.
Chest.; 65, 650-654.
- Kollef, M. (1993):**
Ventilator-associated pneumonia.
JAMA; 270: 1965-1970.
- Kollef, M. and Coworkers (1997):**
Scheduled change of antibiotic classes: a strategy to decrease the incidence of ventilator-associated pneumonia.
Am. J. Respir Crit Care. Med., 156: 1040-1048.
- Kollef, M.; Sherman, G.; Ward, S. and Fraser, V. (1999):**
Inadequate antimicrobial treatment of infections, a risk factor for hospital mortality among critically ill patients.
Chest, 115 (2): 462-474.
- Korinek, A.; Laisne, M.; Nicolas, M. Raskine, L.; Deroin, Va and Sanson, Leporsm. (1993):**
Selective decontamination of the digestive tract in neurosurgical intensive care patients: a double-blind, randomized, placebo controlled study.
Crit. Care Med., 21: 466-1473.
- Korvick, A.; Bryan, C. and Farber, B. (1992):**
Prospective observational study of klebsiella bacteremia in 230 patients: outcome for antibiotic combination versus monotherapy.
Antimicrob Agents Chemother; 36: 2639-2644.

- Krovick, J.A. Yu, V.L. and Fang, C.D. (1987) :**
Legionella species as hospital acquired respiratory pathogen
Semin. Respir infect. Mar; 2 (1) : 344-347.
- Kusnetsov, J.M.; Jousimies-Somer, H.R.; Nevalainen, A.T. and Martikainen, P.J. (1994):**
"Isolation of legionella from water samples using various culture methods.
J. Appl.Bacteriol. 76 (2): 155-162.
- Lambert, M.A.; Moss, C.W. (1989):**
Cellular fatty acid compositions and isoprenoid quinone contents of 32 legionella species.
J. Clin. Microbial: 27: 465-473.
- Langer, M. Cigada, M. and Mandelli, M. (1987):**
Early onset pneumonia: a multi center study in intensive care unite.
Intensive care Med; 13: 342-346.
- Lewis, V.; Thacker, L.; Shepard, C.C. and McDade, J.E. (1978):**
"In vitro susceptibility of the legionnaires' disease bacterium in ten antimicrobial agents".
Antimicrob.Agents. Chemotherap. 13: (3): 419-422
- Lieberman, D.; Porth, A.; Schlaeffer, F. and Boldur, I. (1996):**
"Legionella species community acquired pneumonia: A review of 56 hospitalized adult patients".
Chest. May; 159 (5): 1243-1249.
- Lochner, J.E.; Bigley, R.H.; Iglewski, B.H.(1985):**
Defective triggering of polymorph nuclear leukocyte oxidative metabolism of by *L. Pneumophila* toxin.
J. Infec. Dis. 151(1) :42-46.
- Mahul, P.; Auboyer, C.; Jospe, R.; (1992):**
Prevention of nosocomial pneumonia in intubated patients: respective role of mechanical sub glottic. Drainage and stress ulcer prophylaxis.
Intensive Care Med; 18: 20-25.

- Maiwald, M.; Schill, M. and Stockinger, C. (1995):**
Detection of *Legionella* DNA in human guinea pig urine samples by PCR.
Eur. J. Clin. Microbiol. Infect. 14 (1) :25-33.
- Mandell, L. and Campbell, G. (1998):**
Nosocomial pneumonia guide lines, and international perspective.
Chest; 113 (Suppl 3): 188S-193S.
- Maniatis, T. Fritsch, E. Fandsambrook, J. (1982):**
Enzyme used in molecular cloning. In : Molecular cloning. A Laboratory Manual. Second edition, cold springharbor. New York : 94 – 107.
- Manos, J. and Di Salvo, A. (1997).**
Legionellaceae , *Mycoplasma* and related organisms. In Microbiology and Infection diseases. Elizabeth, A (ed.). 3 rd ed. 185-191.
- Marc, J.; Nicole, M.; Francis, R. (1992):**
Genotyping and phenotyping methods for the investigation of a nosocomial *Legionella pneumophila* outbreak and efficacy of control measures.
J. Infect. Dis. 1992, 166: 22-30.
- Marquette, C.; George, H.; Wallet, F. (1993):**
Diagnostic efficiency of endotracheal aspirate with bacterial cultures in intubated patients with suspected pneumonia.
Am. Rev. Respir. Dis. 1993, 148 :138-144.
- Marrie, T.J., George, J. Macdonald, S. and Hoase, D. (1986):**
Are health care workers at risk for infection during an outbreak on nosocomial legionnaires' disease?
Am. J. Infect. Control. 14: 209-213.
- Maslow, J.N.; Mulligan, M.E. and Arblent, R.D. (1993):**
Molecular epidemiology: the application of cotemporary techniques for typing bacteria.
Clin. Infect. Dis. 17:153-162.

- Matsunaga, K.; Klein, T.W.; Friedman, H.; Yamamoto, Y. (2001):**
Alveolar macrophage cell line MH-S is valuable as an in vitro model for *L. pneumophila* infection.
Am. J. Respir. Cell. Mol Biol. 2001. Mar; 24(3): 326-331.
- Mayer, L.W. (1988):**
Use of plasmid profiles in epidemiologic surveillance of disease outbreaks in tracing the transmission of antibiotic resistance.
Clin. microbiol; 1: 228-232.
- Mayrock, R. ;Skale, B. and Kohler, R.B (1983):**
Legionella pneumophila Pericarditis proved by culture of pericardial fluid
Am.J.Med.75:534-536.
- Mazwrek, G.H.; Redy, V.; Marston, B.J.; Hass, W.H. and Crawford, T.J. (1996):**
DNA finger printing by infrequent-restriction-site amplification.
J. Clin. Microbiol. 34: 2386-2390.
- McCabe, R.E.; Blood, J.C. and McGregor, C.A (1984):**
"Prosthetic valve endocarditis caused by *Legionella pneumophila*."
Ann. Intern.Med. 100: 525-527.
- McCarthy, P.L.; Tomasso, L. and Dolan, T.F. (1980):**
Predicting fever response of children with pneumonia treated with antibiotics.
Clin. Pediatric 19: 753.
- McDade, J.E.; Brenner, D.J. and Bojeman, F.M. (1979):**
Legionnaires disease bacterium isolated in (1979).
Ann Intern Med 90: 659-661.
- McGowan, J. (1983):**
Antimicrobial resistant in hospital organisms and its relation to antibiotic use.
Rev. Infect. Dis.; 5: 1033-1048.

- McGucken, M.; Thorpe, P. and Abrutyn E. (1981):**
An outbreak of *pseudomonas aeruginosa* wound infection related to Hubbard tank treatment.
Arch. Phys. Rehabil; 62: 238.
- Mckinney, R.M.; Porschen, R.K.; Edelestein, P.H.; Bisset, M.L. and Marris, P.P. (1981):**
"Legionella longbeachae, species nova another etiologic agent of human pneumonia".
An. Intern. Med. 94: 739.
- Meenhorst, P.L.; Reingold, A.L.; Gorman, G.W. and Feeley, J.C. (1985):**
"What related noscomial pneumonia cased by *Legionella pneumophila* serogroups 1 and 10".
J. Infect. Dis. 152: 356-364.
- Metheny, N. Eisenberg, P. and Spies, M. (1986):**
Aspiration pneumonia in patients fed through nasoenteral tubes.
Heart lung; 15: 256-261.
- Meunier, J. R. and Grimont, P.A.; (1993):**
Factors affecting reproducibility of random amplified polymorphic DNA finger printing.
Res. Microbiol. 144: 373-379.
- Mohei, El-Din, M. (1997):**
"Prevalence of legionella Spp....in hospital potable water".
Master Degree, Clinical Pathology Department, Faculty of Medicine, Cairo University.
- Morley, J.N.; Smith, L.G.; Balatch, A.L. and Smith, R.P. (1994):**
"Recurrent infection due to *Legionella pneumophila* in a patient with AIDS".
Clin. Infect. Dis Dec.; 19 (6): 1140-1132.
- Morris, G.K.; Patton, C.M. et al., (1979):**
Isolation of legionnaires' disease bacterium from environmental samples.
J. Clin. Microbiol, 9: 648 - 653.

- Morris, G.K.; Steigerwalt, A.G.; Feeley, J.C.; Wong, E.S.; Martin, W.T.; Patton, C.M. and Brenner, D.J. (1980):**
"Legionella jormanii sp. nov."
J. Clin. Microbiol. 12: 718-721.
- Morrison, V.A. and Wagner, K.F. (1989):**
"Clinical manifestations of *kingella kingae* infections: case report and review"
Rev. Infect. Dis. 11: 776-782.
- Moss, C.W.; Weaver, R.E.; Dees, S.B. and Cherry, W.B. (1977):**
Cellular fatty acid composition of isolated from legionnaires' disease.
J. Clin. Microbiol 6: 140-143.
- Muller, W.E. (1981) :**
Aminopeptidase in different legionella species.
J. clin. Microbiol June; 13 (5) : 327-331.
- Nelson, L. and Choi, S. (1992):**
Kinetic therapy in critically ill trumatic patients.
Clin Intensive care; 37: 248-252.
- Niederman, M. (1989):**
Bacterial adherence as a mechanism of air way colonization.
Eur. J. Clin. Microbiol Infect. Dis.; 8: 15-20.
- Niederman, M.; Torres, A. and Summer, W. (1994):**
Invasive diagnostic testing is not needed to manage suspected ventilator associated pneumonia.
Am. J. Respir, Crit Care. Med; 150: 525-596
- Nolte, F.S.; Conlin, C.A.; Roisin, A.J. and Redmond, S.R. (1984):**
Plasmids as epidemiological markers in nosocomial legionnaires' disease.
J. Infect. Disease 1984, Feb; 149 (2): 251-256.
- Old, D.C. (1996):**
Salmonella. In : Practical Medical Microbiology.
Collee, J.G.; Fraser, A.G.; Marmion, B.p and Simmons, A.
(eds). Fourteenth edition .385-404.

- Oldham, J. and Frank, G. (1985):**
Adhesion, Penetration and intracellular replication of *legionella pneumophila* an in vitro-model of pathogenesis.
J. Gen. Microbiol (1985): 131-697-706.
- Olsen, G.L.; Waese, C.R.; Overbeek, R. (1986):**
Microbial ecology and evolution A ribosomal RNA approach.
Annu. Rev. microbiol; 40: 337-341.
- Olsen, J. E.; Skov, M.N.; Threlfall, E.J. and Brown, D.J. (1994):**
Clonal-lines of *Salmonella enterica* sero type enteritidis documented by Is200, ribo, Pulsed gel electrophoresis and Rflp typing.
J. Med. Microbiol. 40: 15-22.
- Orrison, L.M.; Cherry, W.B.; Tyndall, R.L. and Fliermans, C.B. (1983):**
"Legionella oakridgensis: unusual new species isolated from cooling tower water".
Appl. Environ. Microbiol. 45: 536-545.
- Ortiz, Roque, C.M.; Hazen, T.C. (1987):**
Abundance and distribution of legionella in puerto-Rican water.
Applied and Environmental Microbiology 53: 2231.
- Palmer, C.J.; Bonilla, G.F.; Roll, B.; Paszkokolua, C.; Sangermano, L.R. and Fujioka, R.S. (1995):**
"Detection of legionella species in reclaimed water and air with legionella, P.C.R Kit and direct fluorescent antibody staining".
Appl. Environ. Microbiol 61 (2): 407-412.
- Paolo, V.; Paola, G.; Christian, P. (1999):**
Multiple types of legionella *legionella pneumophila* Serogroup 6 in a hospital heated water system Associated with sporadic infections.
J. Clin. Microbiol. July, 1999, 37, (7): 2189-2196.
- Pasculle, A.W.; Veto, G.E.; Krystofiak, S.; Mckelvey, K. and Vrsalovic, K. (1989):**
"Laboratory and clinical evaluation of a commercial D.N.A. probe for detection of legionella Spp.
J. Clin. Microbiol 27: 2350-80.

Patterson, J.; Vecchio, J.; Panterlick, E. (1991):

Association of contaminated gloves with transmission of *Acinetobacter calcoaceticus*, Variant in an intensive carunit.
Am. J. Med.; 91: 479-483.

Pedro, Botet, M.L.; Subria, L.M.; Espinosa, L. (1992):

The use of molecular epidemiological markers in the study of an epidemic outbreak of legionnaires' disease of nosocomial origin.
Med. Clin. (Barc). 1992, Dec. 12; 99 (20): 761-765.

Pelaz, J.M. ; Martin.L; Baugon .C. (1993):

Characterization of clinical and environmental isolates of legionella associated with out breaks and study source of infection.
Enferm. Infec. Microbiol. Clin. Aug-Sep : 11 (7) : 359-365

Philip, A.G. (1985):

"Response of C-reactive protein in neonatal group B streptococcal infection".
Pediatr. Infect. Dis 4: 145-148.

Pingleton, S.; Fagon, J. and Leeper, K. (1992):

Patient selection for clinical investigation of ventilator-associated pneumonia. Criteria for evaluating diagnostic techniques.
Chest; 102 (Suppl 5): 553S-556S.

Potasman, S.; Liberson, A. and Krimerman, S. (1990):

"Legionella infection mimicking herpes encephalitis"
Crit. Care. Med. 18: 453-454.

Ramirez, J.A and Summessgill,J.T (1994):

Rapid tests for diagnosis of legionella infections.
J.Ky.Med Assoc.92 (2) :62-95

Rechnitzer, W.R.; Krystofiak, S. and Hinguon, M.K. (1994):

Pathogenic aspect of legionnaires' disease.
APMIS supply, 1994; 43 : 176-183.

- Rello, J.; Quintana, E.; Ausina, V.; Carmen, P. and Guillen, P. (1990):**
Risk factors for *staphylococcus aureus* nosocomial pneumonia in critically ill patients.
Am. Rev. Respir. Dis.; 142: 1320-1324.
- Rello, J.; Ausina, V. and Ricart, M. (1992):**
Nosocomial pneumonia in critically ill comatosed patients.
Eur Respir. J. 5 : 1249-1253.
- Rello, J.; Ausina, V.; Ricart, M.; Castella, J. and Prats, G. (1993):**
Impact of previous antimicrobial therapy on the etiology and outcome of ventilator-associated pneumonia.
Chest; 104 (4): 1230-1235.
- Rello, J.; Cabello, H.; and Torres, A. (1997):**
Epidemiology, risk and prognostic factors of nosocomial pneumonia.
Eur. Respir. Mon.; 3: 82-100.
- Rello, J. and Ricart, M. (1998):**
Respiratory tract infection by *pseudomonas auroginosa* in patients under intubation.
Eur. Clin. Esp. 198 Suppl 2 : 17-20.
- Rello, J.; Diaz, E.; Roque, M.; et al., (1999):**
Risk factors for developing pneumonia within 48 hours of intubation.
Am. J. Respir. Crit. Care. Med.; 159: 1742-1746.
- Retzlaff, C.; Yamamotoy and Haffmann, P.S. (1994) :**
Bacterial heat shock protein directly induce cytokine mRNA in macro phages cultures.
Inf. Immun. Dec; 62 (12) : 5689-6693.
- Reynold, H. (1987):**
Bacterial adherence to respiratory tract mucosa: adynamic interaction leading to colonization.
Semin Respir Infect; 2: 8-19.
- Rhame, F.; Streifel, A.; McComb, C. and Boyle, M. (1986):**
Bubbling humidifiers produce microaerosols which can carry bacteria.
Infect Control; 7: 403-407.

- Robert, R.; Griolier, G.; Dore, P.; Hira, M.; Ferrand E. and Fauchere, J. (1999):**
Nosocomial pneumonia with isolation of anaerobic bacteria in ICU patients: therapeutic considerations and outcome.
J. Out. Care. 14 (3): 114-119.
- Rodger, F.G.; Marcrae, A.D. and Lewis, M.J. (1978):**
Electron microscopy of the organism of legionnaires' disease
Nature. 272: 875-826.
- Rogers, J.; Dowsett, A.B.; Dennis, P.J.; Lee, J.V. and Keevil, C.W. (1994):**
"Influence of temperature and plumbing material selection on biofilm formation and growth of *Legionella pneumophila* in model potable water system containing complex microbial flora".
Appl. Environ. Microbiol 60 (5): 1565-1592.
- Rosenfeld, J.S.; Kueppers, F. (1986):**
Recombinant alpha 1- trypsin attenuates experimentally Gram negative septicemia.
FEMS microbiology Letter 37: 51.
- Roukema, J.; Carol, E. and Prins, J. (1988):**
The prevention of pulmonary complications after abdominal surgery in patients with non compromised pulmonary status.
Arch. Surg; 123; 30-34.
- Rowe, S. and Cheadle, W. (2000):**
Complications of nosocomial pneumonia in the surgical patients.
Am. J. Surg; 179 (suppl 2A): 63S-68S.
- Russell, A.; Boylan, R.; Kaslick, R.; Scannapieco, F. and Katz, R. (1999):**
Respiratory pathogen colonization of dental plaque of institutionalized elders.
Spec. Care. Dentist; 19 (3): 128-134.
- Saha, A.K.; Dowling, J.N. and La Marco, K. (1985) :**
Proprediction of acid phosphatase of *L. micdadie* which blocks superoxide anion.
Arch Biochem Biophys Nov 15; 243 (1) : 150-160.

Sahar, F. (1997):

Gas liquid chromatography in diagnosis of Legionellae:
Master Degree, Clinical Pathology Department .Faculty of
Medicine , Zagazig University

Sambrook, J.; Fritsh, E.F. and Mannatis, eds (1989):

Molecular cloning: A laboratory Manual. Cold, Spring,
Harbor, N.Y. Cold, Spring, Harbor, Laboratory, PP. 1: 25-
1:31.

Sanchez-Nieto, J.; Torres, A. and Carcia, F. (1998) :

Impact of invasive and non invasive quantatative culture
sampling on outcome of ventilator associated pneumonia.
Am.J.Resir.Crit.care.Med; 157:371-376.

Schabery, D.; Culver, D. and Gaynes, R. (1991):

Major trends in microbial etiology of nosocomial infection.
Am. J. Med.; 19 (suppl 3B) 72S-75S.

Selander, R.K.; McKinney, R.M.; whittam, T.S. et al., (1985):

Genetic structure of population of *legionella pneumophila* J.
Bacteriol 163: 1021-1037.

Schito, G.C.; Grazi, G. and Dainelli, B. (1994):

"Incidence of lower respiratory tract infections caused by
mycoplasma, chlamydia and legionella: an Italian
Multicenter Survey.
J. Chemother: Oct, 6 (5): 319-321.

Schlegel, H.G. (1995):

Constancy, Changes and Transfer F genetic character is
General Microbiology. 7th ed., Cambridge. University press.,
P 529.

Schlichting, C.; Branger, C.; Fournier, J.M.; Witte, W. et al., (1993):

Typeing of *Staphylococcus aureus* by pulsed gel electro
phoresis, zymotyping capsular typing and phage typing-
resolution of clonal relation ships.
J. Clin. Microbiol. 31: 227-932.

Schofield, G.M and Locci, R. (1985):

Colonization of components of a model hot water system by *L. pneumophila*.
J Appl. Bacteriol. 58 (2):151-162.

Schoonmaeker, D.; Helmberger, T.; and Birkhead, G. (1992):

Comparison of ribotyping and restriction enzyme analysis using pulsed-field gel electrophoresis for distinguished *legionella pneumophila* isolated obtained during a nosocomial outbreak.
J. Clin. Microbiol. 30: 1491-1498.

Shalae, D.; Grding, D.; John, J.; et al., (1997):

Society for Health care Epidemiology of America and Infectious Diseases society of America Joint committee on the prevention of Antimicrobial Resistance in Hospitals.
Clin. Infec. Dis.; 25: 584-599.

Shaney, V.K. and Wadun, G.L. (1993) :

The role of Co I in strategic planner process.
Qual. Manag. Health. Care 1993 Summer, 114 : 1-11.

Sigma, (1993):

Restriction endonucleases Biochemicals organic compounds for research and diagnostic reagents 1295: 1342.

Sirvent, J.; Torres, A.; El-Ebiary, M.; Castro, P.; De Battle, J. and Bonet, A. (1997):

Protective effect of intravenously administered cefuroxime against nosocomial pneumonia in patients with structural coma.
Am. J. Respir Crit. Care. Med. 155: 1729-1734.

Skogberg, K.; Ruutu and Kovula I. (1994) :

Effect of immunosuppressive therapy on clinical presentation of legionellosis.
Eur. J. Clin. Microbiol. Dis. Jul; 13 (7) : 535-541.

Smith, M.; Box, T.; Pocklington, M. and Kelsey, M. (1992):

An evaluation of Hamo LS-76 washing, drying and disinfecting machine for anaesthetic equipment.
J. Hosp. Infec.; 22: 149-157.

Sox, H.C. and Liang, M.H. (1986):

The erythrocyte sedimentation rate guide lines for rational use.
Ann. Int. Med. 104: 515-523.

Spriggs, D.R. (1987):

Legionella, microbial ecology, and inconspicuous consumption.
J. infect. Dis. 155 (5) : 1086-1087.

Steed, P. and Murrar, R.G. (1966):

The cell wall and cell division of Gram negative bacteria.
J. Microbial. 12: 263-266.

Stout, J.E.; YU.; V.L. and Maraga, M.E. (1992):

"Potable water as a cause of sporadic cases of community acquired legionnaires disease".
N. Engl. J. Med. 326: 151-154.

Summersgill, K.J.T. and Ramirez, T.A. (1994):

Rapid test for diagnosis of legionella infection.
JKY Med. Associ. Feb; 92 (2) : 62-65.

Sunders, N.A.; Harrison, T.G.; Haththotuwa, A. et al., (1990):

A method for typing strains of *legionella pneumophila* serogroup 1 by analysis of restriction fragments length polymorphisms.
J. Med. Microbial 1990, Jan.; 31 (1): 45-55.

Swaminathan, B. and Matar, G.M. (1993):

Molecular typing methods, definition, application, and advantages p. 26-50. In D.H. perssing, T.F. smith, F.C. Tenover, and T.J. white (ed), Diagnostic molecular microbiology: principles and applications. American Society for Microbiology. Washington, D.C.

Ta, A.C.; Stout, J.E.; Yu, V.L. and Wagner, M.M. (1995):

"Comparison of culture methods for monitoring legionella species in hospital potable water systems and recommendation for standardization of such methods".
J. Clin. Microbiol. 33 (8): 2118-2123.

- Tablan, o.; Anderson, L.; Arden, N. (1994):**
Guidelines, for prevention of nosocomial pneumonia.
Infect. Control Hosp. Epidemiol; 15: 537-590.
- Talon, D.; Mulin, B.; Rouget, C.; Bailly, P.; Thouverez, M. and Viel, J. (1998):**
Risk and routes for ventilator-associated pneumonia with *pseudomonas aeruginosa*.
Am. J. Respir Crit care Med.; 157: 978-984.
- Tanaka, H.; Miyajima, K.; Asano, K.; Kambara, K.; Arakawa, M. and Ito, H. (1994):**
"A patient with Legionella pneumonia diagnosed early by the P.C.R. method".
Nippon, Kyobu. Shikkan. Gakkai. Zasshi, 32 (6) 591-595.
- Tang, P.W.; Toma, S.; Moss, C.W.; Steigerwalt, A.G. and Colligan, T.G. (1984):**
"Legionnaires' bozemanii serogroup 2: a new etiologic agent".
J. Clin. Microbiol 19: 30-33.
- Taylor, A.G.; Harrison, T.G.; Diagero, M.W. and Bradstreet C.M.P. (1979):**
"False positive reactions in the indirect fluorescent antibody test for legionnaires' disease eliminated by use of formalinised yolk sac antigen".
Ann. Intern. Med. 90: 686-689.
- Tenover, F.C.; Arbeit, R.D.; Goering, R.V.; Mickelsen, P.A.; et al., (1995):**
Interpreting chromosomal, DNA restriction patterns produced by pulsed Field gel electrophoresis criteria for bacterial strain typing.
J. Clin. Microbiol 33: 2233-2239.
- Tew, J.; Colenaff, L. and Berlin, B.S. (1980):**
Bacterial or nonbacterial pneumonia. Accuracy of radiographic diagnosis.
Diag. Radiol 124: 607.
- Thacker, W.L.; Plikaytis, B.B. and Wilkinson, H.W. (1985):**
Identification of 22 legionella species and 33 serogroups with slide agglutination test.
J. Clin. Microbiol 21: 779-782.

- Thompson, W.A. Muldrow, E.J. 3rd and Qullette, R.A. (1981) :**
Demonstration of gelatinase activity of *L. pneumophila*
serogroup 1.
J. Clin. Microbiol. Oct, 12 (4) : 628-633.
- Thornsberry, C.; Baker C.N.; Kirven, L.A. (1978):**
Invitro activity of antimicrobial agents of legionnaires,
disease.
Antimicrobial Agent and Chemo therapy 13 (1) : 78 - 80.
- Thornsberry, C. and Kirver, L.A. (1978):**
"B-lactamase of legionnaires' bacterium"
Microbiol. 1: (51) 78-83.
- Thorpe, T.C.; Miller, R.D.; (1984):**
Legionella proceedings of second International symposium.
American Society for Microbiology, Washington, DC. P 97.
- Tison, D.L.; Pope, D.H. et al., (1980):**
Growth of *L. pneumophila* in association with blue-green
Algae.
Applied and Environmental Microbiology, 39 (2): 456-462.
- Tompkin, L.S.; Troup, N.J.; Woods, T. and Bibbw, (1987) :**
Molecular epidemiology of legionella species by restriction
endonuclease and alloenzyme analysis.
J. Clin Micbiol 1987; 25 : 1875-1880.
- Topley and Wilson's (1990):**
Principle of Bacteriology, Virology, Immunity and
Systemic Bacteriology. Vol. 1. 8th edition, Paraker, MT. And
collier, L.H. London.
- Torres, A.; Serra, Batlles, J.; Ros, E.; Piera, C.; Cobas, A. and Lomena,
F. (1992):**
Pulmonary aspiration of gastric contents in patients receiving
mechanical ventilation: the effect of body position. Ann.
Intern. Med.; 116 (7): 540-542.
- Torres, A.; El-Ebiary, M.; Gonzalez, J. Martos, A. and Rodriguez
Roisin, R. (1993):**
Gastric and pharyngeal of flora in nosocomial pneumonia
acquired during mechanical ventilation.
Am. Rev. Respir. Dis.; 148 (2) 352-357.

- Torres, A.; Gatell, J.; Aznar, E.; El-Ebiary, M.; Dela Bellacasa, J.; Gonzalez, J.; Ferrer, M. and Rodriguez, Roisin, R. (1995):**
Re-intubation increased the risk of nosocomial pneumonia.
Am. J. Respir. Crit Care Med. 152: 137-141.
- Tsai, T.F. and Fraser, D.W. (1978):**
"The diagnosis of legionnaires disease"
Ann. Intern. Med. 89: 413.
- Tyler, K.D. Wang, G.; Tyler, S.D. and Johnson, W.M. (1997):**
Factors affecting reliability and reproducibility and reproducibility of amplication based DNA finger printing of representative bacterial pathogens.
J. Clin. Microbiol 35: 339-346.
- Tyndall, R.L.; Christensen, S.W.; In Thornsberry, C.; Balows, A et al., (eds) (1984):** Proceedings of the Second International Symposium American Society for microbiology, Washington, D.C.; p. 311.
- Vanketel, R.J.; Terscheget, J. and Zanen, H.C. (1984):**
Molecular epidemiology of *legionella pneumophila* serogroup 1.
J.Clinic .Microbiol. 20 (3) :362-362.
- Vanketel, R.J. (1988):**
Similar DNA restriction endonuclease profiles in strains of *legionella pneumophila* from different serogroups.
J.Clinic .Microbiol. 20 (3) :362-362.
- Vanketel, R.J. (1989):**
Genetic typing of cluster of *legionella pneumophila* infections.
J.Clinic .Microbiol. 27 (2) :1105-1107.
- Venezia, R.; Agresta, M. and Hanely, E. (1994):**
Nosocomial legionellosis associated with aspiration of nasogastric feeding diluated in tap water.
Infect. Control. Hosp.Eidemiol. 15 :529-533.
- Wasylak, T.; Abbott, F. English, M. and Jeans, M. (1990):**
Reduction of post operative morbidity following patient-controlled morphin.
Can. J. Anaesth; 37: 726-731.

Weber, D. Raasch, R. and Rutala, W. (1999):

Nosocomial infection in the ICU: the growing importance of antibiotic-resistant pathogens.
Chest; 115 (suppl 3): 34S-41S.

Welsh, J.; and McClland, M. (1990):

Finger printing genomes using PCR with arbitrary primers.
Nucleic Acids Res. 18: 7123-7218.

White, H.J.; Felton, W.W. and Sun, C.N. (1980):

"Extrapulmonary histopathologic manifestation of legionnaires' disease: evidence for myocarditis and bacteremia".
Arch. Pathol. Lab. Med. 104: 287-289.

Wiblin, R. (1997):

Noscomial pneumonioa. In: Winzel, R.; editor prevention and control of Nosocomial Infections. 3rd ed. Baltimore: Willams and Wilkins; 807-819.

Wilkinson, H.W.; Fikes, B.J. and Cruce, D.D. (1979):

"Indirect immunofluorescence test for serodiagnosis of legionnaires' disease. Evidence for serogroup diversity of legionnaires' disease bacterial antigens and for multiple specificity of human antibodies.
J. Clin-Microbiol 9: 379-383.

Wilkinson, H.W. and Fikes, B.J. (1980):

Slide agglutination test for serogrouping of *legionella pneumophila* and atypical legionella-like organism.
J. Clin. Microbiol 11: 99-101.

Wilkinson, H.W.; Thacker, W.L. and Benson, R.F. (1986):

"*Legionella birminghamensis* sp. nov. isolated from a cardiac transplant recipient"
Journal of Clinical Microbiology, Nov. 25 (11): 2120-22.

Williams, A.; Baskerville, A. (1987):

Immunocytochemical demonstration of the association between *L.peumophila*, its tissue destructive protease, and lung disease in experimentally Legionnaires'disease.
Journal of pathology 140(2):77-90.

- Williams, J.G.; Keubellik, A.P. Livak, K.J. (1990):**
DNA polymorphisms amplified by arbitrary primers are useful as genetic markers.
Nucleic acid Res. 18: 6531-6535.
- Winn, W.C. (1978):**
Legionnaires' disease: historical perspective.
Clin. Microbiol Rev 1: 60.
- Winn, W.C. and Jely, J.R. (1988):**
L. pneumophila subgroups monoclonal antibody reactivity J. Inf. Dis. 1988 Dec; 158 (6) : 1412-1417.
- Winn, W.C. (1991):**
In: medical Microbiology Third Edition. Ed. Baron, S and Jennings, P. churchill Livingstone, New York. London, Tokyo, Melbourne, Edinburgh.
P.545-563.
- Winn, W.C. (1993):**
Legionella and the clinical microbiologist.
Infect. Dis. Clin. North Am. Jun; 7 (2) : 377- 392.
- Winnaker, E.L. (1987):**
From genes to colonies: Introduction of gene technology.
Winheim VCH verlagsgesellschaft 47: 533.
- Wong, K.H.; Schalla, W.O. and Felley, J. C. (1979):**
Immunochemical, serologic and immunologic properties of major antigens isolated from legionnaires, disease bacterium.
Ann. Intern. Med.; 90: 634-637.
- Wong, K.H. and Feeley, J.C. (1983):**
Proceedings of Society for Experimental Biology and Medicine 177: 475.
- Wreghitt, T.G.; Nagington, J. and Gray, J. (1982):**
"An ELISA test for the detection of antibodies to *Legionella pneumophila*".
J. Clin. Pathol 35: 657-660.

- Wright, J.B.; Ruseska, I.; Athar, M.A.; Corbett, S. and Costerton, J.W.;**
(1989):
"Legionella pneumophila grows adherent to surfaces in vitro and in situ".
Infect.-Control-Hosp. Epidemiol. 10: 408-417.
- Yamamoto, Y.; Klein, T.W. and Friedman, H. (1994):**
Legionella and macrophages.
Immunol. Ser.; 60: 329-348.
- Yee, R.B. Wadowsky, R.M. (1982):**
Hot water system as a source of *L. pneumophila* in hospital and non hospital plumbing system.
Microbiology, 43: (5) : 1104-1110.
- Yu, V.L.; Kroboth, F.J; Shonnard, J. (1982)**
Legionnaires' disease: new clinical perspective.
Am.J.Med. 73 (3): 357-361.
- Yu, V.L. (1990):**
"Legionella pneumophila (legionnaires 'disease)" In:
Principles and practice of infectious disease. Third Edition.
Ed. Mandell, G.L., Douglas, R.G. and Bennett, J.E.: John.
Wiley, and Sons. New York. P. 1764-1774.
- Yu, V.L. (1993) :**
Could aspiration be the major mode of transimission for legionella?
Am.J.Med. 95 (1): 13-15.
- Yu, V.L. (1995) :**
"Legionella pneumophila (legionnaires 'disease)" In:
Principles and practice of infectious disease. Fifth Edition.
Ed. Mandell, G.L., Douglas, R.G. and Bennett, J.E.: John.
Wiley, and Sons. New York. P. 2087-2097.
- Zuravleff, J.J.; Yu, V.L.; Shonnard, J.W.; Davis, B.K. and Riho, J.D.**
(1983):
"Diagnosis of legionnaires' disease. An update of laboratory methods with new emphasis on isolation by culture".
J. Am. Med.; assoc. 250: 1981-1985.