

REFERENCES

- Abu-Shady, H. and Soin, T.O. (1953) :** The chemistry of *Ambrosia maritima* L. Journal of American Pharmaceutical Association 42, 387-395.
- Adaay, M.H.; Rashan, L.J.; Sulayman, K.D.; Al-Abaar, M. and Ayoub, T. (1989) :** Antimicrobial activity of different extracts from the seeds of *Peganum harmala*. Fitoterapia 60 (4) : 363-365.
- Adebajo, A.C.; Otoké, K.J. and Aladesanmi, A.J. (1989) :** Antimicrobial activities and microbial transformation of volatile oils of *Eugenia uniflora*. Fitoterapia 60(5) : 451-455. (Abstract).
- Adebajo, A.C.; Aladesanmi, A.J. and Oloke, K. (1991) :** Antimicrobial activity of *Laportea aestuans*. Fitoterapia 62(6) : 504-505. (Abstract).
- Ageel, A.M.; Mossa, J.S.; Al-Yahya, M.A.; Al-Said, M.S. and Tariq, M. (1989) :** Experimental studies on antirheumatic crude drugs used in Saudi traditional medicine. Drugs under experimental and clinical research. (Jciebm) 15(8) : 369-72 (Abstract).
- Ahsan, S.K.; Shah, A.; Tanira, M.O.M.; Ahmad, M.S.; Tariq, M. and Ageel, A.M. (1990) :** Studies on some herbel drugs used against kidney stones in Sausi Folk Medicine Fitoterapia 61(5) : 435-438.

Akhtar, M.S. and Ali, M.R. (1985) : Study of hypoglycaemic activity of *Cuminum nigrum* seeds in normal and alloxan diabetic rabbits. *Planta Medica* 1985 No. (2) 81-85.

Akhtar, M.S. and Riffat, S. (1991) : Field trial of *Saussurea lappa* roots against nematodes and *Nigella sativa* seeds against cestodes in children. *Journal of the Pakistan Medical Association* (Jc : Khi) 41(8) : 185-7.

Akgul, A. (1989) : Antimicrobial activity of black cumin (*Nigella sativa* L.) essential oil Gazi. *Univ. Eczacilik. Fak. Derg.*; 6 : 63-68(1).

Alard, F.; Stievemart, C.; Vanparijs, Ph. Thilemans, L. and Geerts, S. (1991) : Toxicity and mutagenecity of the molluscicidal plant. *Ambrosia maritima* L. drugs and Chemical Toxicology (Submitted).

Al-Awadi, F.M. and Gumaa, K.A. (1987) : Studies on the activity of individual plants of an antidiabetic plant mixture. *Acta. Diabetol. Lat.* 24(1) : 37-41 (Abstract).

Ali, A.A.; Abdallam, O.M. and Steglish (1979) : Chlorosesquiterpene lactones from *Ambrosia maritima*. *Pharmazie* 44, 800-801.

Alkofahi, A.S.; Abdelaziz, A.; Mahmoud, I.; Abuirjie, M.; Hunaiti, A. and El-Oqla, A. (1990) : Cytotoxicity, mutagenecity and antimicrobial activity of forty jordan medicinal plants. *International Journal of Crude Drug Research* 28(2) : 139-144.

- Al-Shamma, A. and Mitscher, L.A. (1979) :** J. Nat. Prod. 42, 633.
[Quoted in reference Siddiqui et al. (1990)]
- Al-Yahya, M.A.; El-Sayed, A.M.; Hassan, M.M.A. and El-Meshal, I. (1989) :** The volatile of Saudi *Pulicaria crispa*. Arab Gulf Journal of Scientific Research 7(2) : 1-6. (Abstract).
- Al-Zaid, M.M.; Hassan, M.A.M.; Badir, N. And Gumma, K. (1991) :**
Evaluation of blood glucose lowering activity of three plant diet additives. International Journal of Pharmacognosy. 29(2) : 81-88. (Abstract).
- Amoros, M. and Girre, R.L. (1987) :** Structure of two antiviral triterpene saponins from *Anagallis arvensis*. Phytochemistry 26(3) : 787-791. (Abstract).
- Anderson, J.E.; Ma, W.; Smith, D.L.; Chang, C.J. and McLaughlin, J.L. (1992) :** Biologically active Y-lactones and methyl ketualkenes from *Lindera benzoin*. Journal of Natural Products 55(1) : 71-83. (Abstract).
- ANKE, H.; Bergendorff, O. and Sterner, O. (1989) :** Assays of the biological activities of guaiane sesquiterpenoids isolated from the fruit bodies of edible *Lactarius species*. Food and Chemical Toxicology 27(6) : 393-397. (Abstract).
- Aqeel, A.; Khursheed, A.K.; Viqaruddin, A. and Sabiha, Q. (1989) :**
Antimicrobial activity of julifloricine isolated from *Prosopis juliflora*. Arzneimittel. Forschung 39(6) : 652-655. (Abstract).

- Aqel, M. and Hadidi, M. (1991) :** Direct relaxant effect of *Peganum harmala* seed extract on smooth muscles of rabbit and Guinea pig. International Journal of Pharmacognosy 29(3) : 176-182 (Abstract).
- Arambewela, L.S.R. and Thiliniranutunge (1991) :** Indole alkaloids from *Tabernae montana* divaricata. Phytochemistry 30(5) : 1740-1741. (Abstract).
- Bailey, L.H. (1968) :** Manual of cultivated plants Macmillan New York, 994 4th Ed.
- Balandrin, M.F.; Klocke, J.A. Wartelle, E.S. and Bollinger, W.H. (1985) :** Science, 22, 1154.
- Barely, S.; Segal, R. and Yashphe, J. (1991) :** The antimicrobial activity of the essential oil from *Achillea fragrans*. Journal of Ethnopharmacology 33(1-2):187-191. (Abstract).
- Belot, J.; Bornarel, P.; Sidhom, M.; Sanokho and Diouf, M. (1989) :** *Ambrosia maritima* L. étude des propriétés molluscicides de plusieurs générations d'origine égyptienne et cultivées au Sénégal. Annales Pharmaceutiques Françaises 47, 62-67.
- Bloor, S.J. (1992) :** Antiviral phloroglucinols from New Zealand *Kunzea species*. Journal of Natural Products 55(1): 43-47. (Abstract).
- Bocchi, M.; Garlaschelli, L.; Vidari, G. and Mellerio, G. (1992) :** New Farnesane sesquiterpenes from *Hebeloma senescens*. Journal of Natural Products 55(4) : 428-431. (Abstract).

- Booth, N.H. (1977) :** Toxicology of drug and chemical residues in veterinary pharmacology and therapeutics (Jones, L.M.; Booth, N.H. and McDonald, L.E. Editors). 4th edition pp. 1299-1341. Iowa State University Press, U.S.A.
- Braunsteiner, R.D.; Pauli, B.; Sailer, S. and Sandhofer, F. (1965) :** Klin. Wech 43, 715. [Quoted in reference Akhtar, M.S. and Ali, M.R. (1985)].
- Caceres, A. Cabrera, O.; Morales, O.; Mollinedo, P. and Mendia, P. (1991) :** Pharmacological properties of *Moringa oleifera* L. Preliminary screening for antimicrobial activity. Journal of Ethnopharmacology 33(3) : 213-216. (Abstract).
- Chakravarty, N. (1993) :** Inhibition of histamine release from mast cells by nigellone. Annals of Allergy (Je:4 x c) 70(3): 237-42.
- Champagne, D.E. Koul, O.; Isman, M.B.; Scudder, G.G.E. and Towers, G.H.N. (1992) :** Biological activity of limonoids from the ruales. Phytochemistry 31(2): 377-394. (Abstract).
- Cheema, S.S.; Chahal, A.S.; Bansal, R.D. and Kapur, S.P. (1991) :** Efficacy of various bioproducts and chemicals against cucumber mosaic virus. (Abstract).
- Chen, K.; Shi, Q.; Fujioka, T.; Zhang, D.C.; Hv, C.Q.; Jin, J.Q.; Kiekuskie, E. and Lee, K.H. (1992) :** Anti-aids agents 4-tripterifordin, a novel anti-HIV principle from *Tripterygium wilfordii*, isolation and structural elucidation. Journal of Natural Products 55(1) : 88-92. (Abstract).

- Chen, K.; Shi, Q.; Kashiwada, Y.; Zhang, D.C.; Hu, C.Q.; Jin, J.Q.; Nozak, H.; Kilkuskie, R.E.; Tramontano, E. Chieng, Y.C.; McPhail, D.R.; McPhail, A.T. and Lee, K.H. (1992) :** Aids agents, 6-salaspermic acid, an anti-HIV principle from *Tripterygium wilfordiis* and the structure activity correlation with its related compounds. Journal of Natural Products 55(3) : 34-346. (Abstract).
- Chowdhury, B.L.; Hussaini, F.A. and Shoeb, A. (1990) :** Antiviral constituents from *Vicoa indica*. International Journal of Crude Drug Research 28(2) : 121-124. (Abstract).
- Constabel, C.P. and Towers, G.H.N. (1989) :** The complex nature of the mechanism of toxicity of antibiotic dithiacyclohexadiene polyines (thiarubrines) from the asteraceae. Planta Medica 55(1) : 35-37. (Abstract).
- Cordoba, M.A.; Coto, C.E. and Damnote, E.B. (1991) :** Virucidal activity in aqueous extract obtained from *Cedrela tubiflora* leaves. Phytotherapy 5(6) : 250-253. (Abstract).
- Cosar, G. and Cubukcu, B. (1990) :** Antibacterial activity of helichrysum species growing in Turkey. Fitoterapia 6(2) : 161-164. (Abstract).
- Cruickshank, R.; Dugcid, J.P.; Marmion, B.P. and Swain, R.H.A. (1975) :** Medical Microbiology : The practice of medical microbiology twelfth edition, Volume II Churchill Livingstone, London.

- Cruz, T.; Cabo, A.P.; Cabo, M.M.; Jimenezg, J.; Cabo, J. and Ruiz, C. (1989) :** In vitro antibacterial effect of the essential oil of *Thymus longiflorus* boiss. *Microbios* 60(42) : 59-61. (Abstract).
- Dellacassa, E.; Menendez, P.; Moyna, P. and Cerdeiras, P. (1989) :** Antimicrobial activity of *Eucalyptus* : essential oil. *Fitoterapia* 60(6) : 544-546. (Abstract).
- Dentali, S.J. and Hoffmann, J.J. (1992) :** Potential anti-infective agents from *Eriodictyon angustifolium* and *Salvia apiana*. *International Journal of Pharmacognosy* 30(3) : 223-231. (Abstract).
- Diaz, R.M.; Queve3dosarmiento, J.; Ramos Cormenzana, A.; Cabo, P. and Cabo, J. (1989) :** Phytochemical and antibacterial screening of some species of Spanish Asteraceae Part II. *Fitoterapia* 60(4) : 353-355. (Abstract).
- Duncan, J. (1985) :** The toxicology of plant molluscicides. *Pharmacology and Therapy* 27, 243-264.
- Ebana, R.V.B.; Madunagu, B.E.; Ekpe, E.D. and Otung, I. (1991) :** Microbiological exploitation of cardiac glycosides and alkaloids from *Garcinia kola*, *Borreria ocymoides*, *Kola nitida* and *Citrus aurantifolia*. *Journal of Applied Bacteriology* 71(5) : 398-401. (Abstract).
- Economow, D. and Nahrstedt, A. (1991) :** Chemical, physiological and toxicological aspects of the essential oil of some species of the Genus *Bystropogon*. *Planta Medica* 57(4) : 347-351. (Abstract).

- El-Abyad, M.S.; Morsi, N.M.; Zaki, D.A. and Shaaban, M.T. (1990) :***
Preliminary screening of some Egyptian weeds for
antimicrobial activity. Microbios. 62(250) : 47-57.
(Abstract).
- El-Fatatry, M.H.; Al-Alfy, T.S. and Toama, M.A. (1975) :*** Isolation
and structure assignment of an antimicrobial principle
from the volatile oil of *Nigella sativa* L. seeds.
Pharmazie, 30 : 111-113 Feb.
- El-Khalifa E.G. and Sharkas, M.S. (1984) :*** Kawaiti medicinal plants
1st edition p. 182, p. 365 (Arabic Language).
- El-Magdoub, A.J.; El-Sawy, M.F.; Bassiouny, H.K.; El-Sayed, I.A.;
Ghalil, R.A. and Hassan, E.M. (1980) :*** An evaluation of
the plant *Ambrosia maritima* as a molluscicide. Irish
Veterinary Journal 34, 157-159.
- El-Sawy, M.F.E.D.; Bassiouny, H.K.; Rashwan, A. and El-Magdoub,
A.I. (1978) :*** *Ambrosia maritima* (domsissa) a safe and
effective molluscicide in the field. Bulletin of the high
institute of Public Health of Alexandria 8, 307-317.
- El-Sawy, M.M. (1979) :*** Common weed (*Ambrosia maritima*) may
control bilharziasis. Ceres 12(5), 71 : 8-9.
- El-Sawy, M.F.E.D.; Bassiouny, H.K. and El-Magdoub, A.I. (1981) :***
Biological control of schistosomiasis. *Ambrosia maritima*
(domsissa) for snail control. Journal of Egyptian Society
of Parasitology 11, 99-117.

El-Sawy, M.F.E.D.; Duncan, J.; Marshall, T.F.; Shehata, M.A.R. and Brown, N. (1984) : The molluscicidal properties of *Ambrosia maritima* L. 2-Results from a field trial using dry plant material. Tropenmedizin und Parasitologie 35, 100-104.

El-Sawy, M.F.E.D.; Duncan, J.; Amer, S.; El-Ruweini, H.; Brown, N. and Hills, M. (1987) : The molluscicidal properties of *Ambrosia maritima* L. (Compositae). 3-A comparative field trial using dry and freshly harvested plant material. Tropenmedizin und Parasitologie 38, 101-105.

El-Sayed, A.M.; Al-Yahya, M.A. and Hassan, M.M.A. (1989) : Chemical composition and antimicrobial activity of the essential oil of *Chenopodium botrys* growing in Saudi Arabia. International Journal of Crude Drug Research 27(4) : 185-188.

El-Shayeb, N.M.R. and Mabrouk, S.S. (1984) : Utilisation of some edible and medicinal plants to inhibit aflatoxin formation. Bibliographic Citation : Nutrition Reports International 29 : 2, 273-282 (Abstract).

Emboden, W.A. (1979) : Narcotic plants. New York, Mc Millan, p.125. [Quoted in reference Siddiqui et al. (1990)].

Fahmy, D.R. and Darwish, M. (1949) : A contribution to the study of *Ambrosia maritima* L. Bulletin of Federation of International Pharmacologists 32, 491-507.

- Ferrari, F.; Messana, I.; Araujo, M. and Do, C.M.De. (1989) :**
Structures of three new flavone derivatives brosimones
G.H. and I. from *Brosimopsis Oblongifolia*. *Planta Medica*
55(1) : 70-72. (Abstract).
- Finegold, S.M. and Martin, W.J. (1982) :** Diagnostic Microbiology.
6th edition. The C.V. Mosby Company, London. p.p.
532-557.
- Food, L.Y. and Wong, H. (1992) :** Phyllanthusiin hydrolysate tannin
from *Phyllanthus amarus*. *Phytochemistry* 31(2):711-713.
(Abstract).
- Fournier, P. (1948) :** Le livre des plantes médicinales et vénéneuses de
France. Le Chevalier (Encyclopédie Biologique, 32).
- Fukui, H.; Goto, K. and Tabata, M. (1988) :** Two antimicrobial
flavanones from the leaves of *Glycyrrhiza glabra*.
Chemical and Pharmaceutical Bulletin.36(10):4174- 4176.
- Gabre, W. (1987) :** Medicinal plants 1st edition Dar El-Geel Beirut p.p.
129-318. (Arabic Language).
- Garg, S.C. and Dengre, S.L. (1992) :** Composition of the essential oil
from the leaves of *Buddleia asiatica* Lour. *Flavour and*
Fragrance Journal 7(3) : 125-127. (Abstract).
- Geerts, S.; Belot, J.; Sabbe, F.; Triest, L. and Sidhom, M. (1991) :**
Ambrosia maritima effect on molluscs and non-target
organisms. *Journal of Ethnopharmacology* (Jc : K8t)
33(1-2) : 1-12.

- Gonzalez, A.G.; Abad, T.; Jimenez, I.A.; Ravelo, A.G.; Luis, J.G.; Aguiar, Z.; San Andres, L.; Plasencia, M.; Herrera, J.R. and Moujii, L. (1989) :** A first study of antibacterial activity of diterpenes isolated from some salvia species (lamiaceae). *Biochemical Systematics and Ecology* 17 (4): 293-296. (Abstract).
- Gören, N.; Bozok-Johansson, C.; Jakupovic, J.; Lingl, J.; Shieh, H.L.; Cordell, G.A. and Celik, N. (1992) :** Sesquiterpene lactones with antibacterial activity from *Tanacetum densum* subsp. *sivasiam*. *Phytochemistry* 31(1):101-104. (Abstract).
- Graven, E.H.; Deans, S.G.; Svoboda, K.P.; Mavi, S. and Gundidza, M.G. (1992) :** Antimicrobial and antioxidative properties of the volatile (essential) oil of *Artemisia afra* Jacq. *Flavour and Fragrance Journal* 7(3) : 121-123. (Abstract).
- Gu, L.H.; Li, X.; Yan, S.Q. and Zhu, T.R. (1989) :** Studies on antibacterial constituents from *Gerbera anandria* (L.) Sch Bip. V. *Acta Pharmaceutica Sinica* 24(10) : 744-748. (Abstract).
- Gupta, S.; Choudhry, M.A.; Yadava, J.N.S.; Srivastava, V. and Tandon, J.S. (1990) :** Antidiarrheal activity of diterpenes of *Andrographis paniculata*(Kal-megh) against *Escherichia coli* enterotoxin in in vivo models. *International Journal of Crude Research* 28(4) : 273-283. (Abstract).
- Hanafy, M.S. (1991) :** Studies on the antibacterial activity of some plant extracts, M.Sc. Thesis, Cairo University, Fac. Vet. Medicine, Cairo University.

- Hanafy, M.S. and Hatem, M.E. (1991) :** Studies on the antimicrobial activity of *Nigella sativa* seed (Black cumin). J. Ethno-pharmacol.; 34 : 275-278, 2-3.
- Harsh, M.L. and Nag, T.N. (1984) :** J. Nat. Prod. 47, 365. [Quoted in reference Adaay et al. (1989)].
- Hashidoko, Y.; Tahara, S. and Mizutani, J. (1992) :** Rugosal A and related carotane sesquiterpenes in the gland-lar trichome exudate of *Rosa rugosa*. Phytochemistry 31(3) : 779-782. (Abstract).
- Helal, H.S. and Hilmy, R. (1951) :** Pharmacological action of *Ambrosia maritima*. Journal of the Royal Egyptian Medical Association 34, 20-25.
- Helal, S.H.; Heberyoungesky, W. (1984) :** Certain poisonous plants of Egypt. Al-Ahram Cairo pp. 66. (Arabic Language).
- He, Z.Q. and Findlay, L.A. (1991) :** Constituent of *Astragalus membranaceus*. Journal of Natural Products 54(3) : 810-815. (Abstract).
- Hiranthi Jayasuriya; Clark, A.M. and Mc Chesney, J.D. (1991) :** New antimicrobial filicinic acid derivatives from *Hypericum drummondii*. Journal of Natural Products 54(5) : 1314-1320. (Abstract).
- Hughes, B.G. and Lawson, L.D. (1991) :** Antimicrobial effects on *Allium sativum* L. (garlic), *Allium ampeloparum* L. (elephantgarlic) and *Allium cepa* (onion), garlic compounds and commercial garlic supplement products. Phytotherapy Research 5(4) : 145-158. (Abstract).

- Hudson, J.B.; Grahan, E.A.; Lam, J. and Towers, G.H.N. (1991) :** Ultraviolet dependent biological activities of selected polyines of the Astraceal. *Planta Medica* 57(1) : 69-73. (Abstract).
- Igwilo, C.I.; Akpan, U.E.; Adeoye, A.O. and Ilozor, C.N. (1991) :** Effect of cream bases on the antimicrobial properties of the essential oil of *Aramomum melegueta*. *International Journal of Pharmacognosy* 29(1) : 45-50. (Abstract).
- Islam, S.N.; Moniro Ahsan; Ferdous, A.J. and Faroque, A.B.M. (1990) :** In vitro antibacterial activities of commonly used spices. *Bangladesh Journal of Botany* 19(1) : 99-101. (Abstract).
- Ivie, G.W. and Witzel, D.A. (1983) :** Sesquiterpene lactones : Structure, biological action and toxicological significance. In : R.F. Reeler and A.T. Tu (Eds.), *Handbook of Natural Toxins* Marcel Dekker, Inc., New York and Basel, pp. 543-584.
- Iwu, M.M.; Ezeugwu, C.O.; Okunji, C.O.; Sanson, D.R. and Tempesta, M.S. (1990) :** Antimicrobial activity and terpenoids of the essential oil of *Hyptis suaveolens*. *International Journal of Crude Drug Reseach* 28(1) : 73-76. (Abstract).
- Iwu, M.M.; Uaeze, N.C.; Okunji, C.O.; Corley, D.G.; Sanson, D.R. and Tempesta, M.S. (1991) :** Antibacterial aromatic isothiocyanates from the essential oil of *Hippocratea welwitschii* roots. *International Journal of Pharmacognosy* 29(2) 154-158. (Abstract).

- Jakupovic, J.; Sun, H.; Geerts, S. and Bohlmann, F. (1987) :** New pseudoguaianolides from *Ambrosia maritima*. *Planta Medica* 52, 49-51.
- Jit, S.; Shekhawat, S.; Carover, S. and Nag, T.N. (1986) :** Screening of some plants of zygophyllaceae for their antimicrobial activity. *Acta Botanica Indica* 14(1) : 45-47 (Abstract).
- Joshi, D.Y.; Wani, D.D. and Seema Deshpande (1991) :** Studies on the antibacterial properties of liverworts. From Maharashtra, India. *Advances in Plant Sciences* 4(1) : 8-12. (Abstract).
- Kang, R.; Helms, R.; Stout, M.J.; Jaber, H.; Chen, Z.Q. and Nakatsu, T. (1992) :** Antimicrobial activity of the volatile constituents of *Perilla frutescens* and its synergistic effects with polygodial. *Journal of Agriculture and Food Chemistry* 40(11) : 2328-2330. (Abstract).
- Kawabata, J.; Ichikawa, S.; Kurihara, H. and Mizutani, J. (1989) :** Kobophenol A, a unique tetraastilbene from *Carex kobomugi* Ohwi (Cyperaceae). *Tetrahedron letters* 30(29): 3785-3788. (Abstract).
- Kerbaro, J. and Adam, J.G. (1974) :** La pharmacopée sénégalaise traditionnelle : Plantes médicinales et toxiques. Vigot Fréves, Paris, p. 223.
- Khan, M.M.A.A.; Jain, D.C.; Bhakuni, R.S.; Mohd Zaim and Thakur, R.S. (1991) :** Occurrence of some antiviral sterols in *Artemisia annua*. *Plant Science (Limerick)* 25(2) 161-165. (Abstract).

- Khushbaktova, Z.A.; Syrov, V.N.; Dzhukharova, M.Kh. and Rakhimor, D.A. (1987) :** Studies on the hypolipidemic properties of polysaccharides isolated from species of the Central Asia Flora. *Khimiko- Farmatsevticheskii/Zhurnal* 21(11) 1348-1352 (Abstract).
- Kikino, H.; Kiso, Y.; Kato, N.; Hamada, Y.; Shroiri, T.; Aiyama, R.; Itokawa, H.; Kiuchi, F. and Sankawa, V. (1985) :** Antihepatotoxic actions of gingerols and diarylheptanoids. *Journal of Ethnopharmacology* 14(1) : 31-39 (Abstract).
- Kloos, H. and Mc Cullough, F.S. (1982) :** Plant molluscicides. *Planta Medica* 46, 195-209.
- Konoshima, T.; Takasaki, M.; Kozuka, M.; Tokuda, H.; Nishino, H.; Iwashima, A.; Haruna, M. Ito, K. and Tanabe, M. (1990):** Inhibitory effects on Epstein-Barr virus activation and antitumour. Promoting activities of neolignans. From *Magnolia officinalis*. *Planta Medica* 56(6):653. (Abstract).
- Koseki, I.; Simoni, I.C.; Nakamura, I.T.; Noronha, A.B. and Costa, S.S. (1990) :** Antiviral activity of plant extracts against Aphthovirus, pseudorabies virus and pestivirus in cell culture. *Microbios letters* 44 (173) 19-30. (Abstract).
- Kottb, F.T. (1983) :** Medicinal Plants in Libya. Arab Encyclopedia House, Beirut, Lebanon. [Quoted in reference Alkofahi et al. (1990)].
- Krogstad, D.J. and Moellering, R.C., Jr. (1979) :** Combinations of antibiotics, mechanisms of interaction against bacteria. In antibiotics in laboratory medicine. (Lorian, V., editor). Williams and Williams Baltimore, pp. 299-341.

Laekeman, G.M.; Claeys, M.; Rwangabo, P.C.; Herman, A.G. and Vlietinck, A.J. (1986) : Cardiovascular effects of 3-methylquercetin, *Planta Medica* No.6 , 433-437. (Abstract).

Leonhardt, K.; Anke, T.; Hillen-Maske, E. and Steglich, W. (1987) : 6-Methylpurine, 6-methyl-9-B-D-ribofuranosylpurine and b-hydroxymethyl-9-B-D-ribofuranosylpurine as antiviral metabolites of *Collybia maculata* (Basidiomycetes) .*Zeitschrift Für Natur Forschung Section C, Biosciences* 42 (4) : 420-424. (Abstract).

Leung, A.W.; Mo, Z.X. and Zheng, Y.S. (1991) : Reduction of cellular damage induced by cerebral ischemia in rats. *Neurochemical Research* (Jc : n x g) 16(6) : 687-92 (Abstract).

Linkewish, J.A. (1980) : Adverse effects of drugs. In Remington's pharmaceutical Sciences. (Osai, A., Editor). 16th edition spp. 1268-1282. Mack Publishing Company, Pennsylvania, U.S.A.

Liu, F.; Wei, Y.; Yang, X.Z.; Li, F.G.; Hu, J. and Cheng, R.F. (1992): Hypotensive effects of safflower yellow in spontaneously hypertensive rats and influence on plasma renin activity and angiotensin II level. *Yao Hsueh Hsueh Pao-Acta Pharmaceutica Sinica* (Jc : Ipu) 27(10) : 785-7.

Lu, Z.W.; Liu, F.; Hu, J.; Bian, O. and Li, F.G. (1991) : Suppressive effects of safflower yellow on immune functions. (Jc : Ipg) 12(6) : 537-42. (Abstract).

- Mahfouz, M. and El-Dakhakhny, M. (1960) :** The isolation of a crystalline active principle from *Nigella sativa* L. seeds U.A.R. J. Pharma. Sc. 91.
- Mahmoud, M.; Tawad, A.L.M.; Hussain, A.M.; Alomari, M. and Al-Naib, A. (1989) :** In vitro antimicrobial activity of *Salsola rosmarinus* and *Adiantum capillus-veneris*. International Journal of Crude drug research 27(1): 14-16. (Abstract).
- Mahran, G.H. (1967) :** "Medicinal Plants" Anglo Egyptian Bookship, 1st Ed. p. 465.
- Mar, W.; Tan, G.T.; Cordell, G.A.; Pezzuto, J.M.; Jurcic, R.; Offermann, F.; Redl, K.; Steinke, B. and Wagner, H. (1991) :** Biological activity of novel macrocyclic alkaloids (budmuchiamines) from *Albizia amara* detected on the basis of interaction with DNA. Journal of Natural Products 54(6) : 1531-1542. (Abstract).
- Marco, J.A.; Sanz, J.F.; Yuste, A.; Carda, M. and Jakupovic, J. (1991) :** Sesquiterpene lactone from *Artemisia barrelieri*. Phytochemistry 30(11) : 3661-3668. (Abstract).
- Marques, M.R.; Albuquerque, L.M.B. and Xavier-Filho, J. (1992) :** Antimicrobial and insecticidal activities of cashew tree gum exudate. Annals of Applied Biology 121(2):371-377. (Abstract).
- Masuda, T.; Inazumi, A.; Yamada, Y.; Padolina, W.G.; Kikuzaki, H. and Nakatani, N. (1991) :** Antimicrobial phenyl propanoids from *Piper sarmentosum*. Phytochemistry 30(10) : 3227-3228. (Abstract).

- Meena Syed; Chaudhary, F.M. and Bhatti, M.K. (1989) :** Antimicrobial activity of the essential oils of Umbelliferae family: Part VIII. *Seseli libanotis*, *Ligusticum Stewartii* and *Pycnocycla aucheriana* oils. Pakistan Journal of Scientific and Industrial Research 32(5) : 316-319. (Abstract).
- Mensah, J.L.; Lagarde, I.; Ceschin, C.; Michel, G.; Gleye, J. and Fouraste, I. (1990) :** Antibacterial activity of the leaves of *Phyllanthus discoideus*. Journal of Ethnopharmacology 28(1) : 129-133. (Abstract).
- Merikli, A.H. (1990) :** The lipophilic compounds of a Turkish *Matricaria chamomilla* variety with no chamazulene in the volatile oil. International Journal of Crude Drug Research 28(2) : 145-147. (Abstract).
- Meyer, B.N.; Ferrigni, N.R.; Pulnan, J.E.; Jacobsen, L.B.; Nichols, D.E. and Mclaughlin, J.L.(1982) :** Planta Medica 45 : 31-34. [Quoted in reference Al-Kofahi et al. (1990).
- Mitchell, J.C. (1975) :** Contact allergy from plants. Recent Advances in Phytochemistry 9, 119-138. (Abstract).
- Moraes,E.; Souza, M.A. De; Bieber,L.W.; Méllö,J.F. de; Cavalcanti, M.S.B.; Silvafilho, A.A.D.A. and Nascimento, S.C. Do (1991) :** Antimicrobial activity of *Indigofera microcarpa* benzofurans. Fitoterapia 62(6): 514-516. (Abstract).
- Moran, A.;Montero, M.J.;Martin, M.L. and San, Roman, L. (1989) :** Pharmacological screening and antimicrobial activity of essential oil of *Artemisia caerulea* subsp. Journal of Ethnopharmacology 26(2) : 197-203. (Abstract).

- Nadir, M.T.; Hatem, N.A.R.; Adbul-Khalia, N. and Yousif, N.J. (1991) :** The constituents of *Achillea conferta* : Phytochemical and antimicrobial studies. International Journal of Pharmacognosy 29(2) : 89-93. (Abstract).
- Nagib, S.S. (1978) :** A pharmacognostical study of certain *Nigella* species growing in Egypt. M. Sc. Thesis Fac. Pharmacy Cairo University.
- Nair, S.C.; Salomi, M.J.; Panikkar, B. and Panikkar, K.R. (1991) :** Modulatory effects of *Crocus sativus* and *Nigella sativa* extracts on cisplatin-induced toxicity in mice. Journal of Ethnopharmacology (Jc : K8t) 31(1) : 75-83 (Abstract).
- Nakayama, R.; Murato, M.; Homma, S. and Aida, K. (1990) :** Antibacterial compounds from *Eucalyptus perriniana*. Agricultural and Biological Chemistry 45(1) : 231-232. (Abstract).
- Namba, T.; Tsunetzuka, M.; Dissanayake, D.M.R.B.; Pilapitya U. Saito, K.; Kakiuchi, N. and Hattori, M. (1985) :** Studies on dental caries prevention by traditional medicines. Part VII : Screening of Ayurvedic Medicines for Antiplateque action. Japanese Journal of Pharmacognosy 39, 146-153.
- Neszmélyi, A.; Milne, G.W.A.; Podányi, B.; Koczka, I. and Héthelyi, É (1992) :** Composition of the essential oil of clone 409 of *Tanacetum vulgare* and 2D NMR investigation of transchrysanthenoyl acetate. Journal of Essential Oil Research 4(3) : 243-250. (Abstract).

- Nguyen, T.Hi; Nghia, Válka, I.; Weigl, E.; Simanek, V.; Cortes, D. and Cavé, A. (1991) :** Alkaloids from leaves of *Phaeanthus vietnamensis*. *Fitoterapia* 62(4) : 315-318. (Abstract).
- Nitao, J.K.; Nair, M.G.; Thoragood, D.L.; Johnson, K.S. and Scriber, J.M. (1991) :** Bioactive neolignans from the leaves of *Magnolia virginiana*. *Phytochemistry* 30(7) : 2193-2195. (Abstract).
- Obasi, N.B. and Igboechi, A.C. (1991) :** Seed oil distillates of *Thevetia peruviana* (Syn. *T. neerifolia*) : Analyses and antibacterial activity. *Fitoterapia* 62(2) : 159-162. (Abstract).
- Oganesyan, G.B.; Galstyan, A.M.; Mnatsakanyan, V.A.; Paronikyan, R.V. and Ter-Zaharyan, Yu.Z. (1991) :** Phenolic and flavonoid compounds of *Ziziphora clinopodioides*. *Chemistry of Natural Compounds* 27(2): 247. (Abstract).
- Ogunti, E.Ol; Aladesanmi, A.J. and Adesanya, S.A. (1991) :** Anti-microbial activity of *Cassia alata*. *Fitoterapia* 6, 537-539. (Abstract).
- Okyl, A.M.; Mossa, G.S.; Tarek, M.; Al-yahya, M.A. and Solayman, M. (1987) :** Saudia plants used in folkolore medicine. Abdel-Aziz King City of Science p.p. 25-293 (Arabic lanugage).
- Ortiz de Urbina, A.V.; Martin, M.L.; Montero, M.J.; Carron, R. and San Roman, L. (1988) :** Pharmacologic screening and antimicrobial activity of the essential oil of *Calamintha Sylvatica* subsp. *ascendens*. *Journal of Ethnopharmacology* 23 (2-3) : 323-328. (Abstract).

- Parveen, M.; Taufeed, H.M.; Khan, N.V.; Siddiqui, M. and Ratan, A. (1989) :** Phytochemical investigation of the leaves of *Cupressus funebris*. *Fitoterapia* 60(6):554-555. (Abstract).
- Paulo, M. De Q.; Barbsa-Filho, J.M.; Lima, E.O.; Maia, R.F.; Barbosa, R. De C.B.B.C. and Kaplan, M.A.C. (1992) :** Antimicrobial activity of benzyloquinoline alkaloids from *Annona salzmanii* D.C. *Journal of Ethnopharmacology* 36(1) : 39-41. (Abstract).
- Perry, L.M. and Metzger, J. (1980) :** Medicinal plants of East and South East Asia : Attributed properties and uses. Cambridge, Massachusetts London, England p.p. 89-437.
- Perry, N.B.; Blunt, J.W. and Munro, M.H.G. (1991) :** A cytotoxic and antifungal 1,4-naphthoquinone and related compounds from a New Zealand brown alga, *landsburgia quercifolia*. *Journal of Natural Products* 54(4) : 978-985. (Abstract).
- Peshney, N.L. and Moghe, P.G. (1989) :** Inhibition of tabaccomosaic virus from chilli by different plant extracts. *Research Journal* 13(2) : 119-123. (Abstract).
- Pickman, A.K.; Arnason, J.T. and Lambert, J.D.H. (1986) :** Hg-menin, another. Sesquiterpene lactone in *Ambrosia maritima*. *Journal of Natural Products*, 49, 556.
- Purseglove, J.W. (1974) :** Tropical crops dictyledons Vol. (1 & 2) combined 1st edition Published for ELBS Longman, pp. 52.

Puyvelde, L. Van; Kimpe, N. De; Costa, J.; Munyjabo, V.; Nyirankuliza, S.; Hakizamungu, E. and Schamp, N. (1989) : Isolation of flavonoids and achalcone from *Helichrysum odoratissimum* and synthesis of helichrysetin. *Journal of Natural Products* 52(3): 629-633. (Abstract).

Rao, G.P.; Panbey, A.K. and Shukla, K. (1986) : Essential oil of some higher plants vis-à-vis some legume viruses. *Indian Perfumer* 30(4) : 483-486.

Rashan, L.J.; Adaay, M.H. and Al-Khazraji, A.L.T. (1989) : In vitro antiviral activity of the aqueous extracts from the seeds of *Peganum harmala*. *Fitoterapia* 60(4) : 365-367.

Rathee, P.S.; Mishra, S.H. and Kaushal, R. (1982) : Antimicrobial activity of essential oil, fixed oil and unsaponifiable matter of *Nigella sativa* linn. *Indian Journal of Pharmaceutical Sciences*, 44, 8-10.

Ray, P.G. and Majumdar, S.K. (1975) : New antifungal substance from *Alpinia officinarum* Hance. *Indian Journal of Experimental Biology* 13(4) : 409.

Rho, D.; Chauret, C.; Laberge, N. and Archambault, J. (1992) : Growth characteristics of *Sanguinaria canadensis* L. cell suspensions and immobilized cultures for production of benzophenanthridine alkaloids. *Applied Microbiology and Biotechnology* 36(5) : 611-617. (Abstract).

Rodriguez, E.; Tower, G.H.N. and Mitchell, J.C. (1976) : Biological activities of sesquiterpene lactones. *Phytochemistry* 15, 1573-1580.

- Roming, T.L.; Weber, N.D.; Murray, B.K.; North, J.A.; Wood, S.G.; Hughes, B.C. and Cates, B.G. (1992) :** Antiviral activity of *Panamanian* plant extracts. *Phytotherapy Research* 6(1): 38-43. (Abstract).
- Ross, S.A.; Megalla, S.E.; Bishay, D.W. and Awad, A.H. (1980) :** *Fitoterapia* 51, 309.[Quoted in reference Siddiqui et al. (1990)].
- Sabri, N.N.; Abou-Donia, A.A.; Ghazy, N.M.; Assad, A.M.; El-Lakany, A.M.; Sanson, V.R.; Gracz, H.; Barnes, C.L.;Schlemper, E.O.;E.O. and Tempesta, M.S. (1989):** Two new rearranged obietane diterpene quinones from *Salvia aegyptiaca* L. *Journal of Organic Chemistry* 54 (17) : 4097-4099. (Abstract).
- Salama, N.A.A.; Mahmoud, Z.F.; Ziesche, J. and Jakupovic, J. (1984) :** Sesquiterpene lactones from *Ambrosia maritima*. *Phytochemistry* 23, 2851-2853.
- Salomi, M.J.; Nair, S.C. and Panikkar, K.R. (1991) :** Inhibitory effects of *Nigella sativa* and saffron (*crocus sativus*) on chemical carcinogenesis in mice. *Nutrition and Cancer* (Jc : 094) 16(1) : 67-72.
- Salomi, N.J.; Nair, S.C.; Jayawardhanan, K.K.; Vargbese, C.D. and Panikkar, K.R. (1992) :** Antitumour principles from *Nigella sativa* seeds. *Cancer letters*. (Jc : CMX) 63(1) : 41-6 (Abstract).
- Saradha Vasanth; Rao, R.B. and Purushothaman, K.K. (1989) :** Occurrence of Artecanin and jaceosidin in *Artemisia pariviflora* Buch. Ham. *Indian Journal of Pharmaceutical Sciences* 51(6) : 265-266. (Abstract).

- Saxena, A.P. and Vyas, K.M. (1986) :** Antimicrobial activity of seeds of some ethnomedicinal plants. *Journal of Economic and Toxonomic Botany* 8, 291-299.
- Shapira, Z.; Terkel, J.; Ecozi, Y.; Nyska, A. and Friedman, J. (1989) :** Abortifacient potential for the epigeal parts of *Peganum harmala*. *Journal of Ethnopharmacology* 27(3) : 319-325 (Abstract).
- Sherif, A.F. and El-Sawy, M.F.E.D. (1962) :** Molluscicidal action of an Egyptian herb. 1, laboratory experimentation Alexandria. *Medical Journal* 8, 139-148.
- Sherif, A.F. and El-Sawy, M.F.E.D. (1977) :** Field trials of the molluscicidal action of *Ambrosia maritima* (damsissa). *Bulletin of the high Institute of Public Health of Alexandria* 7, 1-4.
- Shoeb, H.A. and El-Emam, M.A. (1976) :** The molluscicidal properties of natural products from *Ambrosia maritima*. *Egyptian Journal of Bilharziasis* 3, 157-167.
- Siddiqui, M.B.; Alam, M.M.; Wazahat Husain and Sharma, G.K. (1988) :** Ethno-medicinal study of plants used for terminating pregnancy. *Fitoterapia* 59(3) : 250-252.
- Siddiqui, S.B.S.; Siddiqui, A.; Naeed, S.; Begum; Khan, K.A.; Ahmad, S. and Sultana, S. (1990) :** Some new derivatives of harmaline and their antibacterial activity. *Fitoterapia* LXI (5) 425-433.

- Sidhom, M.Z. and Geerts, S. (1984) :** Comparison dell'action molluscicide d'une souche sénégalaise et égyptienne d'*Ambrosia maritima*. Revue d'Elevage et de Medecine Vétérinaire des Pays Tropicaux 37, 442-448. (Abstract).
- Simpol, L.; Dayrit, F.; Abe, F. and Yamauchi, T. (1989) :** Isolation of maslinic acid from the leaves of *Bixa orellana*. Philippine Journal of Science 118(2):147-166. (Abstract).
- Singh, R.P. (1983) :** Search for antifeedants in some botanicals for desert locust schistocerca gregaria forskal. Bibltrographic Citation Zeitschrift-Fur Angewanto Entomologie, 96 : 3, 316-319.
- Singh, S.P.; Negi, S.; Laxmi Chanol and Singh, A.K. (1992) :** Antibacterial and antifungal activities of *Mentha arvensis* essential oil. Fitoterapia 63(1) : 76-78. (Abstract).
- Sofowora, A. (1982) :** Medicinal plants and Traditional Medicine in Africa. John Wiley and Sons Limited, NY., USA.
- Svendsen, A.B. and Scheffer, J.J.C. (1982) :** Pharmaceu Weekbl. Sci. Ed., L., 93.
- Tackholm, V. (1974) :** Student's Flora of Egypt 2nd edition Beirut. pp. 300.
- Takahashi, A.; Rusano, G.; Ohta, T. and Nozoe, S. (1988) :** The constituents of *Lactarius flavidulus* Imai. Chemical and Pharmaceutical Bulletin 36(7) : 2366-2370. (Abstract).

- Tennekoon, K.H.; Jeevathayaparan, S.; Rurukulasooriya, Kurukulasooriya, A.P. and Karunanayake, E.H. (1991) :** Possible hepatotoxicity of *Nigella sativa* seeds and dregea volubilis leave Ethno-Pharmacol., 31 : 283-289, 3.
- Tih, A.; Tih, R.G.; Sondengam, B.L.; Martin, M.T. and Bodo, B. (1992) :** Tetraflavonoids of *Lophira alata*. Phytochemistry 31(3) : 981-984. (Abstract).
- Tomas, L.F.; Iniesta-Sanmartin, E.; Tomas-Barberan, F.A. and Guirado, A. (1991) :** Antimicrobial phenolics from *Helichrysum picardii*. Fitoterapia 62(6):521-523. (Abstract).
- Tommasi, N.De; Conti, C.; Stein, M.L. and Pizza, C. (1991) :** Structure and in vitro antiviral of triterpenoid saponins from *Calendula arvensis*. Planta Medica 57(3) : 250-253. (Abstract).
- Toppozada, H.H.; Mazloun, H.M. and El-Dakhakhny, M. (1965) :** J. The antibacterial properties of *Nigella sativa* L. seeds, active principle with some clinical application. Egypt. Med. Ass. 48, 187-202.
- Tringali, C.; Piattelli, M.; Geraci, C.; Nicolosi, G. (1989) :** Antimicrobial tetraprenyl phenols from *Suillus granulatus*. Journal of Natural Products 52(5) : 941-947. (Abstract).
- Twaij, H.A.; Elisha, E.E. and Khalid, R.M. (1989) :** Analgesic studies on some Iraqi medicinal plants. Part II International Journal of Crude Research 27(2) : 109-112.

- Tyler, U.E. (1986) :** Recent advances in herbal medicine. *Pharma. Int.*, 7, 203-207.
- Urzua, A. and Cuadra, P. (1990) :** Acylated flavonoid aglycones from *Gnaphalium robustum* *Phytochemistry* 29(4): 1342-1343. (Abstract).
- Vassiliades, G. and Diaw, O.T. (1980) :** Action molluscicide d'une souche sénégalaise d'*Ambrosia maritima*. I. Essais en laboratoire. *Revue d'Elevage et de Medecrine Vétérinaire des Pays Tropicaux* 33, 401-406.
- Vassiliades, G. and Diaw, O.T. (1982) :** Action molluscicide d'*Ambrosia maritima*. II Essais dans les conditions naturelles. *Revue d'Elevage et de Medecrine Vétérinaire des Pays Tropicaux* 35, 179-182.
- Vieira, P.C.; Himejma, M. and Kubo, I. (1991) :** Sesquiterpenoids from *Brachylaena hutchinsii*. *Journal of Natural Products* 54(2) : 416-420. (Abstract).
- Vlietinck, A.J. and Berghe, D.A.V. (1991) :** Can ethnopharmacology contribute to the development of antiviral drugs?. *Journal of Ethnopharmacology* 32 (1-3) : 141-153. (Abstract).
- Wahyouno, S.; Hoffmann, J.J. Bates, R.B. and Mclaughlin, S.P. (1991) :** Potential anti-infective O-catechol derivatives isolated from *Guardiola platyphylla*. *Phytochemistry* 30(7) : 2175-2182. (Abstract).

- Wang, Y.; Hamburger, M.; Gueho, J. and Hostettmano, K. (1989) :**
Antimicrobial flavonoids from *Psiadiatrinervia* and their
methylated and acetylated derivatives. *Phytochemistry*
28(9) : 2323-2327. (Abstract).
- Wallis, T.E. (1967) :** Text-Book of Pharmacognosy Fifth edition J &
A Churchill LTD 104 Gloucester Place, London. pp. 394.
- Yadava, R.N. and Saini, V.K. (1991) :** Antimicrobial efficacy of
essential oils of *Majorana hortensis* Moench and
Anisomeles indica (Linn.) Kuntze. *Indian Perfumer* 35
(1): 58-60. (Abstract).
- Yin, X.J.; Liu, D.X.; Wang, H.C. and Zhou, Y. (1991) :** A study on
the mutagenicity of 102 raw pharmaceuticals used in
chinese traditional medicine. *Mutation Research (Jc :
nna)* 260(1) : 73-82.
- Zafra-Polo, M.C.; Blazquez, M.A. and Villar, A. (1989) :**
Spasmolytic and antimicrobial activity of the essential
oils from *Thymus leptophyllus* and *T. webbianus*.
Fitoterapia 60 (5) : 469-473. (Abstract).