

REFERENCES

1. **Abbas, A.K.; Lichtman, A.H. and Pober, J.S. (1991):** Cytokines. In: Cellular and Molecular Immunology. W.B. Saunders Company, Toronto p-p. 226-242.
2. **Aggarwal, B.B. and Puri, R.K. (1997):** Common and uncommon features of cytokines and cytokine receptors. In: Human Cytokines. Their Role in Disease and Therapy. Ed. Aggarwal, B and Puri R. Blackwell Science. USA p-p 1-21.
3. **Aitken, R. J. (1990):** Evaluation of human sperm function. Br. Med. Bull 46: 654-674.
4. **Aitken, R.J. ; Warner, P.E. and Reid, C. (1986):** Factors influencing the success of sperm-cervical mucus interaction in patients exhibiting unexplained infertility. J. Androl. 7: 3-10.
5. **Akiyama, S; Olden, K and Yamada, K (1995):** Fibronectin and integrins in invasion and metastasis. Cancer Metastasis Rev; 14: 173-189.
6. **Akoum, A; Lemay, A. and Brunet, C. (1995):** Cytokine-induced secretion of monocyte chemotactic protein-1 by human endometrial cells in culture. Am. J. Obstet. Gynecol. 172:594-600
7. **Amburs, J.L.; Pippin, J. and Joseph, A. (1993):** Identification of a cDNA for a human high – molecular – weight B-cell growth factor. Proc Natl Acad Sci USA. 90:6330-6334
8. **Anthony, C.A. ; Hohn, C.L. and Elsie, M.E. (1997):** Pharmacological regulation of the production of the pro inflammatory cytokines TNF- α and IL-1 β . In : Human Cytokines. Their Role in Disease and Therapy. Ed. Aggarwal, B. and Puri, R. Blackwell science. USA p-p 689-713.
9. **Arthur, C.T.; David, M.C. and John, N. (1996):** CD₄ ligand IL.16 inhibits the mixed lymphocyte reaction. J. Immunol. 157: 1958-1964.
10. **Arici, A; Tazuke, S. and Attar, E. (1996):** Interleukin-8 concentration in peritoneal fluid of patients with endometriosis and

modulation of interleukin-8 expression in human mesothelial cells. Mol-Hm. Reprod. 2:40-45.

11. **Armitage, R.J.; Beckmann, M.P. and Idzerda, R.I. (1990):** Regulation of interleukin 4 receptors on human T cells. Int Immunol. 2: 1039-1045.
12. **Armitage, R.J.; Macduff, B.M. and Eisenman, J. (1995):** IL-15 has stimulatory activity for the induction of B cell proliferation and differentiation. J immunol. 154:483-490.
13. **Arumugam, K. and Jeyalakshmi, A.P. (1989):** Dissemination of endometrial cells at laparoscopy and chromotubation a preliminary report. Int. J. Fertil. 34: 256-258.
14. **Attur, M.G.; Patel, R.N. and Abramson, S.B. (1997):** Interleukin – 17 upregulation of nitric oxide production in human osteoarthritis cartilage. Arthritis & Rheumatism 40 (6): 1050-1053.
15. **Austin, C.R. (1960):** Fate of spermatozoa in the female genital tract. J. Repred. Fertil. 1:151-155.
16. **Ausubel, F.M.; Brent, R.; Kingston, R.E. and Moore, O.D. (1990):** One dimensional gel electrophoresis of proteins In: Current Protocols in Molecular Biology. Ed. John Wiley and Sons, New York p-p. 121-155.
17. **Barbieri, R.L. (1986):** CA-125 in patients with endometriosis. Fertil. Steril. 45: 767-771.
18. **Barbieri, R.L. (1988):** New therapy for endometriosis. N. Engl. J. Med. 318: 512-516.
19. **Barbieri, R.L. and Hornstein, M.D. (1990):** Endometriosis. In Kistner's Gynecology, Principles and Practice 5th ed., Ed. Kenneth and Berkowitz. Year Book Medical publishers. London p-p. 320-382.
20. **Bast, R.C. , Klug, T.L. and John , E. (1983):** A radioimmunoassay using a monoclonal antibody to monitor the course of epithelial ovarian cancer. N.Engl. J. Med. 309: 883-889.
21. **Beliard, A; Donnez, J. and Nisolle, M. (1997):** Localization of Laminin, fibronectin, E-cadherin, and integrins in endometrium and endometriosis. Fertil. Steril. 67: 266-272.

22. **Beutler, B. and Cerami, A. (1987):** Cachectin: More than a tumour necrosis factor. *N. Eng. J. Med.* 316:379-401.
23. **Bielfeld, P.; Graf, M. and Jeyendran, R. (1993):** Effect of peritoneal fluids from patients with endometriosis on capacitated spermatozoa. *Fertil steril* 60:893-896.
24. **Blask-Well, E.R. (1982):** Patients with unexplained infertility. *Fertil –Steril.* 37:175-178.
25. **Bolen, J.W.; Hammar, S.P. and McNutt, M.A. (1986):** Reactive and neoplastic serosal tissue. A light microscopic, ultrastructural and immuno-chemical study. *Am. J. Surg. Pathol.* 10: 34-47.
26. **Callard, R.E. and Turner, M.W. (1990):** Cytokines and Ig switching :evolutionary divergence between mice and humans. *Immunol Today.* 11: 200-205.
27. **Canto, A.; Ferrer, G. and Romagosa, V. (1985):** Lung cancer and pleural effusion chest; 87; 649-652.
28. **Cao, S.J. (1992):** Relation between macrophages in peritoneal fluid of endometriosis and infertility. *Chung – Hua –Fu- Chan- Ko- Tsa- Chih.* 27: 93-95 (ABSTRACT).
29. **Caruso, A.; Tiberio, L. and De Rango, C. (1993):** A monoclonal antibody to the NH₂ Terminal segment of human IFN- γ selectively interferes with the antiproliferative activity of the lymphokine. *J. Immunol.* 150: 1029-1035.
30. **Casslen, K.J. (1986):** Uterine fluid volume. Cyclic variations and possible extrauterine contributions. *J. Reprod. Med.* 31: 506-510.
31. **Chackio, K.J.; Stronkowski, L. and Chacko, M. (1986):** Peritoneal fluid in patients with and without endometriosis; prostanoids and macrophages and their effect on the spermatozoa penetration assay. *Am. J. Obstet Gynecol.* 154: 1290-1299.
32. **Check, J.H.; Bollendorf, A. and Katsoff, D. (1994):** The frequency of antisperm antibodies in the cervical mucus of women with poor postcoital tests and their effect on pregnancy rates. *Am. J. of Reprod. Immunol.* 32: 38-42.
33. **Cheesbrough, M. (1991):** Principles of serological diagnosis of microbial disease. In: *Medical Laboratory Manual for Tropical countries* Vo. II. Ed. ELBS, London p-p. 70-100

34. **Chen, H.L.; Marcinkiewicz, J. and Sancho, T. M. (1993):** Localization of tumornecrosis factor-alpha messenger ribonucleic acid in the cyclic mouse ovary. *Biol. Reprod.* 48: 707-714.
35. **Clarke, G.M. (1988):** Sperm antibodies and human fertilization. *Am. J. Reprod Immunol Microbiol.* 17:65-71.
36. **Collin, J.A. (1990):** Superovulation in the treatment of unexplained infertility. *Reprod. Endocrinol.* 8: 165-168.
37. **Collin, J. A. and Rowe, T.C. (1989):** Age of The female partner, is a prognostic factor in prolonged unexplained infertility : A multicenter study. *Fertil. Steril.* 52: 15-19.
38. **Conti, B.; Jahng, J. and Tinti, C. (1997):** Induction of interferon-gamma inducing factor in the adrenal cortex. *J. Biol. Chem.* 272(4): 2035-2037.
39. **Croxatto, H.B.; Ortiz, M.E. and Guilloff, E. (1978):** Effect of 15 (S)- 15 methyl prostaglandin F2 on human oviductal motility and ovum transport. *Fertil steril.* 30: 408-414.
40. **Decker, T; Matthes, M.L. and Gifford, G.E. (1987):** Cell-associated tumour necrosis factor as a killing mechanism of activated cytotoxic macrophages *J. of immunology.*, 138: 957-962.
41. **Deleon, F. D.; Vijayakumar, R. and Brown, M. (1986):** Peritoneal fluid volume, estrogen, progesterone, prostaglandin and epidermal growth factor concentratiio in patients with and without endometriosis obstet. *Gynecol.* 68: 189-194.
42. **Dinarello, C.A. (1991):** Interleukin-1 and interleukin-1 antagonism. *Blood.* 77: 1627-1652.
43. **Dinarello, C.A.; Cannon, J.G. and Wolff, S.M.(1986):** Tumour necrosis factor (Cachectin) is an endogenous pyrogen and induces production of interleukin-1 *J. Exp. Med.* 163: 1433-1439.
44. **Dmowski, W.P.; Braun, D. and Gebel, H.M. (1990):** Endometriosis: genetics and immunologic aspects. In: *Current Concepts in Endometrosis.* Alan. R. Liss. Inc., New York, p-p. 99-122.
45. **Dmowski, W.P.; Gebel, H.M. and Braun, D.P. (1994):** The role of cell-mediated immunity in pathogenesis of endometriosis. *Acta Obstet. Gynecol. Scand.* 159: 7-14.

46. **Dmowski, W.P.; Lesniewicz, R. and Rana, N. (1997):** Changing trends in the diagnosis of endometriosis: a comparative study of women with pelvic endometriosis presenting with chronic pelvic pain or infertility. *Fertil. Steril.* 67: 238-243.
47. **Dmowski, W.P.; Steele, R.W. and Baker, C.F. (1981):** Deficient cellular immunity in endometriosis. *Am. J. Obstet. Gynecol.* 141: 377-383.
48. **Dodds, W.; Miller, F. and Friedman, C. (1992):** The effect of preovulatory peritoneal fluid from cases of endometriosis on murine in vitro fertilization embryo development oviduct transport and implantation. *Am. J. Obstet Gynecol.* 166: 219-224.
49. **Doherty T.M.; Seder, R.S. and Sher A (1996):** Induction and regulation of IL-15 expression in murine macrophages *J. immunol.* 156: 735-741.
50. **Drake T.S.; Ramwell, PW. And Metz, S.A. (1981):** Peritoneal fluid thromboxane B2 and 6 ketoprostaglandin F2 alpha in endometriosis. *Am. J. Obstet. Gynecol.* 140: 401-404.
51. **Ealick, S.E; Cook, W.J. and Vijay, K.S. (1993):** Three dimensional structure of human interferon. γ . *Science.* 252: 698-702.
52. **Eisermann, J.;Gast, M.J. and Pineda, J. (1988):** tumour necrosis factor in peritoneal fluid of women undergoing laparoscopic surgery. *Fertil. Steril.* 50: 573-576.
53. **Elias, J. A. and Zitnik, R.J. (1992):** Cytokine-cytokine interactions in the context of cytokine networking. *Am. J. Respir. Cell. Mol.Biol.* 7: 365-367.
54. **El-Minawi, M. (1977):** Pharaonic obstetrics and gynecology, J. Egyptain, Soci. Obset. Gynecol. 3:11-29.
55. **El-Mowafi, D. (1995):** Infertility. In: *Gynecology Simplified* 1st ed., Dar El Wafaa, Egypt, p-p. 279-312.
56. **Elsasser, B.U. and Von, K.S. (1993):** Cytokines as therapeutic and diagnostic agents. *Tumor Biol.* 14: 69-94.
57. **Ezra, Y; Simon, A and Laufar, N. (1992):** Defective oocyte: a new subgroup of unexplained infertility. *Fertil. Steril.* 58:24-27.

58. **Fakih, H.; Baggett, B. and Holtz, G. (1987):** Interleukin-1: a possible role in the infertility associated with endometriosis. *Fertil Steril.* 47: 213-217.
59. **Falcone, T. and Hemmings, R. (1996):** Review of peritoneal factors that affect fertility in patients with mild endometriosis. *J. SOGC.* 18: 121-130.
60. **Fayez, J.A. and Schneider, P.J. (1987):** Prevention of adhesion formation by different modalities of treatment *Am.J. Obstet. Gynecol.* 157: 1184-1189.
61. **Fedele, L.; Acaia, B. and Ricciardello (1989):** Recovery of Chlamydia Trachomatis from the endometrium of women with unexplained infertility. *J. Reprod. Med.* 34: 393-396.
62. **Fedele, L.; Vercellini, P. and Arcaini, L. (1988):** CA 125 in serum, peritoneal fluid active lesions and endometrium of patients with endometriosis. *Am. J. Obstet. Gynecol.* 158: 166-170
63. **Fossiez, F.; Djossou, O. and chomarat, P. (1996):** T cell interleukin 17 induces stromal cells to produce proinflammatory and hematopoietic cytokines. *J. Exp. Med.* 183(6): 2593-2503.
64. **Franken D.R., Slabber, C.F. and Grobler, S. (1983):** The SCMC test; a screening test for spermatozoal antibodies. *Andrologia*, 15(3): 270-273.
65. **Gebel, H.M.; Frame, D. and Braun D.P. (1997):** Impaired apoptosis of uterine and ectopic endometrium in women with endometriosis. *J. Soc. Gynecol Invest.* 4: 219-221.
66. **Ger, R. (1988):** Surgical anatomy of hepatic venous system. *Clin. Anat.* 1 : 15-22.
67. **Gilmore, S.M.; Aksel, S. and Hoff, C. (1992):** In vitro lymphocyte activity in women with endometriosis an altered immune response, *Fertil. Steril.* 58: 1148-1152.
68. **Glazener C.M.; Kelly, N.F. and Hull, M.G. (1987):** Borderline hyperprolactinemia in infertile women evaluation of the prolactin response to thyrotropin releasing hormone and double-blind placebo controlled treatment with bromocriptine. *Gynecol. Endocrinol* 1: 373-378.

69. **Goding, J.W. and Handman, E. (1984):** Immunoassays for the detection of parasite antigens and monoclonal anti-parasite antibodies. In: *Genes and Antigens of Parasites*. Ed. G.M. Morel, Brasil P. 389.
70. **Golumbek, P.T.; Lazemby, A.J and Levitsky, H.I. (1991):** Treatment of established renal cancer by tumor cells engineered to secrete interleukin-4. *Science* 254: 713-716.
71. **Gomel, V. (1980):** The impact of microsurgery on gynecology. *Clin Obstet Gynecol.* 23: 1301-1310.
72. **Grell, M. , Zimmermann, G. and Hulser, D. (1994):** TNF receptors TR60 and TR80 can mediate apoptosis via induction of distinct pathway. *J. immunol* 153: 1963-1972.
73. **Guilbert, L; Robertson, S. A. and Wegmann, T.G. (1993):** The trophoblast as an integral component of a macrophage cytokine network. *Immunol Cell Biol.* 71: 49-57.
74. **Halme, J.; Becker, S.; Hammond, M. (1983):** Increased activation of pelvic macrophages in infertile women with mild endometriosis. *Am. J. Obstet. Gynecol.* 145: 333-337.
75. **Halme, J. Becker, S. and Hammond, M. (1984):** Retrograde menstruation in healthy women and in patients with endometriosis. *Obstet. Gynecol.* 64: 151-154.
76. **Halme, J.; White, C. and Kauma S (1988):** Peritoneal macrophages from patients with endometriosis release growth factor activity in vitro. *J.Clin. Endocrinol. Metab.* 66: 1044-1049.
77. **Hamilton, M.P.R. (1992):** Unexplained infertility In: *17-Recent Advances in Obstetrics And Gynecology*. Ed. John Bonnar, New York p-p. 109-121.
78. **Hamilton, M.P.R.; Fleming, R. and Coutts, J.R.T. (1990) :** Luteal phase deficiency: ultrasonic and biochemical insights into pathogenesis. *Br. J. Obstet Gyneecol* 97: 569-575.
79. **Hammond, M.G.; Jorjan, S. and Sloan, C.S. (1986):** Factors affecting pregnancy rates in a donor insemination program using frozen semen. *Am. J. Obstet. Gynecol.* 155: 480-485.
80. **Haney, A.F.; Muscato, J.J. and Weingberg, J.B. (1980) :** Peritoneal fluid cell populations in infertility patients 35; 696-698.

81. **Haney, A. F; Rehta, R. and Doty, E. (1994):** An elicited intraperitoneal inflammatory response has no effect on the establishment of pregnancy in mouse. *Fertil. Steril.* 61: 926-962.
82. **Haney, A.F. and Weinbberg, J.B. (1988):** Reduction of the intraperitoneal inflammation associated with endometriosis by treatment with medroxy progesterone acetate *Am. J. Obstet. Gynecol.* 159: 450-454.
83. **Healy, D.L.; Kovacs, G.T.; Pepperell, R. J. and Burger, H.G. (1980):** A normal Cumulative conception rate after human pituitary gonadotrophin. *Fertil. Steril.* 34: 341-342.
84. **Henney, C.S. (1989):** Interleukin-7: effect on early events in Lymphopoiesis. *Immunol Today* 10: 170-175.
85. **Hill, J.A. and Anderson, D.J. (1989):** Lymphocyte activity in the presence of peritoneal fluid from fertile women and infertile women with and without endometriosis. *Am. J. Obstet. Gynecol.* 161: 861-864.
86. **Hill, J.A; Faris, H.M. and Schiff, I. (1988):** Characterization of leucocyte subpopulation in the peritoneal fluid of women with endometriosis. *Fertil-Steril.* 50: 216-222.
87. **Hillman, G.G. and Haas, G.P. (1997):** Role of cytokines in lymphocyte functions. In : *Human Cytokines. Their Role in Disease and Therapy.* Ed Aggarwall, B and Puri, R. Blackwell Science. USA p-p 37-54.
88. **Ho, H.M.; Chao, K.H. and Chen, H.F. (1995):** Peritoneal natural killer cytotoxicity and CD25+ CD3+ lymphocyte subpopulation are decreased in women with stage III-IV endometriosis. *Hum. Reprod.* 10: 2671-2675.
89. **Hogan, B.; Beddington, R.; Costantini, F. and Lacy,E. (1994):** Recovery, culture and transfer of embryos In : *Mainpulating the Mouse Embryo.* Cold Spring Harbor Laboratory, New York p-p 91-104.
90. **Holbrook, S.T.; Ohls, R.K and Schribler, K.R. (1991):** Effect of interleukin-9 on clonogenic maturation and cell-cycle status of fetal and adult hematopoietic progenitor-Blood 77: 2129-2134.

91. **Hunt, J.S. (1993):** Expression and regulation of the Tumour necrosis factor- α gene in the female reproductive tract. *Reprod. Fertil. Rev.* 5: 141-153.
92. **Hunt, J.S. (1994) :** Immunologically relevant cells in the uterus *Biol. Reprod.* 50: 461-466.
93. **Hunt, J.S.; Chen, J.L. and Pollard J.W. (1993):** Normal distribution of tumor necrosis factor- α messenger ribonucleic acid and protein in virgin and pregnant mice. *Biol. Reprod.* 49: 441-452.
94. **Hunt, J.S. and Roby, K.F. (1995):** Tumour necrosis factor- α and immunity in the female reproductive tract in : *Immunology of human Reproduction.* Ed. Kurpysz, M. and Fernandez N. BIOS Scientific publishers, USA p-p. 251-265.
95. **Joshi, S.; Zamah, N. and Raikar, R. (1986):** Serum and peritoneal fluid proteins in women with and without endometriosis. *Fertil. Steril.* 46: 1077-1086.
96. **Kaplan, G.; Gohn, Z.A. and Smith, K.A. (1992):** Rational immunotherapy with interleukin-2. *Biotechnol.* 10: 157-162.
97. **Keenan, J.; Thomas, T. and Nancy, L. (1995):** IL-1B, TNF- α and IL-2 in peritoneal fluid and macrophage- conditioned media of women with endometriosis. *Am. J. Reprod. Immunol.* 34: 381-385.
98. **Keithl, M. (1992):** Abdomen In: *Clinical Oriented Anatomy.* 3rd ed. Ed. Willian & Wilkins Baltimore, London P.P. 127-160.
99. **Khorram, O.; Taylor, R.N. and Ryan, I.P. (1993):** Peritoneal fluid concentrations of the cytokine RANTES correlate with the severity of endometriosis. *Am. J. Obstet. Gynecol.* 169:1545-1549.
100. **Kovacs E.J. (1991):** Fibrogenic cytokines: The role of immune mediators in the development of scar tissue *Immunol Today.* 12: 17-21.
101. **Kruitwagen, R.E.; Poels, L.G. and Willemsen, W.N. (1991):** retrograde seeding of endometrial epithelial cells by uterine – tubal flushing. *Fertil. Steril.* 56: 414-419.
102. **Kuhn, R; Lohler, J. and Rennick, D. (1993):** Interleukin- 10 deficient mice develop chronic enterocolitis. *Cell.* 75:263-273.

103. **Kurilla, M.G.; Swaminathan, S. and Welsh, R.M. (1993):** Effects of virally expressed interleukin -10 on vaccinia virus infection in mice. *J. Virol.* 67: 7623-7628.
104. **Laemmli, U.K. (1970):** Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*, 227: 680-685.
105. **Leach, R.; Arneson, B. and Ball, G. (1990):** absence of antisperm antibodies and factors influencing sperm motility in the culde-sac fluid of women with endometriosis. *Fertil. Steril.* 53: 351-353.
106. **Liang, X.; Hu, L. and Wu, P. (1994):** Tumor necrosis factor in peritoneal fluid of infertile women with endometiosis and its relation to sperm motility. *Chinese Journal of Obstet. Gynecol.* 29: 524-526.
107. **Lopez, A.F.; Elliott, M.G. and Woodcock, J. (1992):** GM-CSF, IL-3 and IL-5: cross competition on human haemopoietic cells. *Immunol Today.* 13: 495-498.
108. **Lu, U.Y.; Yang L. and Lu, G. (1995):** Occurrence of antinuclear antibodies in women with endometriosis and unexplained infertility. *Ginekologia Polska* 66:420-424.
109. **Macros, R.N; Gibbons, W.E. and Findley, W.E. (1985):** Effect of peritoneal fluid on invitro cleavage of 2-cell mouse embryos: possible role in infertility associated with endometriosis *Fertil steril.* 44: 678-683.
110. **Masani, K.M. (1971):** Text Book of Gynecology. 6th ed. Bombay popular Prakashan, P. 177.
111. **Massague, J. (1992):** Receptors for the TGB_B family. *Cell*; 69: 1067-1072.
112. **Mathias, S.D.; Kuppermann, M. and Liberman, R.F. (1996).** Chronic pelvic pain: prevalence, health related quality of life and economic correlates. *Obstet. Gynecol.* 87: 21-327.
113. **Mc Callum, R.E.; Roppelt, C. and Chen, H.L. (1994):** Dynamic TNF gene expression during experimental chlamydial salpingitis in mice *Eur. Cytokine Network.* 5: 172-176.
114. **Menge, A.C. and Behrman S. J (1981):** Immunologic problems of infertility. In: *Gynecological Endocrinology* 3rd ed Ed. Gold, J.J. and Jozimayich, J.B. Harper & Row. New York . p. 690.

115. **Metcalf, D. (1991):** Control of granulocytes and macrophages: molecular, cellular and clinical aspects. *Science*, 254: 529-532.
116. **Minty, A.; Chalon, P. and Derocq J.M. (1993):** Interleukin-13 is a new human lymphokine regulating inflammatory and immune responses. *Nature*. 362: 248-250.
117. **Moen, M.H. (1994):** Endometriosis in monozygotic twins *Acta Obstet Gynecol Scand*. 73: 59-62.
118. **Mohamad Zadeh, M; Takashima, A. and Dougherty, I. (1995):** Ultraviolet B radiation up-regulates the expression of IL-15 in human skin. *J. Immunol*. 155: 4492-4496.
119. **Montoya, L.; Doucet, R. and Bonewald, L. (1997):** tumour necrosis factor- α increases endometrial stromal cell adhesion to extracellular matrix proteins *J.Soc. Gynecol. Invest*. 1: 219-221.
120. **Mosmann T. R. and Moore, K.W. (1991):** The role of IL-10 in cross regulation of T_{H1} and T_{H2} responses *Immunol Today* 12: 49-53.
121. **Muasher, S.J (1990):** Evaluation of the female for assisted reproduction. *Human Spermatozoa in. Assisted. Reproduction*. Ed. Ascota, A.A., Swanson R.J., Kruger T.F and Ackerman S.B. Williams Wilkins Baltimore p-p. 52-67.
122. **Mukaida, N.; Harada, A. and Yasumoto, K. (1992):** Properties of pro-inflammatory cell type-specific leucocyte chemotactic cytokines interleukin 8 (IL-8) and monocyte chemotactic and activating factor. *Microbiol Immunol*. 36: 773-789.
123. **Musa, A.; Takahashi, K. and Kitao, T (1992):** Effect of serum from patients with endometriosis on the development of mouse embryo s. *Gynecol. Obstet. Invest*. 33: 157-160
124. **Muscato, J.J.; Haney, A.F. and Weinberg, J.B. (1982):** Sperm Phagocytosis by human peritoneal macrophages: a possible cause of infertility in endometriosis. *Am. J. Obstet. Gynecol*. 144: 503-510.
125. **Muse, K.N. and Wilson, E.A. (1982):** How does mild endometriosis cause infertility ? *Fertil Steril*. 38: 145-151.
126. **Myers, M.H.; Pullen, J.K. and Ghildyal, N. (1989):** Regulation of IL-1 and TNF- α -expression during the differentiation of bone marrow deriyed macrophages. *J.immunol*. 142: 153-160.

127. **Nathan, C.F. (1987):** Secretory products of macrophages. *J. Clin. Invest.* 79:319-326.
128. **Naylor, B. (1990):** Curschmann's spirals in pleural and peritoneal effusions. *Acta cytol.* 34: 474-478.
129. **Nishimura, K., Togashi, K. and Itoh, K. (1987):** Endometrial cysts of the ovary: MR imaging. *Radiology.* 162: 315-319.
130. **Nothnick, W.; Steve, N. and Curry, T. (1994):** Detection of a unique 32.Kd protein in the peritoneal fluid of women with endometriosis. *Fertil. Steril.* 61:288-293.
131. **Olive, D.L. and Schwartz, L.B. (1993):** Endometriosis. *N.Engl. J. Med.* 328:1759-1769.
132. **Oosterlynck, D.J.; Vandeputte, M. and Cornillie, F.J. (1991):** Women with endometriosis show a defect in natural killer activity resulting in a decreased cytotoxicity to autologous endometrium. *Fertil-Steril.* 56:45-51.
133. **Oppenheim, J.J; Ruscetti, F.W. and Faltynek, C. (1991):** Properties of the novel proinflammatory supergene intercrine cytokine family. *Annu. Rev. Immunol.,* 9: 617-620.
134. **Oppenheim, J.J; Ruscetti, F.W. and Faltynek, C. (1994):** Cytokines. In : *Basic & Clinical Immunology* . 8th ed. Ed. Stites, D; Terr, A. and Parslaw, T. Appleton and Lange, Norwalk, p-p. 105-123.
135. **Opsjln, SA.L.; Wathen, N.C. and Tingulstad, S. (1993):** Tumor necrosis factor, interleukin-1 and interleukin-6 in normal human pregnancy. *Am. J. Obstet. Oynecol.* 169:397-404.
136. **Oral, E; David, L. and Aarici, A(1996):** The peritoneal enviroment in endometriosis. *Human Reproduction Update.* 2: 385-398.
137. **Paul, S.R. and Schendel, P. (1992):** The cloning and biological characterization of recombinant human interleukin-11. *Int. Cell Cloning* 10: 135-141.
138. **Paul, W.E. (1991):** Interleukin-4: A prototypic immunoregulatory Lymphokine; *Blood.* 77: 1859-1862.
139. **Paul, W.E. (1993):** T cell derived cytokines and their receptors. In : *Funde. Immunol.* 7:814-817.

140. **Pepperell R.J. and McBain. J. C. (1985):** Unexplained infertility: A review. Br. J. Obstet. Gynecol. 92: 569-601.
141. **Peterson, G. L. (1997):** A simplification of the protein assay method of Lowry et. al. Which is more generally applicable. Anal. Biochem. 83: 346-356.
142. **Philippeaux, M.M. and Piguët, P.F. (1993):** Expression of tumour necrosis factor- α and its mRNA in endometrial mucosa during the menstrual cycle. Am. J. Pathol. 143:480-486.
143. **Pittaway, D. E.; Vernon, C. and Favez, J.A. (1988):** Spontaneous abortions in women with endometriosis. Fertil. Steril; 50. 711-715.
144. **Plante, M.; Delamirande, E. and Gagnon, C. (1994):** Reactive oxygen species released by activated neutrophils but not by deficient spermatozoa, are sufficient to affect normal sperm motility. Fertil. Steril. 62:387-393.
145. **Porat, R; Clark, B.D. and Wolff, S.M. (1991):** Enhancement of growth virulent strains of Escherichia coli by interleukin-1 Science. 254:430-432.
146. **Prough, GL; Aksel, A. and Gilmore S. (1990):** Peritoneal fluid fractions from patients with endometriosis do not promote-two cell mouse embryo growth. Fertil. Steril. 54:927-930.
147. **Pulaski, B.A.; Mcodam, A.J. and Hutter, E.K. (1993):** IL-3 enhances development of tumor reactive cytotoxic cells by a CD4 dependent mechanism. Cancer Res. 53:2112-2117.
148. **Puri, R.K.; Finbloom, D.S. and Ieland, P. (1990):** Expression of high affinity IL-4 receptors on murine tumor infiltrating lymphocytes and their up regulation by IL-2. Immunology. 70:492-497.
149. **Puri, R.K. and Siegel, J.P. (1993):** Interleukin-4 and cancer therapy. Cancer Invest. 11:473-486.
150. **Rana, N., Gebel, H. and Braun, D. (1996):** Basal and stimulated secretion of cytokines by peritoneal macrophages in women with endometriosis. Fertil. Steril. 65:925-930.
151. **Reir, S.; Parsons, A. and Backer, J. (1994):** Altered interleukin-6 production by peritoneal leucocytes from patient with endometriosis. Fertil. Steril. 61:294-299.

152. **Reir, S.; Zarmakoupis, N. and Becker, J. (1995):** Dysregulation of interleukin-6 responses in ectopic endometrial stromal cells: correlation with decreased soluble receptor levels in peritoneal fluid of women with endometriosis. *J.Clin. Endocrinol. Metab.* 80:1431-1437.
153. **Roby, R.F. and Hunt, J. S. (1994):** Mouse endometrial tumor necrosis factor- α mRNA and protein. Localization and regulation by estradiol and progesterone. *Endocrinology.* 135:2780-2789.
154. **Rock, J.A.; Rubin, N.H. and kimball, A.W. (1982):** Clude-sac fluid in women with endometriosis: fluid volume and prostanoid concentration during the proliferative phase of the cycle days 8 to 12. *Fertil. Steril.* 37:747-750.
155. **Romanes, G.J. (1992):** The abdomen. In: Cunningham's Manual of Parctical Anatomy. 15th ed. El-BS, Oxford p-p 83-175.
156. **Sadlack, B. Merz, H. and Schorle, H. (1993):** Ulcerative colitis-like disease in mice with a disrupted interleukin-2 gene. *Cell.* 75:253-261.
157. **Sanderson, C.F. (1992):** Interleukin-5, and disease. *blood,* 79: 3101-3107.
158. **Sangi, H., Poindexter A. (1995):** Epidemiology of endometriosis among parous women. *Obstet. Gynecol.* 85:983-992.
159. **Scott. P. (1993):** IL-12: initation cytokine for cell mediated immunity. *Science* 260:496-497.
160. **Shaw, R.W. (1991):** Treatment of endomedriosis. In : Progress In Obstetrics & Gynecology. Ed. John Studd. Churchill Livingstone, London. p-p. 273-287.
161. **Shivers, C.A. and Dunbar, B.S. (1977):** Auto antibodies to zona pellucida. A possible cause for infertility in women. *Science.* 197: 1082-1085.
162. **Singh, J. and M haskar A.M. (1985):** Enzyme Linked immunosorbent determination of auto-antibodies to zona pellucida as a possible cause of infertility in women. *J. Immunol Methods* 79:133-136.
163. **Smith, P.K.; Krohn, R.L. and Hermanson, G.T. (1985):** Measurement of protein using Bicinchoninic acid. *Anal. Biochem.* 150: 76-85.

164. **Smith, S.K. (1995):** The aetiology of endometriosis. *Hum. Reprod.* 10:1274-1278.
165. **Spriggs, M.K; Fanslow, W.C. and Armitage, R.J. (1993):** The biology of the human Ligand for CD₄₀. *J.Clin. Immunol.* 13: 373-380.
166. **Strathy, J.; Molgaard, C. and Melton, L. (1982):** Endometriosis and infertility: a laparoscopic study of endometriosis among fertile and infertile women. *Fertil. Steril.* 38, 667-672.
167. **Strausz, I.K. (1996):** Infertility. In: *Women's Symptoms*. Dell Publishing Group, New York. p-p. 212-221.
168. **Sueldo, C.; Lambert, H. and Steinleitner, A. (1987):** The effect of peritoneal fluid from patients with endometriosis on murine sperm-oocyte interaction. *Fertil. Steril.* 48:697-699.
169. **Sung S.J.; Walters, J.A. and Hudson, J. (1991):** Tumor necrosis factor- α mRNA accumulation in human myelomonocytic cell lines. *J.Immunol.* 147:2047-2059.
170. **Syrop, C.H. and Halme, J. (1986):** A comparison of peritoneal fluid parameters of infertile patients and the subsequent occurrence of pregnancy. *Fertil. Steril.* 46:631-635.
171. **Tanaka, A. Kuo,T. and Mizuno, H. (1992):** Comparison of cytokine levels and embryotoxicity in peritoneal fluid in infertile women with untreated or treated endometriosis. *Am J Obstet Gynecol.* 167: 265-270.
172. **Templeton, A.; Fraser, C. and Tempson, B. (1990) :**The epidemiology of infertility in Aberdeen. *Br. Med. J.* 301: 148-152.
173. **Templeton, A. and Penney, G. (1982):** The incidence, characteristics and prognosis of patients whose infertility is unexplained. *Fertil. Steril.* 37, 2: 175-182.
174. **Thomas, E.J. (1993):** Endometriosis: still an enigma. *Br. J. Obstet. Gynecol;* 100:615-617.
175. **Thomas E.J. And Cooke I.D. (1987):** Successful treatment of a symptomatic endometriosis: does it benefit infertile women? *Br. Med. J.* 294: 1117-1119.

176. **Thornberry, N.A.; Bull, H.G. and Calaycay, J.R. (1992):** A novel heterodimeric cysteine protease is required for interleukin-1B processing in monocytes. *Nature*. 356: 768-774.
177. **Towbin, H; Staehelin, T. And Gordon, J. (1979):** Electrophoresis transfer of proteins from polyacrylamide gels to nitro cellulose sheets: Procedures and some applications. *Proc. Nat. Acad. Sci.* 76: 4350-4356.
178. **Tzeng , C.; Chien, L. and Chang, S. (1994):** Effect of peritoneal fluid and serum from patients with endometriosis on mouse embryo invitro development. *Chin. Medi. J.* 54: 145-148.
179. **Uda, S. (1992):** The role of peritoneal macrophages in infertility associated with endometriosis. *Osaka city Medical Journal.* 38, 1: 11-26.
180. **Ulcova, G.Z. (1994):** Mixed antiglobulin reaction and agglutination test for detection of sperm antibodies *Int. J. of Fertil. Menopausal studies.* 39: 185-191.
181. **Van, M.E.; Ceska, M. and Effenberger, E. (1992):** Interleukin-8 is produced in neoplastic and infectious diseases of the human central nervous system. *Cancer Res.* 52: 4297-4305.
182. **VanDuren, B.P.; Vemer, H.M. and Thomas, C.M. (1988):** Human chorionic gonadotrophin measurements in the luteal phase of the menstrual cycle of infertile and fertile women. *Hum. Reprod.* 3: 219-221.
183. **Vassalli, P. (1992):** The pathophysiology of tumour necrosis factors. *Annu. Rev. Immunol.* 10: 411-452.
184. **Velde, A.A.; Huijben, R.L. and Heije, K. (1990):** Interleukin 4 (IL-4) inhibits secretion of IL-1B, tumor necrosis factor- α and IL-6 by human monocytes. *Blood.* 76: 1392-1397.
185. **Vercellini, P.; Trespidi, L. and DeGiorgi, O. (1996):** Endometriosis and pelvic pain: relation to disease stage and localization *Fertil. Steril;* 65: 299-304.
186. **Vigano, P.; Colombo, A. and Vercellini, P. (1991):** Deficient antiendometrium lymphocyte mediated cytotoxicity in patients with endometriosis. *Fertil. Steril.* 56: 894-899.

187. **Vinatier, D.; Dufour, P. and Oosterlynck, D. (1996):** Immunological aspects of endometriosis. *Human Reproduction Update*. 5: 371-384.
188. **Waldmann, T.A. (1993):** The IL-2/IL-2 receptor system: a target for rational immune intervention. *Immunol Today*. 14: 264-269.
189. **Waller, K.G. and Shaw, R.W (1995):** Endometriosis, pelvic pain and psychological functioning. *Fertil. Steril*. 63: 796-800.
190. **Walter, M.R.; Cook, W.J. and Zhao, B.G. (1992):** Crystal structure of recombinant human interleukin-4. *J. Mol Biol*. 267: 20371-20376.
191. **Wanidworanun, C. and Strober, W. (1993):** Predominant role of tumor necrosis factor- α in human monocyte IL-10 synthesis. *J. Immunol*. 151: 6853-6861.
192. **Weinberg, K. and Parkman, R. (1991):** Severe combined immunodeficiency due to a specific defect in the production of interleukin-2. *N. Engl J Med*. 322: 1718-1723.
193. **Whitaker, D.; Papadimitriou, J.M. and Walters, M.N. (1980):** The mesothelium. Techniques for investigating the origin, nature, and behaviour of mesothelial cells. *J. Pathol*. 132: 263-271.
194. **Wild, R.A.; Hirisave, V. and Shivers, C.A. (1991):** Autoantibodies associated with endometriosis. Can their detection predict presence of the disease? *Obstet. Gynecol*. 77: 927-931.
195. **Williams, R.S. (1992):** Empiric Therapy in unexplained infertility. In *Infertility*. Ed. Hammon M.G. and Talbert. L.M. Blackwell Scientific publications. Berlin, p-p 210-224.
196. **Williams, T.J. (1992):** Endometriosis. In : *Telinde's Operative Gynecology*. 7th ed. Ed. Thompson and Rock, J.B. Lippincott Company, New York, p-p. 463-497.
197. **Witte, O.N. (1990):** Steel Locus defines new multipotent growth factor. *Cell*. 63: 5-6.
198. **Wong, G.H.; Tartaglia, L.A. and Lee, M.S. (1992):** Antiviral activity of tumour necrosis factor (TNF) is signaled through the 55-KD a receptor type I TNF. *J. Immunol*. 149: 3350-3353.