

REFERENCES

REFERENCES

- Altemeier ,W. A. (1972):

The significance of infection in trauma .

Bull. Am. Coll. Surg. ,57:7 .

- Altemeier ,W. A. (1979):

Surgical Infection : Incisional wounds ,in :
Hospital Infection ,edited by Benett ,J. V. , and
Brachman , P. S.

1st ed. ,P.278 , Little and Braun and Company,
Boston.

- Altemeier , W. A. (1980):

Perspectives in surgical infections .

Surg. Clin. North Am. ,60:5 .

- Altemeier , W. A. (1982):

Sepsis in surgery .

Arch. Surg. ,117:107 .

- Altemeier , W. A. and Alexander ,J. W. (1981):

Surgical infections and choice of antibiotics ,
in: Davis-Christopher's textbook of surgery by
Sabiston ,D. C.12th ed.,P.333 ,W. B. Saunder Co..

- Altemeier ,W. A. ;Burke ,J. F. ;Pruitt ,B. A.
and Sandusky W.R. (1976):

Incidence and cost of infection , in : Manual on
control of infection in surgical patients .1st ed.,

P.11 ,J. B. Lippincott Co. , Philadelphia .

- Alexander ,J. W. ;Aerni ,S. and Plettner ,J. P.
(1985):

Development of safe and effective one-minute
preoperative skin preparation .

Arch. Surg. ,120:1357 .

- Anderson ,P. A. ; Zettersten ,A.H.U. . and Neiater,
B.L. (1983)!

A comparison between tracer gas and tracer particle
techniques in evaluating the efficiency of ventilation
in operating theatre.

J. Hyg. ,91:509 .

- Ausobsky ,J.R. ; Pickford ,I. R. ;Evans ,M. and
Pollock A.V. (1983):

Latamoxef for the prophylaxis of abdominal surgical
wound infection : A controlled clinical trial.

J. Hosp. Infect. ,4:279 .

- Ayliffe ,G. A. (1980):

The effect of antibacterial agents on the flora of
the skin .

J. Hosp. Infect. ,1:111.

- Bartlett , R.C. (1974):

A plea for clinical relevance in medical
microbiology.

Am. Clin. Pathol. ,61:867.

- Beck, W.C. (1981):

Aseptic barriers in surgery .

Arch. Surg. ,116:240 .

- Blowers ,R. ;Marson G A. and Wallace ,K.P (1955):

Outbreak of postoperative sepsis.

Lancet ,II :786.

- Bodey ,G.P. and Stewart ,D.(1973):

In vitro studies ,new aminoglycoside antibiotics.

Antimicrob. agents & Chemother. ,4:186.

- Brachman ,P. S. (1981):

Nosocomial infection control : An overview .

Rev. Infect. Dis. ,3:640 .

- Bradley ,J. M. ; Noone ,P. ;Townsend ,D. E. and
Grubb, W. B. (1985):

Methicillin-resistant staphylococcus aureus in
London hospital.

Lancet ,I:1493 .

- Brigden ,R. J. (1980):

Operating theatre technique.

4th ed. by Churchill Livingstone Co. ,London .

- Brook ,I. ;Hunter ,V. and Walker ,R.I. (1984):

Synergistic effect of Bacteroides ,Clostridium,
Fusobacterium ,anaerobic cocci and anaerobic bacteria
on mortality and induction of subcutaneous abscesses in
mice.J. Infect. Dis. ,149:924 .

- Burke ,J. F. (1981):

Current perspectives of surgical infection ,in :
Infection of surgery ,edited by Watts ,J. M.
;McDonald, P. T ;O'Brien ,P. E ; Marshall ,T R. and
Frinely-Jones ,J. J.

1st ed. ,P.14 ,Churchil Livingstone ,Co. ,London.

- Canzos ,M. ;Potel ,J. and Puente ,J. L. (1985):

Prospective randomised controlled study of
prophylaxis with cefamandole in high risk patients
undergoing operations upon the biliary tract.

Surg. Gynecol. Obstet. ,160:27 .

- Caplan ,E. S. and Hoyt ,W. I. (1985):

Identification and treatment of infections in
multiple traumatised patients.

Am. J. Med. ,79:66 .

- Centers for Disease Control (C.D.C.) Surveillance
Summaries. (1985):

Nosocomial infection surveillance ,1983. vol.33:9.

- Christou ,N.V. ;Nohr ,C.W. and Meakins ,J.L. (1987):

Assessing operative site infection in surgical
patients.

Arch. Surg. ,122:166 .

- Cole ,W.R. (1976):

Definitions and classifications of surgical infection ,in : Manual on control of infection in surgical patients ,by Altemeier ,W. A ;Burke ,J. F.; Pruitt ,B. A.and sandusky ,W. A.

1st ed. ,P.20 ,J. B. Lippincott Co.

-Cruickshank ,R. ;Duguid ,J. P. ;Martnion ,B. P. and Swain ,R. H. A. (1975):

Identification of bacteria ,in : Medical Microbiology .

2nd vol. ,12th ed. ,P.170 ,Churchil Livingstone, London.

-Cruse , P. J. E.(1986):

Surgical infection : Incisional wound ,in : Hospital infection, edited by Benett ,J. V. and Brachman ,P. S. 2nd ed., P.423 ,Little , Braun and company ,Boston .

- Cruse , P. J. E. and Foord , R.(1973):

A Five-year prospective study of 23.649 surgical wounds.

Arch. Surg. ,107:206 .

-Cruse ,P. J. E. and Foord , R.(1980):

The epidemiology of wound infection .
Surg. Clin. North Am. ,60:27.

-David ,AE. and Goel P.W. (1980):

Purpural Infection.

Clin. Obstet. & Gynecol. ,23:4 .

- Davidson ,A. I. G. ;Clark ,C. and Smith ,G. (1971):

Postoperative wound infection : A computer analysis.

Br. J. Surg. ,58:333 .

- Davis , J. E.(1983):

Resistance to aminoglycosides : mechanisms and frequency.

Rev. Infect. Dis. ,5:261 .

- Davis ,J. H. (1976):

Incidence and cost of infection ,in : Manual on control of infection in surgical patients ,edited by Altemeier ,W. A. ; Burke ,J. F. ;Pruitt ,B. A. and Sandusky W. R. 1st ed. ,P.6 ,J. B. Lippincott Co., philadelphia.

-Dineen ,P. (1961):

A critical study of 100 consecutive wound infections

Surg. Gynecol. Obstet. ,113:91 .

- Dineen ,P. (1969):

A prevention of surgical draping material of bacteria .

J. Am. Hosp. Assoc. ,43:82 .

- Dineen ,P. (1973):

The role of impervious drapes and gowns in preventing surgical infection .

Clin. Orthop. ,96:210 .

- Dipiro ,J. T. ;Bivins ,B. A. ;Record ,K. E. ;et al. (1983):

The prophylactic use of antimicrobials in surgery.
Curr. Probl. Surg. ,20:69 .

- Edward ,L. D. (1976):.

Epidemiology of 2056 remote site infections and 1966 surgical wound infections.

Ann. Surg. ,184:758.

- Eickoff ,T. C. ;Stinhauer ,B. W. and Finland ,M. (1966):

Klebsiella ,Enterobacter ,Serratia division, biochemical, serological characteristics and susceptibility to antibiotics .

Ann. Intern. Med. ,65:1163 .

- Eley ,A. ;Greenwood ,D. and O'Grady ,F. (1985):

Comparative growth of Bacteroides species in various anaerobic culture media.

J. Med. Microbiol. ,19:195.

- Farnell ,M. B. ;Worthington ,S. ;Mucha ,P. ;Ilstrup,
D. M. and McIlrath ,D. C. (1986):

Closure of abdominal incisions with subcutaneous
catheteres.

Arch. Surg. ,121:641 .

- Fekety ,F. R. and Murphy ,J. F. (1972):

Development of infection in hospitalized persons.

Surg. Clin. North Am. ,52:1387 .

- Fingold ,S. M. (1982):

Pathogenic anaerobes.

Arch. Intern. Med. ,142:1988 .

- Fingold ,S. M. and Kibry ,W. M. M. (1984):

Introduction: changing patterns of hospital
infections.

Am. J. Med. ,77:1 .

- Finland ,M. (1972):

Changing pattern of susceptibility of common
bacterial pathogens to antimicrobial agents.

Ann. Intern. Med. ,76:1009 .

- Fitzgibbons ,R. J. ;Harkrider ,W. W. and Cohn ,I.
(1977):

Review of abdominoperineal resections for cancer.

Am.J. Surg. ,134:624 .

- Ford ,G. R. ;Peterson ,D. E. and Mitchell ,C. R.
(1967):

An appraisal of the role of surgical face masks.
Am. J. Surg. ,133:787 .

- Forrester ,J. C. (1978):

Wound healing and fibrosis ,in : Jamieson and kay's
textbook of surgical physiology ,edited by Ledingham,
I. M. ;Mackay, C. Jamieson ,R. A. and Kay ,A. W. 3rd.
ed. ,P.1 ,Churchill Livingstone Co. ,London.

-Gilmer ,D. S. ;Schiek ,D. G. and Mongtomerie ,J.Z.
(1982):

Pseudomonas aeruginosa and Klebsiella pnemoniae on
the perinea of males with spinal cord injuries.
J. Clin. Microbiol. ,16:863 .

- Gillespie ,W. A. (1984):

Infection and sepsis ,in : Bailay and Loves short
practice of surgery ,edited by Rains ,A. J. H. and
Richie ,H. D.
19th ed. ,P.17 ,Lewis Co.

- Goldmann ,D. A. (1980):

Laboratory procedures for infection control , in :
Manual on clinical Microbiology ,edtied by Lennette ,E.
H. ;Balows ,A. ; Hausler ,W. J. and Traunt ,J. P.
3rd ed. ,P.939 ,American Societiy for Microbiology .

- Goldmann ,D. A. and Macone ,A. B. (1980):

A microbiologic approach to the investigation of bacterial nosocomial infection outbreaks.

Infect. Control ,1:391 .

- Gould ,I. M. and Wise ,R. (1985):

Pseudomonas aeruginosa : Clinical manifestations and management .

Lancet ,II:1224 .

- Greenough ,G. G. (1986):

An investigation into contamination of operative section.

J. Bone Joint Surg. ,68:151 .

- Grimmond ,T. R. (1981):

Skin preparations and surgical handwashing ,in :
Infection in surgery ,edited by Watts ,J. M. ;P.T.
McDonald ,P. T. ;O'Brien, P. E. ;Marshall V. R. and
FinelyJones ,J. J.

1st ed. ,P.38 ,Churchill Livingstone Co.

- Haley ,R. W. (1985):

Serveillance by objective : A new periority-
directed approach to the control of nosocomial
infection.

Am. J. Infect. control, 13:78 .

- Haley ,R. W., et al. (1982):

The emergence of methicillin resistant
Staphylococcus aureus infection in U. S. hospitals .
Ann. Intern. Med. ,97:297 .

- Haley ,W. ;Schaberg ,D. R. ;VonAllmen ,S. D. and
McGown ,J. E.(1980):

Estimating the extra- charges and prolongation of
hospitalization due to nosocomial infections.

J. Infect. Dis. ,141:248 .

- Hart ,C. A. ;Gibson ,M. F. and Buckles ,A.M. (1981) :

Variation in skin and environmental survival of
hospital gentamycin - resistant enterobacteria .

J. Hyg. 87:277 .

- Howe , C.W. and Mariston , A.T. (1962):

A study on sources of postoperative staphylococcal
infection .

Surg. Gynecol. Obstet. 115: 266 .

- Hummel, R.R.(1976):

Preparation of the operating team and supporting
personnel,

P.91, in : Manual on control of infection in surgical
patients,

edited by Sandusky ,W. R. et al.

1st ed.,P.91 ,J. B. Lippincott Co.

- Hunt, T.K. (1981):

Surgical wound infections : an overview .

Am. J. Med. ,70 : 712 .

- Irving, F. and Kathryn, R. (1972):

Prevention of postoperative infection .

Surg. Clin. North Am. ,52:1361.

- Ishida ,K. ; Guze ,P.A. ;Kalamanson ,G.M. ;Albrandt, K. and Guze, L. B. (1982):

Variable in demonstrating methicillin tolerance in *Staphylococcus aureus* strains .

J. Clin. Microbiol. ,21:688.

- Jacobson ,J. T. (1985):

The clinical microbiology laboratory and hospital infection control .

Lab. Med. ,16:243.

- Janik ,J. S. and Firor ,H. V. (1979):

Pediatric appendicitis ,a 20 year study of 1 ,640 children at a country hospital .

Arch. Surg. ,114:717 .

- Jawetz ,F. ;Melnick ,J. L. and Adelberg ,E. A. (1987):

Review of medical microbiology .

17th ed. edited by Appleton & Lange ,California .

- Jones ,R. N. (1982):

The antimicrobial susceptibility tests ,in :
Significance of medical microbiology in the care of
patients ,edited by Lorain ,V. 2nd ed. , Williams &
Wilkins ,Baltimore .

- Jones ,R. N. ;Worjeski ,W. ;Bakke J. ;Porter ,C. and
Searles M. (1987):

Antibiotic prophylaxis of 1.036 patients undergoing
elective surgical procedures .
Am. J. Surg. ,153:341.

- Kaul ,A. F. and Jewett ,J. F. (1981):

Agents and techniques for disinfection of the skin
Surg. Gynecol. Obstet. ,152:677.

- Kozol ,A. A. ;Fromm ,D. ;Ackerman ,N. B. and Chung
R. (1986):

Wound closure in obese patients.
Surg. Gynecol. Obestet. ,162:442.

- Keighley ,M. R. B. and Burden ,D. W. (1975):

Antimicrobial prophylaxis in surgery.
Pitman medical tunbridge & wills.

- Kington ,O. ;Halliday ,B. and Hunt ,T. K. (1986):

Oxygen as an antibiotic. A comparison of the effect
of inspired oxygen concentration and antibiotic
administration of in vivo bacterial clearance.
Arch. Surg. ,121:191.

- Kune ,G. A. ;Farner ,I. A. and Read ,A. (1983):

Postoperative wound infection : A study of bacteriology & pathogenesis .

Aust. N. Z. J. Surg. ,53:245.

- Kunin ,C. M. (1981):

Evaluation of antibiotics usage : A comprehensive look at alternative approaches .

Rev. Infect. Dis. ,3:745 .

- Lau , W. Y. ;Fan ,S. T. ;K. W. ;Yip ,W. C. ;Chong ,K. K. and Wong ,K. K. (1986):

Combined topical providone-iodine and Systemic antibiotics in postappendicectomy wound sepsis .

Br. J. Surg. ,73:958.

- Laufman ,H. (1976):

Is Laminar airflow necessary for prophylaxis against wound infection ?

Med. Instrument. ,10:269 .

- Laufman ,H. and Winkelman ,H. T. (1976):

Preparation and maintainance of a safe operation room environment ,in : Manual on control of infection in surgical patients ,edited by Altemeier ,W.A. ;Burke, J. F. ;Pruitt ,B. A. and Sandnsky ,W. R. 1st ed., P.111,J. B. Lippincott Co.

- Leback (1981):

Nosocomial hospital acquired infections ,their
definition & significance .

Hexagon (Roch.) ,9:21 .

- Letts ,R. M. and Doermer ,E. (1983):

Conversation in the operating theatre as a cause of
airborne bacterial contamination .

J. Bone joint Surg. ,65:357.

- Lewis ,R. T. ;Goodall ,R. G. ;Mariene ,B. ;Park ,M. ;
Smith ,W. L. and Weigand F. M. (1987):

Biliary bacteria ,antibiotic use ,and wound
infection in surgery of the gallbladder and common bile
duct .

Arch. Surg. ,122:44 .

- Lidwell ,O. M.(1986):

Clear air at operation and subsequent sepsis in the
joint .

Clin. Orth. and related Res. ,211:91 .

- Lloyd ,H. H. and Richard M. L. (1985):

Prevention and treatment of postoperative infection
Urology ,26:31.

- Love ,T. A. (1985):

Antibiotic prophylaxis and urologic surgery.
Urology ,25(suppl.):2 .

- Loveless ,M. O. (1986) :

The role of susceptibility testing in the appropriate selection of antibiotics .

Lab. Med. ,17:75 .

- Lowbury ,E. J. L. ;Blowers ,R. ;Cunliffe ,A. C. and Fallon ,R. J. (1968):

Aseptic methods in the operating suite .

Lancet ,I:705 .

- Mallison ,G. F. (1976):

Housekeeping techniques in the prevention and the control of infections ,in : Manual on control of infection in surgical patients ,edited by Altemeier ,W. A. ;Burke ,J. F. ;Pruitt ,B. A. and Sandusky ,W. R. 1st ed. ,P.282 ,J. B. Lippincott Co.

- Maki ,D. G. (1980):

Nosocomial pseudoepidemics and pseudobacteremias .

Arch. Intern. Med. ,140:26 .

- Matter ,P. and Rittmann ,W. W. (1978):

The open fracture .

Huber Medical Publisher ,Bern ,Switzerland .

- McCray ,E. ;Martone ,W. J. ;Wise ,R. P. and Culver, D. H. (1986):

Risk factors after genitourinary reconstructive surgery .

Am. J. Epidemiol. ,123:1026 .

- McGown ,J. E. (1981):

Environmental factors in nosocomial infection :A selective focus .

Rev. Infect. Dis. ,3:760 .

- McGown ,J. E. (1983):

Antimicrobial resistance in hospital organisms and its relation to antibiotic use .

Rev. Infect. Dis. ,5:1033 .

- McGown ,J. E. ;Weinstein ,R. A.and Mallison ,G. E. (1986):

The role of the laboratory in control of nosocomial infection ,in :Hospital infection ,edited by Benett ,J. V. and Brachman, P. S. ,2nd ed. ,P.131, Little ,Braun and Company ,Boston .

- Mead ,P. B. ;Pories ,S. E. and Hall ,P. (1986):

Decreasing the incidence of surgical wound infections : Validation of a surveillance -notification program .

Arch. Surg. ,121:458.

- Mears ,E. M. (1975):

Factors that influence surgical wound infections : Role of prophylactic antibiotic therapy .

Urology ,6:535 .

- Meers ,P. D. ;Ayliffe, G. A. J. ;Emmerson .A. M.;Leigh ,D. A.;
Mayerson-White ,R. T. ;Mackintosh ,C. A. and Stronge ,J. L. (1981):

Report of national survey of infection in hospitals, 1980.

J. Hosp. Infect. ,2(suppl.):11.

- Moore ,E. E. ;Kelly ,G. L. ;Driver ,T. and Eiseman, B. (1979):

Reassessment of simple cholecystectomy .

Arch. Surg. ,114:515.

- Moylan ,J. A. ;Fitzpatric ,K. T. and Davenport ,K. E. (1987):

Reducing wound infections ;Improved gown and drape parrier performance .

Arch. Surg. ,122:152

- National Nosocomial Infections Study (NNIS) (1979):

In : Hospital infections ,edited by Benatt ,J. V. and Brachman ,P. S. 1st. ed. ,P.292 ,Little ,Brown and Company ,Boston .

- Nichols ,R. L. (1985):

Postoperative infections and antimicrobial prophylaxis, in : Principles and practice of infectious diseases ,edited by Mandell ,G. L. ;Douglas, R. G. and Benett ,J. E. 1st ed. ,P.1637, John Wiley, N. Y.

- Nomikos ,I. N. ;Katsouyanni ,K. and Papaioannou ,A. N. (1986):

Washing with or without chloramphenicol in the treatment of peritonitis :A prospective clinical trial. Surgery ,99:20 .

- Noone ,M. R. ;Pitt ,T. L. ;Bedder ,M. ;Hewlett ,A. M. and Rogers K. B. (1983):

Pseudomonas aeruginosa ;colonization in an intensive therapy unit :Role of cross-infection and host factors. Br. Med. J.,286:341.

- Oreskovich ,M. R. ;Dellinger ,E. P. and Lennard E. S. (1982):

Duration of preventive antibiotic administration for penetrating abdominal trauma . Arch. Surg. ,117:200 .

- Pietsch ,J. B. and Meakins J. L. (1977):

The delayed hypersensitivity response. Can. J. Surg. ,20:15.

- Pitt ,H. A. ;Postier ,R. G. and Gadacz ,T. R. (1982):

The role of topical antibiotics in high risk biliary surgery. Surgery ,91:516.

- Polk ,H. C. (1976):

Isolation for infection control in surgical patients ,in : Manual on control of infection in surgical patients ,edited by, W. A. Altemeier ,W. A. Burke ,J. E. ;Pruitt ,B. A.and Sandusky ,W. A. 1st ed. P.212 , J. B. lippincott Co.

- Pollock ,V. A.(1987):

Microbiologic prediction of abdominal surgical wound infection.

Arch. Surg. ,122:33.

- Postlethwait ,R. W. (1981):

Principles of operative surgery ,in : Davis christopher's Textbook of surgery ,edited by sabistone, D. C. 12th ed. ,P.316, W. B. saunders Co.

- Price ,K. N. ;Pussiane ,T. A. ;et al.(1974):

Activity of Amikin against clinical isolates, resistance to one or more aminoglycosides .

Antimicrob. agents & chemother. ,5:143.

- Putsep ,E. (1979):

Modern Hospital .

International planning Practices ,Bloyedleke ,Londen .

- Rains .A. J. H. and Ritchie ,H. D. (1981):

Baily & Love's short practice of surgery 18th ed., Lewis H. K. & company Ltd. ,London.

- Riess ,R. ;Deustsch ,A. A. and Sternberg ,A. (1984):
Selective antibiotic prophylaxis in biliary
surgery .

Int. Surg. ,69:13 .

- Robert ,I. and Wise ,J. (1973):

Modern management of sever staphylococcal disease .
Medicine ,52:4 .

- Ronald ,A. R. (1983):

Antimicrobial prophylaxis in surgery .
Surgery ,93:172 .

- Ronald ,J. ;et al. (1986):

Prophylactic regimens in colorectal surgery .
W. J. Surg. ,10:1003 .

- Roth ,Ai ;Fry ,D. E. and Polk ,H. C. (1986):

Infectious morbidity in extremity fructures .
J. Tr. ,26:757 .

- Ryan ,G. B. (1976):

Inflammation and localiz~~at~~ion of infection .
Surg. Clin. North Am. ,56:840 .

- Sadath ,L. D. ;Gerstien ,D. A. ;Leaf ,C. D. and
Finland ,M. (1970):

The usefulness of antibiotic treatment of
infection .
Clin. Pharm. Therap. ,11:161 .

- Sandusky ,W. R. (1980):

Use of prophylactic antibiotics in surgical patients .

Surg. Clin. North Am. ,60:83 .

- Sauven ,P. ;Playforth ,M. J. ;Smith ,G. M. R. ;Evans, M. and Pollock ,A. V. (1986):

Single dose antibiotic prophylaxis of abdominal surgical wound .

J. R. Soc. Med. ,79:137 .

- Schaberg ,D. R. ;Haley ,R. W. ;Highsmith ,A. K.; Anderson ,R. L. and McGown ,J. E. (1979):

Nosocomial bacteraemia .

Ann. Intern. Med. ,93:420 .

- Schaberg ,D. R. ;Weinstien ,R. A. and Stamm ,W. E. (1976):

Epidemics of nosocomial urinary tract infection caused by multiple resistant gram-negative bacilli .

J. Infect. Dis. ,133:363 .

- Schonholtz ,G. J. (1976):

Maintenance of aseptic barriers in the conventional operating room .

J. Bone Joint Surg. ,58:439

- Senior ,C. C. and Steigrad ,S. J. (1986):

Are preoperative antibiotics helpful in abdominal hysterectomy ?

Am. J. Obstet. Gynecol. ,154:1004 .

- Simchen ,E. ;Sphiro ,M. and Sacks ,T. G. (1984):

Determinants of wound infection after colon surgery.

Ann. Surg. ,199:121 .

- Shooter ,R. A. (1971):

Powel colonisation of hospital patients by *Pseudomonas aeruginosa* and *Escherichia coli* .

Proc. R. Soc. Med. ,64:27 .

- Stephen and Sellgmein. (1978):

Frequency of resistance of kanamycin ,tobramycin, amikacin in gram-negative rods .

Antimicrob. agents & Chemother. ,13:70

- Stillman ,R. M. ;Marno ,C. A. and Seligman ,S. J. (1984):

Skin staples in potentially contaminated wounds .

Arch. Surg. ,119:821 .

- Strauch ,G. O. (1979):

Prevention of splenic function in adults and children with injured spleen .

Am. J. Surg. ,137:478 .

- Susan ,L. P. ;Braun ,W. E. ;Banowsky ,H. L. ;et al.
(1978):

Ruputred human renal allograft .

Urology ,11:53 .

- Tchervenkov ,J. I. ;Drano ,E. and Meakins ,J. L.
(1986):

Susceptibility to bacterial sepsis .

Arch. surg. ,121:37 .

- Thomas ,C. G. A. (1979):

Medical Micrbiology .

Bailiene's Tindoll ,Londen ,P.111 .

- Thadepalli ,H. ;Gorbach ,S. L. and Bartlett ,J. G.
(1977):

Apparent failure of chloramphenicol in the
treatment of anaerobic infection .

Curr. Ther. Res. ,22:421 .

- Tobin ,G. R. (1984):

Closure of contaminated wounds ,biologic and
technical consideration .

Surg. Clin. North Am. ,61:639 .

- Trumbore ,D. J. and Kaye ,D. (1985):

Changing patterns of hospital associated infections

Infect. Surg. ,4:34 .

- Walter ,J. B. and Israel ,M. S. (1979):

Hospital infection ,in : General Pathology .5th ed., P.232 , Churchill Livingstone Co.

- Walter ,J. B. and Israel ,M. S. (1984):

Hospital infection ,in : General Pathology .5th ed., P.103, Churchill Livingstone Co.

- Wartz ,J. A. (1973):

Inter-relationship between disc and tube dilution sensitivity tests for aminoglycoside antibiotics .
Antimicrob. agents&Chemother. ,4:445 .

- Watts ,J. M. (1981):

The cost of infection ,in : Infection in Surgery, edited by Watts ,J. M. ;McDonald ,P. T. ;O'Brien ,P. E.; Marshall ,V. R. and Finely-Jones ,J. J.
1st ed. ,P.6 ,Churchill Livingstone Co.

- Weber ,D. O. ;Gooch ,J. J. and Wood ,W. R. (1976):

Influence of operating room surface contamination or surgical wounds .
Arch. Surg. ,111:484 .

- Weigelt , J. A. (1985):

Risk of wound infections in trauma patients .
Am. J. Surg. ,150:782 .

- Weinstein ,R. A. and Kabins ,S. A. (1981):

Strategies for prevention and control of multiple drug-resistant nosocomial infection .

Am. J. Med. ,70:449 .

- Weinstein ,R. A. and Mallison ,G. F.(1987):

The role of the microbiology laboratory in surveillance and control of nosocomial infections .

Am. J. Clin. Pathol. ,69:130 .

- Weinstein ,R. A. ;Nathan ,C. ;Gruensfelder ,R. and Kabins ,S. A. (1980):

Endemic aminoglycosides resistance in gram-negative bacilli.

J. infect. Dis. ,141:338 .

- Welech ,J. P. and Donaldson ,G. A. (1974):

Recent experience in the management of cancer of the colon and rectum .

Am. J. Surg. ,127:492 .

- Westaby ,S. ;McPherson ,S.and Everett W. G. (1981):

Treatment of purulent wounds and fistulae with an adhesive wound irrigation device , a multicentre trial of 100 patients .

Ann. R. Coll. Surg. Engl. ,63:353 .

- Whyte ,W. ;Hodgson ,R. and Tinkler ,J. (1982):

The importance of airborne bacterial contamination
of wounds.

J. Hosp. Infect. ,3:123 .

- Zelco ,J. R. and Moore ,E. E. (1981):

Primary closure of the contaminated wound .

Am. J. Surg. ,142:704 .

#####