




REFERENCES

- Abdallah, M.A. (1971) :
 The role played by mechanical trauma in
 dermatophyte infection.
 Mykosen, 14 : 38.
- Abraham, A. (1975) :
 The effect of some hair oils and unsaturated
 fatty acids on experimentally induced dermato-
 phytosis.
 Dermatologica, 151 : 144.
- Ahmad, A.R. (1982) :
 Immunology of human dermatophyte infections.
 Arch. Dermatol., 118 : 521.
- Ajello, L.; George, L.K.; Koplan, W. and Kaufman, L. (1963):
 Laboratory Manual for Medical Mycology.
 Section A. Introduction of Medical Mycology.
 US Government printing office, Washington :
 1-16.
- Ajello, L. (1968) :
 Toxonomic review of dermatophytes and related
 species.
 Sabouraudia; 6 : 147-59.
- Ajello, L. (1974) :
 Natural history of the dermatophytes and
 related fungi.
 Mycopathol. Myco. Appl.; 53(1) : 93 - 110.

Ajello, L. (1978) :

Present day knowledge of imperfect Epidermophyton. Microsporum and Trichophyton species. Hautarzt. 29 : 6.

Al-Doory, Y. (1980) :

Laboratory Medical Mycology.
Philadelphia, Lea and Febiger.

Alferd, M.; Allen and taplin D. (1975) :

Epidemiology of cutaneous mycosis in the tropics and subtropics. Pan American Health Organization, Scientific publication 304, 215: 223.

Badillet, G. (1982):

Les dermatophytes. Atlas Clinique et Biologique. Edition Varia, Paris.

Baxter, M. (1965) :

The use of ink-blue in the identification of dermatophytes.

J. Invest. Dermatol. 44 : 23.

Beare, J.M.; Gentles, J.C. and Mackenzie, D.W.R. (1972) :

Mycology in : Textbook of Dermatology, 2nd ed., Vol.1. Edited by Rook, A., Wilkinson, D.S., Ebling, F.J., Oxford, Blackwell., 694.

Berk, S.H.; Penneys, N.S. & Weinstein, G.D. (1976) :

Epidermal activity in annular dermatophytosis. Archives of Dermatology, 112, 485.

Blank, H. ; S.J. Mamm and P.A. Peale (1959) :

The pathogenesis of superficial fungus infections in cultured human skin.

Arch. Dermatol. 79 : 524.

Blank, F. (1974) :

Distribution of dermatophytosis according to age. Ethnic group and sex.

Sabouraudia, 12 : 352.

Boyse, E.A. ; Old, L.J. & Chouroulinkoui (1964) :

Cytotoxic test for demonstration of mouse antibody. In methods in Medical Research, ed.

Eisen H.N., Vol. 10 Chicago Year Book Medical Publisher. p.: 39-47.

Boyum, A. (1966) :

Ficoll/Hypaque method for separation mononuclear cells and granulocytes from human blood.

Scand. J. Clin. Lab. Invest. (Suppl) 21: 77-89.

Bulmer, G.S. and Fromtling, R. A. (1983) :

Pathogenic mechanisms of mycotic agents. In Fungi pathogenic for human and animals. Part B Edited by D.H. Howard and L.F. Howard. Marcel Dekker, Inc. New York and Basel p.7.

Caprilli, F. ; Mercantini, R. ; Marsella, R. and Farotti-E. (1980) :

Etiology of ringworm of the scalp, beard and

body in Rome Italy.

Sabouraudia, 18, 2 : 129.

Cataloma, W.J.; Taylor, P.T. & Chretein, P.B. (1972) :

Quantitative dinitrochlorobenzene contact sensitization in a normal population.

Clin. Exp. Immunol.; 12 : 325.

Conant, N.F. (1971) :

Manual of clinical mycology.

W.B. Saunders. Philadelphia, p. 595.

Dahl, M.V. and Carpenter, R. (1986) :

Polymorphonuclear Leukocytes. Complement and Trichophyton Rubrum.

J. Invest. Dermatol., 86 : 138.

Dahl, M.V. (1987) :

Immunological resistance to dermatophyte infections. Adv. Dermatol.; 2 : 305.

Davis, C.M. (1972) :

Dermatophytes in military recruits.

Arch. Dermatol., 105.

Dawson, C.O. and J.C. Gentles : (1959) :

The perfect stage of keratinomyces Ajellio.

Nature (Lond.), 183: 1345 - 1346.

Dean, K.F. and Halley, L.D. (1962) :

Public health Rep. 77 : 61. Quoted from biomerieux Bacteriology Catalogue (1982) p.83.

- Delacretaz, J.; Grigoriu, D. and Ducel, G. (1976) :
 Color Atlas of Medical Mycology.
 Year Book Medical Publishers, Chicago, p.13.
- Devroey, C. (1985) :
 Epidemiology of ringworm (dermatophytosis).
 Semin Dermatol., 4 : 185-200.
- Dick, G. (1979) :
 Immune responses to Fungal infections.
 Baltimore, University Park Press.
- Domonkos, A. N. (1971) :
 Diseases due to fungi. In Andrew's Diseases of
 skin 6th ed. W.B.
 Saunders Company, Philadelphia, London,
 Toronto, p. 341.
- Douglas, S. D. (1978) :
 Cells involved in immune response in fudenberg
 H.; Stites D.P.; Galdwell, J.L.; Well, J.V.;
 eds.
 Basic and clinical immunology 2 nd ed. Los
 Altos California; p. 78.
- El-Bassiony, F.M. (1986) :
 Tinea corporis, clinical and mycological study
 in Dakahlia. Thesis submitted in partial
 fulfillment for master degree of dermatology
 and venerology, Faculty of Medicine, Mansoura
 University.

- El-Mofty, A.; Moustafa, M.A.; Nada, M.M.; EL-Komy, M.;
Mohareb, R.M. and Moawad, M.A. (1975) :
Study of the prevailing fungi causing dermatomycosis in Cairo (Egypt).
Mansoura Medical Bulletin, 3 : 337.
- El-Shiemy, S.; Abd El-Dayem, H.; Sallam, T.H. and Zaki S.
(1981) :
Tinea corporis in Abu Dhabi "United Arab Emirates".
Egypt J. Dermatol. and Venerol., 1 : 55.
- Emmons, C.W. (1934) :
Dermatophytosis, natural grouping, based on the form of spores and accessory organs.
Arch. Dermatol. and Syph., 30 : 337.
Cited from Rook, (1978).
- Emmons, C.W.; Binford, C.M. and Utz J.P. (1970) :
Dermatophytosis in : Medical Mycology 2nd ed.,
Philadelphia, Lea and Febiger, p.109.
- Findlay, G.H. (1979) :
Superficial fungus infections. In Dermatology in General Medicine, Edited by T.B. Fitzpatrick, A.Z. Eisen K. Wolf, IM freedberg and K.F. Austen. McGraw Hill Company. New York St. Louis. San Francisco. P. 1509.

George, L.K. and Camp, L.B. (1957) :

Routine nutritional tests for identification of dermatophytes.

J. Bacteriology, 74 : 113.

Goslen, J.B. and Kobayashi, G.S. (1987) :

Mycologic infections. In Dermatology in general medicine.

Edited by T.B. Fitzpatrick, A.Z. Eisen, K. Wolf, I.M. Freedberg and K.F. Austen. Vol.1. McGraw Hill Book Company. Newyork ST.Louis San Francisco; p.2193.

Grappel, S.F.; Blank, F. and Bishop, C.T. (1972) :

Circulating antibodies in dermatophytosis.

Dermatologica. 144 : 1.

Grappel S.F.; Bishop, T. and Blank, F. (1974) :

Immunology of dermatophytes and dermatophytosis.

Bacterial. Rev., 38 : 222.

Gruby, D. (1841) :

Memoire sur une vegetation qui constitue la vraie teigne. C.R. Acad. Sci. (Paris) 13:72, (Cited from Rook, 1978).

Gruby, D. (1843) :

Recherches sur la nature, le siege et le developpement du Porrigo decalvans en Phyto-alopecie. C.R. Acad. Sci. (Paris) 17: 301, (Cited from Rook, 1978).

Hanifin, J.M.; Ray, L.F. and Lobitz, W.C. (1974) :

Immunological reactivity in dermatophytosis.

Br. J. Dermatol. 90 : 1-8.

Hartmann, G. and Rohde, B. (1980) :

Introducing mycology by examples.

p. 45 - 71.

Hay, R.J. and Shennan, G. (1982) :

Chronic dermatophyte infections. II. Antibody and cell mediated immune responses.

Br. J. Dermatol., 106 : 191.

Hay, R.J.; Reids; Talwat, E. (1983) :

Immune responses of patients with tinea imbricata.

Br. J. Dermatol., 108 : 581.

Hay, R.J. (1985) :

Superficial fungal diseases. In Dermatologic immunology and Allergy. Edited by Julius Stone. The C.V. Company. ST. Louis. Toronto Princeton, p. 501.

Helander, I. (1978) :

The lymphocyte transformation test in dermatophytosis.

Mykosen 21 (3), 71.

Henry, M.D. (1984) :

Clinical diagnosis and management.

W.B. Saunders Company. 17 Edition. p.837.

Hernandez, A.D. (1980) :

An approach to the diagnosis and therapy of dermatophytosis.

Int. J. Dermatol. 19(10) : 540-7.

Hironaga, M.; Okazaki, N. and Watanab, S. (1983) :

T. mentagrophytes granulomas.

Arch. Dermatol., 119 : 480.

Hong, R. (1979) :

Immunity, allergy and related diseases in :
Vaughan VC. Mekay RJ. Behrman RE. eds. Nelson
textbook of Pediatrics 11th edition 473.

Hopfer, R.L.; Grappel, S.F. and Blank, F. (1975) :

Antibodies with affinity for epithelial tissue
in chronic dermatophytosis.

Dermatologica, 151 : 135.

Hudson, L. & Hay, F.C. (1976) :

Practical Immunology, p.42.

Blackwell Scientific Publications, Oxford.

Jondal, M.; Holm, G.; Wiggell, H. (1972) :

Surface markers on human T and B lymphocytes.

A large population of lymphocytes forming
non-immune rosettes with sheep red blood
cells.

J. Exp. Med. 136 : 207-15.

Jones, H.E.; Reinhart, J.H. and Rinaldi, M.G. (1974) :

Immunologic susceptibility to chronic der-

matophytosis.

Arch. Dermatol., 110 : 213-220.

Kaaman, T. (1981) :

ELISA determined serology reactivity against purified trichophyton in dermatophytosis.

Acta Derm. Venerol., 61 : 313.

Kerbs, S.; Greenberg, J. and Jersarni, K. (1977) :

Tempotol correlation of lymphocyte blastogenesis, skin test responses and erythema during dermatophyte infections.

Clin. Exp. Immunol., 27 : 526.

King, R.D.; Khan, H.A.; Foye, J.C. et al. (1975) :

Transferrin, iron and dermatophytes : 1-serum dermatophyte inhibitory component definitively identified as unsaturated transferrin.

J. Lab. Clin. Med., 86 : 204-212.

Knudsen, F.A. (1975) :

The areal extent of dermatophyte infections.

Br. J. Dermatol., 92 : 413.

Lee, K.H.; Lee, J.B. and Song, D.H. (1988) :

Detection of circulating antibodies to purified keratinolytic proteinase in sera from guinea pigs infected with *Microsporum canis* by enzyme-linked immuno-sorbent assay.

Arch. Dermatol. Res. 280 : 45.

Lewis, G.M.; Hopper, M.E.; Wilson, J.W. and Plankett, O.A.
(1958) :

An introduction to Medical Mycology, 4th ed.
Chicago, Year book Publishers.

Meevootisom, V. and Niederpruem, D.T. (1979) :

Control of exocellular proteases in dermatophytes and especially *T. rubrum*. *Sabouraudia* 17 : 91.

Minocha, Y.; Pasricha, J.S.; Mohapatra, L.N. and Kandhari K.C. (1972) :

Proteolytic activity of dermatophytes and its role in the pathogenesis of skin lesions *Sabouraudia*, 10 : 79-85.

Moore, G.S. and Jaciow, D.H. (1979) :

Dermatophytes. In Mycology for the clinical laboratory.

Reston Publishing Company, Inc. Reston, Virginia, p.113.

Moschella, S.L.; Pillsbury, D.M. and Jurley, H.J. (1975) :

Textbook of dermatology. Ringworm of the scalp Vol.I 2nd ed. W.B. Saunders Company, Philadelphia.

London, Toronto.

Myrvik, Q.N. and Welser, R.S. (1988) :

Dermatophytes. In Fundamental of medical bacteriology and mycology, 2nd ed.

Lea & Febiger. Philadelphia, p. 535.

Nath, P. and Agarwal, P.K. (1972) :

Clinical Manifestation in dermatophytosis.

Indian J. Med. Res., 60(8): 1148-55.

Nielson, P.G. (1981) :

Comparison between direct microscopy and culture in dermatological mycotic material.

Mykosen; 24(9) : 555-560.

Palmer, D.; Read, W. (1974) :

Delayed hypersensitivity skin testing.

1-response in a hospitalized population.

J. Infect. Dis. : 130 : 132-137.

Philpot, C. (1977) :

Some aspects of the epidemiology of tinea.

Mycopathologia 62 : 3.

Pipkin, F.B. (1984) :

Medical statistice made easy.

Churchill Livingstone Edinburgh, London,

Melbourne and New York, p. 67.

Platts-Mills, T.A.; Fiocco, G.P.; Haydan, M.L. and Wilkins, M.R. (1987) :

Serum IgE antibodies to trichophyton in patients with urticaria angioedema asthma and rhinitis.

J. Allergy Clin. Immunol., 79 : 40.

Prevost, E. (1983) :

The rise and fall of fluorescent tinea.

capitis, Pediatr.-Dermatol., 1, 2 : 127.

Ramesh, V. (1983) :

Onychomycosis.

Int. J. Dermatol. 22(3) : 148-52.

Raubitschek, F. (1959) :

Infectivity and family incidence of black dot
tinea capitis.

Arch. Dermatol., 79 : 143.

Rebell, G.; Taplin, D. (1970) :

Dermatophytes. Their recognition and identification 2nd ed.

Miami, University of Miami Press.

Remake, R. (1842) :

Gebengene Impfung des favus. Med. Zeitung 11 :
137,

(Cited from Rook, 1978)

Rippon, J.W. (1982) :

Dermatophytosis and dermatomycosis. In Medical
mycology. The pathogenic fungi and the
pathogenic actinomycetes.

Philadelphia, J.B. Saunders, P. 154.

Roberts, S.O.B. and Mackenzie, D.W.R. (1979) :

Mycology in Textbook of dermatology ed. by
Rook, Wilkinson and Ebling, Vol., I 3rd ed.
Blackwell Scientific Publication, Oxford,
Edinburgh, Melbourne.

Roberts, S.O. and Mackenzie, D.W. (1986) :

Mycology. In : Textbook of Dermatology.

Edited by A. Rook, D.S. Wilkinson, F.J. Ebling
R.H. Champion and J.L. Burton. Vol.II. Black-
well Scientific Publications. Oxford, London,
Edinburgh. p.885.

Rocklin, R.E. (1978) :

Mediators of cellular immunity.

In : Fudinberg H., Stites D.P.; Galdwell J.L.
Well J.V. eds. Basic & Clinical Immunology 2nd
ed. Los Altos California : 129.

Roitt, I.M. ed. (1977):

In vitro test for cell mediated hypersensi-
tivity in essential immunology. 3rd ed. Oxford
London Edinburg, 179-80.

Rook, A. (1978) :

Early concepts of the host parasite relation-
ship in mycology. The discovery of dermato-
phytes.

Int. J. Dermatol.; 17 : 666-77.

Roth, F.J.; Boyd, C.C.; Sagami, S. & Blank, W.J. (1959) :

An evaluation of fungistatic activity of sreum
Journal of Investigative Dermatology, 32, 549.

Rudolph, A.H.; Rosen, T.; Friedman, L.; Derbes, V.J.; Hodges, E.P. (1982) :

Tinea capitis in Demis, DJ. Dobson, R.L. McGuire, J. (eds); Clinical Dermatology. Philadelphia. Harper and Row (Chap. 17).

Sabouraud, R. (1936) :

L'histoire moderne des dermatophytes.
Extrait de dermatologia et dermatologes.
Hungria Imprimerie Soci  t  , Budapest.
(Cited from Rook, 1978).

Schonlein, J.L. (1839) :

Zur Pathogenie der Impetigines.
Arch. Anat. Physiol. Wiss. Med. 82,
(Cited from Rook, 1978).

Seeliger, H.P.R. (1962) :

Serology of fungi and deep fungus infections,
p. 158-186.
In : G. Dalldorf. Fungi and fungous diseases.
Charles C. Thomas. Publisher. Springfield. III.

Sinski, J. (1974) :

Dermatophytes in human skin, hair and nails.
Springfield. III. Challes C Thomas.

Smith, J.M.B. and Marples, M.J. (1965) :

Dermatophyte lesions in the hedgehog as a
reservoir of pencillin-resistant staphylococci
J. Hyg. 63 : 293.

Sohnle, P.G.; Kirkpatrick C.H. (1978) :

Epidermal peroliferation in the defense
against experiemental cutaneous candidiasis.
J. Invest. Dermatol. 70 : 130 - 133.

Stites, D.P. (1987) :

Laboratory methods of detection cellular
immune function, in Fundenberg H.; Stites,
D.P.; Caldwell J.L.; Well. J.V. eds Basic &
Clinical immunology sixth ed. Los Atos,
California.

Stone, J. (1985) :

Dermatologic immunology and allergy.
The C.V. Mosby Company, p. 503.

Svejgaard, E.; Christiansen, A.H. and Thomsen, K. (1984) :

Clinical and immunological studies in chronic
dermatophytosis caused by trichophyton rubrum.
Acta. Derm. Venereol., 64 : 493.

Svejgaard, E. (1986) :

Humoral antibody responses in the immuno-
pathogenesis of dematophytosis.
Acta. Derm. Venereol. Suppl., 121 : 85.

Swan, J.W.; Dahl, M.V.; Coppo, P.A. and Hammerschmidt, D.E.
(1983) :

Complement activation by trichophyton rubrum.
J. Invest. Dermatol., 80 : 156.

- Taplin, D.; Zaias, N.; Rebell, G. and Blank, H. (1969) :
Isolation and recognition of dermatophytes on
a new medium (DTMD).
Arch. Dermatol., 99 : 203.
- Thompson, R.A.; ed (1977) :
Lymphokine production in : Techniques in
clinical immunology. Oxford, London, Edinburgh
Melbourne, 196-8.
- Uri, J.; Szathmary, S. and Herpay, Z.S. (1957) :
Über die Antibiotica production von pilzen am
ortihres natürlichen vorkommens.
Pharmazie, 12 : 485.
- Verma, B.S. (1966) :
The use of fluorescence Microscopy in the
study of invitro hair penetration by ringworm
fungi.
Brit. J. Dermatol., 78 : 222.
- Walters, B.A.J.; Beardmore, G.L. and Halliday, W.J. (1976):
Specific cell-mediated immunity in the labo-
ratory diagnosis of dermatophytic infections.
British Journal of Dermatology 94 : 55-61.
- Weitzman, I. (1964) :
Variation in *Microsporum gypseum* and genetic
study of pleomorphism.
Sabouraudia 3 : 195.

Young, E. and Roth, F.J. (1979) :

Immunological cross reactivity between glyco-
protein isolated from *T. mentagrophytes* and
human isoantigen A.

J. Invest. Dermatol., 72 : 46.

Young, M.; Keane, C. and English, L. (1982) :

Misdiagnosed dermatophytosis.

J. Infection; 4(2) : 127-129.

Youssef, N.; Wyborn, C.H.E.; Holt, G.; Noble, W.C. and
Clayton, Y. (1978):

Antibiotic production by dermatophyte fungi.

J. Gen. Microbiol., 105 : 105.

Youssef, N.; Wyborn, C.H.E.; Holt, G.; Noble, W.C. and
Clayton, Y. (1979) :

Ecological effects of antibiotic production by
dermatophyte fungi.

J. Hyg. 82 : 301.