

References

- 1) Ackerman KD, Martino M, Heyman R, Moyna RH, Rabin BS.2002. Stressor-induced alterations of cytokine production in multiple sclerosis patients and controls. *Psychosom Med.*;60:484–491
- 2) ADASHI, E. Y.2000. The potential role of IL-1 in the ovulatory process: at an evolving hypothesis. *J. Reprod. Immunol.* 35: 1–9
- 3) Akassoglou, K., L. Probert, G. Kontogoergos, and G. Kollias. 2001. Astrocyte-specific but not neuron-specific transmembrane TNF triggers inflammation and degeneration in the central nervous system of transgenic mice. *J.Immunol.*158:438–445.
- 4) Akira S, Taga T, Kishimoto T:2000. Interleukin-6 in biology and medicine. *Ads. immunol.* 45:1-78,
- 5) Allan, S.M., C.B. Lawrence, R.I. Grundy, and N.J. Rothwell 1999. IL-1 and IL-1ra act in the striatum to modify excitotoxic brain damage in the rat. *Soc. Neurosci. Abstr.*23:8979.

- 6) **Andrus PK, Taylor BM, Sun FF, Hall ED:1994.** Effects of the lipid peroxidation inhibitor tirilazat mesylate on brain eicozanoid levels following ischemia and reperfusion. *Brain, Res.* 659: 126-132,.
- 7) **Argiles JM, et al:1997.** Journey from cachexia to obesity by TNF. *FASEB J* 11:743,.
- 8) **Asensio, V.C., and I.L. Campbell. 2000.** Chemokine gene expression in the brains of mice with lymphocytic choriomeningitis. *J. Virol.*71:7832–784
- 9) **Austrup F, Vestweber D, Borges E, et al.1997.** P- and E-selectin mediate recruitment of T-helper-1 but not T-helper-2 cells into inflamed tissues. *Nature* . 385: 81-83,.
- 10) **Babior BM:2003.** Phagocytes and oxidative stress. *Am J Med* 109: 33,.
- 11) **Baggiolin M, Dewald B, Moser B:1998.** Human chemokines: an update. *Annu Rev Immunol*; 15:675–705
- 12) **Barrington R, et al:2001.** The role of complement in inflammation and adaptive immunity. *Immunol Rev* 180: 5,
- 13) **Beckman JS, Kuppenol WH: 1996.** Nitric oxide, superoxide, and peroxynitrite: the good, the bad and the ugly. *Am J Physiol* 271:C1424,.

- 14) **Bednar MM, Gross CE, Balazy M, Falck JR :1997.**
Antineutrophil strategies. *Neurology*. **49(suppl 4): S20-S22,**
- 15) **Beekes M, McBride PA, Baldauf E: 2000.**Cerebral targeting indicates vagal spread of infection in hamsters fed with scrapie. *J Gen Virol* .**79 (Pt 3): 601-7.**
- 16) **Benditt EP, Schwartz S: 1999.**Blood vessels. In Rubin E, Farber JL, eds. Pathology 2nd Ed. Philadelphia: *JP Lippincott*. **455-501,**
- 17) **Borish L & Rosenwasser J. Reed CE, Ellis EF, Adkinson NF Jr, Yunginger JW, Busse WW, eds.),1998.**
Cytokines in allergic inflammation, in Allergy: Principles and Practice. 5th ed. (Middleton E Jr, Mosby, St. Louis, pp.108-123,
- 18) **Borregaard N, Cowland JB: 1997.**Granules of the human neutrophilic polymorphnuclear leukocyte. *Blood* **89: 3503,.**
- 19) **Cannistra SA, Rambaldi A, Spriggs DR, et al.: 1987.**Human granulocyte-macrophage colony-stimulating factor induces expression of the tumor necrosis factor gene by the U937 cell line and by normal human monocytes. *J Clin Invest* . **79: 1720-1728,**

- 20) Castellanos M, Castillo J, García MM, Leira R, Serena J, Chamorro A, Dávalos 2004 .A, Inflammation-mediated damage in progressing lacunar infarctions: a potential therapeutic target. *Stroke.*; 33: 982–987
- 21) Castillo J, Dávalos A, Alvarez-Sabín J, Pumar JM, Leira R, Silva Y, Montaner J, Kase CS. 2004.Molecular signatures of brain injury after intracerebral hemorrhage. *Neurology.*; 58: 624–629
- 22) Center DM, Kornfeld H, Cruikshank WW.1997. Interleukin-16. *Int. J Biochem Cell Biol .* 29: 1231-1234,
- 23) Cicchetti G, Allen PG, Glogauer M: 2002.Chemotactic signaling pathways in neutrophils: from receptor to actin assembly. *Crit Rev Oral Biol Med* 13:220.
- 24) COHEN, M. C., AND S. COHEN. 1999.Cytokine function. A study in: biological diversity. *Am. J. Clin. Pathol.* 105: 589–598,
- 25) Correale J, Gilmore W, McMillan M, Lis., McCarthy KO., Le T, Weioner LP: 2000.Patterns of cytokine secretion by autoreactive proteolipid protein-specific T-cell clones during the course of multiple sclerosis. *J. of Immunology*, 154 (6): 2959-2968,
- 26) Collinge J: 2001.Prion diseases of humans and animals: their causes and molecular basis. *Ann Rev. Neurosci.* 24: 519-550,.
- 27) Connolly ES Jr, Winfree CJ, Springer TA, Naka Y, Liao H, Yan SD, Stern DM, Solomon RA, Gutierrez-Ramos J-C, Pinsky DJ.2004. Cerebral protection in

- homozygous null ICAM-1 mice after middle cerebral artery occlusion: role of neutrophil adhesion in the pathogenesis of stroke. *J Clin Invest.*;97:209-21
- 28) Coughlin SR, Camerer E:2003.** PARticipation in inflammation. *J Clin Invest.* 111: 25,.
- 29) Couture R, et al: 2001.**Kinin receptors in pain and inflammation. *Eur Pharmacol* 429:161,
- 30) Cramer T, et al: 2003.**HIF-1 α is essential for myeloid cell-mediated inflammation. *Cell* 112: 645,.
- 31) Dávalos A, Toni D, Iweins F, Lesaffre E, Bastianello S, Castillo J. 2003.**Neurological deterioration in acute ischemic stroke: potential predictors and associated factors in the European Cooperative Acute Stroke Study (ECASS) I. *Stroke.*; 30: 2631-2636
- 32) DEL REY, A., H. BESEDOVSKY, AND E. SORKIN. 1999.**Endogenous blood levels of corticosterone control the immunologic cell mass and B cell activity in mice. *J. Immunol.* 133: 572-575,
- 33) DeVries, Jf. 1998.**The role of IL-13 and its receptor in allergy and inflammatory responses. *J Allergy Clin Immunol.* 102: 165-169,
- 34) Dinarello CA. IL-18: 1999.a** Th1-inducing, proinflammatory cytokine and new member of the IL-1 family. *J Allergy Clin Immunol.* 103: 11-24,

- 35) Dorman SE, Holland SM: 2000. Interferon- γ and interleukin-12 pathway defects and human disease. *Cytokine Growth Factor Rev.* 11(4): 321-33,
- 36) Easton AS, Fraser PA: 1994. Evidence that arachidonic acid disruption of blood brain barrier is mediated by free radicals in the anesthetized rat. *J Physiol.*,
- 37) Easton AS, Fraser PA: 2000. Evidence that arachidonic acid disruption of blood brain barrier is mediated by free radicals in the anesthetized rat. *J Physiol.*,
- 38) Edskes HK and Wickner RB: 2004. transmissible spongiform encephalopathies: prion proof in progress. *Nature* 430: 977-979,
- 39) Essner R, Rhoades K, McBride WH, et al.: 1989. IL-4 down-regulates IL-1 and TNF gene expression in human monocytes. *J Immunol.* 142: 3857-3861,
- 40) FERNANDEZ-ALONSO, A., K. BENAMAR, M. SANCHIBRIAN F. J. LOPEZ-VALUPUESTA, AND F. J. MINANO. 1999. Role of interleukin-1b, interleukin-6 and macrophage inflammatory protein-1b in prostaglandin E2-induced hyperthermia in rats. *Life Sci.* 59: 185-190,
- 41) Feuerstein GZ, Wang X, Barone FC. The role of cytokines in the neuropathology of stroke and neurotrauma. 2004. *Neuroimmunomodulation*, 5:143-159.

- 42) **Flower RJ**: The development of COX2 inhibitors. **2003**.*Nat Rev Drug Discov* 2:179,
- 43) **Friedman RL, Stark GR**: **1985**.Alpha-interferon-induced transcription of HLA and metallothionein genes containing homologous upstream sequences. *Nature* 314: 637-639,
- 44) **Funk CD**: **2001**.Prostaglandins and leukotrienes: advances in eicosanoid biology. *Science* 294: 1871,
- 45) **Ganapati R, Pai VV**: **2004**.Reactions and their management. *J Indian Med Assoc.* 102(12): 688-90, 692, 694,
- 46) **Garcia JH, Liu K-F, Ho K-L**. **2000**.Neuronal necrosis after middle cerebral artery occlusion in Wistar rats progresses at different time intervals in the caudoputamen and the cortex. *Stroke*.:636-643
- 47) **Gendelman HE, Lipton SA, Epstein L**: **2000**.The Neurology of AIDS. *New York, NY: Chapman and Hall*;
- 48) **Goldstein SM, Leong J, Bunnett NW**. **1991**.Human mast cell proteases hydrolyze neurotensin, kinetensin, and leu5-enkephalin. *Peptides.* 12: 995-1000,.
- 49) **Goldstein SM, Leong J, Schwartz LB, Cooke D**.**1992**. Protease composition of exocytosed human skin mast cell protease-proteoglycan complexes. Tryptase resides in a complex distinct from chymase and carboxypeptidase. *J Immunol.* 148: 2475-

- 50) **Gonzalez-Amaro R, Sanchez-Madrid F: 1999.**Cell adhesion molecules: selectins and integrins. *Crit Rev Immunol* 19:389,
- 51) **Glaser R, Kiecolt-Glaser JK, Marucha PT, MacCallum RC, Laskowski BF, Malarkey WB.2000:** Stress-related changes in proinflammatory cytokine production in wounds. *Arch Gen Psychiatry*; 56:450–456
- 52) **Haaq-Frendcho M, Arai N, Arai K, et al.: 1988.**Human recombinant granulocyte-macrophage colony-stimulating factor and IL-3 cause basophil histamine release. *J Clin Invest.* 83: 17-20,.
- 53) **Harrison S, Geppetti P. 2001.**Substance P. *Int J Biochem Cell Biol* 33:555.
- 54) **Härtl R, Schürer L, Schmid-Schönbein GW, del Zoppo G.** Experimental antileukocyte interventions in cerebral ischemia. 2001.*J Cereb Blood Flow Metab.*;16:1108–
- 55) **Henderson WR, Kaliner M.** Mast cell granules peroxidase; location, secretion, and SRS-A inactivation. *J Immunol.* 122: 1322-13
- 56) **He S, Gaca MD, Walls AF. 1998.**A role for tryptase in the activation of human mast cells: modulation of histamine release by tryptase and inhibitors of tryptase. *J Pharmacol Exp Ther.* 289-297, **Hsu VP, Hossain MJ, Parashar UD: 2004.**Nipah virus encephalitis reemergence, *Bangladesh. Emerg Infect Dis.* 10: 2082-7,

- 57) **Hynes RO: 2002.**Integrins: bidirectional, allosteric signaling machines. *Cell* 110: 673.
- 58) **Irani, D.N., and D.E. Griffin. 2001.** Regulation of lymphocyte homing into the brain during viral encephalitis at various states of infection. *J. Immunol.***156:3850–3857.**
- 59) **Johnston B, Butcher EC: 2002.**Chemokines in rapid leukocyte adhesion triggering and migration. *Semin Immunol* 14:83,
- 60) **Jones GE: 2000.**Cellular signaling in macrophage migration and chemotaxis. *J Leukoc Biol* 68:593.
- 61) **Jovanovic DV et al.:1998.** Il-17 stimulates the production and expression of proinflammatory cytokines, Il-1-beta and TNF-alpha, by human macrophages. *J. Immunol.* 160, 3513-3521,
- 62) **Kaplan AP, et al: 1997.**The intrinsic coagulation/kinin-forming cascade: assembly in plasma and cell surfaces in inflammation. *Adv Immunol* 66: 225,
- 63) **Kennedy PG: 2005.**Viral encephalitis. *J Neurol. Epub ahead of print: march 11,*
- 64) **Kielian T: 2004.**Microglia and chemokines in infectious diseases of the nervous system: views and reviews. *Front Biosci., 9: 732-50,.*

- 65) **KISHIMOTO, T., T. TAGA, AND S. AKIRA.1999.**
Cytokine signal trans- duction. *Cell* 76: 253–262,.
- 66) **KOVACS, K. J., AND P. E. SAWCHENKO.**
1999.Sequence of stress-in-duced alterations in indices of
synaptic and transcriptional activa-tion in parvocellular
neurosecretory neurons. *J. Neurosci.* 16: 262–273,
- 67) **Laroux FS, et al: 2001.**Role of nitric oxide in
inflammation. *Acta Physiol Scand* 173: 113,
- 68) **Lees M, Taylor DJ, Woolley DE. 1994.**Mast cell proteinases
activate precursor forms of collagenase and stromelysin, but not
gelatinases A and B. *Eur J Biochem.* 223: 171-177,
- 69) **Leonard EJ, Yoshimura T: 1990.**Neutrophil
attractant/activator protein-1 (NAP-1 [interleukin-8]). *Am
J Respir Cell Mol Biol.* 2:479-486,
- 70) **Levy BD, Serhan CN: 2002.**Polyisoprenyl phosphates:
natural antiinflammatory lipid signals. *Cell Mol Life Sci* 59:729,
- 71) **Licinio L, Kling M, Hauser P.1998:** .cytokines and
brain function: relevance of interferon γ -induced mood
and cognitive changes. *Semin Oncol;* 25:30–38
- 72) **Li-Weber M, Laur O, Dern K, Krammer PH (2002)** T
cell activation-induced and HIV tat-enhanced CD95(APO-
1/Fas) ligand transcription involves NF-kappaB. *Eur. J.
Immunol.* 30: 661–670,
- 73) **Liszewski MK, et al: 1996.**Control of the complement
system. *Adv Immunol* 61:201,.

- 74) Loddick, S.A., M.-L. Wong, P.B. Bongiorno, P.W. Gold, J. Licinio, and N.J. Rothwell. 2000. Endogenous interleukin-1 receptor antagonist is neuroprotective. *Biochem. Biophys. Res. Commun.* 234:211–215.
- 75) Lopez AF, Dyson PG, To LB, et al.: 1988. Recombinant human interleukin-3 stimulation of responsiveness with differentiation in the neutrophilic myeloid series. *Blood.* 72: 1797-1804,.
- 76) Lovenberg TW, Roland BL, Wilson SJ, et al. 1999. Cloning and functional expression of the human histamine H3 receptor. *Mol. Pharmacol.* 55: 1101-1107,.
- 77) Luscinskas FW, et al: 2002. Leukocyte transendothelial migration: a junctional affair. *Semin Immunol*, 14:105
- 78) Lydyard PM, Playfair JHL: 1995. *Medical immunology for students. First edition, Churchill Livingstone, London,.*
- 79) Madge LA, Pober JS: 2001. TNF signaling in vascular endothelial cells. *Exp Mol Pathol* 70:317.
- 80) Malawista SE: 2000. Lyme disease. *Cecil Textbook of Medicine, 21st ed.* 1757-1761,
- 81) Mantovani A, Sozzani S, Introna M: 1997. Endothelial activation by cytokines. *Ann NY Acad Sci* 832:93,

- 82) **MASTORAKOS, G., J. S. WEBER, M.-A. MAGIAKOU, H. GUNN, AND G. P. CHROUSOS. 1997.**Hypothalamic-pituitary-adrenal axis activation and stimulation of systemic vasopressin secretion by recombinant interleukin-6 in humans: potential implications for the syndrome of inappropriate vasopressin secretion. *J. Clin. Endocrinol. Metab.* 79: 934–939,
- 83) **McDonald DM, Thurston G, Baluk P: 1999.**Endothelial gaps as sites for plasma leakage in inflammation. *Microcirculation* 6: 7,
- 84) **McDyer JF, Wu C-Y, Seder RA. 1998.**The regulation of IL-12: its role in infectious, autoimmune, and allergic diseases. *J Allergy Clin Immunol.* 102: 11-15,
- 85) **Mirza SA, Phelan M, Rimland D, et al: 2004.**The changing epidemiology of cryptococcosis: an update from population-based active surveillance in 2 large metropolitan areas,. *Clin Infect Dis.* 36(6): 789-94,,
- 86) **Misra UK, Kalita J, Roy AK, et al: 2000.**Role of clinical, radiological, and neurophysiological changes in predicting the outcome of tuberculous meningitis: a multivariable analysis. *J Neurol Neurosurg Psychiatry.* 68(3): 300-3,,

- 87) Mukaida N, Matsumoto T, Yokoi K, Harada A, Matsushima K. 2003. Inhibition of neutrophil-mediated acute inflammatory injury by an antibody against interleukin-8 (IL-8). *Inflamm Res*.
- 88) Muller WA: 2002. Leukocyte-endothelial cell interactions in the inflammatory response. *Lab Invest* 82: 521,
- 89) Murakami M, Kudo I: 2003. Cellular arachidonate-releasing functions of various phospholipase A2s. *Adv Exp Med Biol* 525:87,
- 90) Nakagawa T, Nagakawa N, Ambrus JL Jr, et al.: 1988. Differential effects of interleukin-2 vs B cell growth factor on human B cells. *J Immunol*. 14: 465-469,
- 91) Nathan CF: 2002. Points of control in inflammation. *Nature* 420: 846.
- 92) Nathan C: 1997. Inducible nitric oxide synthase. *J Clin Invest* 100: 2417,
- 93) Nathan C, Shiloh MU: 2000. Reactive oxygen and nitrogen intermediates in the relationship between mammalian hosts and microbial pathogens. *Proc Natl Acad Sci U S A* 97: 8841,
- 94) Nilsson, L., Rogers, J., and Potter, H. (2001) *Front. Biosci.* 16, 436-446
- 95) Nottet HSLM, Persidsky Y, Sasseville VG, Nukluna AN, Bock P, Zhai QH, Sharer LR, McCoimb RD, Swindells S, Soderland C, Gendelman HE.:

- 2000.Mechanisms for the transendothelial migration of HIV-1-infected monocytes into brain. *J of Immunology*, 156 (3): 1284-1295,
- 96) OTTAVIANI, E., AND C. FRANCHESCHI.1997. The invertebrate cytic immunocyte: clues to a common evolution of immune andneuroendocrine systems. *Immunol. Today* 18: 169–
- 97) Ooboshi H, Ibayashi S, Kitazono T, Yao H, Fujishima M, Iida M. 2004.Postischemic gene transfer of IL-10 protects against focal ischemia. *Stroke.*; 33: 346.
- 98) Perry, V. Hugh; Cunningham, Colm; Boche, Delphine: 2002.Atypical inflammation in the central nervous system in prion disease. *Current Opinion in Neurology*. 15(3):349-354,.
- 99) PITOSI, F., A. DEL REY, A. KABIERSCH, AND H. BESEDOVSKY.. 2000.Induction of cytokine transcripts in the CNS and pituitary following peripheral administration of endotoxin to mice. *J. Neurosci.. Res*. 48: 287–298,.
- 100) Playfair JHL: 1996.Immunology at a glance. *Sixth edition, Blackwell scientific publication, London*,
- 101) Prescott SM, et al: 2000.Platelet-activating factor and related lipid mediators, *Annu Rev Biochem* 69:419,
- 102) QUAN, N., Z. ZHANG, M. EMERY, R. BONSALL, AND J. M. WEISS. 1999.Detection of interleukin-1 bioactivity in various brain regions of healthy rats. *Neuroimmunomodulation* 3: 47–55,

- 103) Rabufetti M, Sciorati C, Tarozzo G, Clementi E, Manfredi AA, Beltramo M (2002) Inhibition of caspase-1-like activity by Ac-Tyr-Val-Ala-Asp-Chloromethyl ketone induces long-lasting neuroprotection in cerebral ischemia through apoptosis reduction and decrease of proinflammatory cytokines. *J. Neurosci.* **20**: 4398–4404
- 104) Ramilo O, Mustafa MM, Potter J, et al. 2000. Detection of interleukin 1 beta but not tumor necrosis factor- α in cerebrospinal fluid of children with aseptic meningitis. *Am J Dis Child.*; **144** :349 –352
- 105) Relton, D., J.K. Relton, G. Miller, A. Bendele, N. Fischer, and D. Russell. 2000. Cytokines as therapeutic agents in neurological disorders. In *Cytokines in the Nervous System*. N. Rothwell, editor. Chapman and Hall, New York. 163–178.
- 106) Repka-Ramirez MS, Baraniuk JN:2002. Histamine in health and disease. *Clin Allergy Immunol* 17:1,.
- 107) Revilla M, Obach V, Cervera A, Dávalos A, Castillo J, Chamorro .2004.A. A -174G/C polymorphism of the interleukin-6 gene in patients with lacunar infarction. *Neurosci Lett*; **324**: 29–32
- 108) Richardson JD, Vasco MR: 2002. Cellular mechanisms of neurogenic inflammation. *J Pharmacol Exp Ther* 302: 839,
- 109) RIVIER, C., AND P. M. PLOTSKY. 1989. Mediation by corticotropin- releasing factor (CRF) of adenohipophysial hormone secretion. *Annu. Rev. Physiol.* **48**: 475–494,.

- 110) **Romero LI, Kakueska I, Lechan RM, Reichlin S 2000:**
Interleukin-6 (IL-6) is secreted from the brain after intracerebroventricular injection of IL-1 beta in rats. *Am J Physiol*; 270:R518–R524
- 111) **Rossi D, Zlotnik A: 2000.**the biology of chemokines and their receptors. *Annu Rev Immunol* 18:2 17,
- 112) **ROTHWELL, N. J., G. LUHESHI, AND S. TOULMOND. 1999.**Cytokines. and their receptors in the central nervous system: physiology, pharmacology, and pathology. *Pharmacol. Ther.* 69: 85–95,
- 113) **Sathiyaseelan J, Jiang X, Baldwin CL:2000.** Growth of *Brucella abortus* in macrophages from resistant and susceptible mouse strains. *Clin Exp Immunol.* 121(2): 289-
- 114) **SAWCHENKO, P. E., E. R. BROWN, R. K. W. CHAN, A. ERICSSON, H.-Y. LI, B. L. ROLAND, AND K. J. KOVACS. 1988.**The paraventricular nucleus of the hypothalamus and functional neuroanatomy of visceromotor responses to stress. *Prog. Brain Res.* 107: 201–222, 1996. MN 2000, p. 2–161.effects on human and mouse B cells. *Immunol Rev.* 102: 29-50,.
- 115) **Serhan CN, et al: Resolvins: 2002.**a family of bioactive products of omega-3 fatty acid transformation circuits initiated by aspirin treatment that counter proinflammation signals. *J Exp Med* 196:1025,
- 116) **Severini C, et al: 2002.**The tachykinin peptide family. *Pharmacol Rev* 54: 285,

- 117) Shi Y, Evans JE, Rock KL: 2003. Molecular identification of a danger signal that alerts the immune system to dying cells. *Nature* 425: 516,.
- 118) Sica A, Matshushjma K, Van Damme J, et al.:1990. IL-1 transcriptionally activates the neutrophil chemotactic factor/IL-8 gene in endothelial cells. *Immunology*. 69: 548-
- 119) Spanaus KS, Schlapbach R, Fontana A (2003) TNF-alpha and IFN-gamma render microglia sensitive to Fas ligand-induced apoptosis by induction of Fas expression and down-regulation of Bcl-2 and Bcl-xL. *Eur. J. Immunol.* 28: 4398-4408,
- 120) Smith DA, Irving SD, Sheldon J, Cole D, Kaski JC. 2004. Serum levels of the antiinflammatory cytokine interleukin-10 are decreased in patients with unstable angina. *Circulation.*; 104: 746-749
- 121) Stanford TJ, Strieter RM, Chensue SW, et al.: 1990. IL-4 inhibits the expression of IL-8 from stimulated human monocytes. *J Immunol.* 145:1435-1439,.
- 122) Strieter RM, Chensue SW, Basha MA, et al.:1990. Human alveolar macrophage gene expression of interleukin-8 by tumour necrosis factor-alpha, lipopolysaccharide, and interleukin-1 beta. *Am J Respir Cell Mol Biol.* 2:321-326,
- 123) Taga T, Kawanishi Y, Hardy RR, et al.: 1987. Receptors for B cell stimulatory factor 2. Quantitation, specificity distribution, and regulation of their expression. *J Exp Med.* 166: 967-981,

- 124) Täuber MG, Moser B. 2003. Cytokines and chemokines in meningeal inflammation: biology and clinical implications. *Clin Infect Dis.*:28 :1 -11
- 125) TERAOKA, A., M. OIKAWA, AND M. SAITO. Cytokine-induced change in hypothalamic norepinephrine turnover: involvement of corticotropin-releasing hormone and prostaglandins. *Brain Res.* 622
- 126) Thackray AM, Knight R, Haswell SJ: 2002. Metal imbalance and compromised antioxidant function are early changes in prion disease. *Biochem J.* 362(Pt 1): 253-8,
- 127) TILDERS, F. J. H., E. D. SCHMIDT, AND D. C. E. DE GOEIJ. 1996. Phenotypic plasticity of CRF neurons during stress. *Ann. NY Acad. Sci* 697: 39-52,
- 128) Tracey KJ: 2002. The inflammatory reflex. *Nature* 420: 853
- 129) Trinchieri G, Perussia B: 1985. Immune interferon: a pleiotropic lymphokine with multiple effects. *Immunology Today.* 6:131-136,
- 130) TSIGOS, C., D. A. PAPANICOLAOU, R. DEFENSOR, C. S. MITSIADIS, I. KYROU, AND G. P. CHROUSOS. 2000. Dose effects of recombinant interleukin-6 on pituitary hormone secretion and energy expenditure. *Neuroendocrinology* 66: 54-62,

- 131) TURNBULL, A. V., AND C. RIVIER. 2000. Corticotropin-releasing factor (CRF) and endocrine responses to stress: CRF receptors, binding protein and related peptides. *Proc. Soc. Exp. Biol. Med.* 215: 1-10-
- 132) Underhill DM, Ozinsky A: 2002. Phagocytosis of microbes: complexity in action. *Annu Rev Immunol* 20:825,
- 133) VAN DER MEER, M. J. M., A. R. M. N. HERMUS, G. J. PESMAN VAN DER MEER, 2000. PESMAN and adrenal corticosterone release in vitro. *Cytokine* 8: 238-247,
- 134) van Exel E, Gussekloo J, de Craen AJM, Bootsma A, Frölich M, Westendorp RGJ. 2004. Inflammation and stroke: the Leiden 85-Plus Study. *Stroke*; 33: 1135-1138.
- 135) Verma A: 2004. Neurological manifestations of human immunodeficiency virus infection in adults. *Neurol Clin Pract.* 2: 1581-602,.
- 136) Vignola, AM, Gjomarkaj M, Arnoux B, Bousquet J: 1998. Monocytes. *J Allergy Clin Immunol.* 101: 149-152,
- 137) Wang HM, Smith KA: 1987. The interleukin-2 receptor. Functional consequences of its bimolecular structure. *J Exp Med.* 166:1055-1069,
- 138) Wang X, Barone FC, Aiyar NV, Feuerstein GZ. Interleukin-1 .2003. receptor antagonist gene expression after focal stroke in rats. *Stroke.*;28:155-162.

- 139) Weissman G: 1992. Inflammation: historical perspectives. In Gallin J I, et al (eds.): Inflammation: basic principles and clinical correlates. New York: Raven Press, p
- 140) White AC Jr: 2000. Neurocysticercosis: updates on epidemiology, pathogenesis, diagnosis, and management. *Annu Rev Med.* 51: 187-206,
- 141) Wickner RB et al.: 2004. Prions: proteins as *genes and infectious entities*. *Genes Dev.* 18:470-485,.
- 142) Woolf N: 2000. Cell, tissue and disease: the basis of pathology. *Third edition, Harcourt Publishers, London,*.
- 143) YABUUCHI, K., E. MARUTA, M. MINAMI, AND M. SATOH. 1999. Induction of interleukin-1b mRNA in the hypothalamus following subcutaneous injections of Formalin into the rat hind paws. *NeurosciLett.* 207: 109–112,.
- 144) Yarden Y, Ullrich A: 1988. Growth factor receptor tyrosine kinases, *Annu Rev Biochem* 57: 443,
- 145) Yoshie O, Imai T, Nomiyama H: 2001. Chemokines in immunity. *Adv Immunol.* 78:57,.
- 146) Yoshimoto T, Houkin K, Tada M, Abe H. 2003. Induction of cytokines, chemokines, and adhesion molecule mRNA in a rat forebrain reperfusion model. *Acta Neuropathol (Berl).*;93:154–158

- 147) YOUNG, W. S., III, E. MEZEY, AND R. E. SIEGEL. 1989. Quantitative in situ hybridization histochemistry reveals increased levels of corticotropin-releasing factor mRNA after adrenalectomy in rats. *Neurosci. Lett.* 70: 198–203,
- 148) Zhang RL, Chopp M, Jiang N, et al: 2000. Anti-intercellular adhesion molecule-1 antibody reduces ischemic cell damage after transient but not permanent middle cerebral artery occlusion in the Wistar rat. *Stroke* Aug; 26(8): 1438-42; discussion 1443.
- 149) Zlotnik A, Yoshie O: 2000. Chemokines: a new classification system and their role in immunity. *Immunity* 12:121,