

REFERENCES

Adams, P.L. (1973):

Cited in obsessive children. penguin books Inc. New York.

Ahtee, I., Briley, M., Raisman, R., Lebrech, D., Langer, S., Z.,
(1981):

Reduced uptake of serotonin but unchanged ^3H -imipramine
binding in platelets from cirrhotic patients. life. sci:
29 : 2323 - 2329.

Ali-Cherif, A., Royere, M.L., Gosset, A., Poncet, M., Salmon, G.
Khalil, R. (1984):

troubles du comportement et de la activite mentale apres
intoxication oxy-carbone. Rev.

Asarch, K.B., Shih, J.C., Kulescar, A. (1980):

Decreased H-imipramine binding in depressed males and
females. commun. Pschopharmac; 4 : 425-429.

Asberg, M., Thoren, P., Traskman, L., Bertilsson, L.,
Ringberger, V. (1976):

Serotonin depression: a biochemical subgroup within the
affective disorder? science; 191 : 478 - 480.

Asberg, M., thoren, P., Bertilsson, L., (1982):

Clomipramine treatment of obsessive-compulsive disorder:
Biochemical and clinical aspects. Psychopharmacol. Bull;
18: 13-21.

**Baxter, I.R., Phelps, M.E, Mazziotta, J.C., Guze, B.H, Schwartz
J.M, Selin, C.E.(1987):**

Local cerebral glucose metabolic rates in obsessive-
compulsive disorder. Arch. Gen. Psychiat.; 44:211-218

Behar, D., Rapoport, J., Berg, C., et al. (1984)

Computerized tomography and neuropsychological test measures
in adolescents with obsessive compulsive disorder.
Am.J.Psychiat', 141: 363 - 368.

Bender, L. (1935):

Anatomopathological data on personality. Am. J. Pschiat.;
92:325-351.

**Berrettini, W.H., Nurberger, J.I., Post, R.M., Gershon, E.S.
(1982):**

Platelet ³H-imipramine binding in euthymic bipolar patients.
Psychiat. Res.; 7: 215-219.

Bingley, T., Persson, A., (1978):

E.E.G. studies on patients with obsessive-compulsive neurosis before and after psychosurgery. *Electroencephal. clin. neurophysiol.*: 53: 435-438.

Black, A., (1974):

The natural history of obsessional neurosis, in three states (Ed.H.R.Beech) Methuen. London.

Blier, P., De Montigny, C. (1985):

Short-term lithium administration enhances serotonergic neurotransmission electrophysiological evidences in the rat C.N.S. *Eur. J. Pharmacol.*, 113: 69 - 79

Brickner, R.M. (1940):

A human cortical area producing repetitive phenomena when stimulated. *J. Neurophysiol.*; 3: 128-130. (cited in) *Biol. psychiat.* (1988); 24:602-613

Bridges, P.K., Goktepe, E.O., Maratos, J. (1973):

A comparative review of patients with obsessional neurosis and with depression treated with psychosurgery. *Brit. J. Psychiat.*; 123 - 674.

Charney,D.,S., Heninger, G.R., Sternberg, D.E. (1983):
Failure of chronic antidepressant treatment to alter growth
hormone response to clonidine.Psychiatry.Research. In Press.

Charney, D.S., Goodman, W.K., Price, L.H., Woods,S.W.,
Rasmussen, S.A., Heninger, G.R. (1988):
Serotonin function in obsessive - compulsive disorder: A
comparison of the effects of tryptophan and
m-chlorophenypiprazine in patients and healthy subjects.
Arch. Gen Psychiat.; 45 : 177-185

Checkley, S.A., Slade, A.P., Shur, E. (1981):
Growth hormone and other responses to clonidine in patients
with endogenous depression. Brit. J. Psychiat.; 138:51 - 55.

Cieselki, K, T., Beech, H.R., Gordon, P.K.,(1981):
Some electrophysiological observation in obsessional states.
Brit. J. Psychiat.; 138:479-484.

Cobb, J., (1984):
Obsessional states. Current. Practice; April 84; 26-28.

Dement, W., Henry,P., Cohen, H. et al (1967):
Studies of the effect of REM deprivation in humans and
animals. Res. Publ. Assoc.Res. Nerv. Ment. Dis.; 45:456-460.

De Montigny, C., Cournoyer, G., (1978):

In treating resistant depression (eds) by Zohar, J. and Belmaker, R.H. Pergamon Press. New York (in press).

Donnelly, E.F., Dent, J.K., Murphy, D.L., Mignone, R.J. (1972):

Comparison of temporal lobe epileptics and affective disorder on Halstead-Reitan Test Battery. J. Clin. Psychology; 28 : 61 - 62.

Duffy, F.H., Burchfiel, J.L., Lombroso, C.T. (1979):

Brain electrical activity mapping (BEAM): A method for extending the clinical utility of E.E.G. and evoked potential data. Ann. Neural.; 5: 309-321.

Duffy, F.H., Bartels, P.H., Burchfiel, J.L. (1981):

Significance probability mapping; an aid in topographic analysis of brain electrical activity. Electroencephalogr. Clin. neurophysiol., 51: 455-462.

Duffy, F.H., Albert, M.S., Mcanulty, G., (1984):

Brain electrical activity in patients with presenile and senile dementia of the Alzheimer's type. Ann. Neurol; 16: 439-448.

Duffy, F.H. (1986):

Topographic mapping of brain electrical activity.

Butterworths. Boston.

Duncan, W.C., Pettigrew, K.O., Gillin, J.C. (1979):

R.E.M. architecture changes in bipolar and unipolar depression. Am. J. Psychiat.; 136: 1424-1427.

Epstein, A.W., Bailine, S.H., (1971):

Sleep and dream studies in obsessional neurosis with particular reference to epileptic states. Biol. Psychiat.; 3: 149 - 158.

Flor-Henry, P. (1973):

Psychiatric syndromes as manifestations of lateralised temporal-limbic dysfunction. In Jantinen, I.V. Livingston, K.E. (eds) Surgical approaches in psychiatry. Baltimore, University Park press. PP. 22 - 26.

Flor - Henry, P., Yeudall, L.T., Koles, Z.J., Howarth, B.G. (1979):

Neuropsychological and power spectral E.E.G. Investigators of the obsessive compulsive syndrome. Biol. psychiat.; 14: 119-130.

Foster, F.G., Kupfer, D.J, Coble, P. et al. (1976):

Rapid eye movement sleep density: An objective indicator in severe medical- depressive syndromes. Arch.Gen. Psychiat.; 33:1119-1123.

Fuster, J.M. (1980):

The prefrontal cortex: Anatomy, Physiology, and neurophysiology of the frontal lobes. New. York, Raven, Press. (cited in) Arch. Gen. Psychiat.; 44: 211- 218.

Gevins, A.S., Remond, A. (1987):

Methods of analysis of brain electrical and magnetic signals (eds) Handbook of electroencephalography and clinical neurophysiology, revised series; vol. I. Amsterdam: Elsevier.

Gibson, J.G., Kennedy, W.A. (1960):

A clinical E.E.G. Study on a case of obsessional neurosis. Electroencephalogr. Clin. Neurophysiol.; 12: 198 - 201.

Glaser, G.H., Newman, R.J., Schafer, R. (1963):

Interictal psychosis in psychomotor temporal lobe epilepsy: An E.E.G. psychological study, in Glaser, G.H. (eds): E.E.G. and Behavior. New. York, Basic book. PP.245.

Goodwin, D., Guze, S., Robins, E. (1969):

Follow-up studies in obsessional neurosis. Arch Gen.
Psychiat.; 20:182-187.

Gotman, J. (1983):

Measurement of small time difference between E.E.G.Channels:
Methods and application to epileptic seizure propagation.
electroencephalogr. Clin. Neurophysiol; 56: 501-514.

Grey - Walter, W. (1966):

Appendix, A. In Smythies, J.R. (eds), the Neuurological
Foundations of psychiatry. Oxford; Blackwell.

Hassler, R., Dieckmann, G. (1967):

Stereotaxic treatment of compulsions and obsessive symptoms.
confin. Neurol; 29: 153-158.

Hassler, R., Dieckmann, G. (1970):

Treatment stereot axique des tics et cris inarticules eu
coprolaliques consideres comme phenomene d'obsession motrice
on cours de la maladie de gilles de la tourette. Rev. Neurol;
123 : 89 - 100.

Hassler, R. (1980):

Brain mechanisms of intention and attention with

introductory remarks on other voluntary processes. Progr.
Brain. Res.: 54 : 585 - 614.

Ingram, J.M., Mc Adam.W.A. (1960):

The electroencephalogram,obsessional illness,and obsessional
Personality. J. Ment. Sci.: 106: 686-692.

Insel, T.R., Murphy, D.L. (1981):

The psychopharmacological treatment of obsessive compulsive
disorder, a review. J. Clin Psychopharmac.: 1 : 304 - 311.

Insel, T.R. (1982):

Obsessive-compulsive disorder: Five clinical questions and
suggested approach. Comp. Psychiat.: 23 : 241 - 251.

Insel, T.R., Gillin, J.C., Moore, A., et al (1982,a):

Sleep in obsessive- compulsive disorder. Arch. Gen.
Psychol.; 6 : 278 - 296.

Insel, T.R.,Kalin, N.H, Guttmacher, L.B. et al, (1982,b):

The dexamethasone suppression test in patient with primary
obsessive-compulsive disorder. Psychiat. Res.: 6 : 153-158.

Insel, T.R., Goodwin, F.K., (1983):

The promises and problems of laboratory diagnostic test in

psychiatry: The dexamethasone suppression test as a case example. Hosp. Commun. Psychiat.; 34: 1131 - 1138.

Insel, T.R., Larry, J., Siever, Thomas, W., Uhde, Josephaloi, Murphy, D., (1983):

Growth hormone response to clonidine in obsessive compulsive patients. Brit. J. Psychiat; 142: 184-187.

Insel, T.R., Donnelly E.F., Lalakea, M.L., Aterman, I.S., Murphy, D.L. (1983,a):

Neurological and neuropsychological studies of patient with obsessive compulsive disorder. Biol. Psychiat.; 18: 741-751.

Insel, T.R., Murphy, D.L., Cohen, R. M et al (1983,b):

Obsessive- compulsive disorder- A double blind trail of clomipramine and clorgyline. Arch. Gen. Psychiat.; 40: 605-612.

Insel, T.R., Mueller, E.A., Gillin, J.C., et al (1984):

Biological markers in obsessive compulsive and affective disorders. J. Psychiat. Res.; 18:407-425.

Insel, T.R., Mueller, E.A., Apterman, I., Linnoil A. M., Murphy, D.L. (1985):

Obsessive- compulsive disorder and serotonin: Is there a connection? Biol. Psychiat.; 20: 1174-1188.

Insel, T.R., Zohar, J., Thomas, R., Rachel, C., James, L.H. Murphy, D.L. (1988):

Serotonergic responsivity in obsessive- compulsive disorder:
Effect of chronic clomipramine treatment. Arch. Gen. Psychiat.:
45 : 167 - 172.

Itil, T.M., (1973):

Drug treatment of therapy- resistant schizophrenic patients,
in Arieti. S. (eds) the world biennial of Psychiatry and
psychotherapy. New. York, Basic Book PP. 246-264.

Itil, T.M., Marasa, J., Saletu, B. et al, (1975):

Computerized E.E.G.: Predictor of outcome in schizophrenia.
J. Nerv. Ment. Dis., 160: 188-203.

Jenike, M.,A. Brotman, A.W. (1984):

The electroencephalogram in obsessive- compulsive disorder.
J. Clin. Psychiat; 45: 122-124

Kalinowsky, L.B. (1973):

Attempts at localization of manifestations observed in
various psychosurgical procedures. In latinen, L.V. L
livingston, K.E. (eds) Surgical Approaches in Psychiatry.
Baltimore; University Park Press; PP: 18-21

Karacan, I., Finely, W.W., Williams, R.C., et al, (1970):
Changes in stage 1, REM, and stage 4, sleep during naps.
Biol. Psychiat.; 2:261-265.

Khanna, S., Narayanan, H.S., Sharma, S.D., Mukundan, C.R., (1985):
Post traumatic obsessive- compulsive disorder-A single case
report. Ind. J. Psychiat.; 27: 337-340.

Khanna, S., Mukundan, C.R., Channabasavanna, S.M., (1987,a):
Frontal lobe involvement in obsessive- compulsive disorder-
Electroencephalographic evidence. In Ilerre, B.Gershon, S.
(eds) New Directions in Affective Disorders. New York ;
Springer Verlag (in press).

Khanna, S., Mukundan, C.R., Channabasavanna, S.M. (1987,b):
Computerized electroencephalogram in obsessive compulsive
disorder. Presented at international conference on New
Directions in Affective Disorders. Jerusalem, April, 1987.

Khanna, S., (1988):
Obsessive- compulsive disorder: Is there a frontal lobe dys-
function ? Biol. Psychiat.; 24: 602 - 613.

Klonoff, H., Fibiger, C.H., Hutton G.H. (1970):
Neuropsychological patterns in chronic schizophrenia J. Ner.

Ment. Dis.: 150: 291-300.

Kolb. L (1977):

Noyes - Modern clinical psychiatry 7 th. ed. W.B. Saunders Company - Philadelphia, London, Toronto.

Kupfer, D.J. (1976):

R.E.M. latency; A psychobiological markers for primary depressive disease. Biol. Psychiat.: 11 : 159 - 174.

Laplane, D., Widlocher, D., Pillon, B., (1981):

Comportement compulsif d'allure obsessionnelle par necrose circoscrite bilaterale pallidostriatale. Rev. Neurol.: 137: 269-276.

Latinen, L.V., Vilkki, J. (1973):

Electrophysiological and psychological studies on the function of the rostral cingulum and the knee of the corpus callosum in man. Psychiatric. Fenn; 5 :249-259.

Lieb, J.P., Hoque, K., Skomer, C.E., Song, X.W. (1987):

Inter hemispheric propagation of human mesial temporal lobe seizures; a coherence/ Phase analysis. Electroencephalogr. Clin. Neurophysiol.: 67:101-119.

Lewis. A.J. (1936):

Problems of obsessional illness proceeding of the Royal Society of Medicine ; 29: 325-336.

Luria ,A.R., (1966):

Higher cortical functions in man. New York; Basic Book.

Maudsky, H. (1895):

The pathology of the mind. London.: Mac Millan. (cited in) Biol. Psychiat. (1987); 22:667-687.

Matussek N., Ackenheil, M., Hippus, H., et al, (1980):

Effect of clonidine on growth hormone release in psychiatric patient and controls. Psychiatric. Research.; 2:25-36.

Mc Callum , W.C., Walter, W.C. (1968):

The effect of attention and distraction on the contingent negative variation in neurotic and normal subjects. Electroencephalogr. Clin. Neurophysiol; 25:319-329.

Miniski, L. (1933):

Mental symptoms associated with 58 cases of cerebral tumours. J. Neural. Psychopath.; 13:330-343 (cited) Biol. Psychiat. (1988); 24:602-613.