

- Albelda, S. M. (1991):** Endothelial and epithelial cell adhesion molecules. *Am. J. Respir. Cell Biol.* 5: 195.
- Alberts, B.; Bray, D.; Lewis, J; et al (1994):** Cell junction, cell adhesion and extracellular matrix, in Alberts. B.; Bray, D.; Lewis. J.; et al (eds): *Molecular biology of the cell* (ed 3). New York, Garland publishing, pp. 963.
- Albores Saavedra J.; Manivel, J. C.; Essensfeld , H. et al (1990):** Pseudosarcomatous myofibroblastic proliferations in the urinary bladder of children . *Cancer* 66: 1234.
- Amin, M. B; Ro, J. Y.; El-Sharkawy, T.; et al (1994):** Micropapillary variant of transitional cell carcinoma of the urinary bladder, histological pattern resembling ovarian papillary serous carcinoma. *Am. J. Surg. Pathol.* 18: 1224.
- Andrews, J.L; Stanely K.; Chiefetz ; et al. (1989):** Membrane anchored and soluble forms of beta glycan, a polymorphic proteoglycan that binds transforming growth factor. *B. J. Cell Biol.* 109: 3137.
- Angst BD; Marcozzi C; Magee A.I; (2001):** The cadherin superfamily: Diversity in form and function. *J. Cell Sci.*; 114 (4):629.
- Armstrong, B, and Doll, R. (1975):** Bladder cancer mortality in diabetics in relation to saccharin consumption and smoking habits. *Br. J. Prev. Soc. Med.* 29: 73,
- Arnaout, A. M. (1998):** Structural diversity of cell adhesion molecules and their role in inflammation: IN Kelley N. W. Ruddy S, Hanis D. E. and Sledge B. C. (eds). *Text Book of*

- relation to metastasis in human breast carcinoma. *J. Pathol.*; 185:262.
- Bukholm, I. K.; Nesland, J.M. and Borresen-Dali, A. C; (2000):** Re-expression of E-cadherin, α -catenin and β -catenin but not of γ -catenin in metastatic tissue from breast cancer patients.
- Byeres, S.W; Sommers, C,L; Hoxter, B; et al. (1995) :** A role of E-cadherin in the response of tumor cell aggregates to lymphatic, venous and arterial flow: Measurement of cell-cell adhesion strength. *J. Cell Sci*; 108: 2053.
- Byrne, R.; Shahrokh, F.; Shariat, F.; et al. (2001):** E-cadherin immunostaining of bladder transitional cell carcinoma, Carcinoma in situ and lymph node metastasis with long-term follow up. *The Journal of Urology*. 165:1473-1479.
- Case, R.; Hosker, M.; Macdonald, D.B., et al. (1986):** Tumor of the urinary bladder in workmen chemical industry: part I. *Br. J. Ind. Med.*; 11:75.
- Chan, J. K.; Chow, T. C; and Tsui, M. S; (1987):** Prostate type polyps of the lower urinary tract, three histol. types. *Histopathology*, 11: 789.
- Christopher, DM (2000):** Diagnostic histopathology of tumors; 2nd edit. London, Edinburgh, New York, Toronto, (1): 516.
- Cole, P. (1971):** Coffe-drinking and cancer of the lower urinary tract. *Lancet*, 1: 1335.
- Cooper, E. H. (1982):** Tumors monitoring by plasma protein analysis. *Medical Laboratory*, 11: 1.

- relation to metastasis in human breast carcinoma. *J. Pathol.*; 185:262.
- Bukholm, I. K.; Nesland, J.M. and Borresen-Dali, A. C; (2000):** Re-expression of E-cadherin, α -catenin and β -catenin but not of γ -catenin in metastatic tissue from breast cancer patients.
- Byeres, S.W; Sommers, C,L; Hoxter, B; et al. (1995) :** A role of E-cadherin in the response of tumor cell aggregates to lymphatic, venous and arterial flow: Measurement of cell-cell adhesion strength. *J. Cell Sci*; 108: 2053.
- Byrne, R.; Shahrokh, F.; Shariat, F.; et al. (2001):** E-cadherin immunostaining of bladder transitional cell carcinoma, Carcinoma in situ and lymph node metastasis with long-term follow up. *The Journal of Urology*. 165:1473-1479.
- Case, R.; Hosker, M.; Macdonald, D.B., et al. (1986):** Tumor of the urinary bladder in workmen chemical industry: part I. *Br. J. Ind. Med.*; 11:75.
- Chan, J. K.; Chow, T. C; and Tsui, M. S; (1987):** Prostate type polyps of the lower urinary tract, three histol. types. *Histopathology*, 11: 789.
- Christopher, DM (2000):** Diagnostic histopathology of tumors; 2nd edit. London, Edinburgh, New York, Toronto, (1): 516.
- Cole, P. (1971):** Coffe-drinking and cancer of the lower urinary tract. *Lancet*, 1: 1335.
- Cooper, E. H. (1982):** Tumors monitoring by plasma protein analysis. *Medical Laboratory*, 11: 1.

- Coppi, F (1989):** " leukoplakia of the urinary tract " Arch. Ital. Urol. Nefrol. Androl., 61: 205.
- David, K. M. (1993):** Cell migration and inflammation Ivan, M. Roitt. Jonathan Brostoff. And K. M. David (eds). In: Immunology textbook 3 rd. Edition. St. Luis P.133.
- Debruyne, P.;Vermeulen, S.;Mareel, M.(1999):** The role of the E-cadherin / catenin complex in gastrointestinal cancer. Acta Gastroenterol. Belg. Oct-Dec; 62 (4): 393.
- Devine, P.; Ucci, A. A.; Krain, H. et al. (1984):** Nephrogenic adenoma and embryonic kidney tubules share PNA receptor sites. Am. J. Clinical Pathol., 81: 728.
- Dominici, A.; Castigli, M.; Mondaini, N; et al. (1999):** Intestinal metaplasia of the bladder J. J. Article 71 (14). 232.
- Donnelly, S.; Haslett, C., Dransfield, I., et al (1994):** Role of selectins in development of ARDS. Lancet.; 344: 215.
- Dubios, R. M.; Hellewell P. G.; Heming Way, I.; et al. (1992)** Soluble cell adhesion molecules (ICAM-I, ELAM-I and VCAM-I) are present in epithelial lining fluid in patients with interstitial lung disease (Abstract). Am. Rev. Respir. Dis.; 145: A 190.
- Dustin, M. L.; Rothlein, R.; Bhan, A. K. ; et al. (1986):** Induction by IL-I and IFN-r, tissue distribution, biochemistry and function of natural adherence molecule (ICAM-I). J. Immunol. 137: 245.
- Eagan J. W. (1989):** Urothelial neoplasms In: Hill Gs (ed). Uropathology-Churchill Livingstone P. 703.

Significance for diagnosis and treatment. *J. Urol.*, III: 378.

Franchi, A; Gallo, O; Bodedi, V; et al; (1996): Prediction of occult neck metastasis in laryngeal carcinoma: Role of proliferation cell nuclear antigen, MIIB-I and E-cadherin immunohistochemical determination, *Clin Cancer Res*; 2: 1801.

Fraumeni, J. F.; Scotto, J.; and Dunham, L. J.; (:1971): Coff drinking and bladder cancer. *Lancet*, 2: 1204.

Friedel, G. H; Paraija G. C; Nagy G. K. et al. (1980): The pathology of human bladder cancer. *Cancer* 45: 1823.

Frixen, U,H; Behrens, J; Sachs,M; Eberle, et al (1991). E-cadherin-mediated cell-cell adhesion prevents invasiveness of human carcinoma cells. *J Cell Biol*; 113: 173.

Frixen, U.H.; Behrens, J.; Sachs, M.; et al (1991): E-cadherin-mediated cell-cell adhesion prevents invasiveness of human carcinoma cells. *J. Cell Biol.*; 113:173-185.

Fujisawa, M.; Miyazaki J.; Takechi, Y.; et al (1996): The significance of E-cadherin in transitional cell carcinoma of the human urinary bladder. *World J. Urol.* 14:S12-S15 (suppl.).

Furley, A. J; Morton, S.B; Manalo D. (1990): The axonal glycoprotein TAG-I is an immunoglobulin superfamily member with neurite outgrowth promoting activity. *Cell* 61: 157.

Garcia del Muro, X; Torregrosa, A.; Munoz, J.; et al. (2000): Prognostic value of the expression of E-cadherin and

β -catenin in bladder cancer. *European Journal of Cancer*. 36, 357:362.

Gearing, A.J.H.; and Newmann, W.; (1993): Circulating adhesion molecules in disease. *Immunol. Tod.*; 14: 506.

George, R.; Palmela, P., James, D. (1985): Carcinoma in situ of the urinary bladder with and without vesical neoplasm. *Cancer*; 52: 524.

Gerlad, M. J. T. (1978): Human Embryology. A regional approach, 4th Ed. Harper & Row (Eds.) Hagerstown Maryland, New York, San Francisco, London PP. 117.

Giancotti, F., G. and Ruoslahti, E. (1990): Elevated levels of $\alpha 5\beta 1$ fibrinogen receptor suppresses the transformed phenotype PF chinese hamster ovary cells. *Cell*; 607: 849.

Giroldi, L. A; Schalken J, (1993): Decreased expression of the intercellular adhesion molecule E-cadherin in prostate cancer: Biological significance and clinical implication. *Cancer metastasis Review*. 12: 29.

Gofuku, J; Shiozaki, H; Tsujinaka, T; Y., et al (1999): Expression of E-cadherin and alpha-catenin in patients with colorectal carcinoma. Correlation with cancer invasion and metastasis. *Am J. Clin. Pathol.*; 111: 29.

Goldstein, A.; Fauer, R.; and Chinn, A.; (1978): New concepts on formation of Brunn's nests and cysts in urinary tract mucosa *J. Urol*. 11: 513.

- Gonzalez, M. A.; Pinder, S. E.; Weneyk, P. M.; et al., (1999):** An immunohistochemical examination of expression of E-cadherin, α - and β / γ -catenins and α_2 - and β_1 -integrins in invasive breast cancer. *J. Pathol.*; 187:523.
- Grigon, D. I.; Ro, J. Y.; Ayla A. G.; et al, (1991):** Primary adenocarcinoma of the urinary bladder. A clinico-pathological analysis of 72 cases. *Cancer* 67: 2165-.
- Gumbiner, B.M. and McCrea, P.D. (1993):** Catenins as mediators of the cytoplasmic functions of cadherins cellular biochemistry and biophysics program. Sloan-Kettering Institute: Memorial Sloan-Kettering Cancer Center, New York. NY 10021; 17: 155.
- Haitel, A; posch, B; Mokhtar, A.A; et al; (200 I):** Bilharziasl related, organ confined, muscle invasive bladder cancer: prognostic value of apoptosis markers, proliferation markers, P53, E-cadherin, epidermal growth factor receptor and c-erb B2. *American Urolog. Association*; 165:1481.
- Hanham, I. W. F. (1991):** Cancer of the kidney and urinary tract. In: Hossfeld D. K., Shermann, CD, Lane RR (eds): International union against cancer (UICC): Manual of clinical oncology, 5th ed. Berlin: Springer Verlag. 311-318.
- Hardingham, T. E. and Fosang A. J. (1992):** Proteoglycans: many forms and many functions-FASEB J. 6:816.

- Gonzalez, M. A.; Pinder, S. E.; Weneyk, P. M.; et al., (1999):** An immunohistochemical examination of expression of E-cadherin, α - and β / γ -catenins and α_2 - and β_1 -integrins in invasive breast cancer. *J. Pathol.*; 187:523.
- Grigon, D. I.; Ro, J. Y.; Ayla A. G.; et al, (1991):** Primary adenocarcinoma of the urinary bladder. A clinico-pathological analysis of 72 cases. *Cancer* 67: 2165-.
- Gumbiner, B.M. and McCrea, P.D. (1993):** Catenins as mediators of the cytoplasmic functions of cadherins cellular biochemistry and biophysics program. Sloan-Kettering Institute: Memorial Sloan -Kettering Cancer Center, New York. NY 10021; 17: 155.
- Haitel, A; posch, B; Mokhtar, A.A; et al; (2001):** Bilharzias related, organ confined, muscle invasive bladder cancer: prognostic value of apoptosis markers, proliferation markers, P53, E-cadherin, epidermal growth factor receptor and c-erb B2. *American Urolog. Association*; 165:1481.
- Hanham, I. W. F. (1991):** Cancer of the kidney and urinary tract. In: Hossfeld D. K., Shermann, CD, Lane RR (eds): International union against cancer (UICC): Manual of clinical oncology, 5th ed. Berlin: Springer Verlag. 311-318.
- Hardingham, T. E. and Fosang A. J. (1992):** Proteoglycans: many forms and many functions-FASEB J. 6:816.

- Harving, N.; Wolf, H. and Melsen F. (1988):** Positive urinary cytology after tumor resection, indicator for concomitant carcinoma in situ. *J. Urology* 140: 495.
- Haudefer, G. S.; Chandrasoma P.; Pettross B., et al., (1985):** Cytologic diagnosis of mesonephric adenocarcinoma of the urinary bladder *Acta. Cytologica.* 29: 823.
- Helmer M. E. (1990):** VLA proteins in the integrin family: Structures, functions and their role on leucocytes. *Annu-Rev. Immunol.*, 8: 365.
- Hemler M. E. (1988):** Adhesive protein receptors on hematopoietic cells. *Immunol. Today* 9: 109.
- Henry, L.; Wagner, B.; Faulkner, M. K; et al; (1993):** Metal deposition in post-surgical granulomas of the urinary tract. *Histopathology*, 22:457.
- Hermiston, M,I; Wong M,H; Gordon, J,I; (1996):** Forced expression of E-cadherin in the mouse intestinal epithelium slows cell migration and provides evidence for nonautonomous regulation of cell fate in a self-renewing system. *Genes Dev.* 10: 985.
- Herr, H. W.; Badalament R. A.; Amato, D.A.; et al. (1989):** Superficial bladder cancer treated with bacillus Calmette-Guerin. *J. urology*, 141: 22.
- Herrenknecht, K; Ozawa, M.; Eckerskorn, C.; et al., (1991).** The uvomorulin-anchorage protein alpha catenin is a vinculin homologue-*Proc Natl Acad Sci USA* 88:9156.

- Hicks, R. M. (1981):** " Carcinogenesis in the urinary bladder ": A multi-stage process. In Connolly. J. C. (Ed.): Carcinoma of the bladder. New york, Roven Press.
- Hicks, R. M. and Chowaniec, J. (1978):** " Experimental induction, histology and ultrastructure of hyperpand neoplasia of the urinary bladder epithelium". International Review of Exp. Pathol. 18: 199.
- Hicks, R. M.; and Chowaniec, J.; (1977):** The importance of synergy between weak carcinogenesis in the induction of bladder cancer in the experimental animals and humans. Cancer Res. 37: 2943.
- Holmany S; Borghede, G.; and Johnson, S. L.; (1995):** Primary small cell carcinoma of the bladder. A report of 25 cases J. Urol. 153: 1820.
- Hultergren. N.; Langengren, C.; and Ljungqvist, A.; (1965):** Carcinoma of the renal pelvis in papillary necrosis. Acta Clin. Scand. 130: 314.
- Hyas, M (2000):** Adhesion molecule expression in breast cancer: The phoenix in tumor metastasis. J. Pathol.; 190:3-5 (editorial)
- Hyas, M. and Tomlinson, I. P. (1997):** The interaction of APC, E-cadherin and beta catenhin in tumor development and progression. J. Pathol.; 182: 128.
- Hynes, R. O.; (1987):** Integrins: A family of cell surface receptors. Cell 48: 54.
- Hynes, R.,O. and Plantefaber, L., C. (1991):** Integrin receptors for extra cellular matrix and their involvement in oncogenic

- transformation. In: Brugge (ED.), Origins of human cancer: A comprehensive review. Cold Spring Harbor. PP: 293. Quoted from Hynes and Lander (1992).
- Hynes, R.O.; and Lander, A. D.; (1992):** Contact and adhesive specificities in the association, migration and targeting of cells and axons. *Cell*; 68:303.
- Inskip, P.D.; et al (1990):** Cancer mortality following radiotherapy for uterine bleeding. *Radiat. Res.*; 123:331.
- Jawhari, A.; Jordan, S.; Poole, S.; et al., (1997):** Abnormal immunoreactivity of the E-cadherin-catenin complex in gastric carcinoma: Relationship with patient survival. *Gastroenterology*; 112:46.
- Jentoft, N. (1990):** Why are protein glycosylated trends. *Biochem. Sci.* 5: 291.
- Jewett, H. J. (1952):** Carcinoma of the bladder. Influence of depth of infiltration on the 5 years survival results following complete extirpation of the primary growth. *J. Urol.* 67: 672. Quoted from Petersen (1986).
- Jewett, H. J. and Strong, G. (1946):** Infiltrating carcinoma of the bladder: Relation of the depth of penetration of the bladder wall to incidence of local extension and metastasis. *J. Urol.* 55; 366. Quoted from Peterson 1986.
- Johnson K. E. (1982):** Histology, microscopic anatomy and embryology, 4th Ed. Wiley and Sons, New York PP. 367.
- Johnson, D. E., Hodge, C. B., Abdul Karim, E. W, et al. (1985):** Urothelial carcinoma. *Urology* 21: 360-363.

- Jones, E. G.; Clement P. B.; and Young, R. H.; (1993):** Inflammatory pseudotumor of the urinary bladder. A Clinic-pathological immunohistochemical, ultrastructural and flow cytometric study of 13 cases. *Am. J. Surg. Pathol.* 17: 264.
- Joo, J.E.; Park, C.S.; Kim, H.S.; et al (2000):** Prognostic significance of E-cadherin/ catenin complex expression in gastric cancer. *J. Korean Med. Sci.* Dec. 15 (6): 655.
- Jordan A. M.; Weingartess and Murph W. M.; (1987):** Transitional cell papillomas of the urinary bladder, can biological potential be predicted from histological grading,. *Cancer* 60: 2774.
- Jost , S. P.; Gosling, J. A.; and Dixon J. S.; (1990):** The five structure of Brunn's nests in human bladder urothelium. *J. submicrosc. Cytol., Pathol.* 22., 203.
- Jost, S. P.; Dixon, J. S.; and Gosling, J. A.; (1993):** Ultrastructural observation on cystitis cystica in human bladder urothelium ". *Br. J. of Urology*, 71: 8.
- Jung. I; and Messing, E.; (2002):** Molecular mechanisms and pathways in bladder cancer development and progression. *Cancer control.* 7:325-334.
- Kalble, T. (2001):** Etiopathology , risk factors, environmental influences and epidemiology of bladder cancer. *Urologe A.* 40 (6): 447.
- Kiefer, M. C; Stephans, J. C; Crawford, K. (1990):** Ligand-affinity cloning and structure of a cell surface heparan

sulphate proteoglycan that binds basic fibroblast growth factor. *Proc. Natl Acad. Sci. USA* 87: 6985.

Kimberly, M.; Reiger. C.; Jason W.; et al (2001): Expression of classic cadherin type I in urothelial neoplastic progression. *Hum. Pathol.*, 32:18.

Koos, L. G. (1975): Tumors of the urinary bladder, In *Atlas of tumor pathology* , and series, fascicle 11, P2, Washington DC, AFIP.

Koos, L. G.; (1977): " Some ultrastructural aspects of experimental and human carcinoma of the bladder. *Cancer Res.* 37: 2824.

Koss, L. G. (1975a): " tumors of the urinary bladder ", *Atlas of tumor pathology fascicle 11, second series* . Washington D. C. Armed F. Instit. of Pathology P. 46.

Koss, L. G. (1983): Tumors of the urinary bladder " *Atlas of tumor pathology Fascide II, 2nd edition.* Armed Forces Institute of pathology, Washinton, D. C.

Kotilar, S.N; Wood, C. G; Schaeffer, A. J. et al. (1995): Transitional cell carcinoma exhibiting clear cell features. A differential diagnosis for clear cell adenocarcinoma of the urinary tract. *Arch Pathol. Lab. Med.* 119: 79.

Krost, S. H.; and Oyasu R., (1994): Urinary bladder cancer', Mechanisms of development and progression. *Lab. Invest.* 712-158.

Kuhn, D. B; Alvord, W. G. and Gallin J. I. (1995): Increased circulating cytokines, cytokine antagonists and E-selectin after

intravenous administration of endotoxin in humans.
J. Infect. Dis.; 171: 145.

Kuniyasu, H; Ellis, LM; Evans, DB; et al.(1999): Relative expression of E-cadherin and type IV collagenase genes predicts disease outcome in patients with resectable pancreatic carcinoma. *Clin Cancer Res.*; 5: 25.

Kunze E.; Schauer, A.; and Schmint, E.; (1983): " Histology and histogenesis of two different types of inverted urothelial papillomas ". *Cancer*, 51: 348.

Kutarski, P. W.; and padwell, A.; (1993); Transitional cell carcinoma of the bladder in young adults. *Br. J. Urol.* 72: 749.

Lamovec, J.; Zidar, A.; Trsinar B. J. (1992): Sclerosing inflammatory Pseudotumor of the urinary bladder in a child. *Am. J. Surg. Pathol.* 10: 1233.

Lee T. H.; wiseniewski H. G. and Vilce, K. (1992). A novel tumor necrosis factor inducible protein (TSG-6) is a member of the family of hyaluronate binding proteins, closely related to the adhesion receptor. CD 44. *J. Cell Biol.* 116: 545.

Levenberg, S.; Yarden, A.; Kam, Z.; et al. (1999): P27 is involved in N-cadherin-mediated contact inhibition of cell growth and S-phase entry. *Oncogene*; 18:869.

Levine, L.A. and Richie, J.B. (1989): Urological complications of cyclophosphamide *J. Urol.*; 141: 1063.

Libby J. M.; Frankel, J. M.; and Scadino P. T.; (1985): Condyloma acuminatum of the bladder and associated urothelial malignancy. *J. Urol.* 134: 134.

- Lilienfeld, A. M. ; Levin, M. L. and G. E. (1956):** The association of smoking with cancer of the urinary bladder in humans. *Arch. Intern. Med.* 98: 129.
- Lowe; Fletcher, C.D.M.; and Gower R.L.; (1984):** Tumor associated eosinophilia in bladder. *J. Clin. Pathol.* 37: 500.
- Lundgren, L; Aldenborg, F; Angerral., et al. (1994):** Pseudomalignant spindle cell proliferations of the urinary bladder. *Hum. Pathol.* 25: 181.
- Mackay, C.R.; Terpe, H.J.; Stauder, R.; (1994):** Expression and modulation of CD 44 variants isoforms in humans. *J. Cell Biol.* 124:71.
- Mansouri, A; Spurr N.; Goodfellow PN .; et al (1994):** Characterization and chromosomal localization of the gene encoding the human cell adhesion molecule. *Uvomorulin. Differentiation* 38: 67.
- Marshall, V.F.; (1952):** The relation of the preoperative estimate to pathologic demonstration of the extent of vesical neoplasm. *J. Urol.* 113: 186.
- Matthews, P.N.; Madden, M.; Bidgood, K.A.; et al. (1984):** The clinicopathological features of metastatic superficial papillary bladder cancer. *J. Urol.* 44: 135.
- Mbalviele, G; Dunstan, CR; Sasaki A; et al. (1996).** E-cadherin expression in human breast cancer cells suppresses the development of osteolytic bone metastasis in an experimental metastasis model. *Cancer Res.* 56: 4063.

- McEver R. P. (1995):** Cell adhesion: in Hoffman R, Benz E, Shattil S J. , Furie B, Cohen H. J. and Silberstein L. E. (eds). Hematology Basic principles and Practice. 2nd Churchill Livingstone. New York. London, Madrid P53.
- Mialhe, A.; Louis, J. ; Montlevier, S.; et al (1997):** Expression of E cadherin and alpha-, beta and gamma catenins in human bladder carcinoma. Are they good prognostic factors? Research lab on bladder tumor. Albert-Bonniot Institute, Joseph-Fourier University, La Tronche, France. Agenes. Mailhe @ UJF-Grenoble Fr.; 17 (3): 124.
- Moralesducret, J.; Wagner, E; Elices, M. J; et al. (1992):** $\alpha 4 / \beta 1$ integrin (VLD-4) Ligands in arthritis; VCAM-1 expression in synovium and on fibroblast-like synoviocytes. J. Immunol. 149: 1424.
- Morgan, H. R; and Bossman, H. B.; (1974):** Alterations of surface properties of chick embryo fibroblasts infected with four Rous Sarcoma viruses producing distinctive cell transformation. Proc. Soc. Exp. Bio. Med., 146: 1146.
- Morgan, R. J.; and Cameron, K. M.; (1980):** “ Vesical leukoplakia “. Urology, 52: 96.
- Morrison, A. S.; (1978):** Geographic and time trends of coffee imports and bladder cancer. Eur. J. Cancer, 14,51..

- Mostofi , F. K.; Thomason, R. V.; and Dean , A. L.; (1955):** Mucus adenocarcinoma of the urinary bladder. *Cancer* 8: 741.
- Mostofi, FK.; Sobin, L. H.; and Torloni, H. J.; (1973):** Histological typing of urinary bladder tumors. International histological classification of tumors. No 10; world Health Organization / Geneva.
- Murphy W. M.; (1989):** " Urological pathology, W. B. sounders Company, Philadelphia, Ch. 3.
- Murphy W. M.; and Soloway, M. S.; (1982):** Urothelial dysplasia. *J. Urol.*, 127: 854.
- Murphy, W. M.; (1986):** Atlas of bladder carcinoma ASDCP Chicago, Isted. P. 305.
- Nagafuchi A.; Takeichi M.; (1988).** Cell binding function of E-caderin is regulated by the cytoplasmic domain. *EMBO J* 7: 3679.
- Naib, Z. M.; (1996):** " Cytopathology (4th) Ed. Little, Brown Company, Ch. 19 P. 395.
- Nakajima H.; Sano H.; Nishimura T.; et al.(1994):** Role of VLA-4 and ICAM-1 / LFA-1 interactions in integrin-induced eosinophil and T-cell recruitment into the tissue. *J. EXP. Med.* 179: 1145.
- Nochomoviz, L. E.; Ornestein , J. M.; (1985):** Inflammatory pseudotumor of the urinary bladder. Possible relationship to nodular fascitis. Two cases reports. Cytologic. observations, and ultrastructural observations. *Am. J. Surg. Pathol.* 9: 366.

- Ohgo , Y.; Fujinami, K., Ikeda , I.; et al.. (1994): A case of primary signet cell carcinoma of the urinary bladder Hinyakika-Kiyo 40: 1119.
- Oliva E. and Young R. H. (1995): Nephrogenic adenoma of the urinary tract. A review of the microscopic appearance of 80 casews with emphasis on unusual features. Med. Pathol. 8: 722.
- Olsen, B.; Johansen T. E.; and Mojak, B. M. (1993): " Cystitis cystica: A premalignant condition. Tidsskr-Nor. Laegerforen. 10; 113 (18): 2255.
- Osman, I; Scher, H.; Zhang, Z.F; et al (1997): Alternation affecting the P53 control pathway in bilharzial-related bladder cancer. Clin. Cancer Res., 3:531.
- Otto, T; Bex, A; Schmidt, U; Raz, A; Rubben, H; (1997): Improved prognosis assessment for patients with bladder carcinoma Am. J. Pathol.; 150: 1919.
- Oyama, T.; Kanai, Y.; Ochiai, A.; et al. (1994): A truncated beta-catenin disrupts the interaction between E-cadherin & alpha catenin: A cause of loss of intercellular adhesiveness in human cancer cell line. Pathology Division, National Cancer Center Research Institute . Tokyo-Japan. Dec. 1;54 (23): 6282.
- Pang , G.; Couch, L.; Batey, R.; et al., (1994): GM-CSF, IL-10, ICAM-1 and VCAM-1 gene expression and cytokine production in human doudenal fibroblast stimulated with lipopolysaccharide IL-1 α and TNF- α . Clin. EXP. Immunol. 96: 437.

- Park, C. S.; Lee, S. M.; Kim, H. T.; et al., (1993):** Soluble IL-2 receptor and cellular profiles in broncho-alveolar lavage fluid from patients with bronchial asthma. *J. Allergy. Clin. Immunol.*; 91: 623.
- Patten B. M. and Carlson, B. M. (1974):** " Foundations of embryology, 3rd Ed. McCraw-Hill Book Company London PP. 512.
- Pederson, B.J. et al. (1988):** Carcinoma of the bladder after treatment with cyclophosphamide for NHL. *N. Engl.J. Med.*318:1028.
- Peterson, R. O. (1986):** Urinary bladder in: *Urologic pathology* Peterson R.O. (ed) anded. Philadelphia, Lippincott, P. 279.
- Pignatelli M. (1998):** Integrins, cadherins and catenin: Molecular cross-talk in cancer cells. *J. Pathol.*; 186:1-2(editorial).
- Pignatelli, M; Liu, D; Nasim, MM; et al ; (1992).** Morphoregulatory activities of E-cadherin and beta-I integrins in colorectal tumor cells. *Br. J Cancer* 66: 929.
- Pilewski , J. M.; and Albelda , S. M. (1993):** Adhesion molecules in the lung and overview. *Am. Rev. Respir. Dis.* 531.
- Plantefaber L., C. and Hynes, R. O. C. (1989):** Changes in integrin receptors on oncologically transformed cells. *Cell*; 56: 26: 281.
- Plokkin, G. M.; Wides, G.; Gibert, S. L.; et al, (1979):** Galactosyl transferase activity in human transitional cell carcinoma lines and in benign and neoplastic human bladder epithelium. *Cancer, Res.* 39: 3856.

- Postigo, A. A.; Garcia-Vicuna, R.; Laffon, A.; et al., (1993):** The role of adhesion molecules in the pathogenesis of rheumatoid arthritis. *Autoimmunity*. 16: 69.
- Price, J. M.; Biva, C. G.; Oser, B. L.; et al (1970):** Bladder tumors in rats fed cyclohexylamine or high doses of a mixture of cyclamate and saccharine. *Science*, 167: 1131.
- Proppe, K. K.; Scully, R. E.; and Rosai J. (1984):** Postoperative spindle cell nodules of genitourinary tract resembling sarcomas. A report of eight cases. *Am. J. Pathol.* 8: 101.
- Pugh R. C. B. (1985):** " Lower urinary tract ". In Andersohn's pathology, 8th Ed., Kissane J. M. (eds.), The Mos by Company. St. Luis-Toronto, Princeton: 783.
- Renfer, L. G.; Kelley, J.; and Belville, W. D.; (1988):** Inverted papiloma of the urinary tract histogenesis, recurrence and associated malignancy. *J. Urology*, 140: 834.
- Reuter , V. E. and Melomed , M. R. (1999):** The urothelial tract: Renal pelvis, ureter , urinary bladder, and urethra'. In diagnostic surgical pathology. Thrird edition, edited by Tephenn, S. Sternberg., Lippincott Williams and Wilkins. Philadelphia. Ch. 44 P. 1854.
- Reuter V. E. (1999):** Risk and prognostic factors a pathologist's perspective. In bladder. In the urologic clinic of North America, ed, by David, G. rusko, B.; Bowen, K. and Guest, printed by Saunders , W. B.

- Reuter, V. E. and Melamed, M. R. (1989):** The Lower urinary tract: In diagnostic surgical pathology Ed. by Stephen S., Sternberg raver Press. Ltd. New York / P.: 1355.
- Reynolds, AB.; Daniel J.; McCrea PD.; et al (1994).** Identification of a new catenin: the tyrosin kinase substrate P 120 cas associates with E-cadherin complex. *Mol. Cell Biol*; 14;8333.
- Ritchey, M. L.; Novicki, D. E., and Schullenover S. J. (1986):** Nephrogenic adenoma of bladder. A report of 8 cases. *J. Urol.*, 131: 537.
- Robbins, S. L.; Cotran, R. S.; and Kumar, V. (1994):** Robben pathologic bases of disease. 5th ed, W. B. Saunders Company. USA, Ch. 21.
- Robbins, S.L. (1979):** Pathological basis of disease. In textbook of pathology, 2nd ed. Philadelphia, London, Toronto; 1203.
- Roitt, I.; Brostoff, J.; and Male, D.; (1998):** Cell migration In: “Immunology “ 5th ed. London, St. Louis Tokyo, P.63.
- Ropponen, K,M; Eskelinen, M.J; Lipponen, P,K; et al., (1999):** Reduced expression of alpha catenin is associated with poor prognosis in colorectal carcinoma. *J. Clin. Pathol.*; 52: 10.
- Rosai, J.; and Ordonez, N. G.; (1996):** Urinary tract: In Ackerman's Surgical pathology, Rosi, J.; Gery, L. and Joiner, P (eds) published by Patterson, A.S., Von Hoffmann Press, Beaumont book division in USA. P 1190.

- Rouslahti, E. ; and Pierschabacher, M.D.; (1987):** New perspectives in cell adhesion: RGD and integrins. *Science* 238: 491.
- Royce, R. K.; and Spjut, H. J.; (1959):** Transitional cell carcinoma of the bladder. Grade 1 (so-called papilloma) *J. Urol.* 82: 486.
- Rundle, J.S.H.; Hart, A., J.I; McGeorge, et al., (1982):** Squamous cell carcinoma of bladder . A review of 114 patients. *Br. J. Urol.* 54:522-526.
- Sahin, A. A; Myhre, M.; RO, J. Y.; et al., (1991):** plasmacytoid transitional cell carcinoma. Report of a case with initial presentation mimicking multiple myeloma. *Acta Cytol*-35: 277.
- Sakamoto, N.; Tsuneyoshi, M. and-Enjoj., I.M. (1992):** Urinary bladder carcinoma with anaoplastic squamous component. A mapping study of 31 cases. *Histopathology* 21:135-141.
- Sarma, K. P. (1981):**Genesis of papillary tumors. Histological and microangiographic study *Br. J. Urol.* 53: 228.
- Selli, C; Carcangiu, M.L. and Carini, M, (1986):** Bladder carcinoma arising from regenerated urothelium over lyophilized dura patch, *Urology* 27: 53.
- Serini, G.; Trusolino, L.; Saggiorato, E.; et al. (1996):** Change in integrin and E-cadherin expression in neoplastic versus normal thyroid tissue. *J. Natl cancer Inst.*; 88:442.
- Seth R., Raymond F. D., and Makgoba, M. W. (1991):** Circulating ICAM-1 isoforms: Diagnostic prospects for

- inflammatory and immune disorders: *Lancet*; 338: 83.
- Sheppard, D. (1993):** Identification and characterization of novel airway epithelial integrins. *Am. Rev. Respir. Dis.*; 148: S 38.
- Shevac, E.M. (1993):** Accessory molecules. In *fundamental Immunology*. 3rd edition by William E. Roitt press Ltd. New York. Ch.; 15: P531.
- Shi, ; Key, ME; and Klara KL (1991):** Antigen retrieval in formalin-fixed paraffin-embedded tissues. An enhancement method for immuno-histochemical staining based on microwave oven heating of tissue sections. *J. Histochem Cytochem.*; 39: 741-748.
- Shieh, M. T; Wudunn, D., Montgomery, R. I. (1992):** Cell surface receptor for herpes simplex virus are heparan sulphate proteoglycans. *J. Cell Biol.* 116: 1273
- Shijubo, N; Lami, K; Aoki, S; et al., (1992):** Circulating ICAM-I antigen in sera of patients with idiopathic pulmonary fibrosis. *Clin. EXP. Immunol.*; 89: 58.
- Shimazui, T.; Schalken, J.A.; Girolid; L.A.; et al., (1996):** Prognostic value of E-cadherin associated molecules (alpha, beta, and Jamma-catenins and P120 cas) in bladder tumor. *Cancer Res.*; 56: 4157.
- Shimizu, Y; Van Seventer, G. A. and Horgan K. J. (1990):** Regulated expression and binding of three VLA (beta-1) integrin receptors on T-cells. *Nature*. 345: 250.
- Shimomyama, Y.; Nagafuchi, A.; Fujita, S. et al. (1992):** Cadherin dysfunction in human cancer cell lines; possible

involvement of α -catenein expression in reduced cell adhesiveness. *Cancer Res.*; 52:5770.

Shur, B. D., and Roth, S. (1975): Cell surface glycosyltransferases. *Biochem. Biophys. Acta.* 415: 473.

Siegelman , M. H.; Van De Rijn, M. and Weissman, I. L. (1989): Mouse lymph node homing receptor cDNA clone encodes a glycoprotein revealing tandem interaction domains. *Science.* 243-1165.

Silverman, D.T. et al (1992): Epidemiology of bladder cancer. *Hematol. Oncol. Clin. North. Am.* 6:1.

Silye, R.; karayiannakis, A. J.; Batchelor, W.; et al; (1998): E-cadherin / catenin complex in benign and malignant melanocytic lesions. *J. pathol.*; 186:350.

Simon, D., Yen, S., and Cole P. (1975): Coffee drinking and cancer of the lower urinary system. *J. National. Cancer Inst.*, 54; (175) 587.

Sinard J.; Macclearly and Melamed J. (1994): Hepatiod adenocarcinoma in the urinary bladder unusual localization of a newly recognized tumortype. *Cancer* 73; 1919.

Skor and Warren, M. M. (1977): Mesonephric adenocarcinoma of the bladder. *Urology* 10: 64.

Smith J.W., Vestal D. J., Irvin S. V., et al., (1990): Purification and functional characterization of integrins of α B 5. *J. Bial. Chem.*; 265: 11008.

Smith, V. C.; Boone, T. B. and Truong, L. D. (1999): Collagen polyp of the urinary tract, a report of two cases. *Med. Pathol.* 12: 1090.

- Sommer, F.; Klotz, T., Schmitz, BG. et al. (2004):** Lifestyle issues and genitourinary tumors. *World J. urol.*, 21 (6): 402
- Springer, T. A.; Dustin, M. L. and Kishimoto, T. K. (1987):** The lymphocyte function-associated antigen. LFA-1 CD2 and LFA-3 molecules: cell adhesion receptors of the immune system. *Ann Rev. Immunol.* 5: 223.
- Springer, T. A; Staunton, D. E; and Dustin M. L. (1989):** Function cloning of ICAM-2, a cell adhesion ligand for LFA-1 homologous to ICAM-I. *Nature* 339: 61.
- Springer, TA. (1995):** Taraffic signals on endothelium for lymphocyte recirulation and leucocyte migration. *Ann. Rev. Physiol.*, 57: 827.
- Staunton, D. E.; Marlin S. D.; Stratowa C.; et al., (1988):** Primary structure of ICAM-1 demonstrates interaction between members of immunoglobulin and integrin supergene family. *Cell* 52: 925.
- Stephenson, W. T; Holmes, F. F.; Noble M. J. et al., (1990):** Analysis of bladder carcinoma by subsite; cystoscopic location may have prognostic value. *Cancer* 66: 1630.
- Stetler-Stevenson W.G; Kleiner D.E (2001):** Molecular biology of cancer invasion and metastasis. In: cancer principles and practice of oncology. 6Th edition, Devita VT, Hellman S, Rosenberg SA (eds). Published by Lipincott Eillmans & Wilkins, Philadelphia, PA, USA. Page 123.

- Stewart , W. W.; Ireland, G. W.; (1977):** Vesical endometriosis in a post-menopausal woman. *Acases report J. Urol.* 118: 480.
- Streeter, P.R.; Berg, EL; And Rouse B. T.; (1988):** A tissue specific endothelial cell molecule involved in lymphocyte homing-*Nature.* 331: 1.
- Suzuki S.T.; (1996):** Protocadherins and diversity of the cadherin superfamily. *J. Cell. Sci.*; 109-2609.
- Syrigos, K.N.; Harrington, K.; Waxman, J.; et al., (1998):** Altered γ -catenin expression correlates with poor survival in patients 160:1889.
- Taddei, I.; Piazzini M.; Bartoletti, R.; et al (2000):** Molecular alterations of E-cadherin gene: possible role in human bladder carcinogenesis, *Int. J. Mol. Med.* 6:201-208.
- Takahasi, N.; Liu, M. C.; Proud, D.Y; et al., (1994):** Soluble ICAM-1 in broncho-alveolar lavage fluid of allergic subjects following segmental antigen challenge. *Am. J. Respir. Crit. Care Med.*; 150: 704.
- Takayma, T.; Shiozaki, H.; Doki, Y.; et al. (1998):** Aberrant expression and phosphorylation of beta catenin in human bladder cancer. *Br. J. Cancer*; 77: 605.
- Takeichi, M.; (1993):** Cadherins in cancer: Implications for invasion and metastasis. *Curr. Opin. Cell Biol.*; 5:806.
- Tanagho, E.A.; (1992):** "Anatomy of the lower Urinary tract ". In *Campbell's urology.* Vol. 1, Ed Walsp, P. C., Retik A. B.; Stamey T. A. and Vaughan, E. D., 6th Ed.,

Printed by Saunder W. B. Company, United States of America, P 40.

- Tatemastu M.; Cohen S.; Fukushima, S.; et al.(1978):** Neovascularisation in benign and malignant urinary bladder epithelial proliferative lesions of the rat . Cancer Res. 38: 1792
- Theodores, C.U.D.; (2003):** Molecular pathogenesis of urothelial bladder cancer. Histol Histopathol. Jan, 18 (1):259-74.
- Toru Shimazui.; Jack, A.; Schalken, L. A.; et al, (1996):** Prognostic value of cadherin associated molecules (α - β and γ -catenins and P 120 cas) in bladder tumor. Cancer Research 56, 4154-4158 September 15.
- Tucker, EL.; Pignatelli, M.; (2000):** Caternins and their associated proteins in colorectal cancer. Histol Histopathol 15:251.
- Umbas, R; Isaacs, WB; Aalders, T.W.; et al (1992):** Decreased expression of E- cadherin in high grade of prostate cacer. Cancer Res. 52: 5104.
- Urakami, M.; Igawa, H.; and Ishibe, T.; (1996):** Biological characteristics of inverted papilloma of the urinary bladder. Br. J. Urol. 77: 55.
- Varmus H.; (1995):** Cellular interactions. In: Julie, L.A., Christine R., Carol, F. and Ian R. T., (eds). Immunology, an introduction. 4th . Edition. Philadelphia. PP. 75.
- Vines, P.; and Magnani, C.; (1985):** Occupation and bladder cancer in males: a case control study. Int. J. cancer; 35:599.

- Vleminckx. K.; Vakaet, L.J.R.; Marrel, M.; et al (1991): Genetic manipulation of E-cadherin expression by epithelial tumor Cells reveals an invasion suppressor role. *Cell*; 66: 107-119.
- Von Wasielewski, R.; Rhein, A.; Werner M.; et al. (1997) Immunohistochemical detection of E-cadherin in differentiated thyroid carcinomas correlates with clinical outcome. *Cancer Res.* 557: 2501.
- Walther, M. O; Brien, D. P. and Brich, H. W (1986): Condyloma acuminatum and verrucous carcinoma of the bladder: Case report and Literature review *J. Urol.* 135:362.
- Webb J. N. (1990): Histopathology of bladder cancer, scientific foundations of urology 3rd edition. Edited by Chisholm, G.D., and Fair, W. R., published by Heinemann medical publishers. Chicago. Section XI P. 549.
- Weinstein, R. S.; Miller, A. W.; Coon, J. S. et al. (1985): Pathology of superficial bladder cancer with emphasis on carcinoma in situ. *Urology*, 26: 2.
- Wel sun M.D.; and Guillermo A.; Herrera. M .; (2002): E-cad. expression in urothelial Carcinoma in situ, superficial papillary carcinoma and invasive transitional cell carcinoma. *Hum. Pathol.*, 33(10): 996.
- Wick, M. R.; Brown B. A.; Young, R. H.; et al., (1988): Spindle cell proliferations of the urinary tract. An immunohistochemical study. *Am. J. Surg. Pathol.* 112: 379.

- Wiener, D. P.; Koss L. G.; Sablay, B.; et al. (1979): The prevalence and significance of Brunn's nests / cystitis cystica and squamous metaplasia in normal bladder". J. Urol. 122: 317.
- Wijnhoven, B.P.L.; Dinjens, W.N.M.; and Pignatelli M. (2000): E-cadherin-catenin cell-cell adhesion complex and human cancer. British J. of Surgery, 87:992-1005
- Williams and Dyson, D (1992): " In Gray's anatomy, Thirty Seventh edition, Churchill livingstone L.P.E.
- Williams, A. F.; and Barclay, A. N. (1988): The immunoglobulin super family domain for cell surface recognition. Ann. Rev. Immunol. 6: 381.
- Wolf, H.; (1973): Studies on the role of tryptophan metabolites in the genesis of bladder cancer. Acta Chir. Scand. (Suppl.). 433: 154.
- Wynder, E. L.; and Gold Smith, R. (1977): The epidemiology of bladder cancer, a second look.. Cancer, 40: 1246.
- Wynder, E. L.; and Stellman, S. D.; (1980): Artificial sweetener use and bladder cancer: A case control study. Science 207: (80) 1214 .
- Yamada, T. (1979): Cytopathology in precancerous and metaplastic lesions of the urinary tract. In. Wied G, Kossl and Reagan J. eds, Compendium on diagnost. and cytology, 4th ed., Tutorials or cytology, Chikago, P. 435.
- Yangashita, M and Hascal, V.C. (1992): Cell surface heparan sulphate proteoglycans. J. Biol. Chem 267: 9451.

- Yonemura, Y; Nojima, N; Kaji M; et al, (1995). E-cadherin and urokinase-type plasminogen activator tissue status in gastric carcinoma. *Cancer*; 76: 941.
- Young , R. H.; and Scully, R. E.; (1985): Clear cell adenocarcinoma of the bladder and urethra , a report of three cases and review of the literature. *Am. J. surg.Pathol.* 9: 816.
- Young R. H. and Scally R. E. (1986). Nephrogenic adenoma. A report of 15 cases, review of the literature and comparison with clear cell adenocarcinoma of the urinary tract. *Surg. Pathol.* 10: 268.
- Young R. H.; (1988): Pseudoneoplastic lesions of the urinary bladder. In " pathology annual " Part I, Volume 23, 1 st ed. Rosen P.P. and Fechner, R. E. leds., applleton and longe. Norwalk, Connectical, Son Mateo, California " 6- " 104.
- Young, R. H. (1986): Fibroepithelial ployp of the bladder with a typical stromal cells. *Arch Pathol. Mod.*, 110: 241.
- Young, R. H. and Eble, J. N. (1995): Tumors of the urinary tract. In: Diagnostic histopathology of tumors. Christopher. D. M., Fletcher (eds). Churchill Livingstone, P. 333.
- Young, R. H. and Zukerberg L. R. (1991): Microcystic transitional cell carcinoma of the urinary bladder: A report of four cases. *Am. J. Clin. Pathol.* 96: 635.
- Young, R. H., Scully R. E. (1987): Pseudosacomatous lesions of the urinary bladder, prostatic glands and urethera. A report or three cases and review of the literature. *Arch-Pathol. Lab. Med.* 111: 354.

- Zeegers, MP.; Kellen, E.; Buntinx, F., et al. (2004):** The association between smoking, beverage consumption, diet and bladder cancer. A systematic literature review world J. Urol; 21 (6) 392.
- Zuk, R. J.; Rogers, H. S; Martin J. E et al. (1988):** Clinicopathological importance of primary dysplasia of bladder. J. Clinical Pathol. 41: 1277.
- Zukerberg, L. R.; Harris, N. L. and Young R.H. (1991):** Carcinoma of the urinary bladder simulating malignant lymphoma: A report of five cases, Am. J. surg. Pathol. 15: 569.