

REFERENCES

- 1- Amador , L. ; Stolorow , M.D. and Tahir , M.A.(1984):
Sex determination of human hairs by cortical
cell nuclei sex chromatin staining .
J . Can. Soc. Forensic , 17 : 22 - 26 .
- 2- Ashkenaji , Y.E. ; Goldman ,B. and Dotan , A.(1975):
Rhythmic variations of sex chromatin and
glucose-6- phosphate dehydrogenase activity in
human oral mucosa during the menstrual cycle
Acta Cytol. , 19 : 62 - 66 .
- 3- Baikie , A.G. ; Garson , O.M. ;Wester , S.M., and
Ferguson , J. (1966) :
The frequency of sex chromatin in females
with burns .
Lancet , 1 : 398 .
- 4- Barr , M.L. , and Bertram , E.G.(1949) :
A morphological distinction between neuron of
the male and female, and the behaviour of
nuclear satellite during accelerated nucleo-
protein synthesis
Nature , 163 : 676 - 677 .

- 5- Barr , M.L. (1951) :

The morphology of neuroglial nuclei in the cat , according to sex .

Exp. Cell. Res. , 2 : 288 - 290 .

- 6- Becker , L.K.; Martin,B. and Bourkhus , M. (1973) :

Effect of exogenous estrogen and progesterone upon sex chromatin incidence .

J. Urol. , 109 : 79 - 80 .

- 7- Beutler , E.; Yeh, M. and Fairbanks , V.F. (1962) :

The normal human female as a mosaic of X-chromosome activity studies using the gene for G-6 PD deficiency as a marker .

Proc. Natl. Acad. Sci. U.A.A., 48 : 9 .

- 8- Blanco, M.S. and Ramirr , O.E. (1965) :

Fluctuations of sex chromatin during the menstrual cycle .

Acta Cytol. , 9 : 251 - 256 .

- 9- Brainerd , T. ; Meccer, C. and Miles , C. (1965) :

Absence of correlation between sex chromatin incidence and menstrual cycle .

Acta Cytol. , 9 : 440 - 441 .

- 10- Briggs , D.K.(1958) :

The individuality of nuclear chromatin with

particular reference to polymorphonuclear
neutrophil leucocytes .
Blood , 13 : 986 - 1000 .

- 11- Brown , E. and Dougherty , T.F (1956) :
The diurnal variation of blood leucocytes
in normal and adrenalectomized mice .
Endocrinolgy , 58 : 365 - 375 .
- 12- Caratazalli , R. (1963) :
Sex appendage and menstrual cycle .
Cytogenetic , 2 : 15 - 22 .
- 13- Caries , E.G. ; Asper, A.C. and Smith, D.W. (1971) :
Low X chromatin frequency in untreated
congenital adrenal hyperplasia .
Lancet , 2 : 372 - 374 .
- 14- Cavalli , I.J.; Waldrigue , A. ;Stuber , N. and
Marcallo , F.A. (1970)
Sex chromatin and menstrual cycle .
Lancet , 2 : 832 .
- 15- Christakos ,A.C.; Simpson,J.L. and BOhrani,A.J.(1969)
Sex chromatin during menstrual cycle .
J. Reproduc. Med. , 2 : 87 .

- 16- Culling , C.F.A. (1974)

Handbook of histopathological and histochemical techniques . 3rd. edition , P. 495 , Butterworth and Co. Ltd., London, Brisbane, Toronto and Durban .

- 17- Davidson ,R.G.; Nitowsky,H.M and Child,B. (1963) :

Demonstration of two populations of cells in human female heterozygous for glucose-6-phosphate dehydrogenase variants .

Proc. Natl. Acad. Sci. U.S.A, 50 : 481-485 .

- 18- Davidson , W.M. and Smith ,D.R. (1954)

A morphological sex difference in polymorphonuclear neutrophil leucocytes .

Brit. Med. J., 11 : 6-7 .

- 19- Davidson , W.M.(1961) :

In Davidson and Smith ,D.R.(ed.) Discussion on Mittwoch's communication in human chromosomal abnormalities ,P. 105 ,Staples Press, London .

- 20- Davis ,J.R. and Penny ,R.J. (1981) :

Improved fluorescence method for identifying sex chromatin in formalin fixed tissue .

Am.J.Clin.Pathol. , 75: 731 - 733 .

- 21- Dokumov ,S.T. and Spasov ,S.A. (1967) :
Sex chromatin and sex hormones .
Am. J. Obst. Gyne. , 97 : 714 - 718 .
- 22- Dokumov ,S.T , and Spasov ,S.A (1968) :
Sex chromatin during menstrual cycle .
Acta Cytol. , 12 : 131 .
- 23- Ferguson ,M.A. (1965) :
Karyotype-phenotype correlation in gonadal
dysgenesis and their bearing on pathogenesis
of malformation .
J. Med. Genet. , 2 : 142 .
- 24- Frasier , S.D.; Grud ,F.S. and Farrcll,F.J. (1964) :
Buccal smears in newborn female .
J. Pediatrics , 65 : 222 - 225 .
- 25- Freund ,J.E. and Williams ,F.J. (1975) :
Elementary buisness statistics : The modern
approach , 2nd. edition , P. 267-283 , 475-477
Prentice -Hall International , Inc., London .
- 26- Ghosh , M.N (1971) :
Fundamental of Experimental Pharmacology ,
1st. edition , P.9 and P. 119, Scientific book
agency .

- 27- Ghosh ,S.N. and Shah ,P.N. (1975) :
Prognosis and incidence of sex chromatin
in breast cancer .
Acta Cytol. , 19 : 58 - 61 .
- 28- Glob ,E.K.; Israsena ,T. and Backer ,K.L. (1969):
Sex chromatin frequency and oestrogenic
activity in newborn female .
J. Clin. Endocrinol. Metab. , 29 : 118-122 .
- 29- Graham ,M.A. and Barr ,M.L (1952) :
Sex difference in the morphology of metabolic
nuclei in somatic cells of the cat .
Anat. Rec. , 112 : 709 - 718 .
- 30- Grumbach ,M.M ; Morishima,A. and Taylor,J.H.(1963) :
Human sex chromosome abnormalities in relation
to DNA replication and heterochromatinization.
Proc. Natl. Acad. Sci U.S.A. , 99 : 581 .
- 31- Gupta ,Y.N. and Sanyal ,B. (1980) :
Sex chromatin in carcinoma of uterine cervix .
Indian J. Med. Res. , 71 : 795 .
- 32- Haggy ,G.W. and Brodrick ,M. (1972) :
Variation of sex chromatin in human oral
mucosa during menstrual cycle .
Acta Cytol. , 16 : 314 - 321 .

- 33- Hamilton, T.H. (1968) :
Control by estrogen of genetic transcription
and translation .
Science , 161 : 649 - 661 .
- 34- Hsu, L.Y. ; Klinger, H. and Weiss, J. (1967) :
Effect of nuclear selection criteria on
X chromatin frequency .
Cytogenetics , 6 : 371 .
- 35- Hunter, W.F. and Lennox, B. (1954) :
The sex of teratoma .
Lancet , II : 633 - 634 .
- 36- Kallenberger, A. ; Hagmann, A. and Descoewdres, c. (1968)
The interpretation of abnormal sex chromatin
incidence in human breast tumors on the
basis of D.N.A. measurements .
Europ. J. Cancer , 3 : 439 - 448 .
- 37- Klinger, H.P. ; Davis, J. ; Goldhuber, P. and Ditta,
T. (1968):
Factor influencing mammalian X chromosome
condensation and sex- chromatin formation .
Cytogenetic , 7 : 39 - 57 .

38- LyOn, M.F. (1961) :

Gene action in the sex-chromosome of the mouse.
Nature , 190 : 372 - 373 .

39- Marberger, E.R. ; Boccabella, R.A. and Nelson, W.O. (1955):

Oral smear as a method of chromosomal sex detection .
Proc. Soc. Exp. Biol. , 89 : 488 - 498 .

40- Mendonca, B.B; Zogna, M.A. ; Wejchenberg, B.L. and

Toledo, S.P.A. (1984) :

Chromatin in congenital virilizing adrenal
hyperplasia .

Acta Endocrinol. (Copenh.) , 107 : 256 - 260 .

41- Mittwoch, U. (1967) :

Nuclear size in cultural human fibroblast .
Cytogenetics , 6 : 38 - 50 .

42- Moore, K.L. ; Graham, M.A. and Barr, M.L. (1953):

The detection of chromosomal sex in hermaphrodites
from a skin biopsy .

Surg. Gynec. Obst. , 96 : 641 - 648 .

43- Moore, K.L and Barr, M.L. (1957) :

The sex chromatin in human malignant tissues .
Brit. J. Cancer , 11 : 384 - 390 .

- 44- Morishima, M.A. and Taylor, J.H (1962) :

A synchronous **duplication** of human chromosomes
and the origin of sex chromatin .

Proc. Nat. Acad. Sci. U.S.A , 48 : 756 .

- 45- Mukherjee, A.B. ; Gertrude, C. ; Moser, W.O, and

Nitousky ,H.M.(1972) :

Fluorescence of X and Y chromatin in human
interphase cells .

Cytogenetic , 11 : 216 .

- 46- Ogawa, K. ; Sueda, K. and Matsui, N. (1983) :

The effect of cortisol , progesterone , and
transcortin on phytohaemagglutinin-stimulated
human blood mononuclear cells and their interplay.

J. Clin. Endocrinol. Metab., 56 : 121 - 126

- 47- Ohno, S. ; **Kaplan**, W.D. , and Kinostia, R.(1959):

Formation of sex chromatin by single X chromosome
in liver cells of rattus norvegicus .

Exp. Cell. Res. , 18 : 415 - 418 .

- 48- Ohno, S., and Makino, S. (1961) :

The single X nature of sex chromatin in man .

Lancet , I : 78 .

- 49- Peterson, K.W.; Jacobson, C.B. ; Teigord, I.R. and Fontaine, L. (1966) :
Statistical analysis of serial chromatin counts in newborn .
Presented at the 11th. International Congress on Human Genetics , Chicago .
- 50- Purandare, H. and Chakravirty, A. (1980) :
Buccal mucosal X chromatin frequency in female .
Indian J. Med. Res. , 71 : 790 - 794 .
- 51- Rixon, R.H. and Whitefield, J.F. (1962) :
The effect of elevated salt concentration on the nuclear structure of L- mouse cells .
Exp. Cell Res. , 26 : 591 - 611 .
- 52- Rosen, P.P. (1979) :
Count in breast cancer .
J.A.M.A. , 241 : 695 - 696 .
- 53- Rothawell, N.V. (1977) :
Human Genetics . P. 47 - 115 , Prentice Hall .
London .
- 54- Rowley, J.D. ; Muldal, S. ; Gilbert, C.W. ; Lajtha, J. ; Lindsten , J. ; Fraccaro ,M. and Kaisjer ,K.(1963) :
Synthesis Of deoxyribonucleic acid on X-chromosome of an XXXXY male.
Nature , 197 : 251 .

- 55- Roy, S. ; Das, A.K. ; Khare, V.N. and Roy, B.(1976):
Frequency of sex chromatin in the buccal smear
of newborn females and their mothers during
first day after delivery .
Acta Cytol. , 20 : 83 .
- 56- Russell, L.B. (1964) :
Another look at the single active X hypothesis.
Trans. N. Y. Acad. Sci. , 26 : 726 .
- 57- Savino, A. and Koss, L.G. (1971) :
The evaluation of sex chromatin as a prognostic
factor in carcinoma of the breast.
Acta Cytol. , 15 : 372 - 374 .
- 58- Schmid, W. (1967) :
Sex chromatin in hair roots .
Cytogenetics , 6 : 342 - 349 .
- 59- Schnear, J.H and Naghi, A. (1971) :
Low X chromatin frequency in congenital adrenal
hyperplasia .
Lancet , 2 : 1089 .

- 60- Shetty, K.T. ; Sharma, N.L. and Wahal, K.M.(1966) :
Sex chromatin in prednisone treated children.
Brit. Med, J. , 5504 ; 84 - 86 .
- 61- Shoval, A.R. and Casselmann, W.G. (1961) :
Alternation in size of nuclear sex chromatin
mass (Barr body) induced by antibiotic .
Lancet , 23 : 1386 - 1388 .
- 62- Smith, D.W. ; Marden, P.M. ; McDoland, M.J. and
Speckhard, M. (1962) :
Lower incidence of sex chromatin in buccal
smears of newborn females .
J. Pediatrics , 30 : 707 .
- 63- Schaval, A.R. and Gaines, J.A. (1955) :
Sexual difference in nuclear morphology of
tumors, inflammation, hyperplasia and squamous
metaplasia.
Cancer Philad. , 8 : 896 .
- 64- Spiers, A.S. and Turner, J.E. (1977) :
Sex chromatin in women with breast cancer ,
leukemia , hyperplasia , lymphoma, and
hypertension .
J.A.M.A , 238 : 1812

- 65- Stanly, M.A. ; Bigham, D.A. ; Cox, R.U. ;Kirkland, J.A. and Opit, L.J. (1966) :
Sex-chromatin anomalies in female patient with breast carcinoma .
Lancet , 26 : 690 - 691 .
- 66- Sutton , H.E. (1980) :
An introduction to human genetics, 3 rd. ed.
P. 95 - 98 , Saunders College , Philadelphia .
- 67- Taylor, A.I. (1963) :
Sex chromatin in newborn .
Lancet , I: 912 .
- 68- Therkelsen, A.J. and Petersen, G.B. (1962) :
Frequency of X-chromatin positive cells in the logarithmic and post logarithmic growth phase of human cells in tissue culture .
Exp. Cell. Res. , 28 : 588 - 590 .
- 69- Townsend, J.F. ; Case, M.S. and Lucas, F.V.(1971) :
The sex chromatin count in pregnancy .
Amer. J. Obst. and Gynec. , 108 : 585 - 587 .
- 70- Wegmann, T.G. and Smith, D.W. (1964) :
Lower incidence of sex chromatin in newborn females delivered by caesarean section .
J. Pediatrics , 34 : 419 .

- 71- Wester, S.M. ; Garson, O.M ; Barnett, J.S. and
Baikie, A.G. (1967) :
Variation in the frequency and form of sex
chromatin in females with burns .
Lancet, 8 : 745 - 746 .
- 72- Wyant, H.E. and Hecht, F. (1971) :
Detection of X-chromatin body in human fibroblast
by quinacrine fluoromicroscopy .
Lancet, II : 1379 - 1380 .
- 73- Yunis, J.J. (1974) :
Human chromosome Methodology , 2nd. ed. ,P. 85
Academic Press , New York and London .