

REFERENCES

1. Albin, R.J.; Bruns, G.R.; Guinan, P.D.; Al-Sheik, H. and Bush, I.M. (1974a): The effect of oestrogen on the incorporation of ^3H -thymidine by PHA-stimulated human peripheral lymphocytes. *J. Immunol.*, 113: 705-707.
2. Albin, R.J.; Bruns, G.R.; Guinan, P.D.; Sadoughi, N. and Bush, I.M. (1974b): Immuno Suppressive effect of oestrogen on thymic dependent lymphocytic blastogenesis. *Urol. Res.*, 2: 69-71.
3. Ablin, R.J.; Bruns, G.R.; Guinan, P.D.; Al-Sheik, H. and Bush, I.M. (1976): Hormonal therapy and alteration of lymphocyte proliferation. *J. Lab. Clin. Med.*, 87: 227-231.
4. Adorini, L.; Ruco, L.; Uccini, S.; De Franceschi, G.S.; Baroni, C.D. and Doria, G. (1976): Biological effects of *Escherichia coli* LPS in vivo. Selection in the mouse thymus of PHA and Con-A responsive cells. *Immunology*, 31: 225-232.
5. Aitken, S.C. and Lippman, M.E. (1982): Hormonal regulation of net DNA synthesis in MCF-7 human breast cancer cells in tissue culture. *Cancer Res.*, 42: 1727-1735.

6. Allan, D.; Auger, J. and Crumpton, M.J. (1971):
Interaction of the plasma membrane of pig
lymphocytes and thymocytes with PHA.
Exp. Cell Res., 66: 362-368.
7. Andersson, M. and Muntzing, J. (1971): Effect of
long-acting oestrogen and a long-acting corti-
costeroid on the weight and acid phosphatase
activity of the spleen in male rat.
Acta Pharmacol. Toxicol., 29: 449-455.
8. Astaldi, G.; Airo, R. and Sauli, S. (1965a): In
vitro studies on leukaemic cells, In: Hayhoe's
Current Research in Leukaemia, P. 139.
Cambridge University Press, Cambridge.
9. Astaldi, G.; Costa, G. and Airo, R. (1965b): Phyto-
haemagglutinin in Leukaemia.
Lancet, I: 1394.
10. Bach, F.H. and Hirschhorn, K. (1963): γ -Globulin
production by human lymphocytes in vitro.
Exp. Cell Res., 32: 592-595.
11. Barrett, J.C.; Wong, A. and McLachlan, J.A. (1981):
Diethylstilbesterol induces neoplastic
transformation without measurable gene mutat-
ion at two loci.
Science, 22: 1402-1404.

12. Bernard, C.; Geraldles, A. and Boiron, M. (1964):
Effect of phytohaemagglutinin on blood cultures of chronic lymphocytic leukaemias.
Lancet, I: 677.
13. Blomgren, H. and Anderson, B. (1971): Characteristics of the immunocompetent cells in the mouse thymus. II-Cell population changes during cortisone-induced atrophy and subsequent regeneration.
Cell Immunol., I: 545.
14. Bloom, W. (1938): Tissue culture of blood and blood forming organs, PP. 1471-1585. In: H. Downey (ed.) *Handbook of Haematology*. New York: P.N. Hoeber.
15. Blyden, G. and Handschumacher, R.E. (1977): Purification and properties of human lymphocyte activating factor.
J. Immunol., 118: 1631-1638.
16. Borberg, H.; Yesner, I.; Gesner, B. and Silber, R. (1968): The effect of N acetyl D-galactosamine and other sugars on the mitogenic activity and attachment of PHA to tonsil cells.
Blood, 31: 747-757.

17. Cantarow, A. and Schepartz, B. (1967): Biochemistry, 4th ed., P: 692. W.B. Saunders Company, Philadelphia and London.
18. Carrel, A. and Ebeling, A.H. (1922): Pure cultures of large mononuclear leukocytes.
J. Exp. Med., 36: 365.
Cited by Coulson and Williams (1974).
19. Chew, C.S. and Rinard, G.A. (1974): Oestrogenic regulation of uterine cyclic AMP metabolism.
Biochem. Biophys. Acta, 362: 493.
20. Chrisman, C.L. (1974): Aneuploidy in mouse embryos induced by diethylstilbesterol diphosphate.
Teratology, 9: 229-232.
21. Chrisman, C.L. and Hinkle, L.L. (1974): Induction of aneuploidy in mouse bone marrow cells with diethylstilbesterol diphosphate.
Cancer J. Genet. Cytol., 16: 831-835.
22. Chrustschoff, G.K. and Berlin, E.A. (1935): Cytological investigation on cultures of normal human blood.
J. Genetics, 31: 243-251.
23. Claman, H.N. (1972): Corticosteroids and lymphoid cells.
New Eng. J. Med., 287: 388-397.

24. Clemens, L.E.; Siiteri, P.K. and Stites, D.P.
(1979): Mechanism of immunosuppression of
progesterone on maternal lymphocyte activation during pregnancy.
J. Immunology, 122: 1978-1985.
25. Corsini, G. and Puppo, F. (1982): Effect of medroxyprogesterone acetate upon PHA, Con-A and PWM stimulated lymphocytes and on E-rosette function.
J. Immunopharmacol., 4: 247-253.
26. Coulson, A.S. and Chalmers, D.G. (1966): Quantitation of peripheral blood lymphocyte cultures.
Nature, 209: 378-381.
27. Coulson, A.S. and Chalmers, D.G. (1967): Response of human blood lymphocytes to tuberculin PPD in tissue culture.
Immunology, 12: 417-420.
28. Coulson, A.S. and Williams, D.R.R. (1974): Human peripheral blood lymphocyte transformation by concanavalin A in a chemically defined medium.
J. Allergy Clin. Immunol., 54: 319-326.

29. Crafts, R.C. (1941): The effect of endocrines on the formed elements of the blood. Effect of oestrogens in dog and monkey.
Endocrinology, 29: 606-618.
30. Danford, N. and Parry, J.M. (1982): Abnormal cell division in cultured human fibroblasts after exposure to diethylstilbesterol.
Mutation Res., 103: 379-383.
31. Dittert, L.W. (1974): American pharmacy, 7th edition, P. 573. J.B. Lippincott Company, Philadelphia and Toronto.
32. Elves, M.W. and Israëls, M.C.G. (1963): The mitogenic property of phytohaemagglutinin: Studies on human leucocytes.
Brit. J. Haemat., 9: 406-410.
33. Elves, M.W.; Roath, S. and Israëls, M.C.G. (1963): The response of lymphocytes to antigen challenge in vitro.
Lancet, I: 806-807.
34. Ferguson, M.M. and McDonald, F.G. (1985): Oestrogen as an inhibitor of human NK cell cytotoxicity.
FEBS - Lett, 191: 145-148.

35. Forbes, I.J. and Henderson, D.W. (1960): Globulin synthesis by human peripheral lymphocytes.
Ann. Intern. Med., 65: 69-79.
36. Forsberg, J.G. (1984): Short-term and long-term effects of oestrogen on lymphoid tissues and lymphoid cells with some remarks on the significance for carcinogenesis.
Arch. Toxicol., 55: 79-90.
37. Freund, J.E. and Williams, F.J. (1975): Elementary Business Statistics: The modern approach, 2nd edition, PP. 267-283 and 475-477.
Prentice-Hall International Inc., London.
38. Ganong, W.F. (1981): Review of Medical Physiology, 10th ed., P 357. Lang Medical Publications. Los Altos, California.
39. Genest, P. and Auger, C. (1963): Observations on the technique for the study of human chromosomes by the culture of leukocytes from peripheral blood.
Can. Med. Assoc. J., 88: 302-305.
40. Gerschenson, L.E.; Depaoli, J.R. and Murai, J.T. (1981): Inhibition of oestrogen-induced proliferation of cultured rabbit uterine epithelial cells by a cell density-dependent factor produced by the same cells.
J. Steroid. Biochem., 14: 959-969.

41. Gerschenson, L.E.; Gorski, J., and Prescott, D.M.
(1984): Induction of DNA synthesis in cultured rabbit uterine cells by estradiol and inhibition of the oestrogen response.
J. Steroid. Biochem., 21: 135-136.
42. Gowans, J.L.; Gesner, B.M. and McGregor, D.D.
(1961): Ciba Foundation Study Group, No. 10,
P. 32.
43. Greaves, M.F.; Brauminger, S. and Janossy, G.
(1972): Lymphocyte activation: Binding sites for phyto mitogens on lymphocyte sub-populations.
Clin. Exp. Immunol., 10: 537-554.
44. Gronroos, M. and Eskola, J. (1984): In vitro functions of lymphocytes during high-dose medroxyprogesterone acetate (MPA) treatment.
Cancer Immunol. Immunother., 17: 218-220.
45. Gusberg, S.B. and Hall, H.E. (1961): Precursors of corpus cancer. III. The appearance of cancer of the endometrium in oestrogenically conditioned patients.
Obstet. Gynaecol., 17: 397-412.

46. Henderson, L. and Regan, T. (1985): Effects of diethylstilbesterol-dipropionate on SCEs, micronuclei, cytotoxicity, aneuploidy and cell proliferation in maternal and foetal mouse cells treated in vivo.
Mut. Res., 144: 27-31.
47. Herbst, A.L.; Ulfelder, H. and Poskanzer, D.C. (1971): Adenocarcinoma of the vagina: Association of maternal stilbesterol therapy with tumor.
N. Engl. J. Med., 284: 878-881.
48. Herbst, A.L.; Kurman, R.J. and Scully, R.E. (1972): Clear-cell adenocarcinoma of the genital tract in young females (Registry Report).
N. Eng. J. Med., 287: 1259-1264.
49. Hill, A., and Wolff, S. (1982): Increased induction of sister chromatid exchange by diethylstilbesterol in lymphocytes from pregnant and premenopausal women.
Cancer Res., 42: 893-896.

50. Hirschhorn, K.; Schreibman, R.R.; Verbo, S. and Gruskin, R.H. (1964): The action of streptolysin S on peripheral lymphocytes of normal subjects and patients with acute rheumatic fever.
Proc. Nat. Acad. Sci., 52: 1151-1157.
51. Holdstock, G.; Chastenay, B.F. and Krawitt, E.L. (1982): Effect of testosterone, oestradiol and progesterone on immune regulation.
Clin. Exp. Immunol., 47: 449-456.
52. Horton, J.E.; Raisz, L.G.; Simmons, H.A.; Oppenheim, J.J. and Mergenhagen S.E. (1972): Bone resorbing activity of supernatant fluid from cultured human peripheral blood leukocytes.
Science, 177: 793-795.
53. Hulka, J.F.; Mohr, K. and Lieberman, M.W. (1965): Effect of synthetic progestational agents on allograft rejection and circulating antibody production.
Endocrinology, 77: 897-901.

54. Ishidate, M. and Odashima, S. (1977): Chromosome tests with 134 compounds on Chinese hamster cells in vitro: A screening for chemical carcinogens.
Mutation res., 48: 337-354.
55. Ivett, J.L. and Tice, R.R. (1981): Diethylstilbesterol diphosphate induces chromosomal aberrations but not sister-chromatid exchanges in murine bone marrow cells in vivo.
Environ. Mutagen., 3: 442-452.
56. Jacobsson, H. and Blomgren, H. (1975): Evidence of different cell populations in the mouse thymus releasing and responding to mitogenic factor.
Scand. J. Immunol., 4: 791-799.
57. Janossy, G. and Greaves, M.F. (1971): Lymphocyte activation: Response of T and B lymphocytes to phyto mitogens.
Clin. Exp. Immunol., 9: 483-498.
58. Janossy, G. and Greaves, M.F. (1972): Lymphocyte activation: Discriminating stimulation of lymphocyte subpopulations by phyto mitogens and heterologous antilymphocyte sera.
Clin. Exp. Immunol., 10: 525-536.

59. Johannisson, E.; Langren, B.M. and Hagenfeldt, K. (1977): The effect of intrauterine progesterone on DNA content in isolated human endometrial cells.
Acta. Cytol. (Baltimore), 21: 441-446.
60. Jones, G.; Torrigiani, G. and Roitt, I.M. (1971): Immunoglobulin determinants on mouse lymphocytes.
J. Immunol., 106: 1425-1430.
61. Kornfeld, S. and Kornfeld, R. (1969): Solubilization and partial characterization of PHA receptor site from human erythrocytes.
Proc. Nat. Acad. Sci., 63: 1439-1449.
62. Landy, M. and Chessin, L.C. (1969): The effect of plant mitogens on humoral and cellular immune responses.
Antibiot. Chemother., 15: 199-212.
63. Ling, N.R. (1968): Lymphocyte Stimulation, North Holland Publ. Co., Amsterdam.
Cited by Janossy and Greaves (1971).
64. Luz, N.P.; Marques, M.; Ayub, A.C. and Correa, P.R. (1969): Effect of oestradiol upon the thymus and lymphoid organs of the immature female rats.
Am. J. Obstet. Gynaec., 105: 525-528.

65. Martin, C.N.; McDermid, A.C. and Garner, R.C. (1978): Testing of known carcinogens and non-carcinogens for their ability to induce unscheduled DNA synthesis in HeLa cells. *Cancer Res.*, 38: 2621-2627.
66. McManus, M.J. and Welsch, C.W. (1984): The effect of oestrogen, progesterone, thyroxine, and human placental lactogen on DNA synthesis of human breast ductal epithelium maintained in athymic nude mice. *Cancer*, 54: 1920-1927.
67. Mendelsohn, J.; Multer, M.M. and Bernheim, J.L. (1977): Inhibition of human lymphocyte stimulation by steroid hormones: Cytokinetic mechanism. *Clin. Exp. Immunol.*, 27: 127-134.
68. Milgrom, E.; Atger, M. and Baulieu, E.E. (1973): Studies on oestrogen entry into uterine cells and on oestradiol-receptor complex attachment to the nucleus. Is the entry of oestrogen into uterine cells a protein mediated process? *Biochem. Biophys. Acta.*, 320: 267.

69. Möller, G. (1970): Antigen binding lymphocyte receptors.
Transpl. Rev., 5.
Cited by Greaves et al. (1972).
70. Moorhead, P.S.; Nowell, P.C.; Mellman, W.J.; Batipps, D.M. and Hungerford, D.A. (1960):
Chromosome preparations of leukocytes cultured from human peripheral blood.
Exp. Cell Res., 20: 613-616.
71. Nelson, J.H. and Hall, J.E. (1965): Studies on the thymolymphatic system in humans. Morphologic changes in lymph nodes in early pregnancy and during puerperium.
Am. J. Obstet. Gynaec., 93: 1133-1136.
72. Nowell, P.C. (1960): Differentiation of human leukemic leukocytes in tissue culture.
Exp. Cell res., 19: 267-277.
73. Ogawa, K.; Sueda, K. and Matsui, N. (1983): The effect of cortisol, progesterone, and transcortin on phytohaemagglutinin-stimulated human blood mononuclear cells and their interplay.
J. Clin. Endocrin. Metab., 56: 121-126.

74. Oppenheim, J.J. (1968): Relationship of in vitro transformation to delayed hypersensitivity in guinea pigs and man.
Fed. Proc., 27: 21-28.
75. Oppenheim, J.J.; Whang, J. and Frei, E. (1965): Immunologic and cytogenetic studies of chronic lymphocytic leukaemic cells.
Blood, 26: 121-132.
76. Osborne, C.K.; Boldt, D.H., and Estrada, P. (1984) Human breast cancer cell cycle synchronization by estrogens and antiestrogens in culture.
Cancer Research, 44: 1433-1439.
77. Osunkoya, B.O.; Williams, A.I.O.; Adler, W.H. and Smith, R.T. (1970): Studies on the interaction of phytomitogens with lymphoid cells: Binding of PHA to cell membrane receptors of cultured Burkitts lymphoma and infectious mononucleosus cells.
Afr. J. Med. Sc., 1: 3-16.
78. Parry, E.M., Danford, N. and Parry, J.M. (1982):- Differential staining of chromosomes and spindle and its use as an assay for determining the effect of diethylstilbesterol on cultured mammalian cells.
Mutation Res., 105: 243-252.

79. Pearmain, G.; Lycette, R.R. and Fitzgerald, P.H.
(1963): Tuberculin-induced mitosis in peripheral blood leucocytes.
Lancet, I: 637-638.
80. Peck, E.J.; Burgner, J. and Clark, H.H. (1973):
Oestrophilic binding sites of the uterus.
Relation to uptake and retention of oestradiol in vitro.
Biochemistry, 12: 4596.
81. Pick, E.; Brostoff, J.; Krejci, J. and Turck, J.L.
(1970): Interaction between "sensitized lymphocytes" and antigen in vitro. Mitogen-induced release of skin reactive and macrophage migration inhibitory factors.
Cell Immunol., 1: 92-109.
82. Porter, K.A. and Cooper, E.H. (1962):
J. Exp. Med., 115: 997.
Cited by Elves et al. (1963).
83. Powell, A.E. and Leon, M.A. (1970): Reversible interaction of human lymphocytes with mitogen Con-A.
Exp. Cell Res., 62: 315-325.

84. Quaglino, D. and Cowling, D.C. (1964): Cytochemical studies on cells from chronic lymphatic leukaemia and lymphosarcoma cultured with phytohaemagglutinin.
Brit. J. Haemat., 10: 358-362.
85. Raff, M.C. (1970): Two distinct populations of peripheral lymphocytes in mice distinguishable by immunofluorescence.
Immunology, 19: 637.
Cited by Greaves et al. (1972).
86. Rao, P.N. and Engelberg, J. (1967): Structural specificity of oestrogens in the induction of mitotic chromatid non-disjunction in HeLa cells.
Exp. Cell Res., 48: 71-81.
87. Rigas, D.A. and Tisdale, V.V. (1969): Bioassay and dose response of the mitogenic activity of the phytohaemagglutinin of Phaseolus Vulgaris
Experientia, 25: 399-400.
88. Runnebaum, B.; Stöber, I. and Zander, J. (1975): Progesterone, 20 α -dihydroprogesterone and 20 β -dihydroprogesterone in mother and child at birth.
Acta Endocrinol., 80: 569.

89. Sawada, M. and Ishidate, M. (1978): Colchicine-like effect of diethylstilbesterol on mammalian cells in vitro.
Mutation Res., 57: 175-182.
90. Schacher, J.; Browne, J.S.L. and Selye, H. (1937): Effects of various sterols on thymus in the adrenalectomized rat.
Proc. Soc. Exp. Biol. Med., 36: 488-491.
91. Scheurlen, P.G. (1968): Synthesis of some serum proteins in lymphocytes stimulated by phytohaemagglutinin.
Nature, 217: 1267-1268.
92. Scranton, P.E.Jr.; McMaster, J.H. and Diamond, P.E. (1975): Hormone suppression of DNA synthesis in cultured chondrocyte and osteosarcoma cell line.
Clin. Orthop., 112: 340-348.
93. Segal, S.; Cohen, I.R. and Feldman, M. (1972): Thymus-derived lymphocytes: Humoral and cellular reactions distinguished by hydrocortisone.
Science, 175: 1126-1128.
94. Smith, C.W. and Hollers, J.C. (1970): The pattern of binding of fluorescein-labelled Con-A to the motile lymphocyte.
J. Reticulo-endoth. Soc., 8: 458-464.

95. Sobhon, P. and Jirasattham, C. (1974): Effect of sex hormones on the thymus and lymphoid tissue of ovariectomized rats.
Acta Anat., 89: 211-225.
96. Speroff, L.; Glass, R.H. and Kase, N.G. (1982): Clinical Gynaecologic Endocrinology and Infertility, 3rd ed, PP. 271-277. Williams & Wilkins. Baltimore/London.
97. Stites, D.P.; Bugbee, S. and Siiteri, P.K. (1983): Differential actions of progesterone and cortisol on lymphocyte and monocyte interaction during lymphocyte activation-relevance to immunosuppression in pregnancy.
J. Reprod. Immunol., 5: 215-228.
98. Szekeres, B.J.; Csernus, V.; Hadnagy, J.; Pejtsik, B. and Pacsa, S. (1982): The role of progesterone in suppressing the response of maternal lymphocytes to foetal antigens.
Orv. Hetil., 123: 2769-2774.
99. Szekeres, B.J.; Hadnagy, J. and Pacsa, A.S. (1985): The suppressive effect of progesterone on lymphocyte cytotoxicity: Unique progesterone sensitivity of pregnancy lymphocytes.
J. Reprod. Immunol., 7: 121-128.

100. Tiltman, A.J. (1985): The effect of progestins on the mitotic activity of uterine fibromyomas.
Int. J. Gynaecol. Pathol., 4: 89-96.
101. Tsutsui, T.; Maizumi, H.; McLachlan, J.A. and Barrett, J.C. (1983): Aneuploidy induction and cell transformation by diethylstilbestrol: a possible chromosomal mechanism in carcinogenesis.
Cancer Res., 43: 3814-3821.
102. Tubiana, N.; Derre, M.; Carcassonne, Y. and Martin, P.M. (1984): Sex steroid binding to human lymphocyte plasma membrane.
Br. J. Cancer, 49: 531-536.
103. Weaver, J.A. (1955): Changes induced in the thymus and lymph nodes of the rat by the administration of cortisone and sex hormones and by other procedures.
J. Pathol. Bact., 69: 133-139.
104. Wyle, F.A.; Kent, J.R. and Geist, S.K. (1975): The effect of steroid hormones on PPD and PHA stimulated lymphocytes.
Clin. Res., 23: 96, (Abstr.)