

REFERENCES

1. *Abidi, S.M.; Griffiths, M.; Oscier, D.G.; Mufti, G.J. and Hamblin, T.J. (1986):*
Primary myelodysplastic syndrome with complex chromosomal rearrangements in a patient with Klinefelter's Syndrome.
J. Med. Genet., 23: 183-186.
2. *Aerts, L. (1979):*
The maternal and foetal endocrine pancreas in the rat. A morphometric study in normal and experimental diabetic pregnancy. PP. 154-157. Thesis, Leuven, Belgium.
3. *Aerts, I. and Van Assche, F.A. (1977):*
Rat fetal endocrine pancreas in experimental diabetes.
J. Endocrinol., 73: 339-346.
4. *Aerts, L. and Van Assche, F.A. (1979):*
Is gestational diabetes an acquired condition?
J. Develop. Physiol., 1: 219-225.
5. *Aerts, L. and Van Assche, F.A. (1981):*
Endocrine pancreas in the offspring of rats with experimentally - induced diabetes.
J. Endocrinol., 88: 81-88.
6. *Andersson, A. (1975):*
Synthesis of DNA in isolated pancreatic islets maintained in tissue culture.
Endocrinology, 96: 1051-1054.

-
- 7. Arakaki, D.F. and Schmid, W. (1971):**
Chemical mutagenesis. The chinese hamster bone marrow as an in vivo test system. II. Correlation with in vitro results on chinese hamster fibroblasts, human fibroblasts and human lymphocytes. Human Genetics, 11: 119-124.
- 8. Archer, F.J. and Kave, R. (1989):**
Aging of diabetic and non-diabetic skin fibroblasts in vitro: life span and sequential growth curves. J. Gerontol., 44: 93-99.
- 9. Armitage, P. (1983):**
Statistical Methods in Medical Research. Blackwell, Oxford.
- 10. Baker, L.; Egler, J.M.; Klein, S.H. and Goldman, A.S. (1981):**
Meticulous control of diabetes mellitus during organogenesis prevents sacral malformations in rats. Diabetes, 30: 955-959.
- 11. Barren, P.R.; Morris, S.M.; Schol, H. and Bishop, J.B. (1982):**
A method for preparing chromosomes from peripheral blood for the mouse. Mutat. Res., 104: 159.
- 12. Beaty, T.H. and Fajans, S.S. (1982):**
Estimating genetic and non-genetic components of variance for fasting glucose levels in pedigrees ascertained through non-insulin dependent diabetes. Ann. Hum. Genet., 46: 355-362.
- 13. Bell, G.I.; Xiang, K.S.; Newman, M.Y.; Wright, L.G.; Fajans, S.S.; Spielman, R.S. and Cox, N.J. (1991):**
Gene for non-insulin dependent diabetes mellitus (maturity - onset diabetes of the young subtype) is linked to DNA polymorphism on human chromosome 20 q. Proc. Natl. Acad. Sci. (U.S.A.), 88: 1484-1488.

-
14. **Bender, M.A.; Griggs, H.G. and Bedford, J.S. (1974):**
Mechanism of chromosomal aberration production. Chemicals and ionizing radiation.
Mutat. Res., 23: 197-203.
15. **Benett, R.A. and Pegg, A.E. (1981):**
Alkylation of DNA in rat tissues following administration of streptozotocin.
Cancer Res., 41: 2786-2790.
16. **Bennett, P.H.; Webner, C. and Miller, M. (1979):**
Congenital anomalies and the diabetic and prediabetic pregnancy. In: Elliot, K. (ed.). Pregnancy metabolism, diabetes and the fetus.
Ciba Foundation Symposium. 63. Amsterdam.
Excerpta Medica, 207-218.
17. **Bihoreau, M.T.; Ktorza, A.; Kinebayan, M.F. and Picon, L. (1986):**
Impaired glucose homeostasis in adult rats from hyperglycemic mothers.
Diabetes, 35: 979-984.
18. **Blazquez, E.; Montaya, E. and Lopez, Q.C. (1970):**
Relationship between insulin concentrations in plasma and pancreas of foetal and weaning rats.
J. Endocrinol., 48: 553-561.
19. **Bloom, W. (1931):**
New type of granular cell in islets of Langerhans of man.
Anat. Record., 49: 363-371.
20. **Bloom, W. and Fawcett, B.W. (1986):**
A Textbook of Histology, 10th edition. PP. 726-733., W.B. Saunderis Company. Philadelphia, London, Toronto.

-
21. **Bloom, A.D.; Neel, J.V.; Tsuchimoto, T. and Meilinger, K. (1973):**
Chromosome breakage in leukocytes of South American Indians.
Cytogenet. Cell Genet., 12: 175-186.
22. **Bolaffi, J.L.; Heldtm, A.; Lewis, L.D. and Grodsky, G.M. (1986):**
The third phase of in vitro insulin secretion: evidence for glucose insensitivity.
Diabetes, 35: 370-373.
23. **Buckton, K.E. and Nettesheim, P. (1968):**
In vitro and in vivo culture of mouse peripheral blood for chromosome preparations.
Proc. Soc. Exp. Biol. Med., 128: 1106-1110.
24. **Cardinal, G. and Agrifoglia, M.F. (1961):**
The colchicine method in the study of bone marrow cell proliferation.
Blood, 18: 328-334.
25. **Carr, D.H. (1976):**
Chromosome anomalies as a cause of spontaneous abortion.
Am. J. Obst. Gynecol., 97: 283-288.
26. **Carter, C.O. (1958):**
A life - table for mongols with the causes of death.
J. Ment. Defic. Res., 2: 287-292.
27. **Clark, A. and Grant, A.M. (1983):**
Quantitative morphology of endocrine cells in human foetal pancreas.
Diabetologia, 23: 141-142.

-
- 28. Cook, D.L. and Taborsky, G.J. (1990):**
B-cell function and insulin secretion. In: Diabetes mellitus, theory and practice 4th ed. edited by Rifkin, H. and Porte, D. Elsevier. New York - Amsterdam- London.
- 29. Cormack, D.H. (1987):**
Essential Histology Textbook 6th ed. Pancreatic islets. PP. 335-352. Lippincott Company. Philadelphia and Toronto.
- 30. Cormack, D. (1987):**
Essential Histology Textbook, 6th ed. PP. 219. J.B. Lippincott Company. Philadelphia and Toronto.
- 31. Cudworth, A.G. (1977):**
Diabetes mellitus. In: Advanced Medicine, ed. by Michael Besser. 13th ed. PP. 163-170. Churchill, Livingstone, New York.
- 32. Danial, A. (1981):**
A structural difference in pericentric inversions: Application to a model of risk of recombinants. Hum. Genet., 56: 321-329.
- 33. Dean, P.N. (1973):**
Ultrastructural morphometry of pancreatic B-cells. Diabetologia, 9: 115-221.
- 34. Dearfield, K.L.; Jacobson-Kram, D. and William, J.R. (1984):**
A comparison of sister chromatid exchange frequencies in peripheral lymphocytes and bone marrow cells of fisher 344 and Sprague-Dawley rats. Cytogenet. - Cell Genet., 38: 216-220.

-
35. *DeBoer, P.; Van Bui, P.P.W.; Van Beek, R.; VanDer Hoeven, F.A. and Natarajan, A.T. (1977):*
Chromosomal radiosensitivity and karyotype in mice using cultured peripheral blood leucocytes and comparison to this system in man.
Mutation. Res., 42: 379-394.
36. *Delellis, R.A. and Wolfe, H.J. (1983):*
Contribution of immunohistochemistry to clinical endocrinology and endocrine pathology.
J. Histochem. Cytochem., 31: 187-192.
37. *Demottas, V.; Epstein, M.F. and Frantz, I.D. (1980):*
Phospholipid synthesis in lung slices from fetuses of alloxan diabetic rabbits.
Pediat. Res., 14: 47-49.
38. *DeVries, G.F. and VanWent, J.J. (1964):*
The production of abundant metaphases in bone marrow of adult rats by hemolytic stimulation.
Stain Technol., 39: 52-55.
39. *DeWhurst, C.J. (1976):*
Integrated Obstetric and Gynaecology for postgraduates, 2nd ed., PP. 40-61., Blackwell scientific publication. Oxford, London, Edinburgh.
40. *Dircks, C.; Williams, E.H. and Camnochiaro, P.A. (1987):*
High glucose concentrations inhibit protein synthesis in retinal pigment endothelium in vitro.
Exp. Eye Res., 44: 951-958.
41. *Dowd, G.; Dunn, K. and Moloney, W.C. (1964):*
Chromosome studies in normal and leukemic rats.
Blood, 23: 52-58.

-
42. *Drury, R.A.B. and Wallington, E.A. (1980):*
Carleton's Histological techniques, 5th ed. PP. 174-175 and 188-89. Oxford University Press. New York - Toronto.
43. *Dulin, W.L. and Wyse, B.M. (1969):*
Studies on the ability of compounds to block the diabetogenic activity of streptozotocin.
Diabetes, 18: 459-466.
44. *Dulin, W.D. and Wyse, B.M. (1970):*
Diabetes in the KK mouse.
Diabetologia, 6: 317-323.
45. *Emery, A.E.H. (1970):*
Modern trends of human genetics, Vol. 1., PP. 143. Butterworth. London.
46. *Emery, A.E.H. (1975):*
Elements of Medical Genetics, 4th ed., PP. 45-80., Churchill Livingstone, Edinburgh and London.
47. *Engel, E. and Forbes, A.P. (1965):*
Cytogenetic and clinical findings in 48 patients with congenitally defective or absent ovaries.
J. Med., 4: 135.
48. *Eriksson, U.; Andersson, A.; Efendic, S.; Elde, R. and Hellerstrom, C. (1980):*
Diabetes in pregnancy: Effects on the foetal and newborn rat with particular regard to body weight, serum insulin concentration and pancreatic contents of insulin, glucagon and somatostation.
Acta Endocrinol., 94: 354-364.

-
- 49. Eriksson, U.; Dahlsrom, E.; Larsson, K. and Hellerstrom, C. (1982):**
Increased incidence of congenital malformations in the offspring of diabetic rats and their prevention by maternal insulin therapy. *Diabetes*, 31: 1-6.
- 50. Eriksson, U.; Dahlstrom, E. and Hellerstrom, C. (1983):**
Diabetes in pregnancy: Skeletal malformation in the offspring of diabetic rats after intermittent withdrawal of insulin in early gestation. *Diabetes*, 32: 1141-1145.
- 51. Evans, H.J. (1977):**
Advances in human genetics: Fact and fancies relating to chromosome structure in man. Plenum. New York.
- 52. Evans, H.J. and Scott, D. (1969):**
The induction of chromosome aberrations by nitrogen mustard and its dependence on DNA synthesis. *Proc. R. Soc. (London)*, B. 173: 491. (Quoted by Natarajan and Zwanenburg, 1982).
- 53. Fajans, S.S. (1981):**
Etiologic aspects of diabetes. *Diabetes Care*, 4: 69-75.
- 54. Fajans, S.S. (1989):**
Diabetes Mellitus: Classification and testing procedures. In: *Endocrinology*, 2nd ed. Vol. 2. PP. 1346-1356. ed. by De Groot, L.J. W.B. Saunders Company. Philladilphia, London, Toronto, Mondereal, Sydney, Tokyo.
- 55. Fajans, S.S.; Cloutier, M.C. and Growther, R.L. (1979):**
Clinical and etiological heterogenicity of idiopathic diabetes mellitus. *Diabetes*, 27: 1112-1116.

-
- 56. Farquhar, J.W. (1962):**
Diabetic children in scotland and the need for care.
Scott. Med. J. 7: 119.
- 57. Farrell, P.M.; Engle, M.J.; Frantz, I.D.; Goldman, A.; Kalkhoff, R.; Kemnitz, J.; Perelman, R.; Stern, J. and Susa, J. (1982):**
Complications of pregnancy and fetal development.
Diabetes, 31: 89-94.
- 58. Farrow, M.; Hawk, A.M.; Wetzel, L.T. and Boxill, G.C. (1973):**
A microculture technique utilizing whole blood for mouse chromosome analysis.
Mut. Res., 26: 402-407.
- 59. Festenstein, H. (1968):**
Mouse peripheral blood lymphocytes in culture.
Lancet, 1: 82-86.
- 60. Fialkow, P.J.; Thuline, H.C.; Hecht, F. and Bryan, J. (1971):**
Familial predisposition to thyroid diseases in Down's syndrome.
Controlled immunoclinical studies.
Am. J. Hum. Genet., 23: 67-74.
- 61. Fitzgerald, P.H. (1961):**
Cytological identification of sex in somatic cells of the rat, *Rattus norvegicus*.
Exp. Cell. Res., 25: 191-196.
- 62. Forbes, A.P. and Engel, E. (1963):**
The high incidence of diabetes mellitus in 41 patients with gonadal dysgenesis and their close relatives.
Metabolism, 12: 428-434.

-
63. *Ford, C.E. and Hamerton, J.L. (1956):*
A colchicine hypotonic citrate squash sequence for mammalian chromosomes.
Stain Technology, 31: 247-252.
64. *Ford, C.E.; Jones, K.W.; Polani, P.E.; de Almedia, J.C. and Briggs, J. (1959):*
A sex chromosome anomaly in a case of gonadal dysgenesis (Turner's Syndrome).
Lancet, 1: 711-715.
65. *Fox, D.P.; Robertson, F.W.; Brown, T.; Whitehead, A.R. and Douglas, J.D.M. (1984):*
Chromosome aberrations in divers.
Undersea Biomed. Res., 11: 193-204.
66. *Franzen, L. and Norbby, K. (1988):*
Mitogenesis in wound - healing cells in diabetic rats.
A.P.M.I.S., 96: 519-524.
67. *Frederick, G.I.; Kirkland, J.L.; Stancel, G.M. and Gardner, R.M. (1985):*
Effects of experimentally-induced diabetes on oestradiol-stimulated changes in the ultrastructure of the rat endometrium.
Acta Endocrinol., 108: 414-420.
68. *Freund, J.E. and Williams, F.J. (1975):*
Elementary Business Statistics: The modern aproach, 2nd edition. PP. 267-283 and 475-477, Prentice - Hall international Inc. London.
69. *Ganda, O.P. and Soeldner, J.S. (1977):*
Genetic, acquired and related factors in the etiology of diabetes mellitus.
Arch. Intern. Med., 137: 461-466.

-
70. **Ganda, O.P.; Rossini, A.A. and Like, A.A. (1976):**
Studies on streptozotocin diabetes.
Diabetes, 25: 595-603.
71. **Gapp, D.A.; Leiter, E.H.; Coleman, D.L. and Schwizer, R.W. (1983):**
Temporal changes in pancreatic islets. Composition in C57 BL/6J
db/db (diabetic mice).
Diabetologia, 25: 439-443.
72. **Garchon, H.J.; Bedossa, P.; Eloy, L. and Bach, J.E. (1991):**
Identification and localization on chromosome 1 of a gene
controlling the occurrence of peri-insulitis in NOD diabetic mice.
C-R-Acad. Sci., 812: 377-381.
73. **Genest, P. and Auger, C. (1963):**
Obsevation on the technique for the study of human chromo-
somes by the culture of leucocytes from peripheral blood.
Can. Med. Assoc. J., 88: 302-308.
74. **Gerritsen, G.C. and Blanks, M.C. (1970):**
Preliminary studies on food and water consumption of pre-
diabetic Chinese hamstres.
Diabetologia, 6: 177-179.
75. **Gieser, S.C.; Carey, J.C. and Apple, D.J. (1986):**
Human chromosomal disorders and the eye. In: Reine, W.A. (ed.)
Goldberg's Genetic and Metabolic eye disease, 2nd ed. PP. 189.
Little - Brown and Company, Boston, Toronto.
76. **Goh, K.O. (1979):**
Chloramphenicol and chromosomal morphology.
J. Medicine, 10: 159-164.

-
- 98. Hungerford, D.A. (1965):**
Leucocytes cultured from small inocula of whole blood and the preparation of metaphase chromosomes by treatment with hypotonic KCL.
Stain Technol., 40: 333-338.
- 99. Hyer, R.N.; Julier, C.; Buckley, J.D.; Trucco, M.; Rotter, J.; Spielman, R.; Barnett, A.; Bain, S.; Boitard, C. and Deschamps, I. (1991):**
High resolution linkage mapping for susceptibility genes in human polygenic disease; Insulin - dependent - diabetes mellitus and chromosome 11p.
Am. J. Hum. Genet., 48: 243-257.
- 100. Hyperston, R.L. and Bryan, J.H.D. (1966):**
A simple microtechnique for the in vitro culture of mouse leucocytes.
Normal. Chrom. Newsl., 22: 218-224.
- 101. Jacobs, P.A. and Strong, J.A. (1959):**
A case of human intersexuality having a possible XXY sex - determining mechanism.
Nature, 183: 303-305.
- 102. Joslin, E.P. (1959):**
In: "The treatment of diabetes mellitus" Edited by Joslin, E.P.; Robert, F.; White, P. and Marble, A.P.; 6th ed. Philadelphia, Lea and Fibeger.
- 103. Jost, A. and Picon, S. (1970):**
Hormonal control of fetal development and metabolism.
Adv. Metab. Dis., 4: 123-184.

-
104. *Junod, A.; Lambert, A.E.; Orci, L.; Pictet, R.; Caret, A.E. and Renold (1967):*
Studies on the diabetogenic action of streptozotocin.
Proc. Soc. Exc. Biol. Med., 126: 201-205.
105. *Kaldany, A. (1979):*
Autoantibodies to islet cell in diabetes mellitus.
Diabetes, 28: 102-110.
106. *Kalkhoff, R.K.; Kissebah, A.H. and Kim, H.J. (1978):*
Carbohydrate and Lipid metabolism during normal pregnancy.
Relationship to gestational hormone action.
Semin. Perinatal, 2: 291-297.
107. *Karlsson, K. and Kjellmer, I. (1972):*
The outcome of diabetic pregnancies in relation to the mother's blood sugar level.
Am. J. Obstet. Gynecol., 112: 213-218.
108. *Karunanyke, E.H.; Hearse, D.J. and Mellows, G. (1976):*
Streptozotocin: Its excretion and metabolism in the rat.
Diabetologia, 12: 483-488.
109. *Kastrup, E.K.; Olin, B.; Hunsaker, L. and Schwach, G.H. (1989):*
Drug facts and comparisons, 4th ed., PP. 2053-2054. Adivision of J.B. Lippincott Company, Philadelphia, Toronto.
110. *Kellopel, G. (1981):*
Endocrine pancreas and diabetes mellitus in: Doerr, W. and Serfert, G. (eds). Endocrine pancreas. 14th ed., PP. 723-728.
Springer Heidelberg, Berlin, New York.
111. *Kelly, D.E.; Wood, R.L. and Enders, A.C. (1984):*
Bailey's textbook of microscopic anatomy, 18th ed., PP. 583-589. William's and Wilkin's, Baltimore, London.

-
- 112. Kervran, A.; Guillaume, M. and Jost, A. (1978):**
The endocrine pancreas of the fetus from diabetic pregnant rats.
Diabetologia, 15: 387-393.
- 113. Khattab, M. (1981):**
Obesity and diabetes.
Cid. Med. Courrier, 15: 22-23.
- 114. Kligerman, A.; Wilmer, J. and Eraxon, H. (1981):**
Characterization of a rat lymphocyte culture system for
assessing sister chromatid exchange after in vivo exposure to
genotoxic agents.
Environ. Mutagen, 3: 531-537.
- 115. Kucera, J. (1971):**
Rate and type of congenital anomalies among offspring of
diabetic women.
J. Reprod. Med., 71: 61-70.
- 116. Lacy, P.E. and Greider, M.H. (1979):**
Anatomy and ultrastructural organization of pancreatic islets. In:
Endocrinology, Vol. 2. PP. 909-917, edited by De Groot, L.J.;
Martini, I.; Nelson, D.; Sleinberger, D.; Wingrad, E. and Grune
and Stratton, A.I. New York, London, Toronto.
- 117. Laguesse, E. (1901):**
Sun la structure du pancreas chez quelques opidiens et
particulierment sur les ilots endocrines.
Arch. d'anat. Plicr. Paris, 4: 157-218 (Cited by Lance, 1907).
- 118. Lance, M.A. (1907):**
The cytological characters of the areas of Langerhans.
Am. J. Anat., 11: 410-420.

-
- 119. Langerhans, P. (1869):**
Beitrage zur mikroskopischer anatemic der Bauchspeicheldruse.
Inaug. Diss. Berlin. Gustav. Lange., Quoted from. Lacy and Greider, 1979.
- 120. Lassila, V. and Virtanen, P. (1989):**
Impact of streptozotocin - induced diabetes on rat blood and alveolar bone affected by occlusal stress.
Scand. J. Dent. Res., 97: 210-221.
- 121. Lazarus, S.S. and Shapiro, S.H. (1972):**
Streptozotocin - induced diabetes and islet cell alterations in rabbits.
Diabetes, 21: 129-137.
- 122. Le-Doux, S.P.; Woodley, S.E.; Patton, N.J. and Wilson, G.L. (1986):**
Mechanisms of nitrosourea - induced B-cell damage.
Diabetes, 35: 866-872.
- 123. Legg, M.A. and Harawi, S.J. (1985):**
The pathology of diabetes mellitus. In: Joslin, S. (ed.).
Diabetes mellitus, 12th. ed., PP. 298-324.
- 124. Lejeune, J.; Tarpin, R. and Gantier, M. (1959):**
Le mongolism premier exemple d'aberration - autosomique humaine.
Ann. Genet., 1: 41-47. (Quoted from Rotter et al., 1990).
- 125. Lendrum, R.; Nelson, P.G. and Pyke, D.A. (1976):**
Islet cell thyroid and gastric autoantibodis in diabetic identical twins.
Br. Med. J. 56: 565-571.
- 126. Levan, A.; Fredga, K. and Sandberg, A.A. (1964):**
A nomenclature for centromeric position on chromosomes.
Hereditas, 52: 201-209. (Quoted from Rowley, 1969).

-
- 127. Levitan, M. (1988):**
Textbook of human genetics, 3rd ed., PP. 10-35. Oxford University Press, New York.
- 128. Liang, J.C. and Satya - Parkash, K.L. (1985):**
Induction of aneuploidy by mitotic arrestants in mouse bone marrow.
Mutation. Res., 155: 61-70.
- 129. Lindsten, J.; Ceras, E.; Luft, R.; Morton, N. and Ryman, N. (1976):**
Significance of genetic factors for plasma insulin response to glucose in healthy subjects.
Clin. Genet., 10: 125-134.
- 130. Littlefield, I.C. and Goh, K.O. (1973):**
Cytogenetic studies in control women.
Cytogen. Cell Genet., 12: 17-24.
- 131. Longman, W.D. (1965):**
Mouse peripheral blood white cells culture.
Mammal. Chrom. Newsl., 18: 145-151.
- 132. Lorenzi, M. and Toledo, S. (1986):**
Myo-inositol enhances the proliferation of human endothelial cells in culture but fails to prevent the delay induced by high glucose.
Metabolism, 35: 824-829.
- 133. Lorenzi, M.; Cagliero, E. and Toledo, S. (1985):**
Glucose toxicity for human endothelial cells in culture, delayed replication, disturbed cell cycle and accelerated death.
Diabetes, 34: 621-627.

-
134. *Lorenzi, M.; Montisano, D.F.; Toledo, S. and Barrioux, A. (1985):*
High glucose induces DNA damage in cultured human
endothelial cells.
J. Clin. Invest., 77: 322-325.
135. *Lorenzi, M.; Judith, A.; Nordberg, T. and Silva, T. (1985):*
High glucose prolongs cells - cycle traversal of cultured human
endothelial cells.
Diabetes, 36: 1261-1265.
136. *Makino, S. and Hsu, T.C. (1954):*
Mammalian chromosomes in vitro. The somatic component of
the Norway rat, *Rattus Norvegicus*. *Cytologia*, 19: 23-32.
137. *Maldonado, A.; Trueheart, P.A.; Renold, A.E. and Sharp, G.W. (1976):*
Effects of streptozotocin in vitro on proinsulin biosynthesis.
insulin release and ATP content of isolated rat islets of
Langerhans.
Diabetologia, 12: 471-481.
138. *Marble, A.; White, P.; Robert, F.; Bradley, E. and Krall, L. (1973):*
Joslin's Diabetes mellitus. PP. 42, Lea and Febiger Philadelphia.
139. *Martin, J.M.; Gregor, W.H.; Lacy, P.E. and Evan, R.G. (1963):*
The effect of hyperglycemia upon islet regeneration in rats.
Diabetes, 12: 528-544.
140. *Martin, A.O.; Simpson, J.L.; Ober, C. and Freinkel, N. (1985):*
Frequency of diabetes mellitus in probands with gestational
diabetes: Possible maternal influence on the predisposition to
maternal diabetes.
Am. J. Obstet. Gynecol., 151: 471-473.

-
- 141. Masiello, P.; Karunanyake, E.H.; Bergamini, E. and Mellows, G. (1981):**
Streptozotocin: Its distribution and interaction with nucleic acids and proteins.
Biochem. Pharmacol., 30: 1907-1913.
- 142. McEvoy, R. (1981):**
Changes in the volume of the A, B and C-cells population in the pancreatic islets during the postnatal development of the rat
Diabetes, 30: 813-817.
- 143. Mets, M.B. (1986):**
The eye and the chromosome. In: Renie, W.A. (ed.), Goldberg's genetic and metabolic eye disease, 2nd ed., PP. 82. Little - Brown and Company, Boston, Toronto.
- 144. Miller, E.; Hare, J.W. and Cloherty, J. P. (1981):**
Elevated maternal hemoglobin A.. in early pregnancy and major congenital anomalies in infants of diabetic mothers.
N. Engl. J. Med., 304: 1331-1338.
- 145. Mills, J. (1982):**
Malformation in infants of diabetic mothers.
Teratology, 25: 385-394.
- 146. Mills, J.L.; Baker, L. and Goldman, A.S. (1979):**
Malformations in infants of diabetic mothers occur before the 7th gestational week. Implications for treatment.
Diabetes, 28: 292-297.
- 147. Milusky, A. (1970):**
Glucose intolerance in the parents of children with Down's syndrome.
Am. J. Ment. Defic., 74: 475-481.

-
148. *Milusky, A.; Marks, V. and Samols, E. (1967):*
Insulin and glucose response to glucagon in Down's syndrome.
Lancet, II. 1093.
149. *Miodovnik, M.; Mimouni, F.; Tsang, R.C.; Ammar, E.; Kaplan, L. and Siddigi, T.A. (1986):*
Glycemic control and spontaneous abortion in insulin dependent diabetic women.
Obst. Gynec., 68: 366-369.
150. *Mitus, W.I. and Coleman, N. (1970):*
In vitro effect of chloramphenicol on chromosomes.
Blood, 35: 689-696.
151. *Moloney, W.C.; Boschetti, A.E. and Dowd, G. (1955):*
Observation in leukemia in wister and wister forth rats.
Blood, 26: 341-347.
152. *Moorhead, P.S.; Nowell, P.C.; Mellman, W.J.; Batipps, D.M. and Hungerford, D.A. (1960):*
Chromosome preparations in leucocytes cultured from human peripheral blood.
Exp. Cell. Res., 20: 613-616.
153. *Muench, K.H. (1988):*
Genetic medicine, P. 48. Elsevier, New York.
154. *Nasser, P. (1986):*
Cell replication in retinal vessels of streptozotocin diabetic mice.
Acta Ophthalmol., 64: 439-440.
155. *Natarajan, A.T. and Zwanenberg, T.S.B. (1982):*
Mechanisms for chromosomal aberrations in mammalian cells.
Mut. Res., 95: 1-8.

-
- 156. National Diabetes Data Group: (1979):**
"Classification and diagnosis of diabetes mellitus and other categories of glucose tolerance".
Diabetes, 28: 1039-1057.
- 157. Nerup, J. and Lernmark, A. (1981):**
Autoimmunity of insulin dependent diabetes mellitus.
Am. J. Med., 70: 135-141.
- 158. Nelson, J.; Johanson, K. and Yde, H. (1969):**
The frequency of diabetes mellitus in patients with Turner's syndrome and gonadal dysgenesis.
Acta Endocrinol., 62: 251-257.
- 159. Nowel, P.C. (1960):**
Chromosomal study.
Cancer. Res., 20: 462-469.
- 160. Nurjhan, N.; Ktorza, A.; Ferre, P.; Girard, J. and Picon, L. (1985):**
Effects of gestational hyperglycemia on glucose metabolism and its hormonal control in the fasted newborn rat during the early postnatal period.
Diabetes, 34: 995-1001.
- 161. Okamoto, H. (1985):**
The role of poly (ADP - ribose) synthetase in the development of insulin - dependent diabetes and islet B-cell regeneration.
Biomed. Biochim. Acta., 1: 15-20.
- 162. Olefsky, J.M. (1981):**
Changes in volumes of A, B and D-cell populations in the pancreatic islets during the postnatal development of the rat.
Diabetes, 30: 813-817.

- 163. Olgemoller, B.; Schon, J. and Wieland, O.H. (1985):**
Endothelial plasma membrane is a glucocorticoid - regulated barrier for the uptake of glucose into the cell.
Mol. cell Endocrinol., 43: 165-171.
- 164. Orci, L.; Amherdt, M.; Malaisse -Lagae, F.; Ravazzola, M.; Malaisse, W.J. and Renold, A.E. (1976):**
Islet cell membrane alteration by diabetogenic drugs.
Lab. Invest., 34: 451-454.
- 165. Ostman, J. (1969):**
Adipose tissue metabolism and glucose tolerance in obese subjects during prolonged fasting. In: Proceeding of the 6th congress of the international Diabetes Federation 1967.
Ostman, J. Miller. R.D.G. (eds.). PP. 550-557.
Amsterdam: Excerpta Medica Foundation, 1969.
- 166. O'sullivan, B.O. (1984):**
Subsequent morbidity among gestational diabetic women. In Sutherland, H.W. and Stowers, J.M. (eds.). Carbohydrate metabolism in pregnancy and the newborn. PP. 174-180, Edinburgh: Clinical Livingstone.
- 167. Owarbach, D. and Nerup, T. (1982):**
Restriction fragment length polymorphism of the insulin gene in diabetes mellitus.
Diabetes, 31: 275-277.
- 168. Palmer, T.S.; Kelley, G.F. and Legator, M.S. (1972):**
Method for preparing metaphase figures from rat bone marrow.
Mutat. Res., 16: 161-164.

-
- 169. Persson, B.; Hanson, U. and Lunell, N.O. (1992):**
Diabetes mellitus and pregnancy. In: International Textbook - Diabetes Mellitus ed., by Alberti, K.G.M.; DeFronzo, R.A.; Keen, H. and Zimmet, P., Vol. 1. PP. 1085-1102. John Wiley and Sons. Chichester. New York. Brisbane. Toronto. Singapore.
- 170. Pettit, D.J. (1986):**
The long range impact of diabetes during pregnancy: The Pima Indians Experience.
I.D.F. Bull., 31: 70-71.
- 171. Pettit, D.; Baird, H.; Carraher, M. and Knowler, W. (1984):**
Genetic and intrauterine environmental effects in transmission of diabetes mellitus.
Am. J. Epidemiol., 120: 477-483.
- 172. Pettit, D.J.; Aleck, K.A. and Baird, H.R.; Carraher, M.J.; Bennett, P.H. and Knowler, W.C. (1988):**
Congenital susceptibility to NIDDM. Role of intrauterine environment.
Diabetes, 37: 622-628.
- 173. Pfeiffer, M.A.; Halter, J.B. and Porte, D. (1981):**
Insulin secretion in diabetes mellitus.
Am. J. Med., 70: 579-588.
- 174. Pitkin, R.M. and Van Orden, D.E. (1974):**
Fetal effects of maternal streptozotocin diabetes.
Endocrinol., 94: 1247-1253.
- 175. Portha, B. and Kergoat, M. (1985):**
Dynamics of glucose - induced insulin release during the spontaneous remission of streptozotocin induced diabetes in the new born rat.
Diabetes, 34: 574-579.

-
- 176. Prasad, N. and Busnong, S.C. (1970):**
Direct preparation of chromosomes from mouse peripheral blood.
Acta Cytol., 14: 523-529.
- 177. Robello-Gay, M.N. and Ahmed, A.E. (1980):**
A crylonitrile in vivo cytogenetic studies in mice and rats.
Mutat. Res., 79: 249-256.
- 178. Rabinowe, S.L.; Rubin, L. George, K.L.; Adri, M.N.S. and Eisenbarth, G.S. (1989):**
Trisomy 21 (Down's Syndrome): Autoimmunity, aging and monoclonal defined T-cell abnormalities.
J. Autoimmunity, 2: 25-30.
- 181. Rakieten, N.; Rakieten, M.L. and Nadkarni, M.V. (1963):**
Studies on the diabetogenic actions of streptozotocin. *Cancer Chemother. Rep.*, 29: 91-97.
- 180. Raphael, S.S. (197):**
Lynch's Medical Laboratory technology, 3rd. ed., Vol. II: PP. 1385-1445., W.B. Saunders Co. Philadelphia, London, Toronto.
- 181. Ray, M. (1973):**
Effect of incubation period on the rate of mitotic division of in vitro leucocyte cultures of 18 strains of mice.
Can. J. Genet. Cytol., 15: 545-553.
- 182. Ray, M. and Birnie, W.A. (1967):**
Leucocyte culture in five strains of mice.
Cytogenet. 3: 385-392.
- 183. Remacle, C.; Hanser, N.; Jean jean, M. and Gommers, A. 1977):**
Morphometric analysis of endocrine pancreas in old rat.
Exp. Gerontol., 12: 207-214.

-
- 184 Remacle, C.; Declerg, L. and Delaer, P. (1980):**
The aging of the insulin secreting cells of the rat.
Eur. J. Cell biol., 22: 554-562.
- 185. Renie, W.A. (1986):**
Fundamentals of genetics. In: Renie, W.A. (ed.), Goldberg's genetic and metabolic eye disease, P. 6. Little, Brown and Company. Boston.
- 186. Rimoin, D.L. and Rotter, J.I. (1982):**
Genetic syndromes associated with diabetes mellitus and glucose intolerance. In: Kobberling, J. and Tattersall, R. (eds.), Genetics of diabetes mellitus., PP. 144-181. London Academic Press.
- 187. Rimoin, D.L.; Harder, E.; Whitehead, B.; Packman, S.; Peake, G.T. and Sly, W.S. (1969):**
The Genetics of Diabetes Mellitus.
Clinic. Res., 18: 395-399.
- 188. Rotter, J.I. and Rimoin, D.L. (1978):**
Heterogeneity of diabetes mellitus up date 1978.
Diabetes, 27: 599-608.
- 189. Rotter, J.I. and Rimoin, D.L. (1981):**
Etiology of genetics. In: Brownlee, M. (ed.), Handbook of diabetes mellitus. PP. 3-93. New York: Garland STPM Press.
- 190. Rotter, J.I. and Rimoin, D.L. (1983):**
Genetics of diabetes.
Br. Med. J., 287: 907-908.
- 191. Rotter, J.I.; Vadlin, C.M. and Rimoin, D.L. (1990):**
Genetics of diabetes mellitus. In: Harold, R. and Danial, P. (eds.), Diabetes mellitus, 4th ed. P. 400. Elsevier - New York - Amsterdam London.

-
- 192. Rowley, J.O. (1969):**
Cytogenetics in clinical medicine
J.A.M.A., 207: 914-919.
- 193. Saul-Genuth, M.D. (1982):**
Classification and diagnosis of diabetes mellitus.
Medical Clinics of North America. Vol. 66. No. 6. 1191-2207.
- 194. Schar, B.; Loustalot, P. and Gross, F. (1954):**
Demecolin (substanz F), ein neues aus colchicum autumnale
isoliertes Alkaloid mit starker antimitotischer Wirkung-klin.
Wschr. 32: 49. Quoted from Schwarzcher and Wolf, (1974).
- 195. Schein, P.S. and Loffus, S. (1968):**
Streptozotocin depression of mouse liver pyridine nucleotides.
Cancer Res., 28: 1501-1506.
- 196. Schein, P.S.; Cooney, D.A. and Vernon, M.L. (1967):**
The use of nicotinamide to modify the toxicity of streptozotocin
diabetes without loss of antitumor activity. Cancer Res., 27: 2324-
2332.
- 197. Schinzel, A. (1984):**
Catalogue of Unbalanced Chromosome Aberrations in Man,
1st ed. P. 179., de Gruyter, New York.
- 198. Schmid, W.; Arakaki, D.T.; Breslau, N.A. and Culberstone, J.C.
(1971):**
Chemical mutagenesis. The chinese hamster bone marrow as
an in vivo test system. I. Cytogenetic results on basic aspects
of the methodology obtained with alkylating agents.
Human Genetics, 11: 103-107.

-
- 199. Schwarzacher, H.G. and Wolf, U. (1974):**
Methods in Human Cytogenetics. PP. 1-28. Springer - Verlag,
Berlin. Heidelberg - New York.
- 200. Segall, M. (1988):**
HLA and genetics of IDDM. Holism. Vs. reductionism.
Diabetes, 37: 1005-1008.
- 201. Sergovich, F. (1977):**
Lynch's Medical Laboratory Technology, 3rd ed. PP. 1352-
1385., W.B. Saunder's Co. Philadelphia, London, Toronto.
- 202. Shaw, M.W. (1970):**
Human chromosome damage by chemical agents.
Ann. Rev. Med., 21: 409-432.
- 203. Shubber, E.; Kram, D. and Williams, J. (1981):**
Genotoxic activity of seven antischistosomal drugs in vitro and
in vivo.
Environ. Mutagen, 3: 327-334.
- 204. Shum, L. and Sadler, T.W. (1991):**
Recovery by mouse embryos following teratogenic exposure to
ketosis.
Diabetologia, 34: 289-295.
- 205. Siegel, E.; Trapp, V.; Harting, F. and Schmidt, F.H. (1977):**
On the prevention of severe streptozotocin diabetes in the rat
by low carbohydrate diet (long term study).
Diabetologia, 13: 432-438.

206. Singer, B. (1982):

Correlations between sites of chemical modification of DNA repair and carcinogenesis. In: Primary and Tertiary structure of Nucleic Acids and Cancer Research, PP. 119-137, Miwa, M.; Nishimura, S.; Rich, A.; Soll, D.G. and Sugimura, T. (eds.). Sci. - Soc. Tokyop - Japan.

207. Slavin, B.G. and Lerner, S.P. (1990):

Age - related immunohistochemical studies of A and B-cells in pancreatic islets of C57 BL/6J mice. Anatomical Record, 228: 53-57.

208. Smith, D.W. (1964):

Autosomal abnormalities.
Amer. J. Obstet. Gynecol., 90: 20-55.

209. Sokolski, W.T.; Vavra, J.J. and Hanka, L.J. (1959):

Assay methods and antibacterial studies on streptozotocin.
Antibiotics Ann., PP. 241-246.

210. Soll, A.H.; Kann, R.; Neville, D.M. and Roth, J. (1975):

Reduction of specific insulin binding sites on target cells as a result of chronic elevation of serum insulin.
J. Clin. Invest., 56: 769-774.

211. Spergel, G.; Khan, F. and Golden, M.G. (1975):

Emergence of overt diabetes in offspring of rats with induced latent diabetes.
Metabolism, 24: 1311-1319.

212. Strandell, E.; Eizirik, D.L. and Sandler, S. (1988):

Functional characteristics of cultured mouse pancreatic islets following exposure to different streptozotocin concentrations. Acta Endocrinologica (Advance abstracts of papers supplementation) 289.

- 213. Swenne, I. (1983):**
Effects of aging on the regenerative capacity of the pancreatic B-cells of the rat.
Diabetes, 32: 14-19.
- 214. Swenne, I. (1985):**
Glucose - stimulated DNA replication of the pancreatic islets during the development of the rat fetus.
Diabetes, 34: 803-807.
- 215. Tajio, J.H. and Whang, J. (1962):**
Chromosome preparations of bone marrow cells without prior in vitro culture or in vivo colchicine administration.
Stain Techn., 37: 17-20.
- 216. Thomas, T.B. (1937):**
Cellular components of the mammalian islets of Langerhans.
Am. J. Anat., 62: 31-57.
- 217. Triman, K.L.; Davisson, M.T. and Roderick, T.H. (1972):**
A method for preparing chromosomes from peripheral blood in the mouse. Cytogenet. Cell Genet., 15: 166-171.
- 218. Tuch, B.E.; Turtle, J.R. and Simeonovic, C.J. (1989):**
Streptozotocin is not toxic to the human fetal B-cell.
Diabetologia, 32: 678-684.
- 219. Unger, R.H. and Grundy, S. (1985):**
Hyperglycemia as an inducer as well as a consequence of impaired islet cell function and insulin resistance: Implications for the management of diabetes.
Diabetologia, 28: 119-121.

-
220. *Van Assche, F.A. (1970):*
The fetal endocrine pancreas. A quantitative morphological approach. Thesis, University of Leuven.
221. *Van Assche, F.A. (1985):*
Long term effect of diabetes and pregnancy in the rat.
Diabetes, 34: 116-118.
222. *Van Assche, F.A.; Gepts, W. and Aerts, L. (1976):*
the fetal endocrine pancreas in diabetes (human).
Diabetologia, 12: 423-430.
223. *Varley, H. (1969):*
Practical clinical biochemistry, 4th ed., PP. 94. Arnold - Heinemann.
224. *Vavra, J.J.; Beboer, C.; Dietz, A.; Hanka, L. and Soholshi, W. (1960):*
Streptozotocin a new antibacterial antibiotic. In: Marti, F. (ed.)
Antibiotics Annual, P. 230, Antibiotica Inc., New York.
225. *Vebra, M. (1964):*
Idiogram of the rat (*Rattus Norvegicus*) and reliability in identification of individual chromosomes .
Folia Biologica, 10: 75-79.
226. *Volk, B.W. and Arquilla, E.R. (1985):*
The diabetic pancreas, 2nd (ed.), PP. 60-367. Plenum Medical Book Company New York - London.
227. *Volk, B.W. and Wellman, K.F. (1985):*
Histology, cell types and functional correlation of islets of Langerhans. In: The diabetic pancreas, 2nd edition, P. 81-98, edited by Volk, B.W. and Arquilla, E.R. Plenum. Medical Book Company New York, London.

-
228. **Walter, L. (1944):**
The origin and differentiation of alpha, beta and delta cells in the pancreatic islets of the rat.
Am. J. Anat., 75: 396-403.
229. **Warram, J.H.; Krolewski, A.S.; Gottlieb, M.S. and Kahn, C.R. (1984):**
Differences in offspring of diabetic mothers and diabetic fathers.
New Engl. J. Med., 311: 149-152.
230. **Warren, S.; LeCompte, P.M. and Leg, M.A. (1966):**
The pathology of diabetes mellitus, 4th ed., PP. 19-52.
Philadelphia, Lea & Febiger.
231. **Watanabe, C. and Ingalls, T.H. (1963):**
Congenital malformations in the offspring of alloxan diabetic mice.
Diabetes, 12: 66-76.
232. **Watson, J.D. (1976):**
Molecular biology of gene (3rd. ed.). Menlo Park, California, Benjamin.
233. **White, P.; Milunsky, A. and Neurath, P.W. (1968):**
Diabetes mellitus in Down's Syndrome. Arch. Environ. Health, 17: 372-377.
234. **White, A.W. and Harrop, C.J.G. (1975):**
The islets of Langerhans of the pancreas of macropodid marsupials: A comparison with Eutherian species.
Aust. J. Zool., 23: 309-319.
235. **WHO Expert Committee on diabetes mellitus second report (1980):**
Tech. Rep. Ser. 646, WHO Geneva.

-
236. *WHO. (1985):*
Technical Report Series, 727, Geneva:
237. *Wiess, E.G. (1988):*
Cell and Tissue biology: A Text Book of Histology, 6th edition, PP. 739-797., edited by Leon Wiess, and Schwarzenborg Btimore - Munich.
238. *Willard, H.G.; Hoppe, I.B.H. and Nettesheim, P. (1965):*
Mouse leucocytes in culture.
Proc. Soc. Exp. Biol. Med., 118: 993-996.
239. *William, R. and Porte, D.C. (1974):*
"The Pancreas". In Text Book of endocrinology by William, R., 5th ed., PP. 502, Philadelphia - London - Toronto. W.B. Saunders Company.
240. *Wong, S.; Moore, S.; Drisio, S.; Millward, A. and Demiane, A.S. (1991):*
Susceptibility to type I diabetes in women is associated with the CD3 epsilon locus on chromosome 11.
Clin. Exp. Immunol., 83: 66-73.
241. *Yamamoto, H.; Uehigata, Y. and Okamoto, H. (1981):*
Streptozotocin and alloxan induce DNA strand breaks and poly (ADP - ribose) synthetase in pancreatic islets.
Nature, 294: 282-286.
242. *Yasuko, U.; Yamamoto, H.; Nagia, H. and Okamoto, H. (1983):*
Effect of poly (ADP - ribose) synthetase inhibitor administration to rats before and after injection of alloxan streptozotocin on islet proinsulin synthesis.
Diabetes, 32: 316-318.

- 243. Yen, S.S.C.; Tsai, C.C. and Vela, P. (1971):**
Gestational diabetogenesis: Quantitative analysis of the glucose - insulin relationship between normal pregnancy and pregnancy with gestational diabetes.
Am. J. Gynecol., 792-800.
- 244. Yoon, J.W. and Notkins, A.L. (1976):**
Virus - induced Diabetes Mellitus. Genetically determined host differences in the replication of encephalomyocarditis virus in pancreatic B-cells.
J. Exp. Med., 143: 1170-1185.
- 245. Yosida, T.H.; Nakamura, A. and Fukaya, T. (1965):**
Chromosomal polymorphism in *rattus rattus*.
Chromosoma, 16: 70-76.
- 246. Yunis, J.J. (1974):**
Human chromosomes methodology, 2nd. ed., PP. 59-74.
Academic Press, New York, London.
- 247. Zellweger, H. and Simpson, J. (1977):**
Chromosomes of man. PP. 1-40.
J.B. Lippincott Co., Philadelphia.