

REFERENCES

REFERENCES

- 1- Adrianova, M.M.(1970) : Carcinogenic properties of the red food dye amaranth, ponceau SX and ponceau 4R.

Vop. Pitan., 29: 61.

Quoted from Brantom et al. (1988).

- 2- Agarwal, K.; Mukherjee, A. and Sharma, A. (1993) : In vivo cytogenetic studies on male mice exposed to ponceau 4R and beta - carotene.

Cytobios., 74: 23 - 28 (Abstract).

- 3- Allmark, M.G.; Mannell, W.A. and Grice, H.C. (1957) : Chronic toxicity studies on food colours. part III. Observations on the toxicity of Malachite Green, New Coccine and Nigrosine in rats.

J. Pharm. Pharmac., 9: 622.

- 4- Amerine, M.A.; Pangborn., R.M and Roessler, E.B. (1965) : Principles of Sensory Evaluation of Food, Academic Press, New York.

Quoted from Combes and Haveland - Smith (1982).

- 5- Anliker,R. (1977) : Colour chemistry and the environment.

Ecotoxicol. Environ. Safety, 1: 211-237.

- 6- Au, W. and Hsu, T.C. (1979) : Studies on clastogenic effects of biological stains and dyes.

Environ. Mutagen., 1 : 27-35.

- 7- Bartalos, M. and Baramki, T.A. (1967) : Medical Cytogenetics, p.23.

The Williams and Wilkins Company, Baltimore, U.S.A.

- 8- Bedford, B. and Wade-West, S. (1983) : Sensitivity to tartrazine.
Br. Med.J., 286 : 148.

- 9- Bellanca, N. and Leonard, W.J. (1977) : Non absorbable, polymeric dyes for food, in : Current Aspects of Food Colourants, pp 49-60, edited by Furia T.E, C.R.C. Cleveland, Ohio.

- 10- Bonin, A.M. and Baker, R.S.U. (1980) : Mutagenicity testing of some approved food additives with the Salmonella / microsome assay.

Fd. Technol. Aust.,32 : 608 - 611.

- 11- Borzelleca, J.F. and Hallagan, J.B. (1987) : Lifetime toxicity / carcinogenicity study of FD&C Red No.3 (erythrosine) in mice.

Fd. Chem. Toxic., 25 : 735 -737.

- 12- Borzelleca, J.F. and Hallagan, J.B. (1988) : A chronic toxicity / carcinogenicity study of FD&C yellow No.5 (tartrazine) in mice.

Fd. Chem. Toxic., 26 : 189 - 194.

- 13- Brantom, P.G; Stevenson, B.I. and Ingram, A.J. (1987) : A three - generation reproduction study of ponceau 4R in the rat .

Fd. Chem. Toxic., 25: 963 - 968.

- 14- Brantom, P.G; Stevenson, B.I and Wright, M.G. (1988) : Long - term toxicity study of ponceau 4R in rats using animals exposed in utero.
Fd. Chem. Toxic., 25: 955-962.
- 15- Brown, J.P.; Brown R.J. and Roehm G.W. (1977) : The application of short term microbial mutagenicity tests in the identification and development of non - toxic, non absorbable food additives. In : Progress in Genetic Toxicology, pp 185 - 192. Scott. D., Bridges, B.A. and Sobels F.H. (Eds.). Elsevier / North - Holland, Amsterdam.
- 16- Brown, J.P.; Roehm, G.W. and Brown, R.J. (1978) : Mutagenicity testing of certified food colours and related azo, xanthene and triphenyl-methane dyes with the Salmonella / microsome system.
Mutat. Res., 56 : 249 - 271.
- 17- Brusick, D. J. (1984) : In vitro mutagenic systems. Toxicology Forum Proceedings, Washington, DC, February.
Quoted from Lin and Brusick (1986).
- 18- CCMA (Certified Colour Manufacturers' Association) (1983) : A consideration of the data relating to the thyroid effects of FD&C Red No.3. United States Food and Drug Administration, Washington, DC, File 76 N-0366.
Quoted from Lin and Brusick (1986) .

- 19- CCMA (Certified Colour Manufacturers' Association) : California League of Food Processors and National Food Processors Association (1984): Further studies on the thyroid effects of FD & C Red No.3. United States Food and Drug Administration, Washington, DC, File 76N - 0366.
- Quoted from Lin and Brusick (1986) .
- 20- Chaffe, F.H. and Settipane, G.A. (1967) : Asthma caused by FD and C Approved Dyes.
- J. Clin. Allergy, 6 : 40 - 55.
- 21- Chung, K.T. (1983) : The significance of azo reduction in the mutagenesis and carcinogenesis of azo dyes.
- Mutat. Res., 114 : 269 - 281.
- 22- Combes, R.D. and Haveland - Smith, R.B. (1982) : A review of the genotoxicity of food, drug and cosmetic colours and other azo, triphenylmethane and xanthene dyes.
- Mutat. Res., 98 : 101 - 248.
- 23- Crampton, R.F. (1978) : Current methodological approaches to the evaluation of chemical toxicity, in : Chemical Toxicology of Food, pp 289 - 300, by Galli, C.L. et al., Elsevier / North - Holland.
- 24- Daniel, J.W. (1962) : The excretion and metabolism of edible food colours.
- Toxicol. Appl. Pharmacol., 4: 572-594.

- 25- Datta, P.K. and Schleiermacher, E. (1969) : The effects of cytoxan on the chromosomes of mouse bone marrow.
Mutat. Res., 8 : 623 - 628.
- 26- David, T.J. (1987) : Reaction to dietary tartrazine.
Arch. Dis. Child., 62 : 119 - 122.
- 27- Denner, W.H. (1984) : colouring and preservatives in food and human nutrition.
Applied Nutrition, 38 : 435 - 449.
- 28- Dipalma, J.R. (1990) : Tartrazine sensitivity.
Am. Fam. Physician, 42 : 1347 - 1350.
- 29- Drake, J.P. (1975) : Food colours, harmless aesthetics or epicurean luxuries?
Toxicology, 5 : 3 - 42
Quoted from Combes and Haveland-Smith (1982).
- 30- Egger, J. (1985) : Controlled trial of oligoantigenic treatment in hyperkinetic syndrome.
Lancet, 9 : 540 - 545.
- 31- El-Fiky, B.E.D. (1992) : Biochemical and histopathological studies on the effect of some artificial food additives on mammalian liver. Thesis submitted for the degree of Master in Zoology. Faculty of Science, Tanta University.

- 32- Ellenhorn, M.J. and Barceloux, D.C. (1988) : Hypersensitivity to tartrazine. In : Medical Toxicology Diagnosis and Treatment of Human poisoning, pp 1202 - 1203. Elsevier Science Publishing Company Inc.
- 33- Fairchild, E.J. (1978) : Suspected Carcinogens; A Source Book of the Toxic Effects of Chemical Substances, U.S. Dept. Health, Education and Welfare, Castle House Publ.
- Quoted from Combes and Haveland - Smith (1982) .
- 34- FAO/WHO (1975) : Evaluation of certain food additives, some food colours, thickening agents, smoke condensates and certain other substances.
- Wld. Hlth. Org. Tech. Rep. Ser. No. 576.
- 35- FAO /WHO (1978) : Evaluation of certain food additives.
- Wld. Hlth. Org. Tech. Rep. Ser. No. 651.
- 36- FAO/WHO (1982) : Evaluation of certain food additives and contaminants.
- Wld.Hlth. Org. Tech. Rep. Ser., No. 683.
- 37- FAO/WHO (1983) : Evaluation of certain food additives and contaminants.
- Wld. Hlth. Org. Tech. Rep. Ser., No. 696.
- 38- FAO/WHO (1987) : Expert Committee on food Additives.
- Wld. Hlth. Org. Tech. Rep. Ser., 751.

- 39- FAO/WHO (1991) : Evaluation of certain food additives and contaminants : thirty - seventh report of the joint FAO/ WHO expert committee on food additives .

Wld. Hlth. Org. Tech. Rep. Ser., 806.

- 40- Food Advisory Committee (1987) : Final report on the review of the colouring matter in food regulations 1973, Fd AC/REP/4, London: HMSO.

Quoted from Reynolds et al. (1993) .

- 41- Freund, J.E. and Williams, F.J.(1975) : Elementary Business Statistics: The modern approach , 2nd edition , pp 267-283 and 475-477, Prentice-Hall International Inc., London.

- 42- Furia, T.E. (1977) : Nonabsorbable polymeric food colours.

Fd. Technol., May : 34-38.

- 43- Garner, R.C. and Nutman, C.A. (1977) : Testing of some azo dyes and their reduction products for mutagenicity using *Salmonella typhimurium* TA 1538.

Mutat. Res. , 44: 9-19.

- 44- Gaunt, I.F.; Farmer, M.; Grasso, P. and Gangolli, S.D. (1967) : Acute (mouse and rat) and short term (rat) toxicity studies on ponceau 4R.

Fd. Cosmet. Toxicol., 5: 187-194.

- 45- Gaunt I.F.; Grasso P.; Creasy D. and Gangolli S.D. (1969) : Short-term toxicity study on ponceau 4R in the pig.

Fd. Cosmet. Toxicol., 7 : 443.

- 46- Genest, P. and Auger, C. (1963) : Observation on the technique for the study of human chromosomes by the culture of leukocytes from the peripheral blood.
Can. Med. Assoc. J. , 88 : 302.
- 47- Gerber, J.G.; Payne, N.A.; Oelz, O.; Nies, A.S. and Oates, J.A. (1979) : Tartrazine and the prostaglandin system.
J. Allergy Clin. Immunol., 63 : 289-294.
- 48- Giri, A.K.; Das, S.K. ; Talukder, G. and Sharma, A. (1990) : Sister chromatid exchange and chromosome aberrations induced by curcumin and tartrazine on mammalian cells in vivo.
Cytobios., 62 : 111-117.
- 49- Giri, A.K. ; Sai Sivam, S.; Khan, K. A. and Sethi, N. (1992) : Sister chromatid exchange and chromosome aberrations in mice after in vivo exposure of green S - a food colourant.
Environ. Mon. Mutagen. , 19 : 223 - 226.
- 50- Golberg, L. (1967) : The toxicology of artificial colouring materials.
J. Soc. Cosmet. Chem., 18 : 421.
- 51- Goyette, C.H. (1978): Effects of artificial colours on hyperkinetic children : A double-blind challenge study.
Psychopharmacol. Bull., 14 : 39.
- 52- Grouchy, J. and Turleau, C. (1984) : Clinical Atlas of Human Chromosomes, 2nd edition, p. 420, John Wiley and Sons Inc., New York, Chichester, Brisbane, Toronto and Singapore.

- 53- Gubbini, L.; Cardamone, G.; Volterra-Veca, L.; Bruzzzone, M.L. and Conti, G. (1975) : Controllo dell'effectto mutageno di alcumi coloranti chimici ambientali.

Atti Ass. Genet. Ital., 20 : 43-44.

Quoted from Combes and Haveland - Smith (1982).

- 54- Haveland-Smith, R.B. (1980) : An evaluation of the genetic effects of some food colours using microbial test systems, Ph. D.Thesis, C.N.A.A. London.

Quoted from Combes and Haveland-Smith (1982).

- 55- Haveland-Smith, R.B. and Combes R.D. (1980) : Screening of food dyes for genotoxic activity.

Fd. Cosmet. Toxicol. , 18 : 215-221.

- 56- Haveland-Smith, R.B.; Combes, R.D. and Bridges, B.A. (1981) : Studies on the genotoxicity of fluorescein dyes.

Mutat. Res. , 88 : 1-15.

- 57- Herbert, W. J. (1973) : Laboratory animal techniques for immunology, in: Handbook of Experimental Immunology volume 3, Application of Immunological Methods 2nd edition, pp : A3.12- A3.15, by Weir, D.M., Blackwell Scientific Publications, Oxford / London / Edinburgh / Melbourne.

- 58- Hiasa, Y.; Ohshima, M.; Kitahori, Y.; Konishi, N.; Shimoyama, T.; Sakaguchi, Y.; Hashimoto, H.; Minami, S. and Kato, Y. (1988) : The promoting effects of food dyes, erythrosine (Red3) and rose bengal B (Red 105), on thyroid tumour in partially thyroidectomized N-bis (2-hydroxypropyl) - nitrosamine - treated rats.
Jpn. J. Cancer Res., 79 : 314-319.
- 59- Honohan, T.; Enderlin, F.E.; Pyerson, B.A. and Parkinson, T.M. (1977) : Intestinal absorption of polymeric derivatives of the food dyes sunset yellow and tartrazine in rats.
Xenobiotica, 7 : 765 - 774.
- 60- Hutchinson, A.P.; Carrick, B.; Miller, K. and Nicklin, S. (1992) : Adverse reaction to synthetic food colours : interactions between tartrazine and muscarinic acetylcholine receptors in isolated Guinea-pig ileum.
Toxicol-Lett., 60 : 165-173.
- 61- Ishidate, M. and Odashima, S.(1977) : Chromosome tests with 134 compounds on Chinese hamster cells in vitro, A screening test for chemical carcinogens.
Mutat. Res., 48: 337-354.
- 62- Ishidate, M. J.; Sofuni, T. ; Yoshikawa . K., ; Hayashi, M.; Nohmi, T.; Sawada,M. and Matsuoka, A. (1984) : Primary mutagenicity screening of food additives currently used in Japan.
Fd. Chem. Toxicol.,22 : 623 - 636.

- 63- Izbirak, A.; Sumer, S. and Diril, N.(1990) : Mutagenicity testing of some azo dyes used as food additives.
Mikrobiyol - Bul. 24 : 48-56. (Abstract).
- 64- Jacobs, M.B.(1958) : Chemical Analysis of Food and Food Products, 3rd edition, D. Van. Nostrand Comp. Inc., Princeton, New Jersey.
- 65- Jennings, A.S.; Schwartz, S.L.; Balter, N.J.; Gardner, D. and Witorsch, T.(1990) : Effects of oral erythrosine (2' , 4' , 5' , 7' - Tetraiodofluorescein) on the pituitary thyroid axis in rats.
Toxicol. Appl . Pharmacol., 103 : 549-556.
- 66- Jones , R. ; Ryan, A.J. and Wright, S.E. (1964) : The metabolism and excretion of tartrazine in the rat, rabbit and man.
Fd. Cosmet. Toxicol., 2 : 447-452.
- 67- Kada, T.; Tutikawa, K. and Sadaie, Y.(1972) : In vitro host-mediated 'rec-assay' procedures for screening chemical mutagens and phloxine, a mutagenic red dye detected.
Mutat. Res., 16 : 165-174.
- 68- Karpliuk, I.A.; Volkova, N.A.; Okuneva., L.A.; Gogol, A.T. and Rybakova, K.D.(1984) : Mutagenic effect of the food-colouring agents tartrazine and indigocarmine.
Vop-Pitan., 2 : 58-61(Abstract).
- 69- Kawashi,T. ; Komatsu, T. ; Kada, T. ; Ishidate, M. ; Sasaki, M. ; Sugiyama, T. and Tazima , Y. (1980) : Results of recent studies on the relevance of various short-term screening tests in Japan . In the predictive value of short - term screening tests in carcinogenicity evaluation .
Appl. Methods Oncol. , 3 : 253 - 267 .

- 70- Kornbrust, D. and Barfknecht, T.(1985) : Testing of 24 food , drug, cosmetic and fabric dyes in the in vitro and the in vivo/in vitro rat hepatocyte primary culture / DNA repair assays.
Environ. Mutagen., 7 : 101-120.
- 71- Lakdawalla, A.A.and Netrawali, M.S. (1988) : Mutagenicity, comutagenicity and antimutagenicity of erythrosine (FD and C red3) , a food dye, in the Ames / Salmonella assay.
Mutat. Res., 204 : 131 - 139.
- 72- Landa, Z.; Klouda, P. and Pleskotova, D. (1965) : The mutagenic effects of fluorochromes, in : Introduction of Mutations and the Mutation Process, pp 115-122, by Veleminsky, J. and Gichner, T.(Eds.), Publishing House of Czechoslovak Acad. Sci., Prague.
- 73- Lin, G.H.Y. and Brusick, D.J.(1986) : Mutagenicity studies on F D & C Red No. 3 .
Mutagenesis, 1 : 253-259.
- 74- Lipton, M.A. (1983): Diet and hyperkinesis an update.
J. Am. Diet Assoc., 83 : 132-134.
- 75- Lück, H. and Rickerl, E. (1960): Food additives and mutagenic effects, 6th report. Examination of the food dyes allowed and first suggested in West Germany for mutagenic effects on *Escherichia Coli*.
Z.Lebensmittel- Untersuch-Forsch., 112 :157-174.
Quoted form Combes and Haveland-Smith (1982).

- 76- Lück, H.; Wallnofer, P. and Bach, H.(1963) : Food additives and mutagenic effects, 7th report, Investigations of some xanthene dyes for mutagenic effects on *Escherichia coli*.
Pathol. Microbiol., 26: 206-224.
- 77- Maekawa, A.; Matsuoka, C.; Onodera, H.; Tanigawa, H.; Furuta, K.; Kanno, J.; Jang, J.J.; Hayashi, Y. and Ogiu, T. (1987) : Lack of carcinogenicity of tartrazine (FD&C yellow No. 5) in the F344 rat.
Fd. Chem. Toxic., 25 : 891-896.
- 78- MAFF (1979) Ministry of Ariculture, Fisheries and Food, Food Additives and Contaminants Commitee, Interim Report of the Review of the Colouring Matter in Food Regulations, 1973, FAC/ REP /29, HMSO, London.
- 79- Maier , P. and Schmid, W.(1976) : Ten model mutagens evaluated by the micronucleus test.
Mutat. Res., 40 : 325-337.
- 80- Marmion, D.M.(1979) : Handbook of U.S. Colourants for Foods, Drugs and Cosmetics, Wiley , Chichester.
Quoted from Combes and Haveland -Smith (1982).
- 81- Matter, B.E. and Grauwiler, J. (1974) : Micronuclei in mouse bone marrow cells. A simple *in vivo* model for the evaluation of drug-induced chromosomal aberrations.
Mutat. Res., 23 : 239-249.

- 82- Matter, B.E.; Jaeger, I . and Grauwiler, J. (1973) : The relationship between the doses of various chemical mutagens required to induce micronuclei in mouse bone marrow and their lethal doses.
Excerpta-Medica International Congress Series, 311 : 275-279.
- 83- Matula, T.I and Downie, R.H. (1984) : Genetic toxicity of erythrosine in yeast .
Mutat. Res., 138 : 153-156.
- 84- Meyer, O. and Hansen, E.V. (1975) : A study of the embryotoxicity of the food colour ponceau 4R in rats.
Toxicology, 5 : 201 - 207.
- 85- Miller, K. (1982) : Sensitivity to tartrazine.
Br. Med. J., 285 : 1597.
- 86- Ministry of Health (1982) : Arab Republic of Egypt, Governmental Rule No. 381.
- 87- Murdoch, R.D. et al. (1987) : Tartrazine induced histamine release *in vivo* in normal subjects.
J.R. Coll. Physicians Lond., 21 : 257-261.
- 88- Murthy, M.S.S.(1979) : Induction of gene conversion in diploid yeast by chemicals; Correlation with mutagenic action and its relevance in genotoxicity screening.
Mutat. Res. , 64 : 1-17.

- 89- Nagai, S. (1976) : Counteracting effect of eosin and related dye stuffs on the production of respiration-deficient mutants in yeast by 4-nitroquinoline -1- oxide.
Mutat. Res. , 34 : 187-194.
- 90- NAS (1971) : Food Colours. Nat. Acad. Sci. / Nat. Res. Council, Nat. Acad. Press, Washington, D.C.
Quoted from Newsome, R.L. (1990).
- 91- Newsome, R.L. (1990) : Natural and synthetic colouring agents. In: Food Additives, edited by Branen, A.L.; Davidson, P.M. and Salminen, S., pp 327-342, Marcel Dekker, Inc. New York and Basel, Printed in U.S.A.
- 92- Nishioka, H. (1976) : Detection of carcinogenicity of colour cosmetics in bacterial test systems.
Mutat. Res., 38 : 345.
- 93- Nishioka, H. and Katsura, A.(1975) : repair of DNA damaged by photodynamic action in *E.coli*,
J. Radiation Res., 16 : 76.
- 94- Palmer, T.S. ; Kelley, G.F. and Legator, M.S. (1972) : Method for preparing metaphase figures from rat bone marrow.
Mutat. Res. , 16 : 161 - 164.
- 95- Patterson, R.M. and Butler, J.S. (1982) : Tartrazine-induced chromosomal aberrations in mammalian cells.
Fd. Chem. Toxicl., 20:461-465.

- 96- Phillips, J.C.; Bex, C.S. and Gaunt, I.F. (1982) : The metabolic disposition of C^{14} - labelled ponceau 4R in the rat, mouse and Guinea-pig.
Fd. Chem. Toxic., 20 : 499-505.
- 97- Pollastrini, M.T.; Barea, M. and Salas, J. (1990) : Genotoxic study of commercial dyes with tartrazine base in *S. typhimurium* his-and *E.coli* trp-.
Rev. Sanid. Hig. Publica. Madr., 64: 203-209.
- 98- Pollock, I. and Warner, J.O. (1990) : Effect of artificial food colours on childhood behaviour.
Arch. Dis. Child., 65 : 74-77.
- 99- Price, P.J.; Suk, W.A.; Freeman, A.E.; Lane, W.T., Peters, R.L.; Vernon, M.L. and Huebner R.J. (1978) : *In vitro* and *in vivo* indications of the carcinogenicity and toxicity of food dyes.
Int. J. Cancer, 21 : 361-367.
- 100- Radomski, J.L. (1974) : Toxicology of food colours.
Ann. Rev. Pharmacol., 14 : 127.
- 101- Radomski, J.L. and Mellinger, T.J. (1961) : The absorption, fate and excretion in rats of the water-soluble azo dyes, FDC Red No.2, FDC Red No.4 and FDC Yellow No. 6.
J. Pharmacol., 136 : 259-266.
- 102- Rebets, H.R. (1981) : Food Safety, Awiles Interscience Publication, U.S.A.

- 103- Reynolds, J.E.F.; Parfitt, K.; Parsons, A.V. and Sweetman, S.C. (1989) : Colouring agents, in: Martindale, The Extra Pharmacopoeia, pp 857-861. The pharmaceutical Press. London. 29th edition.
- 104- Reynolds, J.E.F.; Parfitt, K.; Parsons, A.V. and Sweetman, S.C. (1993) : Colouring agents, in : Martindale, The Extra Pharmacopoeia, pp 698-701. The Pharmaceutical Press. London . 30th edition.
- 105- Rogers, C.G.; Boyes, B.G.; Matula, T.I.; Metcalf, C.H. and Clayson, D.B. (1988): A case report : A multiple end - point approach to evaluation of cytotoxicity and genotoxicity of erythrosine (FD and C red No. 3) in a V 79 hepatocyte-mediated mutation assay.
Mutat. Res., 205 : 415-423.
- 106- Roychoudhury , A. and Giri, A.K. (1989) : Effects of certain food dyes on chromosomes of *Allium cepa*.
Mutat. Res., 223 : 313-319.
- 107- Ryan, A.J. and Wright, S.E. (1961) : The excretion of some azo dyes in rat bile.
J. Pharm. Pharmacol., 13 : 492-495.
- 108- Sankaranarayanan, N. and Murthy, M.S.S. (1979) : Testing of some permitted food colours for the induction of gene conversion in diploid yeast.
Mutat. Res., 67 : 309-314.

- 109- Schleiermacher, E.(1971) : Chromosome aberrations in mitoses and meioses *in vivo*.
Arch. Toxicol., 28 : 105-114.
- 110- Schmid, W. and Staiger, G.R. (1969) : Chromosome studies on bone marrow from Chinese hamsters treated with benzodiazepine tranquillizers and cyclophosphamide.
Mutat. Res., 7 : 99 - 108.
- 111- Seno, M.; Fukuda, .S. and Umisa, H. (1984) : A teratogenicity study of phloxine B in ICR mice .
Fd. Chem. Toxic., 22 : 55 - 60 .
- 112- Settipane, G.A. and Pudupakkam, R.K. (1975) : Aspirin intolerance: III. Subtypes familial occurrence and cross-reactivity with tartrazine.
J. Allergy Clin. Immunol., 56 : 215-221.
- 113- Siddiqui, B.A.(1979) personal communication.
Quoted from Combes and Haveland-Smith (1982).
- 114- Smith, L.J. and Slavin, R.G.(1976) : Drugs containing tartrazine dye.
J. Allergy Clin. Immunol., 58 : 456 - 470.
- 115- Stenius, B.S.M. and Lemola, M. (1976) : Hypersensitivity to acetyl salicylic acid (ASA) and tartrazine in patient with asthma.
Clin. Allergy, 6 : 119-129.

- 116- Sugimura, T.; Sato, S.; Nagao, M.; Yahagi, T.; Matsushima, T.; Seino, Y.; Takeuchi, M. and Kawachi, T. (1976) : Overlapping of carcinogens and mutagens, in : Fundamentals in Cancer Prevention, p.191, Magree, P.N. et al. (Eds.), Univ. Tokyo Press, Tokyo.
- 117- Swanson, J.M. and Kinsbourne, M. (1980) : Food dyes impair performance of hyperactive children on laboratory learning test.

Science, 207 : 1485 - 1487.
- 118- Sysoev, A.B. and Zhurkov, V.S. (1974) : A study of the mutagenic activity of synthetic food dyes sun yellow, sunset FCF and its analogous compound sun yellow Y.

Gigienai. Sanit., 9 : 26-30.

Quoted from Combes and Haveland-Smith (1982).
- 119- Tanaka, N. and Kitahara, K. (1975) : Cytogenetic effect of food dyes on cultured human cells.

Jpn. J. Hyg., 30 : 574-578.
- 120- Tannahill, R. (1973) : Food in History. Stein and Day, New York.

Quoted from Newsome (1990).
- 121- Tarjan, V. and Kurti, M. (1982) : Mutagenicity testing of several food colourants certified for use in Hungary.

Mutat . Res. , 97 : 228.

- 122- Tartakow, I.J. and Vorperian, J. H. (1980) : In Food borne and Water borne Diseases, Their Epidemiologic Characteristics . AVI Publishing Company, Inc. Westport, Connecticut, U.S.A.
- 123- Trotman, E.R. (1964) : Dyeing and Chemical Technology of Textile Fibres. Bulter and Tanner Ltd. , Rome and London.
- 124- Tse, C.S.T. (1978): Aspirin intolerance syndrome.
Drug Intell. Clin. Pharm., 12 : 464-469.
- 125- Umeda, M.(1956) : Experimental study of xanthene dyes as carcinogenic agents.
Gann., 47 : 51-78.
- 126- Vaidya, V.G. and Godbole N.M. (1978) : Mutagenicity studies with four food colours using human leukocyte and mouse micronucleus test system, in : Proc. Int. Symp. Environ. Agents, Biological Effects, Osmania Univ., Hyderabad-7, India
Quoted from Combes and Haveland-Smith (1982).
- 127- Vorhees, C.V.; Butcher, R.E.; Brunner, R.L.; Wootten, V. and Sobotka, T.J. (1983) : A developmental toxicity and psychotoxicity evaluation of FD and C red dye (erythrosine) in rats .
Arch. Toxicol . , 53 : 253 - 264.
- 128- Walson, P.D.; Carter, D.E.; Ryerson, B.A.; Halladay, S.C. and Parkinson T.M. (1979) : Intestinal absorption of two potential polymeric food additives in man.
Fd. Cosmet. Toxicol., 17 : 201-203.

- 129- Webb, J.M.; Fonda, M. and Brouwer, E.A. (1962) : Metabolism and excretion patterns of fluorescein and certain halogenated fluorescein dyes in rats.
J. Pharmacol. Exp. Ther., 137 : 141.
- 130- Weliky, N.; Heiner D.C.; Tamura, H.; Anderson, S.; Stenius - Aarniala, B.; German, D.F.; Hawley, C.D. and Lockey, S.D. (1979) : Correlation of tartrazine hypersensitivity with specific serum Ig E levels.
Immunol. Comm., 8 : 65-71.
- 131- Weltman J. K.; Szara, R.P. and Settupane, G.A. (1978) : An analysis of the role of IgE in intolerance to aspirin and tartrazine.
Allergy , 33 : 232-235.
- 132- Wever, J. ; Münzner, R. and Renner, H.W. (1989) : Testing of sunset yellow and orange 11 for genotoxicity in different laboratory animal species.
Environ. Mol. Mutagen., 13 : 271-276.
- 133- Woodman, A.G. (1941) : Food Analysis and Interpretation of Result., 4th Ed., Mc Graw-Hill Book Inc., New York and London.
- 134- Yankell, S.L. and Loux, J.J. (1977) : Acute toxicity testing of erythrosine and sodium fluorescein in mice and rats.
Periodontol., 48 : 228-231.

- 135- Yoshikawa, K.; Kurata, H.; Iwahara, S. and Kada, T. (1978) :
Photodynamic action of fluorescein dyes in DNA -damage and
in vitro inactivation of transforming DNA in bacteria.

Mutat. Res., 56 : 359-362.

- 136- Zhurkov, V.S. (1975) : investigations of the mutagenic activity of
drug preparations and food additives in a culture of human
lymphocytes.

Sov. Genet. , 11 : 528-530 (transl. of Genetika, 11,146).

Quoted from Combes and Haveland-Smith (1982).