

REFERENCES

- Ahmed, M. (1953), "Experiments on Design and Behavior of Spur Dikes.", Proc. Int. Hydr. Convention, Univ. of Minnesota, Minneapolis, Minn., 145-159.
- Alizadeh, A., (1974), "Amount and Type of Clay and Pore Fluid Influences on the Critical Shear Stress and Swelling of Cohesive Soils.", Ph.D, Dissertation, Univ. of California, Davis.
- Annandale, G. W., (1995), "Erodibility", Journal of Hydraulic Research, IAHR, Vol. 33, No. 4, pp. 471-494.
- Ariathurai, R., and Krone, R. B., (1976), "Finite Element Model for Cohesive Sediment Transport.", Journal of Hydraulic Division, ASCE, Vol. 102, No. 3, pp. 323-338.
- Arulanandan, K., (1975), "Fundamentals Aspects of Erosion in Cohesive Soils.", Journal of Hydraulic Division, ASCE, Vol. 101, No., 5, pp. 635-639.
- Baker, C. J. (1980), "The Turbulent Horseshoe Vortex.", J. of Wind Engineering Ind. Aerodyn., 6, 9-23.
- Benedict, S. (2003), "Clear Water Abutment and Contraction Scour in the Coastal Plain and Piedmont Provinces of South Carolina, 1996-99.", US Geological Survey Water Resources Investigations Report 03-4064.
- Berlamont, J., Ockenden, M., Toorman, E., and Winterwerp, J., (1993), "The Characterisation of Cohesive Sediment Properties.", Coastal Engineering, Vol. 21, pp. 105-128.
- Black, K. S., Tolhurst, T. J., Paterson, D. M., and Hagerthey, S. E., (2002), "Forum: Working with Natural Cohesive Sediments.", Journal of Hydraulic Engineering, ASCE, Vol. 128, No. 1, pp. 2-8.
- Blatt, H., Middleton, G. V., and Murray, R., (1980), "Origin of Sedimentary Rocks.", Prentice Hall, Englewood, Cliffs, NJ, USA.

- Breusers, H. N. C., Nicollet, G., and Shen, H. W., (1977), "Local Scour Around Cylindrical Piers.", J. Hydr. Res., Delft. The Netherlands, 15(3): 221-252.
- Briaud, J. L., Ting, F.C.K., Chen, H.C., Gudavalli, R., Perugu, S., and Wei, G., (1999), "SRICOS: Prediction of Scour Rate in Cohesive Soils at Bridge Piers", Journal of Geotechnical Engineering, ASCE, Vol. 125, No.4, pp. 237-246.
- Briaud, J., Ting, F., Chen, H. C., Gudavilli, R., Kwak, K., Philogene, B., Han, S., Perugu, S., Wei, G., Nurtjahyo, P., Cao, Y., and Li, Y., (1999), "SRICOS: Prediction of Scour Rate at Bridge Piers.", Report 2937-1, Texas Transportation Institute, The Texas A&M University, College Station, Texas, USA.
- Burban, P-Y, Lick, W., and Lick, J., (1989), "The Flocculation of Fine-Grained Sediments in Estuarine Water.", Journal of Geophysical Research, Vol. 94, No. C6, pp. 8323-8330.
- Burban, P-Y, Lick, W., and Lick, J., (1989), "The Flocculation of Fine-Grained Sediments in Estuarine Water.", Journal of Geophysical Research, Vol. 94, No. C6, pp. 8323-8330.
- Christensen, R. W., and Das, B. M., (1973), "Hydraulic Erosion of Remolded Cohesive Soils, Causes and mechanisms, Prevention and Control, Special Report No. 135, Highway Research Board, National Research Council, Washington, D.C, USA.
- Dade, W. D., Nowell, A. R. M., and Jumars, P. A., (1992), "Predicting Erosion Resistance of Muds", Marine Geology, Vol. 105, pp. 285-297.
- Dongol, D.M.S. (1994), "Scour at Bridge Piers.", Report No. 236. School of enrg., The Univ. Of Auckland, New Zealand.
- Dunn, I.S., (1959), "Tractive Resistance to Cohesive Channels.", Journal of Soil Mechanics and Foundations, ASCE, Vol. 85, No. SM5, June, pp. 1-24.

- Einsele, G., Overbeck, R., Schwarz, H. U., and Unsold, G., (1974), "Mass Physical Properties, Sliding, Erodibility of Experimentally Deposited and Differently Consolidated Clay Muds.", *Journal of Sedimentology*, Vol. 21, pp. 339-372.
- Field, W. G., (1971), "Flood Protection at Highway Bridge Openings.", University of Newcastle, NSW, Engineering Bulletin CE3.
- Fortier, S, and Scobey, F.C, (1926), "Permissible canal velocities.", *Trans, ASCE*, Paper 1588, 1923.
- Froehlich, D. C., (1989), "Abutment Scour Predication," Paper Presented at 68th TRB Annual Meeting, Washington, D.C.
- Garde, R. J., Subramanya, K. And Nambudaripad, K.D. (1961), "Study of scour around spur dikes.", *J. Hydr. Div., ASCE*, 87 (6), 23-27.
- Gill, M. A. (1972), "Erosion of sand beds around spur dikes.", *J. Hydr. Div., ASCE*, 98(9). 1587-1602.
- Graf, W. H., (1984), "Hydraulics of Sediment Transport.", Water Resources Publications, Littleton, Colorado, USA.
- Grim, R. E., (1962), "Applied Clay Mineralogy." McGraw-Hill, New York.
- Gust, G., and Walger, E., (1976), "The Infulence of Suspended Cohesive Sediments on Boundary-Layer Structure and Erosive Activity of Turbulent Seawater Flow.", *Journal of Marine Geology*, Vol. 22, pp. 189-206.
- HEC-18 (1991), "Evaluating scour at bridges. Hydraulic Engineering Circular No. 18.", Federal Highway Adminstration (FHWA), USDOT, Washington, D. C.
- Hodek, R. J. and lovell, C. W., (1979), "Soil Aggregates and Their Influence on Soil Compaction and Swelling." *Transporting Research Record 733*, National Research Council, pp. 94-99.

- Hoffmans, G. J. C. M., and Verheij, H. J., (1997), "Scour Manual.", A. A. Balkema, Rotterdam, The Netherlands.
- Hosny (1995), "Experimental Study of Local Scour Around Circular Bridge Piers in Cohesive Soils", Ph.D. Thesis, Civil Engineering Department, Colorado State University, Fort Collins, Colorado, USA.
- Hutchison, D. L., (1972), "Physics of Erosion of Cohesive Soils.", Ph. Thesis, University of Auckland, N. Z. Report No. 81.
- Imran, J., Miah, A. M., (2004), "Investigation of Bridge Abutment Scour." Columbia, SC, University of South Carolina, Research Report R-03-UTC-Bridge Abutment-SETS-01
- Inglis, C. C. (1949), "The Behavior and Control of Rivers and Canals.", Research Publication 13, Parts I and II, Central Waterpower Irrigation and Navigation Research Station, Poona, India.
- Kamphuis, J.W., and Hall, K.R., (1983), "Cohesive Material Erosion by Unidirectional Current", Journal of Hydraulic Engineering, ASCE, Vol. 109, No. 1, pp. 49-61.
- Kandasamy, J. K. (1989). "Abutment scour.", Report No. 458, School of Engrg., The Univ. of Auckland, New Zealand.
- Kandiah, A., (1974), "Fundamental Aspects of Surface Erosion of Cohesive Soils.", Ph.D. Dissertation, University of California, Davis, California, USA.
- Kandsamy, J. K. (1985), "Abutment scour.", Report No.458, School of Engineering, The University of Auckland, Auckland, New Zealand.
- Karasev, I. T., (1964), "The Regime of Eroding Channels in Cohesive Material.", Soviet Hydrology (Am. Geophys. Union), Vol. 6, pp. 551-579.
- Kelly, W. E., and Gularte, R. C., (1981), "Erosion Resistance of Cohesive Soils.", Journal of Hydraulic Engineering, ASCE, Vol. 107, No. HY10, pp. 1211-1224.

- Kennedy, R. G., (1894), "The Prevention of silting in Irrigation Canals.", Min. Proc. Inst., Civil Eng., Vol. CXIX.
- Kennett, J. P., (1982), "Marine Geology", Prentice Hall, Englewood, Cliffs, NJ, USA.
- Kessel, T. V., and Blom, C., (1998), "Rheology of Cohesive Sediments: Comparison Between a Natural and an Artificial Mud.", Journal of Hydraulic Research, IAHR, Vol. 36, No. 4, pp. 591-612.
- Krone (1999), "Effects of Bed Structure on Erosion of Cohesive Sediments", technical note, Journal of Hydraulic Engineering, ASCE, Vol. 125, No. 12, pp. 1297-1301.
- Kuijper, C. K., Cornelisse, J. M., Winterwerp, J. C., (1989), "Research on Erosive Properties of Cohesive Sediments.", Journal of Geophysical Research, Vol. 94, No. C10, pp. 14341-14350.
- Kuti, E. O., and Yen, C. L., (1976), "Scouring of Cohesive Soils", Journal of Hydraulic Research, IAHR, Vol. 14, No. 3, pp. 195-206.
- Kwan, T.F. (1984), "Study of abutment scour.", Rep. No. 328, School of Engrg., The Univ. of Auckland, New Zealand.
- Kwan, T.F. (1988), "Study of abutment scour.", Rep. No. 451, School of Engrg., The Univ. of Auckland, New Zealand.
- Laursen, E. M., (1963), "Analysis of relief bridge scour.", Journal of Hydraulic Division, ASCE, Vol. 89, No. 3, pp. 93-118.
- Laursen, E. M., and Toch, A., (1956), "Scour around Bridge Piers and Abutments." Bull. No. 4, Iowa Highway Research Board, Ames, Iowa.
- Lick, W., and Lick, J., (1988), "Aggregation and Disaggregation of Fine-Grained Lake Sediments.", Journal of Great Lakes Research, International Association of Great lakes Research, Vol. 14, No. 4, pp. 514-523.

- Lim, S-Y., (1997), "Equilibrium Clear Water Scour Around an Abutment.", *Journal of Hydraulic Engineering*, ASCE, Vol. 123, No. 3, pp. 237-243.
- Lim, S-Y., (1998), "Prediction of live bed scour at bridge abutments", *Journal of Hydraulic Engineering*, ASCE, Vol. 124, o. 6 pp. 635-638.
- Liou, Y. D., (1970), "Hydraulic Erodability of Two Pure Clay Syatems.", Ph. D. Dissertation, Colorado State University, Fort Collins, Colorado.
- Liu, M.K., F. M. Chang and M.M. Skinner, (1961), "Effect of Bridge Construction On Scour and Backwater.", *Department of Civil Engineering, Colorado State Universty*, Report No. CER60-HKL22, February.
- Locat, J., and Demers, D., (1988), "Viscosity, Yield Stress, Remolded Strength, and Liquidity Index Relationships for sensitive clays." *Canadian Geotechnical Journal*, vol. 25, pp. 799-806.
- Lyle, W. M., Smerdon, E. T., (1965), "Relation of Compaction and other Soil Properties to the Erosion Resistance of Soils.", *Tans. Am. Soc. Agricultural Eng.*, Vol. 8, No. 3.
- Mazurek, K.A., Rajaratnam, N., and Sego, D.C. (2001), "Scour of Cohesive Soil by Submerged Circular Turbulent Impinging Jets.", *Journal of Hydraulic Engineering*, ASCE, Vol. 127, No. 7, pp. 598-606.
- Mehta, A. J., Parchure, T. M., Dixit, J. G., and Ariathurai, R. (1982), "Resuspension Potential of Deposited Cohesive Sediment Beds in Estuarine Comparisons.", Ed. Kennedy, V. S., Academic Press, New York, 591- 609.
- Mehta, A.J., Hayter, E.J., Parker, W. R., Krone, R.B., and Teeter, A.M., (1989), "Cohesive Sediment Transport I: Process Description.", *Journal of Hydraulic Engineering*, ASCE, Vol. 115, No. 8, pp. 1076-1093.
- Mehta, A.J., McAnally, W. H., Hayter, E. J., Teeter, A. M., Schoellhamer, D., Heltzel, S. B., and Carey, W. P., (1989), "Cohesive Sediment Transport II: Application.", *Journal of Hydraulic Engineering*, ASCE, Vol. 115, No. 8, pp. 1094-1112.

- Melville, B. W. (1992), "Local Scour at Bridge Abutments.", *Journal of Hydraulic Engineering*, ASCE, Vol. 118, No. 4, pp. 615-631.
- Melville, B. W. (1995), "Bridge Abutment Scour in Compound Channels.", *Journal of Hydraulic Engineering*, ASCE, Vol. 121, No. 12, pp. 863-868.
- Melville, B. W., (1975), "Local Scour at Bridge Sites.", Report No. 117, Department of Civil Engineering, School of Engineering, University of Auckland, Auckland, New Zealand.
- Melville, B. W., (1997), "Pier and Abutment Scour: Integrated Approach.", *Journal of Hydraulic Engineering*, ASCE, Vol. 123, No. 2, pp. 125-136.
- Melville, B. W., and Dongol, D. M., (1992), "Bridge Pier Scour With Debris Accumulation.", *Journal of Hydraulic Engineering*, ASCE, Vol. 118, No. 9, pp. 1306-1310.
- Melville, B. W., and Sutherland, A. J., (1988), "Design Method For Local Scour at Bridge Piers.", *Journal of Hydraulic Engineering*, ASCE, Vol. 114, No. 10, pp. 1210-1226.
- Mirtskhoulava, Ts. Ye., (1988), "Basic Physics and Mechanics of Channel Erosion.", Leningrad, Gidrometeoizdat, USSR.
- Mirtskhoulava, Ts. Ye., (1991), "Scouring by Flowing Water of Cohesive and Noncohesive beds.", *Journal of Hydraulic Research*, IAHR, Vol. 29, No. 3, pp. 341-354.
- Mitchell, J. K., (1960), "Fundamental Aspects of Thixotropy in Soils.", *Trans. ASCE*, 126 (1), 1586-1620.
- Molinas, A., (2004), "Bridge scour in nonuniform sediment mixtures and in cohesive materials.", Washington, DC, Federal Highway Administration Research Report FHWA-RD-03-083.
- Mollinos, A., and Abdeldayem, A., (1998), "Effect of Clay on Bridge Scour.", *Proceedings of The Water Resources Engineering Conference*, ASCE, pp., 280-285.

- Mollinos, A., Hosny, M., and Jones, S., (1998), "Pier Scour in Montmorillonite Clay Soils.", Proceedings of The Water Resources Engineering Conference, ASCE, pp., 292-297.
- Mollinos, A., Reiad, N., and Jones, S., (1998), "Effect of Cohesion on Abutment Scour.", Proceedings of The Water Resources Engineering Conference, ASCE, pp., 252-257.
- Mostafa, T. M. S. (2003), "Experimental modeling of local scour in cohesive soils.", PhD dissertation, University of South Carolina, Columbia, SC.
- National Bridge Inventory. (1997), "Bridge management Branch.", Federal Highway Administration, Washington, D.C.
- Nicholason, J., and O'Connor, B., (1986), "Cohesive Sediment Transport Model", Journal of Hydraulic Engineering, ASCE, Vol. 112, No. 7, pp. 621-639.
- Nortek (2000), "ADV Users Manual.", Nortek A S, Norway.
- Odd, N. V. M., and Owen, M. W., (1972), "A Two-layer Model for Mud Transport in the Thames Estuary.", Proceedings, Institution of Civil Engineers, London, England, Supplement (ix), Paper 7517S.
- Otsubo, K., and Muraoka, K., (1988), "Critical Shear Stress of Cohesive Bottom Sediments.", Journal of Hydraulic Engineering, ASCE, Vol. 114, No. 10, pp. 1241-1256.
- Parchure, T. M., and Mehta, A. J., (1985), "Erosion of Soft Cohesive Sediment Deposits.", Journal of Hydraulic Engineering, ASCE, Vol. 111, No. 10, pp. 1308-1326.
- Parthenaides, E., (1965), "Erosion and Deposition of Cohesive Soils.", Journal of Hydraulic Division, ASCE, Vol. 91, No. HY1, pp. 105-139.
- Parthenaides, E., (1965), "Erosion and Deposition of Cohesive Soils.", Journal of Hydraulic Division, ASCE, Vol. 91, No. HY1, pp. 105-139.

- Perret, D., Locat, J., and Martignoni, P., (1996), "Thixotropic Behavior During Shear of Fine-Grained Mud from Eastern Canada.", *Journal of Engineering Geology*, Vol. 43, pp. 31-44.
- Postma, H., (1967), "Sediment transport and Sedimentation in the Estuarine Environment.", In: G. H. Lauff (Editor), *Estuaries*. AAAS, Washington D.C., Publication No. 83, pp. 158-179.
- Raudkivi, A. J. and Hutheson, D. L., (1974), "Erosion of Kaolinite Clay By Flowing Water.", *Proc. Royal Society London, Series A*, No. 337, pp. 537-554.
- Raudkivi, A. J., (1990), "Loose Boundary Hydraulics", 3rd edition, Pergamon Press, New York, USA.
- Raudkivi, A. J., and Tan, S. K., (1984), "Erosion of Cohesive Soils.", *Journal of Hydraulic Research*, vol. 22, pp. 217-233.
- Raudkivi, A.J., (1986), "Functional Trends of Scour at Bridge Piers.", *Journal of Hydraulic Engineering*, ASCE, Vol. 112, No. 1, pp. 1-13.
- Richardson, E. V., Steven, M. A., and Simons, D. B., (1975), "The Design of Spurs for Rivers Training.", *Proc. 16th IAHR Congress*, Sao Paulo, 2, 382-388.
- Roberts, J., Jepsen, R., Gotthard, D., and Lick, W., (1998), "Effects of Particle Size and Bulk Density on Erosion of Quartz Particles.", *Journal of Hydraulic Engineering*, Vol. 124, No. 12, pp. 1261-1267.
- Shaikh, A., (1986), "Surface Erosion of Compacted Clays." Ph. D. Dissertation, Colorado State University, Fort Collins, Colorado, USA.
- Shaikh, A., Ruff, J. F., and Abt, S. R., (1988), "Erosion Rate of Compacted Namontmoillonite Soils.", *Journal of Geotechnical Engineering*, ASCE, Vol. 114, No. 3, pp. 296-305.

- Shen, H. W., Schneider, V. R. and Karaki, S. (1969). "Local scour around bridge piers.", *J. of Hydraulic Div., ASCE.*, Vol 95, No. 6, pp. 1919-1940.
- Shirole, A. M., and Holt, R.C. (1991), "Planning for a comprehensive bridge safety assurance program.", *Transp. Res. Rec. No. 1290*, Transportation Research Board, Washington, D.C., 137-14
- Shrestha, P. L. and Orlob, G. T., (1996), "Multiphase Distribution of Cohesive Sediments and Heavy Metals in Estuarine Systems.", *Journal of Environmental Engineering, ASCE*, Vol. 122, No. 8, pp. 730-740.
- Simons, D. B., and Senturk, F. (1977), "Sediment Transport Technology.", *Water and Sediment Dynamics*. Water Resources Publications, Littleton, Colorado.
- Taylor, B. D., and Vanoni, V. A., (1972), "Temperature Effect in Low Transport, Flat Bed Flow.", *Proc ASCE*, Vol. 98, No. HY8, pp. 1427-1445.
- Taylor, B. D., and Vanoni, V. A., (1972), "Temperature Effect in High Transport, Flat Bed Flow.", *Proc ASCE*, Vol. 98, No. HY12, pp. 2191-2206.
- Teisson, C., Ockenden, M., Le Hir, P., Kranenburg, C., and Hamm, L., (1993), "Cohesive Sediment Transport Process.", *Coastal Engineering*, Vol. 21, pp. 129-162.
- Tey, C. B. (1984), "Local scour at bridge abutments.", Rep. No. 329. School of enrg. Univ. of Auckland, New Zealand.
- Thorn, M. F. C., and Parsons, J. G., (1980), "Erosion of Cohesive Sediments in Estuaries: An Engineering Guide.", *Proc 3rd Int. Symp. Dredging Technol.*, Paper F1, France.
- Ting, F. C. K., Briaud, J. L., Chen, H. C., Gudavalli, R., Perugu, S., and Wei, G., (2001), "Flume Tests for Scour in Clay at Circular Piers.", *Journal of Hydraulic Engineering, ASCE*, Vol. 127, No. 11, pp. 969-978.

- Voulgaris, G., and Trowbridge, J. H., (1998) “ Evaluation of The Acoustic Doppler Velocimeter (ADV) for Turbulence Measurements.”, Journal of Atmospheric and Ocean Technology, Vol. 15, pp. 272-289.
- Winterwerp, J. C., (1998), “A Simple Model for Turbulence Induced Flocculation of Cohesive Sediment.”, Journal of Hydraulic Research, International Association of Hydraulic Research, vol. 36, No. 3, pp. 309-326.
- Wong, W. H. (1982), “scour at bridge abutments.”, Rep. No. 275. School of enrg. Univ. of Auckland, New Zealand.
- Yakoub, N. G. R. (1995), “Effect of Cohesion on Bridge Abutment Scour”, Ph.D. Thesis, Civil Engineering Department, Colorado State University, Fort Collins, Colorado, USA.
- Ziegler, C. K., and Nisbet, B. S., (1994), “Fine-Grained Sediment Transport in Pawtuxet River, Rhode Island.”, Journal of Hydraulic Engineering, ASCE, Vol. 120, No. 5, pp. 561-576.
- Ziegler, C. K., and Nisbet, B. S., (1995), “Long-Term Simulation of Fine-Grained Sediment Transport in Large Reservoir.”, Journal of Hydraulic Engineering, ASCE, Vol. 121, No. 11, pp. 773-781.
- Zreik, D. A., Krishnappan, B. G., Germaine, J. T., Madsen, O. S., and Ladd, C. C., (1998), “Erosional and Mechanical Strengths of Deposited Cohesive Sediments”, Journal of Hydraulic Engineering, ASCE, Vol. 124, No. 11, pp. 1076-1085.