

REFERENCES

REFERENCES

1. Abou- Shakra, F.R.; Ward, N.I. and Everard, D.M. (1989):
The role of trace elements in male infertility.
Fertil. Steril., 52: 307-310.
2. Allison, A.C. and Hartree, E.F.(1970):
Lysosomal enzymes in the acrosome and their possible role in fertilization.
J. Reprod. Fertil., 21: 501-515.
3. Amelar, R.D. and Hotchkiss, R.S. (1965):
The split ejaculate - its use in the management of male infertility.
Fertil. Steril., 16: 46-59.
4. Amelar, R.D.; Dubin., L. and Schoenfeld, C. (1980):
Sperm motility.
Fertil. Steril., 34: 197-215.
5. Amman, A.P. and Griel, L.C. (1974):
J. Diary. Sci., 57: 212-219.
Cited by Inskeep et al., 1985. < 3 >
6. Anberg, A. (1957):
The ultrastructure of the human spermatozoon.
Acta Obstet. Gynecol. Scand., 36: 1-33.
7. Anderson, W.A. and Personne, P. (1970):
The cytochemical localization of glycolytic and oxidative enzymes within
mitochondria of spermatozoa of some pulmonate gastropods.
J. Histochem. Cytochem., 18: 783-793.
8. Anderson, W.A; Personne, P. and Andre, J. (1968):
Chemical compartmentalization in Helix spermatozoa.
J. Micr., 7: 367-372.

9. Armitage, P. (1985):

Statistical Methods in Medical Research, 1st ed., PP. 1-44 and 147-167.

Blackwell Scientific Publications, London.

10. Arver, S. and Sjobers, H.F. (1982):

Calcium fractions in seminal plasma and functional properties of human spermatozoa.

Acta. Physiol. Scand., 116: 159-65.

11. Babcock, D.F.; Singh, J.P. and Lardy, H.A. (1979):

Alteration of membrane permeability to calcium ions during maturation of bovine spermatozoa.

Develop. Biol., 69: 85-93.

12. Bancroft, J.D. (1975):

Histochemical Techniques, 2nd ed., PP. 84-85; 244-246.

Butterworths, London and Boston.

13. Barros, C. and Franklin, L.E. (1968):

Behaviour of the gamete membranes during sperm entry into the mammalian egg.

J. Cell. Biol., 37: 6-13.

14. Bartak, V. (1971):

Sperm velocity test in clinical practice.

Int. J. Fertil., 16: 107-110.

15. Bedford, J.M.; Bent, M.J. and Calvin, H. (1973):

Variations in the structural character and stability of the nuclear chromatin in morphologically normal human spermatozoa.

J. Reprod. Fertil., 33: 19-24.

- 31 16. Belles-Isles, M.; Chapeau, C.; White, D. and Gagnon, C. (1986):

Isolation and characterization of dynein ATPase from bull spermatozoa.
Biochem. J., 240: 863-869.

- 32 17. Berg, O.C.; Huggins, C. and Hodges, C.V. (1941):

Concentration of ascorbic acid and the phosphates in secretion of male genital tract.
Am. J. Physiol., 133: 82-87.

- 33 18. Bielski, B.H.J. and Richter, H.W. (1975):

Some properties of the ascorbate free radical.
Ann. N. Y. Acad. Sci., 258: 231-237.

- 34 19. Bjorndahl, L.; Kjellberg, S. and Kvist, U. (1991):

Ejaculatory sequence in men with low sperm chromatin-zinc.
Int. J. Androl., 14: 174-178.

- 35 20. Bloom, G. and Nicander, L (1961):

On the ultrastructure of the protoplasmic droplet of spermatozoa.
Z. Zellforsch, 55: 833-844.
Cited by Williams et al., 1989.

- 36 21. Breitbart, H.; Rubinstein, S. and Nass-Arden, L. (1985):

The role of calcium and Ca^{2+} -ATPase in maintaining motility in ram spermatozoa.
J. Biol. Chem., 260: 11548-53.

- 37 22. Bryan, J.H.D. and Unnithan, R.R. (1973):

Cytochemical localization of non-specific esterase and acid phosphatase in spermatozoa of the mouse (*Mus musculus*).
Histochemie, 33: 169-180.

- 38 23. Castle, W.M. (1977):

Statistics in Small Doses, 1st ed., PP. 59-66.
Churchill Livingstone, Edinburgh and London.

- 17 24. Chan, S. and Wang, C. (1987):

Correlation between semen adenosine triphosphate and sperm fertilizing capacity.

Fertil. Steril., 47: 717-719.

- 25 25. Chayen, J.; Bitensky, L. and Butcher, R.G., (1973):

Practical Histochemistry, 1st ed., PP. 177-203.

John. Wiley and Sons, London.

- 26 26. Cicero, T.J.; Bell, R.D.; Wiest, W.G.; Allison, J.H.; Polakoski, K.L. and Robbins, E. (1975):

Function of the male sex organs in heroin and methadone users.

N. Engl. J. Med., 292: 882-887.

- 7 27. Clermont, Y. (1963):

The cycle of seminiferous epithelium in man.

Am. J. Anat., 112: 35-52.

- 28 28. Cohen, J.; Euser, R.; Schenck, P.E.; Brugman, F.W. and Zeilmaker, J.H. (1981):

Motility and morphology of human spermatozoa in split ejaculates.

Andrologia, 13: 491-498.

- 29 29. Dawson, E.B.; Harris, W.A. and Powell, L.C. (1990):

Relationship between ascorbic acid and male fertility.

World Rev. Nutr. Diet., 62: 1-26.

- 17 30. Eliasson, J.R. (1965):

Effect of frequent ejaculations on the composition of human seminal plasma.

J. Reprod. Fertil., 9: 331-35.

- 11 31. Eliasson, J.R. (1968):

Biochemical analyses of human semen in the study of physiology and pathophysiology of the male accessory genital glands.

Fertil. Steril., 19: 344-356.

32. Eliasson, J.R. (1977):

Parameters of male fertility.

In: Human Reproduction, Conception and Contraception (edited by Hafez, E.S.E. and Evans, T.N.), 1st ed., PP. 35-59.

Harper and Row, Publishers, New York and London.

33. Eliasson, J.R. and Lindholmer, G. (1971):

Zinc in human semen plasma.

Andrologie, 3: 147-153.

Cited by Lindholmer and Eliasson, 1974.

34. Eliasson, J.R. and Lindholmer, G. (1972):

Distribution and properties of spermatozoa in different fractions of split ejaculates.

Fertil. Steril., 23: 252-256.

35. Eliasson, J.R. and Samuelson, U. (1982):

Conditioning effect of seminal plasma on the lipid peroxide potential of washed human spermatozoa.

Acta Physiol. Scand., 116: 305-307.

36. Eliasson, J.R.; Johnsen, O. and Lindholmer, G. (1974):

Effect of seminal plasma on some functional properties of human spermatozoa.

In: Male Fertility and Sterility (edited by Manicini, R.E. and Martini, L.), 1st ed., PP. 107-122

Churchill Livingstone, Edinburgh and London.

37. Fabbrini, A. and Hafez, E.S.E. (1980):

Testes and epididymis.

In: Human Reproduction, Conception and Contraception (edited by Hafez, E.S.E.), 2nd ed., PP. 35-59.

Harper and Row, Publishers, New York and London.

38. Fakih, H.; MacLusky, N.; DeCherney, A.; Wallimann, T. and Huszar, G. (1986):

Enhancement of human sperm motility and velocity in vitro: effects of calcium and creatine phosphate.

Fertil. Steril., 46: 938-944.

39. Fawcett, D.W. (1958):

The structure of the mammalian spermatozoa.
In. Rev. Cytol., 7: 195-202.

40. Fawcett, D.W. (1975):

The mammalian spermatozoon: a review.
Dev. Biol., 44: 394-397.

41. Fawcett, D.W. (1986):

Bloom & Fawcett, A Textbook of Histology, 11th ed., PP. 796-850.
Igaku-Shon/Saunders International edition, Tokyo and London.

42. Fawcett, D.W. and Burgos, M.H. (1956):

A comparison of the structural organization of mammalian and amphibian sperm tails.
Anat. Rec., 124: 289.

43. Fawcett, D.W. and Phillips, D.W. (1969):

The fine structure and development of the neck region of the mammalian spermatozoon.
Anat. Rec., 168: 153-184.

44. Ficsor, G.; Ginsberg, L.C.; Oldford, G.M.; Snoke, R.E. and Becker, R.W. (1983):

Gelatin-substrate film technique for detection of acrosin in single mammalian sperm.
Fertil. Steril., 39: 548-552.

45. Fornier-Delpech, S.; Colas, G.; Courot, M.; Ortovant, R. and Bruce, G. (1979):

Anim. Bioch. Biophys., 19: 597-605.
Cited by Inskip et al., 1985.

46. Fraser, L.R. (1992):

Requirement for successful mammalian sperm capacitation and fertilization.
Arch. Pathol. Lab. Med., 116: 345-350.

47. Friend, D.S. and Fawcett, D.W. (1974):

Membrane differentiations in freeze-fractured mammalian sperm.
J. Cell Biol., 63: 641-653.

48. Fujita, T.; Miyoshi, M. and Tokunga, J. (1970):

Scanning and transmission electron microscopy of human ejaculate spermatozoa with special reference to their abnormal forms.
Z. Zelforsch. Mikrosk., Anat., 105: 483.
Cited by Saad, 1985.

49. Gaddum, P. (1968):

Sperm maturation in the male reproductive tract: development of motility.
Anat. Rec., 161: 471-476.

50. Gerber, W.L. (1984):

Management of delayed liquefaction.
In: Current Therapy of Infertility. (edited by Garcia, C.; Mastroianni, L.; Amelar, R.D. and Dubin, L.), 1st ed., PP. 192-194.
B.C.Decker Inc., Philadelphia.

51. Gibbons, I.R. (1968):

The biochemistry of motility.
A. Rev. Biochem., 37: 521-546.

52. Gibbons, I.R. (1981):

J. Cell Biol. 91, 1075-1245.
Cited by Belles-Isles et al. (1986).

53. Gibbons, B.H. & Gibbons, I.R. (1972):

J. Cell Biol., 54: 75-97.
Cited by Belles-Isles et al. (1986).

54. Gibbons, B.H. & Gibbons, I.R. (1973):

J. Cell Sci., 13: 337-357.
Cited by Belles-Isles et al. 1986.

55. Gibbons, I.R. and Rowe, A.J. (1965):

Dynein: a protein with adenosine triphosphatase activity from cilia.
Science, 149: 424-431.

56. Goldberg, E. (1964):

Lactate dehydrogenase and malate dehydrogenases in sperm: studies by polyacrylamide gel electrophoresis.
Ann. N.Y. Acad. Sci., 121: 560-567.

57. Gomori, G. (1950):

J. Lab. Clin. Med., 35: 802.
Cited by Bancroft (1975).

58. Gordon, M. and Barnett, R. (1967):

Fine structural cytochemical localization of phosphatase activities of rat and guinea pig.
Exp. Cell. Res., 48: 395-402.

59. Gottlieb, C.; Svanborg, K. and Bygdeman, M. (1991):

Adenosine triphosphate (ATP) in human spermatozoa.
Andrologia, 23: 421-425.

60. Gould, K.G.; Zaneveld, L.J. and Williams, W.L. (1971):

Scanning electron microscopy of mammalian gametes.
Arch. Gynakol., 210: 235-244.
Cited by Saad, 1985.

61. Guyton, A.C. (1981):

Textbook of Medical Physiology, 6th ed., PP. 838-848.
W.B. Saunders Company, Philadelphia and London.

62. Guyton, A.C. (1986):

Textbook of Medical Physiology, 7th ed., PP. 954-968.
W.B. Saunders Company, Philadelphia and London.

63. Hafez, E.S.E. (1980):

Human Reproduction: Conception and Contraception, 2nd ed.,
PP., 91-122.
Harper and Row, Publishers, New York and London.

64. Hafez, E.S.E. and Prasad, M.R.N. (1976):

Functional aspects of the epididymis.

In: Human Semen and Fertility Regulation in Men (edited by Hafez, E.S.E.), 1st ed., PP. 31-43.

C.V. Mosby Co., St. Louis.

65. Hamilton, D.W., (1975):

Morphology and function of the epithelium lining the ductuli efferentes, epididymis and vas deferens.

In: Handbook of Physiology, Sect. 7, Endocrinology, Vol. V, Male Reproductive System (edited by Hamilton, D.W. and Greep R.O.), 1st ed.

American Physiological Society, Washington, D.C.

Cited by Fabbrini and Hafez, 1980.

66. Hammerstedt, R.H. (1981):

In: Reproductive Processes and Contraception (edited by McKerns, K.W.), 1st ed., PP. 353-391.

Plenum, New York.

67. Hammerstedt, R.H.; Keith, A.D.; Hay, S.; Deluca, N. and Amman, R.P. (1979_a):

Arch. Biochem. Biophys., 194: 565-580.

Cited by Inskeep et al., 1985.

68. Hammerstedt, R.H.; Keith, A.D.; Hay, S.; Deluca, N. and Amman, R.P. (1979_b):

Arch. Biochem. Biophys., 196: 7-12.

Cited by Inskeep et al., 1985.

69. Hargreave, T.B. (1983):

Male Infertility, 1st ed., PP. 126-127.

Springer-Verlag, New York.

70. Harris, W.A.; Harden, T.E. and Dawson E.B. (1979):

Apparent effect of ascorbic acid medication on semen metal levels.

Fertil. Steril., 32: 455-459.

71. Hartman, C.G. (1962):

Science and the Safe Period.

The Williams and Wilkins Co., Baltimore and Hong Kong.

Cited by Saad, 1985.

72. Harvey, C. (1956):

The use of partitioned ejaculates in investigating the role of accessory secretions in human semen.

Stud. Fert., 8: 3-19.

73. Harvey, C. (1960):

The speed of human spermatozoa and the effect on it of various diluents, with some preliminary observations on clinical material.

J. Reprod. Fertil., 1: 84-89.

74. Harvey, C. and Johnson, M. (1945):

Assessment of male fertility by semen analysis.

Lancet, 99: 134-137.

75. Heller, C.G. and Clermont, Y. (1963):

Spermatogenesis in man: Estimation of its duration.

Science, 140: 184-190.

76. Hlebarova, M.; Ruscova, S.V.; Kremensky, I.; Tsvetkov, D. and Kamenov, M. (1980):

Enzymes and cytomorphological sperm alterations in some diseases of the male reproductive system.

Int. Urol. Nephrol., 12: 361-365.

77. Hong, C.Y.; Chiang, B.N. and Turner, P. (1984_a):

Calcium ion is the key regulator of human sperm function.

Lancet, 2: 1449-1451.

78. Hong, C.Y.; Chiang, B.N. and Wei, Y.H. (1984_b):

Calcium chelators stimulate sperm motility in ejaculated human semen.

Lancet, 1: 460-461.

79. Horvath, L.; Bacsy, E. and Molnar, J. (1972):

Cytochemical detection of dehydrogenases in spermatozoa of older men.
Exp. Geront., 7: 239-242.

80. Hrudka, H. (1965):

Cytochemical demonstration of catabolic activity of spermatozoa by the
formazan test.
J. Reprod. Fertil., 10: 15-20.

81. Huggins, C. and Johnson, A. (1933):

A chemical observation on fluids of the seminal tract.
Am. J. Physiol., 103: 574-581.

82. Hulbert, W.C. and Cockett, A.T.K. (1984):

Increased seminal viscosity.
In: Current Therapy of Infertility. (edited by Garcia, C.; Mastroianni, L.;
Amelar, R.D. and Dubin, L.), 1st ed., PP. 191-192.
B.C.Decker Inc., Philadelphia.

83. Inskeep, P.B.; Magargee, S.F. and Hammersted, R.H. (1985):

Alterations in motility and metabolism associated with sperm interaction
with accessory sex gland fluids.
Arch. Biochem. Biophys., 241: 1-9.

84. Janick, J. and MacLeod, J. (1970):

The measurement of human spermatozoon motility.
Fertil. Steril., 21: 140-142.

85. Jungck, E.C.; Maddock, W.O.; VanBruggen, J.T. and Heller C.G.
(1947):

Blood vitamins A, C and E and seminal fluid vitamin C in human male
sterility.
Fed. Proc., 6: 139-144.

86. Karacagil, M.; Sade, M.; and Turkyilmaz, R.K. (1984):

Reduced activities of triple adenosine triphosphatase in seminal plasma and
spermatozoa of patients with oligoasthenospermia.
Eur-Urol, 10: 405-407.

- 110 ② 87. Karacagil, M.; Sade, M.; and Turkeyilmaz, R.K. (1985):

The effect of zinc, arginine, fructose and seminal supernatant of normal semen on the triple adenosine triphosphatase activities of the spermatozoa from males with oligoasthenozoospermia.

Andrologia, 17: 383-388.

- 110 ② 88. Katz, D.F. and Overstreet, J.W. (1979):

Biophysical aspects of human sperm movement.

In: The Spermatozoon. Proceedings of the Third International Symposium on the Spermatozoon, Boston and Woods Hole, 1978. (Edited by Fawcett, D.W. and Bedford, J.M.), PP. 413-419.

Urban and Schwarzenberg, Baltimore.

- 200 ② 89. Kazazglou, T.; Schackmann, R.W.; Fosset, M. and Shapiro, B.M., (1985):

Calcium channel antagonists inhibit the acrosome reaction and bind to plasma membranes of sea urchin sperm.

Proc. Nat. Acad. Sci. USA, 82: 1460-1463.

- 100 ② 90. Knight, T.W. (1974):

A qualitative study of factors affecting the concentrations of the epididymis and ductus deferens of the ram.

J. Reprod. Fertil., 39: 19-31.

- 14 ② 91. Kotoulas, I.B.; Burgos-Briceno, L.; Arana, J.; Balmaceda, J. and Asch, R. (1984):

Human sperm penetration in bovine cervical mucus clinical studies, II. Use of split ejaculates.

Fertil. Steril., 42: 268-273.

- 300 ② 92. Kvist, U. and Eliasson, R. (1980):

Influence of seminal plasma on the chromatin stability of ejaculated human spermatozoa.

Int. J. Androl., 3: 130-42.

93. Lacy, D. (1960):

Light and electron microscopy and its use in the study of factors influencing spermatogenesis in the rat.

J. Res. Microscop. Soc., 79: 209-225.

94. Lake, P.E. (1966):

A cytochemical examination of the spermatozoon of the domestic fowl.

Res. Vet. Sci., 7: 121-127.

95. Lardy, H.A. and Ghosh, D. (1952):

Ann. N. Y. Acad. Sci., 55: 594-596.

Cited by Inskeep et al., 1985.

96. Lavon, U.; Volcani, R.; Amir, D. and Danon, D. (1966):

The specific gravity of bull spermatozoa and seminal plasma.

J. Reprod. Fertil., 11: 447-452.

97. Leblond, C.P. and Clermont, Y. (1952):

Spermiogenesis of rat, mouse, hamster and guinea pig as revealed by the periodic acid-fuchsin sulfurous acid technique.

Am. J. Anat., 90: 167-216.

98. Leeson, C.R.; Leeson, T.S. and Paparo, A.A. (1985):

Textbook of Histology, 5th ed., PP. 492-517.

W.B. Saunders Company, Philadelphia and London.

99. Lindhal, P.E. (1966):

Sperm agglutinating and antiagglutinating factors in normal follicular fluid from cattle.

Int. J. Fertil., 11: 297-305.

100. Lindhal, P.E. and Kihlstrom, J.E. (1960):

Some factors influencing the biological activity of sperm agglutinins.

J. Reprod. Fertil., 1: 3-22.

101. Lindhal, P.E. and Thunquist, L.O. (1965):

Specific gravity of epididymal and ejaculated bull spermatozoa and of their parts.

Experientia, 21: 94-112.

- 24 102. Lindholmer, C. (1973):
Survival of human spermatozoa in different fractions of split ejaculates
Fertil. Steril., 24: 521-526.
- 15 103. Lindholmer, C. (1974):
The importance of seminal plasma for human sperm motility.
Biol. Reprod., 10: 533-542.
- 25 104. Lindholmer, C. and Eliasson, R. (1974):
The effects of albumin, magnesium and zinc on human sperm survival in
different fractions of split ejaculates.
Fertil. Steril., 25: 424-431.
- 30 105. Lison, L. and Dagnelie, J. (1935):
Bull. Histol. Appl. Physiol. Path., 12: 85.
Cited by Bancroft (1975).
- 35 106. Ludvik, W.; Lunglmayr, G. and Wlk, W. (1971):
Histochemical enzyme studies of sperms in a case of genuine necropermia.
Int. Urol. Nephrol., 3: 83-87.
- 40 107. Lundquist, F. (1949):
Aspects of the biochemistry of human semen.
Acta Physiol. Scand., 19 (supply): 66-73.
- 300 108. Luterman, M.; Iwamoto, T. and Ganong, C. (1991):
Origin of the human seminal plasma motility inhibitor within the
reproductive tract.
Int. J. Androl., 14: 91-98.
- 299 109. Machlin, L.J. and Bendich, A. (1987):
Free radical tissue damage: protective role of antioxidant nutrients.
FASEB 1: 441-445.
Cited by Dawson et al., 1990.

110. MacLeod, J. (1951):

Semen quality in one thousand men of known fertility and in eight hundred cases of infertile marriage.

Fertil. Steril., 2: 115-122.

111. MacLeod, J., and Hotchkiss, R.S. (1942):

The distribution of spermatozoa and of certain chemical constituents in the human ejaculate.

J. Urol., 48: 225-238.

112. MacLeod, J., and Freund, M. (1958):

The influence of spermatozoa concentration and initial fructose levels on fructolysis in human semen.

J. Appl. Physiol., 13: 501.

113. Majumder, G.C.; Dey, C.S.; Halder, S. and Barua, M. (1990):

Biochemical parameters of initiation and regulation of sperm motility.

Arch. Androl., 24: 287-303.

114. Makler, A.; Zaidise, I.; Paldi, E. and Brandes, J.M. (1979):

Factors affecting sperm motility. I. In vitro change in motility with time after ejaculation.

Fertil. Steril., 31: 147-152.

115. Mann, T. (1948):

Fructose content and fructolysis in semen. Practical application in the evaluation of semen quality.

J. Agric. Sci., 38: 323-331.

116. Mann, T. (1958):

Bull. Soc. Chim. Biol., Paris, 40:745.

Cited by Lake, 1966.

117. Mann, T. (1964):

The Biochemistry of Semen and of the Male Reproductive Tract, 1st ed., PP. 96-105.

Wiley, New York and London.

118. Mann, T., and Rottenberg, D.A. (1966):

The carbohydrate of human semen.

J. Endocr., 34: 257-262.

119. Mann, T. and Lutwak-mann, C. (1981):

Male Reproductive Function and Semen.

Springer-Verlag, New York.

Cited by Inskeep et al., 1985.

120. Masaki, J. and Hartree, E.F., (1962):

Distribution of metabolic activity, phospholipid and hyaluronidase between the heads and tails of bull spermatozoa.

Biochem. J., 84: 347-356.

121. Mathur, R.S. (1971):

Histo-enzymological observations on spermatozoa of inbred strains of mice.

J. Reprod. Fertil., 27: 5-11.

122. Mitchell, P. (1979):

Science, 206: 1148-1159.

Cited by Breitbart et al., 1985.

123. Mitchell, J.A.; Nelson, L. and Hafez, E.S.E. (1976):

Motility of spermatozoa.

In: Human Semen and Fertility Regulation in Men (edited by Hafez, E.S.E.), 1st ed., PP. 83-99.

C.V. Mosby Co., St. Louis.

124. Molnar, A., Biro, J. and Berengi, M. (1971):

Certain components of the seminal fluid without the secretion of the seminal vesicle.

Fertil. Steril., 22: 462-467.

125. Mooney, J.K.; Horan, A.H. and Lattmer, J.K. (1972):

Motility of spermatozoa in the human epididymis.

J. Urol., 108: 443-445.

126. Murdoch, R.N. and White, I.G. (1968):

Studies of the distribution of enzymes in mammalian semen.
Aust. J. Biol. Sci., 21: 483-487.

127. Nachlas, M.M.; Tsou, K.C.; Souza, E.; Cheng, C.S. and Seligman, A.M. (1957):

Cytochemical demonstration of succinic dehydrogenase by the use of a new-P-Nitrophenyl substituted ditetrazol.
J. Histochem. Cytochem., 5: 240-436.

128. Nelson, L. (1964):

Acetylcholinesterase in bull spermatozoa.
J.Reprod. Fertil., 7: 65-69.

129. Nelson, L. (1975):

Spermatozoon motility.
In: Handbook of Physiology, Sect. 7, Endocrinology, Vol. V, Male Reproductive System (edited by Hamilton, D.W. and Greep R.O.), 1st ed., PP. 421-435.
American Physiological Society, Washington, D.C.

130. Nevo, A. (1966):

Relationship between motility and respiration in human spermatozoa.
J. Reprod. Fertil., 11: 351-358.

131. Nicander, L. and Bane, A. (1962):

Fine structure of boar spermatozoa.
Z. Zelforsch. Microsk. Anat., 57: 390.
Cited by Hafez and Prasad, 1976.

132. Niemi, M. and Kormano, M. (1965):

Histochemical demonstration of a c-esterase activity in the seminiferous tubules of the rat testis.
J. Reprod. Fertil., 10: 49-54.

133. Orgebin-Crist, M.C. (1969):

Studies on the function of the epididymis.
Biol. Reprod. Suppl., 1: 155-168.

134. Orgebin-Crist, M.C. (1975):

Endocrine control of the development and maintenance of sperm fertilizing ability in the epididymis.

In: Handbook of Physiology, Sect. 7, Endocrinology, Vol. V, Male Reproductive System (edited by Hamilton, D.W. and Greep R.O.), 1st ed. American Physiological Society, Washington, D.C.

Cited by Fabbrini and Hafez, 1980.

135. Pearse, A.G.E. (1960):

Histochemistry, Theoretical and Applied.

Churchill Livingstone, Edinburgh and London.

Cited by Saad, 1985.

136. Pearse, A.G.E. (1972):

Histochemistry Theoretical and Applied, 3rd ed., Vol. II, PP. 1243-1244.

Churchill Livingstone, Edinburgh and London.

137. Pedersen, H. (1970):

Observations on the axial filament complex of the human spermatozoon.

J. Ultrastruct. Rec., 33: 451-455.

138. Pedersen, H. (1972_a):

Further observations on the fine structure of the human spermatozoon.

Z. Zellforsch. Mikrosk. Anat., 123: 305.

Cited by Saad, 1985.

139. Pedersen, H. (1972_b):

The postacrosomal region of the spermatozoa of man and *Macaca arctoides*.

J. Ultrastruct. Res., 40: 366.

140. Pederson, H. and Rebbe, H. (1974):

Fine structure of round-headed human spermatozoa.

J. Reprod. Fertil., 37: 51-56.

141. Pedersen, H. and Fawcett, D.W. (1976):

Functional anatomy of the human spermatozoon.

In: Human Semen and Fertility Regulation in Men (edited by Hafez, E.S.E.), 1st ed., PP. 65-75.

C.V. Mosby Co., St. Louis.

142. Peterson, R.N. and Freund, M. (1970_a):

ATP synthesis and oxidative metabolism in human spermatozoa.
Biol. Reprod., 3: 47-58.

143. Peterson, R.N. and Freund, M. (1970_b):

Profile of glycolytic enzymes activities in human spermatozoa.
Fertil. Steril., 21: 151-154.

144. Peterson, R.N. and Freund, M. (1971):

Factors affecting fructose utilization and lactic acid formation by human semen. The role of glucose and pyruvic acid.
Fertil. Steril., 22: 639-644.

145. Peterson, R.N. and Freund, M. (1976_a):

Metabolism of human spermatozoa.
In: Human Semen and Fertility Regulation in Men (edited by Hafez, E.S.E.), 1st ed., PP. 176-186.
C.V. Mosby Co., St. Louis.

146. Peterson, R.N. and Freund, M. (1976_b):

Relationship between motility and the transport and binding of divalent cations to the plasma membrane of human spermatozoa.
Fertil. Steril., 27: 1301-1307.

147. Peterson, R.N.; Seyler, D.; Bundman, D. and Freund, M. (1979):

The effect of theophylline and cyclic AMP on the uptake of radioactive calcium and phosphate ions by boar and human spermatozoa.
J. Reprod. Fertil., 55: 385-390.

148. Polakoski, K.L. and Zaneveld, L.J.D. (1977):

Biochemical examination of the human ejaculate.
In: Human Reproductive Medicine, Techniques of Human Andrology (edited by Hafez, E.S.E.), 1st ed., PP. 265-286.
North-Holland Publishing Company, Amsterdam.

149. Polakoski, K.L.; Syner, F.N. and Zaneveld, L.J.D. (1976):

Biochemistry of human seminal plasma.
In: Human Semen and Fertility Regulation in Men (edited by Hafez, E.S.E.), 1st ed., PP. 133-143.
C.V. Mosby Co., St. Louis.

150. Prasad, A.S.; Oberleas, D. and Halsted, J.A. (1965):

Determination of zinc in biological fluids by atomic absorption spectrophotometry in normal and cirrhotic subjects.

J. Lab. Clin. Med., 66: 508-513.

151. Prien, S.D.; Lox, C.D.; Messer, R.H.; and Deleon, F.D. (1990):

Seminal concentrations of total and ionized calcium from men with normal and decreased motility.

Fertil. Steril., 54: 171-172.

152. Quinn, P. and Begley, A.J. (1984):

Effect of human seminal plasma and mouse accessory gland extracts on mouse fertilization in vitro.

Aust. J. Biol. Sci., 37: 147-152.

153. Reed, C.I. and Reed, B.P. (1948):

Comparative study of human and bovine sperm by electron microscopy.

Anat. Rec., 100: 1-8.

154. Rikmenspoel, R. (1965):

Biophys. J., 5: 365-392.

Cited by Inskeep et al., 1985.

155. Ross, M.H. (1976):

The Sertoli cell functional specialization during spermiogenesis and spermiation.

Anat. Rec., 186: 79-85.

156. Ross, A.; Christie, S. and Kerr, M.G. (1971):

An electron microscope study of a tail abnormality in spermatozoa from a subfertile man.

J. Reprod. Fertil., 24: 99-103.

157. Ross, M.H.; Reith, E.J. and Romrell, L.J. (1989):

Histology, A Text and Atlas, 2nd ed., PP. 603-693.

The Williams and Wilkins Co., Baltimore and Hong Kong.

158. Rowley, M.J.; Teshima, F. and Hellar, C.G. (1970):
 Duration of transit of spermatozoa through the human male ductal system.
 Fertil. Steril., 21: 390-393.
159. Rozin, S.; Shargil, A.; Abulafia, Y. and Hachamovitch, M. (1960):
 Studies on seminal plasma: I. The role of seminal plasma in motility of spermatozoa.
 Fertil. Steril., 11: 278-285.
160. Ruffo, G.A.; Singh, J.P. and Lardy, H.A. (1982):
 J. Biol. Chem., 257: 4627-4632.
 Cited by Inskeep et al., 1985.
161. Ruffo, G.A.; Schoff, P.K. and Lardy, H.A. (1984):
 J. Biol. Chem., 259: 2547-2552.
 Cited by Inskeep et al., 1985.
162. Saad, M.F. (1985):
 A study of the relationship of different blood groups to fertility.
 Ph.D. Thesis, Faculty of Medicine, Zagazig University.
163. Sanada, S. and Yoshida, O. (1985):
 Zinc concentration and total amount of zinc in seminal plasma of infertile men with special reference to prostatic secretory function.
 Hinyokika Kiyo, 31: 1971-1987 (English abstract).
164. Sheth, A.R. Gunaga, K.P. and Rao, S.S. (1970):
 Occurrence of amylo-1,6-gluosidase in human seminal plasma: its properties and significance in sperm metabolism.
 J. Reprod. Fertil., 22: 77-83.
165. Singer, R.; Sagiv, M.; Landau, B.; Allalouf, D.; Segenreich, E. and Servadio, C. (1980):
 Motility and vitality of spermatozoa at various time intervals after ejaculation.
 Experientia, 36: 578-579.

166. Singer, R.; Barnet, M.; Sagiv, M.; Allalouf, D. Landau, B. and Servadio, C. (1983):

ATP contents of human semen, seminal plasma and isolated sperm at time intervals after ejaculation.

Int. J. Biochem., 15: 105-109.

167. Singh, J.P.; Chand, D. and Georgie, G.C. (1989):

Lipid peroxidation in buffalo (*Bubalus bubalis* L.) spermatozoa: effect of added vitamin C and glucose.

Indian. J. Exp. Biol., 27: 1001-1002.

168. Sofikitis, N.; Takahashi, C.; Kadowaki, H.; Okazaki, T.; Shimamoto, T.; Nakamura, I. and Miyagawa I. (1992):

The role of seminal vesicles and coagulating glands in fertilization of the rat.

Int. J. Androl., 15: 54-61.

169. Spring-Mills, E. and Hafez, E.S.E. (1980):

Male accessory sexual organs.

In: Human Reproduction, Conception and Contraception (edited by Hafez, E.S.E.) 2nd ed., PP. 60-90.

Harper and Row, Publishers, New York and London.

170. Tampion, D. and Gibbons, R.A. (1963):

Swimming rate of bull spermatozoa in various media and the effect of dilution.

J. Reprod. Fert., 5: 259-263.

171. Tauber, P.F.; Propping, D.; Zaneveld, L.J.D. and Schumacher, G.F.B. (1973):

Biochemical studies on the lysis of human split ejaculates.

Biol. Reprod., 9: 62-68.

172. Tauber, P.F.; Zaneveld, L.J.D.; Propping, D.; Schumacher, G.F.B. (1975):

Components of human split ejaculates.

J. Reprod. Fertil., 43: 249-267.

173. Telkka, A.; Fawcett, D.W. and Christensen, A.k. (1961):

Further observations of the sperm tail.

Anat. Rec., 141: 231-245.

174. Tesh, J.M. and Glover, T.D. (1969):

Aging of rabbit spermatozoa in the male tract and its effect on fertility.

J. Reprod. Fertil., 20: 287-294.

175. Troyer, H. (1980):

Principles and Techniques of Histochemistry, 1st ed., PP. 216-219.

The Williams and Wilkins Co., Baltimore and Hong Kong.

176. Tunell, G.I. and Hart, M.V. (1977):

Simultaneous determination of skeletal muscle fibre type I, IIA and IIB by histochemistry.

Arch. Neurol., 34: 171-173.

177. Voglmayr, J.K. (1975):

Metabolism of spermatozoa.

In: Handbook of Physiology, Sect. 7, Endocrinology, Vol. V, Male Reproductive System (edited by Hamilton, D.W. and Greep R.O.), 1st ed., PP. 437-452.

American Physiological Society, Washington, D.C.

178. Weid, J.C. and Carrera, E.A.(1971):

Glucose content of the cervical mucus.

Fertil. Steril., 22: 866-868.

179. Williams, P.L.; Warwick, R.; Dyson, M. and Bannister, L.H. (1989):

Gray's Anatomy, 37th ed., PP. 95-267.

Churchill Livingstone, Edinburgh and London.

180. Wooley, D.M. and Fawcett, D.W. (1973):

The degeneration and disappearance of the centrioles during development of the rat spermatozoon.

Anat. Rec., 177: 289.

181. Yanagimachi, R. (1966):

Time and process of sperm penetration into hamster ova in vivo and in vitro.

J. Reprod. Fert., 11: 359-362.

182. Yano, Y. & Miki-Noumura, T.(1980):

J. Cell Sci., 44: 169-186.

Cited by Belles-Isles et al., 1986.

183. Yano, Y. & Miki-Noumura, T. (1981):

J. Cell Sci., 48: 223-239.

Cited by Belles-Isles et al., 1986.

184. Zaneveld, L.J.D., Polakoski, K.I. (1977):

Collection and physical examination of the ejaculate.

In: Human Reproductive Medicine, Techniques of Human Andrology (edited by Hafez, E.S.E.), 1st ed., PP. 149-158.

North-Holland Publishing Company, Amsterdam.