

REFERENCES

- 1- **Allen, B.R.; Cowley, N.; Dawber, R. and Evans, E.G. (1989) :**
Oral terbinafine : effective in treatment of chronic nail dermatophytosis. *British. J. Dermat.* 121 (Suppl. 34) : 16
- 2- **Altman, H.W. (1980) :**
Drug induced liver reactions : A morphological approach. *Curr. Trop. Pathol.*, 69 : 69-142.
- 3- **Arias, I.M.; Popper, H.; Schachter and Schafritz, D.A. (1982) :**
The liver : Biology and pathology. Raven Press, New York.
- 4- **Armstrong, S.J.; Zuckerman, A.J. and Bird, R.G. (1972) :**
Induction of morphologic changes in human embryo liver cells by the pyridizidine alkaloid lasiocarpine. *Br. J. Exp. Pathol.*, 53 : 145-149.
- 5- **Arstila, A.L.; Smith, M.A. and Trump, B.F. (1972) :**
Microsomal lipid peroxidation morphological characterization. *Science.* 175 : 532-533.
- 6- **Back, D.J.; Stevenson, P. and Tjia, J.F. (1989) :**
Comparative effects of two antimycotic agents, ketoconazole and terbinafine on the metabolism of tolbutamide, ethinyloestradiol and cyclosporin by human liver microsomes. *British. J. Clin. Pharmacol.* 28 : 166-170.
- 7- **Beams, H.W. and Kessel, R.G. (1968) :**
The golgi apparatus : structure and function. *Int. Rev. Cytol.* 23 : 209-276.
- 8- **Bernaert, D.; Wanson, J.C.; Drochman, P. and Popwaki, A. (1977) :**
Effects of insulin on ultrastructure and glycogenesis in primary cultures of adult rat hepatocytes. *Jour. Cell Biol.* 74 : 878-900.
- 9- **Biava, C. (1963) :**
Identification and structural forms of human particulate glycogen. *Lab. Invest.* 12 : 1179-1197.

- 10- **Bjorkman, D.J.; Hammond, E.H.; Lee, E.G.; Clegg, D.D. and Tolman, K.G. (1988) :**
Hepatic ultrastructure after methotrexate for rheumatoid arthritis. *Arthritis*, 31 (12) : 1465-72.
- 11- **Bloom, W. and Fawcett Dan, W. (1994) :**
A textbook of histology 10th ed. Philadelphia, W.B.; Saunders company.
- 12- **Blouin, A. (1977) :**
Morphometry of liver sinusoidal cells : Kupffer cells and other liver sinusoidal cells. PP. 61-71. Elsevier., New York.
- 13- **Blumcke, D.; Schwartzkopff, W.; Mandson, N.A. and Blane, G.F. (1983) :**
Influence of fenofibrate on cellular and subcellular liver structure in hyperlipidemic patients. *Atherosclerosis*. 46 : 105-115.
- 14- **Boldewijn, O.Y.; Janssens, A.R.; Calame, J. and Jonkers, G.J. (1996):**
Hepatitis attributed to the use of terbinafine. *New-Tijdschr-Geneeskde*, 140 (12) : 669-677.
- 15- **Boor, P.J. and Kretschmer, N. (1990):**
Increased DNA synthesis in the heart during acute allylamine cardiotoxicity.
Res. Commun-Chem- Pathol-Pharmacol. 68 (1): 3-11.
- 16- **Bruni, G. and Porter, K.R. (1965) :**
The fine structure of the parenchymal cells of the normal rat liver. I-General observation. *Am. J. Pathol.*, 46 :691:755.
- 17- **Cardel, R.R. (1971) :**
Action of metabolic hormones on the fine structure of rat liver cells. I-Effects of fasting on the ultrastructure of hepatocytes. *Am. J. Anat.*, 131 : 21-54.
- 18- **Chedid, A.; Jao, W. and Port, J. (1980) :**
Megamitochondria in hepatic and renal disease. *Am. J. Gastroenterol.*, 73 : 319-324.

- 19- **Constantinides, P. (1984) :**
Ultrastructural patho-biology. In liver. PP. 184-215.,
Elsevier, Amsterdam.
- 20- **Cormack, D.H. (1984) :**
Introduction to histology. J.B. Lippincott Company.,
Philadelphia, London, Mexico-City and New York.
- 21- **Dahl, M.G.; Gregory, M.M. and Scheuer, P.J. (1971) :**
Liver damage due to methotrexate in patients with psoriasis.
Br. Med. J., 1 : 625-630.
- 22- **David, H.C. (1993) :**
Essential Histology, J.B. Lippincott Company Philadelphia.
P. 293-297.
- 23- **Davidson, J.; Leevy, M.E. and Chamerl Layne, D. (1979) :**
Guidelines for detection of hepatotoxicity due to drugs and
chemicals. NIH publication No. 79-313. U.S. Department of
Health, Education and Welfare, Washington, D.C.
- 24- **Davies, D.S. (1981) :**
Drug hepatotoxicity. In : Drug reaction and the liver PP. 12-
18. Pitman Medical London.
- 25- **Davis, M. (1984) :**
Drugs and hepatotoxicity. In : Liver, edited by R. Williams
and W.C. Maddrey., PP. 133-164. Butterworths, London.
- 26- **De-Backer, M.; De-Keyser, C.; De-Vroey, C. and Lesaffre, E.
(1996) :**
A-12 week treatment for onychomycosis by terbinafine 250
mg/day. Br. J. Dermatol. 134 suppl. 46 : 16-7.
- 27- **De-Duve, C. and Baudhuin, P. (1966) :**
Peroxisomes : Microbodies and related particles. Physiol.
Rev., 46 : 323-37.
- 28- **Denning, D.W. and Stevens, D.A. (1989) :**
Antifungal activity of the allylamine derivate terbinafine in
vitro-British. Med. Journal, 299 : 407-409.

- 55- *Hopsu-Havu, V.K.; Arstila, A.V.; Helminen, H.J. and Kalimo, H.Q.*
(1967) :
Improvements in the method for the electron microscopic
localization of arylsulphatase activity. *Histochemistry*, 8 :
54-64.
- 56- *Hopwood, D. and Nyfros, A.* (1976) :
Effect of methotrexate therapy in psoriatic on the Ito cells in
liver biopsies, Assessed by point-counting. *J. Clin. Pathol.*,
29 : 698-703.
- 57- *Hysmith, R.M. and Boor, P.J.* (1986) :
Comparative toxicity of the cardiovascular toxin allylamine
to porcine aortic smooth muscle and endothelial cells.
Toxicology 38(2) : 141-150.
- 58- *Ibrahim, N.; Burke, J.P. and Beattie, D.S.* (1974) :
The sensitivity of rat liver and yeast mitochondrial
ribosomes to inhibitors of proteins synthesis.
J. Cell Biol., 62 : 20.
- 59- *Ishak, K.G.* (1982) :
Pathology of the drug-induced toxic disease. In the liver
edited by R.H. Ridell. PP. 457-514. Churchill-Livingstone.
New York.
- 60- *James, M.P.; Siria, P.; Jacqueline, P. and Pedro, V.* (1987) :
An atlas and text of ultrastructural pathology PP. 1-12 Raen
Press, New York.
- 61- *Jensen, J.C.* (1989) :
Clinical pharmacokinetics of terbinafine. *Clin. Exp.*
Dermatol., 14 : 110-113.
- 62- *Jensen, J.C.* (1990) :
Pharmacokinetics of lamisil : In humans. *J. Dermatol*
Treatment 1 (suppl 2) : 15-18.
- 63- *Jewell, S.A.; Bellomo, G.; Thor, H.; Orrenius, S. and Smith, M.T.*
(1982):
Bleb formation in hepatocytes during drug metabolism is
caused by disturbances in thiol and calcium ion homeostasis.
Science, 217 : 1257-1259.

- 64- Jones, A.E. and Summerfield, J.A. (1982) :
Kupffer cells. In : The liver : Biology and pathobiology.
Edited by I.M.Arias & H. Popper PP. 507 - 523. Raven
Press, New York.
- 65- Julia, J.C. and Diana, B.R. (1992) :
Pharmacokinetics of terbinafine in humans. J. Derm.
Treatment, 1(Suppl. 2) : 15-18.
- 66- Jungermann, K. and Katz, N. (1982) :
Functional hepatocellular heterogeneity. Hepatology. 2 :
385-395.
- 67- Junqueira, L.C.; Carneiro, R.O.J. and Long, A.N. (1990) :
Basic Histology Fifth ed. PP. 365 Lange Medical Publication
California.
- 68- Karrer, H.E. (1961) :
Electron microscope observation on chick embryo. Liver. J.
Ultrast. Res., 5 : 116.
- 69- Kendry, G. and Laszlo, B. (1975) :
Morphologic spectrum of drug-induced liver damage. Light
and electron microscopic study. Mag. Lorr. Arch. V.M. 28 :
269.
- 70- Kent, G.; Ionuys, T.; Minik, O.T. and Baha, R.M. (1977) :
Role of lipocytes in fibrogenesis. In Wisse, E. and Knook,
D.L. (eds) PP. 73-82 Elsevier/ North. Holland, Amsterdam.
- 71- Leeson, R.C.; Leeson, T.S. and Paparo, A.A. (1990) :
Text book of Histology, 5th Ed., PP. 310, W.B. Saunders
Company, Philadelphia.
- 72- Leeu, W.M.A.; McCarthy, S.P.; Geerts, A. and Knook, D.L. (1984) :
Purified rat liver fat-storing cells in culture divide and
contain collagen. Hepatology, 4 : 392-403.
- 73- Lever, L.R.; Dykes, P.J.; Thomas, R. and Finlay, A.Y. (1990) :
How orally administered terbinafine reaches stratum
corneum, J. Dermatol. Treatment. 1(suppl. 2) : 23-25.

- 74- Lin, C. and Change, J.P. (1975) :**
Electron microscopy of Albumin synthesis. *Science*, 190 : 465.
- 75- Lobordi, R.Y. (1966):**
Considerations on the pathogenesis of fatty liver. *Lab. Invest.*, 15:1-20
- 76- Loud, A.V. (1968):**
A quantitative stereological description of the ultrastructure of normal rat liver parenchymal cells. *J. Cell Biol*, 37 : 27-46.
- 77- Ma, M.H. and Biempica, L. (1971) :**
The normal human liver cell : cytochemical and ultrastructural studies.
Am. J. Path., 62 : 353-390.
- 78- MacSween, R.N. and Scothorne, R.J. (1979) :**
Pathology of the liver. Churchill. Livingstone. Edinburg, London and New York.
- 79- McGree, J.O. and Patrick, R.S. (1972) :**
The role of perisinusoidal cells in hepatic fibrogenesis. An electron microscopic study of acute carbon tetrachloride liver injury. *Lab. Invest.* 26 : 429-440.
- 80- Meyer, D.J.; Yancey, B. and Revel, J.P. (1981) :**
Intercellular communication in normal and regenerating rat liver : a quantitative analysis. *J. Cell Biol.*, 91 : 505-525.
- 81- Miller, F. and Palade, G.E. (1964) :**
Lytic activities in renal protein absorption droplets : An electron microscopical cytochemical study. *J. Cell Biol.*, 23 : 519-55.
- 82- Millonig, G. (1961) :**
Advances of phosphate buffer. *J. App. Phys.*, 32 : 1637.
- 83- Mori, M. (1983) :**
Ultrastructural changes of hepatocyte organelles induced by chemicals and their relation to fat accumulation in the liver. *Acta Pathol. Jpn.*, 33 : 911-922.

- 111- Ryder, N.S. (1992) :**
 Allylamine antifungal drug. In : Current topics in medical mycology. New York : Springer-Verlag, 4 : 158-188.
- 112- Sabatin, D.S.; Bench, K. and Barret, M. (1963) :**
 Cytochemistry and preservation of cellular ultrastructural and enzymatic activity by aldehyde fixation.
 J. Cell. Biol. 17 : 19-21.
- 113- Saleh, A.H. and Mousa, R.B. (1986) :**
 Histological and Histochemical studies on the effect of chloramphenicol on the liver of albino rat.
 Egypt J. Hist., 9 (1) : 3-10.
- 114- Savin, R.C. (1989) :**
 Successful treatment of chronic tinea pedis with terbinafine.
 Clinical and Experimental Dermatology. 14 : 116-119.
- 115- Schachter, H.; Jabbal, I.; Hudgin, R.L. and Pinteric, L. (1970) :**
 Intercellular localization of liver sugar nucleotide glycoprotein glycosyl. Transferases in Golgi rish fraction.
 J. Biol. Chem., 245 : 1090-1170.
- 116- Schuster, I. (1985) :**
 The interaction of representative members from two classes of antimycotics-the azoles and the allylamines. With cytochrome P-450 in steroidogenic tissues and liver.
 Xenobiotica 15 : 529-546.
- 117- Schuster, I. (1987) :**
 Potential of allylamines to inhibit cytochrome P-450 In :Recent trends in the Discovery, development and evaluation of antifungal agents (Fromtling RA, ed.) . Barcelona : J.R. Prous. PP : 471-478.
- 118- Schuster, I.; Schaude, M.; Schatz, F. and Mieth, H. (1988) :**
 Preclinical characteristics of alyalmines. Weinheim, PP. 449-470. Germany.
- 119- Schwartz, D. (1969) :**
 Preferential synthesis of ferritin and albumin by different populations of liver polysomes.
 Science, 164: 584-586.

- 120- Seyffer, R.; Eichelbaum, M.; Jensen, J.C. and Klotz, U. (1989) :**
Antipyrine metabolism is not affected by terbinafine, a new antifungal agent. *European J. Clinical Pharmacology*, 37 : 231-233.
- 121- Smith, U.N.A.; Smith, D.S. and Yunis, S.A.A. (1970) :**
Chloramphenicol related changes in mitochondrial genome Hela cells. *J. Cell, Biol.*, 56 : 819.
- 122- Snell, R.S. (1984) :**
Clinical and functional histology for medical students. 3rd. ed. P. 379-391. Little Brown and Co-Boston-Toronto.
- 123- Stein, O. and Stein, Y. (1967) :**
Lipid synthesis, intracellular transport, storage and secretion. *J. Cell Biol.*, 33 : 319-339.
- 124- Sternlieb, I. and Quintana, N. (1977) :**
The peroxisomes of human hepatocytes *Lab. Invest.*, 36 : 140-149.
- 125- Stricker, B.H.; De-Jong, P.A. and Schreuder, F. (1992):**
Loss of taste sensation in terbinafine administration. *Med-Tijdschr-Geneskd*, 136 (49) : 2438-2440.
- 126- Sutfin, L.V.; Holtrof, M.E. and Ogilvie, R.E. (1971) :**
Microanalysis of individual mitochondrial granules with diameter less than 1000A°. *Science*, 174 : 947-949.
- 127- Tanikawa, K. and Ikejiri, N. (1977) :**
Fine structural alterations of the sinusoidal lining cells in various liver disease. In Kupffer cells and other liver sinusoidal cells, edited by E. Wisse and D.L. Knook PP. 153-172 Biomedical Press, Amsterdam.
- 128- Tanikawa, K.; Egnchi, T. and Ikejiri, N. (1979) :**
Ultrastructural aspects of the liver and its disorders. 2nd ed. Tokyo, New York.

- 129- *Thys, O.; Hildbrand, J.; Gerin, Y. and Jacques, P.J. (1973) :*
Alteration of rat liver lysosomes and smooth endoplasmic reticulum induced by diazafluoranthene derivative. Morphologic and biochemical lesions. *Lab. Invest.*, 28 : 70-82.
- 130- *Trump, B.F. and Arstila, A.U. (1975) :*
Cellular reaction to injury. Edited by : La Via F. and Hill, R.B. principals of pathology 2nd edition Page : 9-Oxford Univ. Press, Oxford.
- 131- *Truve, B.F. and Jones, R.T. (1976) :*
Pathology of organelles in human hepatic parenchymal cells in : progress in liver diseases. Vol. V. Grune & Stratton, London.
- 132- *Van den Bossche, H.; Willemsence, G.; Cooles, W.; Marichal, P. and Lauwers, W. (1983) :*
In vivo and in vitro effects of the antimycotic drug ketoconazole on sterol synthesis. *Biochem. Society Transactions*, 11 : 665-7.
- 133- *Van, T.; Wont, T.W.; Herrmann, W.A.; De-Vries, R.A. and Stricher, B.H. (1994):*
Terbinafine associated hepatic injury. *J. Hepatol.*, 21 (1) : 115-117.
- 134- *Villaris, V. and Jones, T.C. (1990):*
Present status of the efficacy and tolerability of terbinafine- a new topical and systemic fungicidal drug for treatment of dermatomycoses. *Clinical and Experimental Dermatology*, 14 : 124-127.
- 135- *Walter, J.B. and Israel, M.S. (1974) :*
General pathology. 4th ed. : Churchill Livingstone.
- 136- *Watson, M.L. (1962) :*
Observation on a granule associated with chromatin in the nuclei of cells of rat and mouse. *J. cell Biol.*, 13 : 162-167.

- 137- William, J.K. and Harry, J.C. (1994) :**
Essentials of Histology. Text Atlas/Review 1st. ed. PP. 427-475. Library of Congress America.
- 138- Willis, E.J. (1965) :**
Crystalline structure in the mitochondria of normal human liver parenchymal cells. *J. Cell Biol.*, 24 : 551-514.
- 139- Wilson, R.A. (1984) :**
An ultrastructural characterization of the endothelial cell in rat liver sinusoid under normal and various experimental conditions. *J. Ultrastr. Res.*, 38 : 528-562.
- 140- Wisse, E. and Deams, T. (1970) :**
Fine structural study on the sinusoidal living cells of rat liver. In van Furth, R. ed. *Mononuclear phagocytes*, P. 200-216 Blackwell, Oxford.
- 141- Wisse, E.; Vant, T.; Noordende, J.M.; VanDer Meulen, J. and Daems, W.T. (1976) :**
The pit cell; description of a new cell type occurring in rat liver sinusoids and peripheral blood. *Cell Tissue Res.*, 173 : 423-435.
- 142- Wisse, E. and Knook, D.L. (1979) :**
The investigation of sinusoidal cells. *Prog. Liv. Dis.*, 6 : 153-171.
- 143- Wisse, E.; DeZanger, R.B.; Jacobs, R. and McCuskey, R.S. (1983):**
Scanning electron microscope observations on the structure of portal veins, sinusoids and central veins in rat liver. *Scan. Electron Microsc.*, (pt.3) : 1441-1452.
- 144- Wisse, E.; DeZanger, R.B.; Charels, K.; VanDer Smissen, P. and McCuskey, R.S. (1985) :**
The liver sieve : Considerations concerning the structure and function of endothelial fenestrae. The sinusoidal wall and the space of Disse. *Hepatology*, 5 : 683-691.

- 145- Wood, L.J. and Powell, L.W. (1984) :**
Liver disease : When drugs may be the cause, Medical Progress, 6 : 39-43.
- 146- Yamamoto, K. and Phillips, M.J. (1984) :**
Bile ductular plexus in normal rat liver. Hepatology, 3: 381-385.
- 147- Yamamoto, K.; Fisher, M.M. and Phillips, M.J. (1985) :**
Hillar biliary plexus in human liver. Lab. Invest., 52 : 103-106.
- 148- Yee, A.G. and Revel, J.P. (1975) :**
Endothelial cell junctions. J. Cell Biol. 66 : 200-204.
- 149- Yokio, Y.; Akihisa, M.; Kenichiro, M.; Koh, V.; Junko, T.; Haraya, I.; Hiroyuki, K. and Toshihiko, N. (1983) :**
Detection of desmin in Ito cells. J. Clin. Electron Microsc., 16 : 5-6.
- 150- Zachariae, H.; Kragballe, K. and Sogaard, H. (1980) :**
Methotrexate induced liver cirrhosis. Br. J. Dermat., 102 : 407-412.
- 151- Zaias, N. and Serranot, L. (1989) :**
The successful treatment of finger trichophyton rubrum onychomycosis with oral terbinafine. Clin. and Experimental Dermatol. 14 : 120-123.
- 152- Zimmerman, H.J. and Ishak, K.G. (1979) :**
Drug induced toxic liver injury. In : Pathology of liver, edited by R.N.N. Mac Sween, P.P. and Sheuer PP. 335-386. Churchill, Livingstone, Edinburgh.