

References

1. *Abedi, H. and Zachary, I. (1997):* Vascular endothelial growth factor stimulates tyrosine phosphorylation and recruitment to new focal adhesions of focal adhesion kinase and paxillin in endothelial cells. *J Biol chem.* 272: 15442- 1545.
2. *Aiello, L.P.; Avery, R.L.; Arrigg, P.G.; Keyt, B.A.; Jampel, H.D.; Shah, S.T.; Pasquale, L.R.; Theme, H.; Iwamoto, M.A.; Parke, J.E.; Nguyen, M.D.; Aiello, L.M.; Ferrara, N. and King, G.L.(1994):* Vascular endothelial growth factor in ocular fluids of patients with diabetic retinopathy and other retinal disorders. *N Engl J Med.* 1994; 331: 1480- 1487.
3. *Asahara, T. et al(1995):* Local delivery of vascular endothelial growth factor accelerates reendothelialization and attenuates intimal hyperplasia in balloon-injured rat carotid artery *Circulation* 91: 2793.
4. *Asahara, T.; Chen, D.; Tsurumi, Y.; Kearney, M.; Rossow, S.; Passeri, J.; Symes, J.F. and Isner, J.M. (1996):* Accelerated restitution of endothelial integrity and endothelium-dependent function after PhVEGF₁₆₅ gene transfer. *Circulation* 94: 3291- 3302.
5. *Baffour, R.; Berman, J.; Garb, J.L.; Rhee, S.W.; Kaufman, J. and Friedmann, P.(1992):* Enhanced angiogenesis and growth of collaterals by in vivo administration of recombinant basic fibroblast growth factor in a rabbit model of acute lower limb ischemia: dose-response effect of basic fibroblast growth factor *J vasc surg.* 16: 181-191.

6. **Banani, S.; Jaklitsch, M.T.; Shou, M.; Lazarous, D.F.; Scheinowitz, M.; Biro, S.; Epstein, S.E. and Unger, E.F. (1995):** Angiogenic-induced enhancement of collateral blood flow to ischemic myocardium by vascular endothelial growth factor in dogs *Circulation*; 89: 2183-2189.
7. **Bancroft and gamble, (2002):** Theory and practice of Histological technigues. S th. Ed. P 453-455.
8. **Baumgartner, I.; Pieczek, A.; Manor, O.; Blair, R.; Kearney, M.; Walsh, K. and Isner, J.M. (1998):** Constitutive expression of rhVEGF165 after intramuscular gene transfer promotes collateral vessel development in patients with critical limb ischemia. *Circulation* 97: 114-1123.
9. **Benjamin, L.E.; Golijanin, D.; Itin, A.; Pode, D. and Keshet, E. (1999):** Selective ablation of immature blood vessels in established human tumors follows vascular endothelial growth factor withdrawal. *J clin Invest* 103: 159-195.
10. **Blair, R.J.; Meng, H.; Marchese, M.J.; Ren, S.; Schwartz, L.B.; Tonnesen, M.G. and Gruber, B.L. (1997):** Human mast cells stimulate vascular tube formation. Tryptase is a novel, potent angiogenic factor. *J clin Invest* 99: 2691-270.
11. **Bouche, G, Baldin, V.; Belenguer, P.; Prats. H. and Amalric, F. (1994):** Activation of rDNA transcription by FGF-2: Key role of protein kinase CKII. *Cell Mol Biol Res* 40: 547- 554.
12. **Bouck, N.; Stellmach, V. and Hsu, S.C. (1996):** How tumors become angiogenic. *Adv Cancer Res* 69: 135 – 174.
13. **Brown, L.F.; Detmar, M.; Claffey, K.; Nagy, J.A.; Feng, D.; Dvorāk, A.M. and Dvorak, H.F. (1997):** Vascular permeability factor/vascular endothelial growth factor: A multifunctional angiogenic cytokine. *Exs* 79: 233- 269.

14. *Callow, A.D.; Choi, E.T.; Trachtenberg, J.D.; Stevens, S.L.; Connolly, D.T.; Rodi, C. and Ryan, U.S. (1994):* Vascular permeability factor accelerates endothelial regrowth following balloon angioplasty. *Growth factors* 10: 223-228.
15. *Camussi, G.; Montrucchio, G.; Lupia, E.; Soldi, R.; Comoglio, P.M. and Bussolino, F. (1997):* Angiogenesis induced in vivo by hepatocyte growth factor is mediated by platelet-activating factor synthesis from macrophages. *J Immunol* 158: 1302-1309.
16. *Capra, J.D. and Edmundson, A.B. (1977) :* The antibody combining site *scientific American*, 236: 50-59.
17. *Carlos, T.M. and Harlan, J.M. (1994):* Leukocyte-endothelial adhesion molecules. *Blood* 84: 2068- 2101.
18. *Carmeliet, P. and Collen, D. (1998):* Vascular development and disorders: Molecular analysis and pathogenic insights. *Kidney Int* 53: 1519-1549.
19. *Carmeliet, P.; Ng, Y. S.; Nuyens, D.; Theilmeier, G.; Brusselmans, K.; Cornelissen, I.; Ehler, E.; Kakkar, V. V.; Stalmans, I.; Mattot, V.; Perriard, J.C.; Dewerchin, M.; Flameng, W.; Nagy, A.; Ľupu, F.; Moons, L.; Collen, D.; D'Amore, P.A. and Shima, D.T. (1999):* Impaired myocardial angiogenesis and ischemic cardiomyopathy in mice lacking the vascular endothelial growth factor isoforms VEGF164 and VEGF188. *Nat Med* s: 495-502.
20. *Celletti, F.; Waugh, J.; Amabile, P. (2001) :* Vascular endothelial growth factor enhances atherosclerotic plaque progression. *Nat Med* ; 7: 425-429.

71. **Mattei, M.G.; Borg, J.P.; Rosnet, O.; Marme, D. and Birnbaum, D. (1996):** Assignment of vascular endothelial growth factor (VEGF) and placenta growth factor (PLGF) genes to human chromosome 6p12-P21 and 14q24-Q31 regions, respectively. *Genomics* 32: 168-169.
72. **Meyer, M.; Clauss, M.; Lepple Wienhues, A.; Waltenberger, J.; Augustin, H.G.; Ziche, M.; Lanz, C.; Buttner, M.; Rziha, H.J. and Dehio, C. (1999):** A novel vascular endothelial growth factor encoded by Orf virus, VEGF-E, mediates angiogenesis via signalling through VEGFR-2 (KDR) but not VEGFR-1 (Flt-1) receptor tyrosine Kinases. *EMB J* 18: 363- 374.
73. **Paterno, R.; Faraci, F.M. and Heistad, D.D.(1994):** Age-related changes in release of endothelium-derived relaxing factor from the carotid artery Stroke. 25: 2459-2462.
74. **Pearlman, J.D.; Hibberd, M.G.; Chuang, M.L, Harada, K.; Lopez, J.J.; Gladston, S.R.; Friedman, M.; Sellke, F.W. and Simons, M.(1995):** Magnetic resonance mapping demonstrates benefits of VEGF-induced myocardial angiogenesis *Nat Med.* 2: 543-539.
75. **Pepper, M.S.; Mandriota, S.J.; Jeltsch, M.; Kumar, V. and Alitalo, K. (1998):** Vascular endothelial growth factor (VEGF)-C synergizes with basic fibroblast growth factor and VEGF in the induction of angiogenesis in vitro and alters endothelial cell extracellular proteolytic activity. *J cell physiol* 177: 349- 452.
76. **Phillips, G.D. and Stone, A.M.(1994):** PDGF-BB induced chemotaxis is impaired in aged capillary endothelial cells. *Mech Ageing Dev* 25: 24-34.



77. **Pili, R.; Guo, Y.; Chang, J.; Nakanishi, H.; Martin, G.R. and Passaniti, A. (1994):** Altered angiogenesis underlying age-dependent changes in tumor growth J Natl Cancer Inst. 86: 1303-1314.
78. **Polverini, P.J.; Cotran, P.S.; Gimbrone, M.A., Jr, and Unanue, E.R. (1977):** Activated macrophages induce vascular proliferation 82: 31-41
79. **Rajotte, D.; Arap, W.; Hagedorn, M.; Koivunen, E.; Pasqualini, R. and Ruoslahti, E. (1998):** Molecular heterogeneity of the vascular endothelium revealed by in vivo phage display. J clin Invest 102: 340-437.
80. **Richardson, M.; Hadcock, S.J.; Dereske, M. and Cybulsky, M.I. (1994):** Increased expression in vivo of VCAM-1 and E-selectin by the aortic endothelium of normolipemic and hyperlipemic diabetic rabbits. Arterioscler thromb 14: 760-769.
81. **Risau, W. (1997):** Mechanisms of angiogenesis. Nature (land) 386: 671- 674.
82. **Sata, M.; Perlman, H.; Muruve, D.A.; Silver, M.; Jkebe, M.; Libermann, T.A.; Oettgen, P. and Walsh, K. (1998):** Fas ligand gene transfer to the vessel wall inhibits neointima formation and overrides the adenovirus- mediated T-cell response. Proc Natl Acad Sci USA 95: 1213- 1217.
83. **Schiffenbauer, Y.S.; Abramovitch, R.; Meir, G.; Nevo, N.; Holzinger, M.; Itin, A.; Keshet, E. and Neeman, M. (1997):** Loss of ovarian function promotes angiogenesis in human ovarian carcinoma. Proc Natl Acad Sci USA 94: 13203- 13208.



84. **Senger, D.R.; Galli, S.J.; Dvorak, A.M.; Perruzzi, C.A.; Harvey, V.S. and Dvorak, H.F. (1983):** Tumour cells secrete a vascular permeability factor that promotes accumulation of ascites fluid. *Science (wash Dc)* 219: 983- 985.
85. **Shen, B.Q.; Lee, D.Y. and Zioncheck, T.F. (1999):** Vascular endothelial growth factor governs endothelial nitric-oxide synthase expression via a KDR/Flk-1 receptor and a protein kinase C signaling pathway. *J Biol chem.* 274: 33057- 33063.
86. **Sidky, Y.A. and Auerbach, R. (1975):** Lymphocyte-induced angiogenesis: A quantitative and sensitive assay of the graft-vs.-host reaction. *J Exp Med* 141: 1084- 1100.
87. **Stetler Stevenson, W.G. (1999):** Matrix metalloproteinases in angiogenesis: A moving target for therapeutic intervention. *J din Invest* 103: 1237- 1241.
88. **Sunderkotter, C.; Steinbrink, K.; Henseleit, U.; Bosse, R.; Schwarz, A.; Vestweber, D. and Sorg, C. (1996):** Activated T cells induce expression of E-selectin in vitro and in an antigen-dependent manner in vivo *Lab Invest* 75: 487-502.
89. **Taddei, S.; Viridis, A.; Mattei, P.; Ghiadoni, L.; Gennari, A.; Fasolo, B.; Sudano, I. and Salvetti, A. (1995):** Aging and endothelial function in normotensive subjects and patients with essential hypertension *Circulation* 25: 2411-2415.
90. **Takeshita S, Zheng LP, Brogi E, Kearney M, Pu LQ, Bunting S, Ferrara N, Symes JF and Isner JM (1994):** Therapeutic angiogenesis. A single intraarterial bolus of vascular endothelial growth factor augments revascularization in a rabbit ischemic hind limb model. *Lab Invest* 75: 487.



91. **Takeshita, S.; Rossow, S.T.; Kearney, M.; Zheng, L.P.; Bauters, C.; Bunting, S.; Ferrara, N.; Symes, J.F. and Isner, J.M.(1996):** Time course of increased cellular proliferation in collateral arteries following administration of vascular endothelial growth factor in a rabbit model of lower limb vascular insufficiency. *Am J pathol.* 147: 1649-1660.
92. **Takeshita, S.; Tsurumi, Y.; Couffinhal, T.; Asahara, T.; Bauters, C.; Symes, J.F.; Ferrara, N. and Isner, J.M. (1995):** Gene transfer of naked DNA encoding for three isoforms of vascular endothelial growth factor stimulates collateral development in vivo. *Lab invest* 75: 487.
93. **Taub, P.J.; Marmur, J.D.; Zhang, W.X.; Senderoff, D.; Nhat, P.D.; Phelps, R.; Urken, M.L.; Silver, L. and Weinberg, H. (1998):** Locally administrated vascular endothelial growth factor CDNA increases survival of ischemic experimental skin flaps. *Plast Reconstr surg* 102: 2033- 2039.
94. **Tschudi, M.R.; Barton, M.; Bersinger, N.A.; Moreau, P.; Cosentino, F.; Noll, G.; Malinski, T. and Luscher, T.F.(1996):** Effect of age on kinetics of nitric oxide release in rat aorta and pulmonary artery. *J Clin Invest* 28: 2451-2491.
95. **Valente, P.; Fassina, G.; Melchiori, A.; Masiello, L.; Cilli, M.; Vacca, A.; Onisto, M.; Santi, L.; Stetler Stevenson, W.G. and Albini, A. (1998):** TIMP-2 over-expression reduces invasion and angiogenesis and protects B16F10 melanoma cells from apoptosis. *Int J cancer* 75: 246- 253.
96. **Vanhee, D.; Delneste, Y.; Lassalle, P.; Gosset, P.; Joseph, M.; and Tonnel, A.B. (1994):** Modulation of endothelial cell adhesion molecule expression in a situation of chronic inflammatory stimulation. *Cell Immunol* 125: 446- 456.

97. **Varner, J.A. (1997):** The role of vascular cell integrins $\alpha v\beta 3$ and $\alpha v\beta 5$ in angiogenesis.
98. **Verstraete M (1995):** Endothelial cell – Mediated coagulation, anticoagulation and fibrinolysis, in the Endothelial cell in health and disease (uane JR, Brom GUR and welzel Deds) pp 147-164, Schweitzer, Stuttgart, new york.
99. **Weisburger, E.K.; Russfield, A.B.; Homburger, F.; Weisburger, J.H.; Boger, E.; Van Dongen, C.G. and Chu,(1978):** Testing of twenty- one environmental aromatic amines or derivatives for long- term toxicity or carcinogenicity. Journal of Environmental Pathology and Toxicology, 2, 325-356.
100. **Wellner, M.; Maasch, C.; Kupprion, C.; Lindschau, C.; Luft, F.C. and Haller, H. (1999):** The proliferative effect of vascular endothelial growth factor requires protein kinase C- α and protein kinase C- ζ Circulation 96: 2667-2674.
101. **Wheeler Jones, C.; Abu, Ghazaleh, R.; Cospedal, R.; Houliston, R.A.; Martin, J. and Zachary, I. (1997):** Vascular endothelial growth factor stimulates prostacyclin production, and activation of cytosolic phospholipase A2 in endothelial cells via P42/ P44 mitogen- activated protein Kinase. FEBS Lett 420: 28-32.
102. **Wolfe, M.M.; Bynum, T.E.; Parsons, W.G.; Malone, K.M.; Szabo, S. and Folkman, J. (1995):** Safety and efficacy of an angiogenic peptide, basic fibroblast growth factor (BFGF), in the treatment of gastroduodenal ulcers. Gastro enterology 106: A212.
103. **Yang, H.T.; Deschenes, M.R.; Ogilvie, R.W. and Terjung, R.L.(1996):** Basic fibroblast growth factor increases collateral blood flow in rats with femoral arterial ligation. Mol cell Biol 17: 4015- 4023.

104. *Yoshida, S.; Ono, M.; Shono, T.; Izumi, H.; Ishibashi, T.; Suzuki, H. and Kuwano, M. (1997):* Involvement of interleukin-8, vascular endothelial growth factor, and basic fibroblast growth factor in tumor necrosis factor α -dependent angiogenesis. *circulation* 101: 207-213.
105. *Yu, Y. and Sato, J.D. (1999):* MAP kinases, phosphatidylinositol 3-kinase, and P70 S6 kinase mediate the mitogenic response of human endothelial cells to vascular endothelial growth factor. *J cell physiol* 178: 232- 246.
106. *Ziche, M.; Morbidelli, L.; Choudhuri, R.; Zhang, H.T.; Donnini, S.; Granger, H.J. and Bicknell, R. (1997):* Nitric oxide synthase lies downstream from vascular endothelial growth factor-induced but not basic fibroblast growth factor-induced angiogenesis. *J clin Invest* 99: 2625- 2634.