

REFERENCES

- 1) Bender, M.A.; Griggs, H.G. and Bedford, J.S. (1974):
Mechanisms of chromosomal aberrations production:
Chemicals and ionizing radiation.
Mutat. Res., 23: 197-212.
- 2) Biemond, P.; Gswaak, A.J.; Penders, J.M. and Beindoroff, C.M. (1986):
Superoxide production by polymorphonuclear leukocytes in rheumatoid arthritis and osteoarthritis: in vivo inhibition by the antirheumatic drug piroxicam due to interference with the activation of the NADPH-oxidase
Ann. Rheum. Dis., 45: 249-255.
- 3) Blackshear, J.L.; Davidman, M. and Stillman, T. (1983):
Identification of risk for renal insufficiency from non steroidal anti-inflammatory drugs.
Arch. Intern. Med., 143: 1130-1134.
- 4) Brater, D.G. (1986):
Drug-drug and drug-disease interactions with non steroidal anti-inflammatory drugs.
Am. J. Med., 80 (Suppl. 1A): 62-77.
- 5) Brooks, P.M. (1990):
Non steroidal anti-inflammatory drugs.
Med. Int., 75: 3105-3109.
- 6) Chan, W.Y. (1983):
Prostaglandins and non-steroidal anti-inflammatory drugs in dysmenorrhea.
Ann. Rev. Pharmacol. Toxicol., 23: 131-149.
- 7) Chow, S.C.; Sisfontes, L.; Bjorkhem, I. and Jondal, M. (1989):
Suppression of growth in a leukemic T cell line by n-3 and n-6 polyunsaturated fatty acids.
Lipids; 700-704.

24(8)

8) Clive, D.M. and Stoff, J.S. (1984):

Renal syndromes associated with non steroidal anti-inflammatory drugs.
N. Eng. J. Med., 310: 563-572.

9) Court-Brown, W.M.; Buckton, K.E.; Jacobs, P.A.; Tough, I.M.; Kuenssberg, E.V. and Knox, J.D.E. (1966):

Chromosome studies on adults, Eugenics laboratory Memoirs 42, Cambridge University Press London.

10) Cush, J.J.; Jasin, H.E.; Johnson, R. and Lipsky, P.E. (1990):

Relationship between clinical efficacy and laboratory correlates of inflammatory and immunologic activity in rheumatoid arthritis patients treated with NSAIDs
Arthritis Rheum., 33: 623-633.

11) Dale, M.M. and Foreman, J.C. (1989):

Non-steroidal anti-inflammatory drugs. In: Dale, M.M. and Foreman, J.C. (eds.) Text Book of Immunopharmacology, PP. 290-299, Blackwell Scientific Publications, Oxford.

12) Dalmau, S.R.; Maciel, C.M. and Freitas, C.S. (1989):

Jacacilin an excellent lectin for obtaining T cell growth activity from rat spleen cells.
Braz. J. Med. Biol. Res. : 1111-1120.

22(9)

13) Datta, P.K. and Schleiermacher, E. (1969):

The effects of cytoxan on the chromosomes of mouse bone marrow.
Mutat. Res., 8: 623-628.

14) Del-Favero, A. (1988):

Anti-inflammatory analgesics and drugs used in rheumatoid arthritis and gout. In: Dukes, M.M.G. and Beeley L. (eds.) Side effects of drugs annual 12: 79-100, Elsevier Science Publishers B.V., Oxford.

15) Dunn, M.G. (1984):

Non-steroidal anti-inflammatory drugs and renal function.
Ann. Rev. Med., 35: 411-428.

16) Dunn, M.J. and Zambraski, E.J. (1980):

Renal effects of drugs that inhibit prostaglandin synthesis. Kidney Int., 18: 609-622.

17) Ferreira, S.H. (1972):

Prostaglandins, aspirin like drugs and analgesia.
Nature, 240: 200-203.

18) Fisherman, E.W. and Cohen, G.N. (1978):

Hypersensitivity to five anti-inflammatory agents: ibuprofen, fenoprofen, indomethacin, naproxen and tolmetin.
Ann. Allergy, 41: 75-77.

19) Flower, R.J. (1974):

Drugs which inhibit prostaglandin biosynthesis.
Pharmacol. Rev., 26: 33-67.

20) Flower, R.G.; Moncada, S. and Vane, J.R. (1985):

Drug therapy of inflammation. In: Gilman, A.G.; Goodman, L.S.; Rall, T.W. and Murad, F. (eds.) The Pharmacological Basis of Therapeutics, 7th ed. PP. 674-715, Macmillan Publishing Company, New York.

21) Fox, D.A. and Jick, H. (1984):

Non steroidal anti-inflammatory drugs and renal diseases.
J.A.M.A., 251, P. 1229-1300.

22) Freund, J.E. and Williams, F.J. (1975):

Elementary Business Statistics: The modern approach, 2nd edition, PP. 267-283 and 475-477, Prentice-Hall International Inc, London.

- 23) Friedman, J.; Shabtai, F.; Levy, L.S. and Djaldetti, M. (1987):
Chromium chloride induces chromosomal aberrations in human lymphocytes via indirect action.
Mutat. Res., 191 (3-4); P: 207-210.
- 24) Furuta, Y.; Hunter, N.; Barkley, H.T.; Hall, E. and Milas, L. (1988):
Effect of prostaglandins inhibitors on tumour response to ionizing radiation.
Cancer. Res., 48: 3008-3013.
- 25) Gadd, M.A. and Hansbrough, J.F. (1990):
Postburn suppression of murine lymphocyte and neutrophil functions is not reversed by prostaglandin blockade.
J. Surg. Res., 48 (1), P. 84-90.
- 26) Garella, S. and Matarese, R.A. (1984):
Renal effects of prostaglandins and clinical adverse effects of non steroidal anti-inflammatory agents.
Medicine, 63: 165-181.
- 27) Gati, I.; Bergstrom, M.; Westerberg, G.; Csoka, K.; Muhr, C. and Carlsson, J. (1990):
Effects of prostaglandin and leukotriene inhibitors on the growth of human glioma spheroids.
Eur. J. Cancer., 26 (7): 802-807.
- 28) Genest, P. and Auger, C. (1963):
Observation on the technique for the study of human chromosomes by the culture of leukocytes from peripheral blood.
Can. Med. Assoc. J., 88: 302.
- 29) Goetzl, E.J. and Pickett, W.C. (1980):
The human PMN leukocyte chemotactic activity of complex hydroxy eicosatetraenoic acids.
J. Immunol., 125: 1789-1791.

30) Goldyne, M.E. (1977):

Prostaglandins and the modulation of immunological responses.
Int. J. Dermatol., 16: 701-712.

31) Goldyne, M.E. (1987):

Prostaglandins and other eicosanoids. In: Katzung, B.G. (ed.) Basic and Clinical Pharmacology, PP. 211-221, Appleton and Lange Publications, California.

32) Gow, P.J. (1987):

Renal impairment associated with non steroidal anti-inflammatory drugs.
Ann. Rheum. Dis., 46: 877-878.

33) Ham, E.A.; Cirrillo, V.J.; Zannetti, M.; Shen, T.Y. and Kuehl, F.A. (1972):

Studies on the mode of action of non-steroid anti-inflammatory agents. In Prostaglandins in Cellular Biology, 53: 345-352.

34) Hamberg, M. (1972):

Inhibition of prostaglandin synthesis in man Biochem. Biophys. Res. Commun., 49: 720-726.

35) Harris, E.D. (1986):

Pathogenesis of rheumatoid arthritis.
Am. J. Med., 80 (Suppl. 4B): 3-10.

36) Henrich, W.L. (1988):

Nephrotoxicity of non steroidal anti-inflammatory agents. In, Diseases of the Kidney. 4th ed., P.1319-1336, ed. by Schrier, R.W. and Gottschalk, C.W.; Little, Brown and Company, Boston.

37) Higgs, G.A.; Vane, J.R.; Hart, F.D. and Wjtulewski, J.A. (1974):

Effects of anti-inflammatory drugs on prostaglandins in rheumatoid arthritis. In, Prostaglandin Synthetase Inhibitors (Robinson, H.J. and Vane, J.R. eds.) 165-173, Raven Press, New York.

- 38) Higgs, G.A.; Eakins, K.E.; Muridge, K.G.; Moncada, S. and Vane, J.R. (1980):
The effects of non steroidal anti-inflammatory drugs on leukocytes migration in carrageenin-induced inflammation.
Eur. J. Pharmacol., 66: 81-86.
- 39) Hoedemaeker, J. (1982):
Drugs induced renal disease. Van Der Hem, GK. (ed) Nephrology, Princeton, Excerpta Medica, P. 335 summary.
- 40) Homem-de-Bittencourt, P.I., Jr.; Pontieri, V.; Curi, R. and Lopes, O.U. (1989):
Effects of aspirin-like drugs on walker 256 tumour growth and cachexia in rats.
Braz. J. Med. Biol. Res.: 1039-1042.
22(8)
- 41) Hughes, R.A. and Sudell, W. (1983):
Haemolytic anaemia associated with naproxen.
Arthritis Rheum., 26: 1054-1059.
- 42) Ip, M.; Lomas, D.A.; Shaw, J.; Burnett, D. and Stock, R.A. (1990):
Effect of non steroidal anti-inflammatory drugs on neutrophil chemotaxis-An in vitro and in vivo study.
Br. J. Rheumatol., 29: 363-367.
- 43) John, V.A. (1979):
The pharmacokinetics and metabolism of diclofenac sodium in animal and in man.
Rheumatol. Rehabil., 2 (Suppl.): 22-37.
- 44) Joyce, N.C.; Meklir, B. and Neufeld, A.H. (1990):
In vitro F pharmacologic separation of corneal endothelial migration and spreading responses.
Invest. Ophthalmol. Vis. Sci., 31 (9): 1816-1826.
- 45) Knusel, O.; Lemmel, E.M.; Waldburge, M.; Pfister, J.A. and Geerling, F.Ch. (1988):
Activated arthritis and its therapy.
Therapiewoche Schweiz, 4: 402-413.

- 46) Kullich, W.; Hermann, J. and Klein, G. (1990):
Cytogenetic studies of human-Lymphocytes under the influence of oxicams.
Z. Rheumatol.: 77-81.
49(2)
- 47) Kuwayama, H.; Nakajima, N.; Matsuo, Y. and Eastwood, G.L. (1990):
Effects of single parenteral indomethacin injection in rat fundic and antral epithelial proliferation.
J. Clin. Gastroenterol.: 872-875.
12(Suppl 1)
- 48) Kwon, A.H.; Uetsuji, S.; Yamamura, M.; Hioki, K. and Yamamoto, M. (1990):
Effect of administration of fibronectin or aprotinin on liver regeneration after experimental hepatectomy.
Ann. Surg.; 295-300.
211(3)
- 49) Lands, W.E. (1981):
Actions of anti-inflammatory drugs.
Trends Pharmacol. Sci., 2: 78-80.
- 50) Larsen, G.L. and Henson, P.M. (1983):
Mediators of inflammation.
Ann. Rev. Immunol., 1: 339-359.
- 51) Leikauf, G.D.; Claesson, H.E.; Doupnik, C.A.; Hybbinette, S. and Grafstrom, R.C. (1990):
Cysteinyl leukotrienes enhance growth of human airway epithelial cells.
Am. J. Physiol., 259 (4 pt 1): 255-261.
- 52) Levi, S.; Goodlad, R.A.; Lee, C.Y.; Stamp, G.; Walport, M.J.; Wright, N.A. and Hodgson, H.J. (1990):
Inhibitory effect of non-steroidal anti-inflammatory drugs on mucosal cell proliferation associated with gastric ulcer healing.
Lancet, 336(8719): 840-843.
- 53) Littlefield, L.G. and Goh, K.O. (1973):
Cytogenetic studies in control men and women.
Cytogenet. Cell Genet., 12: 17-34.

- 54) Livio, M.; Benigni, A.; Zoja, C.; Begnis, R. and Reinuzzi, G.C. (1989):
Differential inhibition by aspirin of platelet thromboxane and renal prostaglandins in the rat.
J. Pharmacol. Exp. Ther., 248: 334-341.
- 55) Maier, P. and Schmid, W. (1976):
Ten model mutagens evaluated by micronucleus test.
Mutat. Res., 40: 325-337.
- 56) Maier, R.; Menasse, R.; Riesterer, L.; Pericin, C.; Ruegg, M. and Zeil, R. (1979):
The pharmacology of diclofenac sodium.
Rheumatol. Rehabil., 2 (Suppl.): 11-18.
- 57) Maier, R. and Wilhelmi, G. (1981):
Influence of anti-inflammatory drugs on spontaneous osteoarthritis in mice. In: A new antirheumatic analgesic agent, Piroprofen, 87-96, ed. by Van der Kost, J.K.; Hans Huber Publishers, Bern, Stuttgart, Vienna.
- 58) Malmsten, C.L. (1979):
Prostaglandins, thromboxanes and platelet.
Br. J. Haematol., 41: 453-458.
- 59) Malmsten, C.L. (1986):
Thromboxanes and leukotrienes in inflammation.
Am. J. Med., 80 (Suppl. 4B): 11-17.
- 60) Matter, B.E. and Grauwiler, J. (1974):
Micronuclei in mouse bone marrow cells. A simple in vivo model for the evaluation of drug-induced chromosomal aberrations.
Mutat. Res., 23: 239-249.
- 61) Matter, B.E.; Jaeger, I. and Grauwiler, J. (1973):
The relationship between the doses of various chemical mutagens required to induce micronuclei in mouse bone marrow and their lethal doses.
Excerpta Medica International Congress Series, 311: 275-279.

- 62) Mehmet, H.; Millar, J.B.; Lehmann, W.; Higgins, T. and Rozenfurt, E. (1990):
Bombesin stimulation of c-fos expression and mitogenesis in Swiss 3T3 cells: The role of prostaglandin E₂-mediated cyclic AMP stimulation.
Exp. Cell. Res., 265-270.
190(2)
- 63) Milas, L.; Furuta, Y.; Hunter, N.; Nishiguchi, I. and Runkel, S. (1990):
Dependence of indomethacin induced potentiation of murine tumour radioresponse on tumour host immunocompetence.
Cancer, Res.: 54473-4477.
50(15)
- 64) Milton, A.S. (1982):
Prostaglandins in fever and the mode of action of antipyretic drugs.
Handbook of Experimental Pharmacology, Vol.60, PP. 257-303 Springer-Verlag, Berlin.
- 65) Milton, A.S. and Wendlandt, S. (1971):
Effect on body temperature of prostaglandins of the A, E and F series on injection into the third ventricle of unanaesthetised cats and rabbits.
J. Physiol. 218: 325-336.
- 66) Moncada, S. and Vane, J.R. (1979):
Pharmacology and endogenous roles of prostaglandin endoperoxides, thromboxane A₂ and prostacyclin.
Pharmacol. Rev., 30: 293-331.
- 67) Moncada, S.; Flower, R.G. and Vane, J.R. (1985):
Prostaglandins, prostacyclin, thromboxane A₂ and Leukotrienes. In, the Pharmacological Basis of Therapeutics, 7th ed., 660-671, ed. by Gilman, A.G.; Goodman, L.S.; Rall, T.W. and Murad, F.; Macmillan Publishing Company, New York.
- 68) Moncada, S.; Gryglewski, R.J.; Bunting, S. and Vane, J.R. (1976):
An enzyme isolated from arteries transforms prostaglandin endoperoxide to an unstable substance that inhibits platelets aggregation.
Nature, 263 : 663-665.

- 69) Morley, J.; Hanson, J.M. and Rumjanek, V.M. (1989):
Lymphokines. In, Textbook of immunology, 168-180, ed.
by Dale, M.M. and Forman, J.C. Blackwell Scientific
Publications, Oxford.
- 70) Nanra, R.S. (1988):
Analgesic-induced renal disease. In: Diseases of the
kidney, 4th ed., 1202-1207, ed by Schrier, R.W. and
Gottschalk, C.W.; Little, Brown and Company, Boston,
Toronto.
- 71) Natarajan, A.T. and Zwanenburg, T.S.B. (1982):
Mechanisms of chromosomal aberrations in mammalian
cells. Mutat. Res., 95: 1-6.
- 72) Negrel, R.; Gaillard, D. and Ailhaud, G. (1989):
Prostacyclin as a potent effector of adipose-cell
differentiation.
Biochem. J., 399-405.
257(2)
- 73) Nishizawa, Y.; Nishii, K.; Kishimoto, S.; Matsumoto, K.
and Sato, B. (1990):
Regulatory role of arachidonic acid-derived metaboli-
tes for proliferation of transformed murine Leydig
cell in serum free culture condition.
Anticancer. Res., 10 (2A): 317-322.
- 74) Nuki, G. (1983):
Non steroidal analgesic and anti-inflammatory agents.
Br. Med. J., 287: 39-43.
- 75) O'Brien, W.M. (1983):
Pharmacology of non steroidal anti-inflammatory drugs
Am. J. Med., 31: 32-39.
- 76) O'Brien, W.M. (1986):
Adverse reactions to non steroidal anti-inflammatory
drugs.
Am. J. Med., 80 (Suppl. 4B): 70-80.

77) Owen, P.R. (1984):

Prostaglandin synthetase inhibitors in the treatment of primary dysmenorrhea.
Am. J. Obstet. Gynecol., 148: 96-103.

78) Palmer, T.S.; Kelley, G.F. and Legator, M.S. (1972):

Method for preparing metaphase figures from rat bone marrow.
Mutat. Res., 16: 161-164.

79) Palmer, R.M.; Stepney, R.J.; Higgs, G.A. and Eakins, K.E. (1980):

Chemokinetic activity of arachidonic acid lipo-oxygenase products on leukocytes of different species
Prostaglandins, 10: 411-418.

80) Patrice, T.; Harb, J.; Foultier, M.T.; Berrada, A.; Robillard, N.; Galmiche, J.P.; Meflah, K. and Lebodic, L. (1989):

Endothelial growth regulation by PGE1 analog misoprostal and indomethacin.
Dig. Dis. Sci., 1681-1685.

34(11)

81) Pead, M.J. and Lanyon, L.E. (1989):

Indomethacin modulation of load-related stimulation of new bone formation in vivo.
Calcif. Tissue. Int.: 34-40.

45(1)

82) Piper, P.J. (1983):

Leukotrienes and other lipo-oxygenase products, P.188,
John Wiley Publications, Bristol.

83) Rang, H.P. and Dale, M.M. (1987):

Local hormones, inflammation and allergy. In: Pharmacology, 177-224, ed. by Rang, H.P. and Dale, M.M., Churchill Livingstone, London.

84) Raw, Ch. V. (1988):

Receptors for various prostaglandins. In, Prostaglandins, Biology and Chemistry of Prostaglandins and Related Eicosanoids, 171-178, ed. by Curtis-Prior, P.B., Churchill Livingstone Publications, New York.

- 85) Rhymer, A.R. and Gengos, D.C. (1983):
Indomethacin. In, Antirheumatic Drugs, 265-278, ed.
by Huskisson, E.C., Praeger Publisher, New York.
- 86) Rose, D.P. and Connolly, J.M. (1990):
Effects of fatty acids and inhibitors of eicosanoid
synthesis on the growth of a human breast cancer cell
line in culture.
Cancer, Res., 50 (22): 7139-7144.
- 87) Sallmann, A.R. (1986):
The history of diclofenac.
Am. J. Med., 80 (Suppl. 4B): 29-33.
- 88) Salmon, S.E. and Higgs, G.A. (1989):
The eicosanoids. In, Textbook of immunopharmacology;
129-141, ed. by Dale, M.M. and Foreman, J.C., Blackwell
Scientific Publications, Oxford.
- 89) Samuelsson, B.; Goldyne, M.; Granstrom, E.; Hamberg,
M.; Hammarstrom, S. and Malmsten, C. (1978):
Prostaglandins and thromboxanes.
Ann. Rev. Biochem., 47: 997-1029.
- 90) Seng, G.F.; Benensohn, J. and Bayer, B.M. (1990):
Changes in T and B lymphocyte proliferative responses
in adjuvant arthritic rats: antagonism by indomethacin
Eur. J. Pharmacol., 267-273.
178(3)
- 91) Schleiermacher, E. (1971):
Chromosome aberrations in mitoses and meioses in vivo
Arch. Toxicol., 28: 105-114.
- 92) Shearn, M.A. (1987):
Non steroidal anti-inflammatory agents, drugs used in
gout: In, "Basic and Clinical" Pharmacology, Katzung
B.G. (ed) P. 396, Lang Medical Publication, Los Altos,
California.

- 100) Tzung, S.P.; Gaines, K.C.; Lance, P.; Ehrke, M.J. and Cohen, S.A. (1990):

Suppression of hepatic lymphokine-activated killer cell induction by murine kupffer cells and hepatocytes. Hepatology, 12 (4 Pt 1): 644-652.

- 101) Unsworth, J.; Sturman, S.; Lunec, J. and Blake, D.R. (1987):

Renal impairment associated with nonsteroidal anti-inflammatory drugs.
Ann. Rheum. Dis., 46: 233-236.

- 102) Vane, J.R. (1971):

Inhibition of prostaglandin synthesis as a mechanism of action for aspirin like drugs.
Nature, 231: 232-235.

- 103) Walsh, C.E.; DeChatelet, L.R.; Thomas, M.J.; O'Flaherty, J.T. and Waite, M. (1981):

Effect of phagocytosis and ionophores on release and metabolism of arachidonic acid from human neutrophils
Lipids, 16: 120-124.

- 104) Weissman, G. (1987):

Pathogenesis of inflammation.
Drugs, 33 (Suppl. 1): 28-37.

- 105) Weitberg, A.B. (1988):

Effects of arachidonic acid and inhibitors of arachidonic acid metabolism on phagocyte induced sister chromatid exchanges.
Clin. Genet., 34 (5): 288-292.

- 106) Wilson, D.E.; DiGianfilippo, A.; Ondrey, F.G.; Anderson, K.M. and Harris, J.E. (1989):

Effect of nordihydroguaiaretic acid on cultured rat and human glioma cell proliferation.
J. Neurosurg., 71 (4): 551-557.

- 107) Wojtecka-Lukasik, E.; Stachrska, J.; Kopec, M. and Maslinski, S. (1988):

Anti-inflammatory drugs modulate histamine release from mast cells induced by fibrinogen degradation products.

Ann. Rheum. Dis., 47: 328-332.

- 108) Yamaki, K.; Nakagawa, H. and Tsurufuji, S. (1987):

Inhibitory effects of anti-inflammatory drugs on type II collagen induced arthritis in rats.

Ann. Rheum. Dis., 46: 543-548.

- 109) Zurier, R.B. (1988):

Prostaglandins and inflammation. In Prostaglandins Biology and Chemistry of Prostaglandins and Related Eicosanoids, 595-607, ed. by Curtis-Prior, P.B.; Churchill Livingstone, New York.